(12) STANDARD PATENT APPLICATION (11) Application No. **AU 2026201390 A1**
(19) AUSTRALIAN PATENT OFFICE

(54) Title
CONJUGATED ANTISENSE COMPOUNDS AND THEIR USE

(51) International Patent Classification(s)
C07H 21/00 (2006.01) ***A61K 39/00*** (2006.01)
A61K 38/00 (2006.01)

(21) Application No: **2026201390** (22) Date of Filing: **2026.02.25**

(43) Publication Date: **2026.03.19**
(43) Publication Journal Date: **2026.03.19**

(62) Divisional of:
2024200296

(71) Applicant(s)
Ionis Pharmaceuticals, Inc.

(72) Inventor(s)
Prakash, Thazha P.;Seth, Punit P.;Swayze, Eric E.

(74) Agent / Attorney
RnB IP Pty Ltd, PO Box 9530, DEAKIN, ACT, 2600, AU

2026201390 25 Feb 2026

ABSTRACT

Provided herein are oligomeric compounds with conjugate groups. In certain embodiments, the oligomeric compounds are conjugated to *N*-Acetylgalactosamine.

2026201390 25 Feb 2026

CONJUGATED ANTISENSE COMPOUNDS AND THEIR USE

SEQUENCE LISTING

The present application claims divisional status to Australian patent application no. 2024200296, the entire contents of which is incorporated herein by reference, including the sequence listing. The present application is being filed along with a Sequence Listing in electronic format as an ST.26-compliant XML sequence listing. The information in the electronic format of the sequence listing is incorporated herein by reference in its entirety.

BACKGROUND OF THE INVENTION

The principle behind antisense technology is that an antisense compound hybridizes to a target nucleic acid and modulates the amount, activity, and/or function of the target nucleic acid. For example in certain instances, antisense compounds result in altered transcription or translation of a target. Such modulation of expression can be achieved by, for example, target mRNA degradation or occupancy-based inhibition. An example of modulation of RNA target function by degradation is RNase H-based degradation of the target RNA upon hybridization with a DNA-like antisense compound. Another example of modulation of gene expression by target degradation is RNA interference (RNAi). RNAi refers to antisense-mediated gene silencing through a mechanism that utilizes the RNA-induced silencing complex (RISC). An additional example of modulation of RNA target function is by an occupancy-based mechanism such as is employed naturally by microRNA. MicroRNAs are small non-coding RNAs that regulate the expression of protein-coding RNAs. The binding of an antisense compound to a microRNA prevents that microRNA from binding to its messenger RNA targets, and thus interferes with the function of the microRNA. MicroRNA mimics can enhance native microRNA function. Certain antisense compounds alter splicing of pre-mRNA. Regardless of the specific mechanism, sequence-specificity makes antisense compounds attractive as tools for target validation and gene functionalization, as well as therapeutics to selectively modulate the expression of genes involved in the pathogenesis of diseases.

Antisense technology is an effective means for modulating the expression of one or more specific gene products and can therefore prove to be uniquely useful in a number of therapeutic, diagnostic, and research applications. Chemically modified nucleosides may be incorporated into antisense compounds to enhance one or more properties, such as nuclease resistance, pharmacokinetics or affinity for a target nucleic acid. In 1998, the antisense compound, Vitravene® (fomivirsen; developed by Isis Pharmaceuticals Inc., Carlsbad, CA) was the first antisense drug to achieve marketing clearance from the U.S. Food and Drug Administration (FDA), and is currently a treatment of cytomegalovirus (CMV)-induced retinitis in AIDS patients. For another example, an antisense oligonucleotide targeting ApoB, KYNAMRO™, has been approved by the U.S. Food

2026201390 25 Feb 2026

and Drug Administration (FDA) as an adjunct treatment to lipid-lowering medications and diet to reduce low density lipoprotein-cholesterol (LDL-C), ApoB, total cholesterol (TC), and non-high density lipoprotein-cholesterol (non HDL-C) in patients with homozygous familial hypercholesterolemia (HoFH).

New chemical modifications have improved the potency and efficacy of antisense compounds, uncovering the potential for oral delivery as well as enhancing subcutaneous administration, decreasing potential for side effects, and leading to improvements in patient convenience. Chemical modifications increasing potency of antisense compounds allow administration of lower doses, which reduces the potential for toxicity, as well as decreasing overall cost of therapy. Modifications increasing the resistance to degradation result in slower clearance from the body, allowing for less frequent dosing. Different types of chemical modifications can be combined in one compound to further optimize the compound's efficacy.

SUMMARY OF THE INVENTION

In certain embodiments, the present disclosure provides conjugated antisense compounds. In certain embodiments, the present disclosure provides conjugated antisense compounds comprising an antisense oligonucleotide complementary to a nucleic acid transcript. In certain embodiments, the present disclosure provides methods comprising contacting a cell with a conjugated antisense compound comprising an antisense oligonucleotide complementary to a nucleic acid transcript. In certain embodiments, the present disclosure provides methods comprising contacting a cell with a conjugated antisense compound comprising an antisense oligonucleotide and reducing the amount or activity of a nucleic acid transcript in a cell.

The asialoglycoprotein receptor (ASGP-R) has been described previously. See e.g., Park et al., PNAS vol. 102, No. 47, pp 17125-17129 (2005). Such receptors are expressed on liver cells, particularly hepatocytes. Further, it has been shown that compounds comprising clusters of three N-acetylgalactosamine (GalNAc) ligands are capable of binding to the ASGP-R, resulting in uptake of the compound into the cell. See e.g., Khorev et al., Bioorganic and Medicinal Chemistry, 16, 9, pp 5216-5231 (May 2008). Accordingly, conjugates comprising such GalNAc clusters have been used to facilitate uptake of certain compounds into liver cells, specifically hepatocytes. For example it has been shown that certain GalNAc-containing conjugates increase activity of duplex siRNA compounds in liver cells in vivo. In such instances, the GalNAc-containing conjugate is typically attached to the sense strand of the siRNA duplex. Since the sense strand is discarded before the antisense strand ultimately hybridizes with the target nucleic acid, there is little concern that the conjugate will interfere with activity. Typically, the conjugate is attached to the 3’ end of the sense strand of the siRNA. See e.g., U.S. Patent 8,106,022. Certain conjugate groups described herein are more active and/or easier to synthesize than conjugate groups previously described.

In certain embodiments of the present invention, conjugates are attached to single-stranded antisense compounds, including, but not limited to RNase H based antisense compounds and antisense compounds that alter splicing of a pre-mRNA target nucleic acid. In such embodiments, the conjugate should remain attached

2026201390 25 Feb 2026

to the antisense compound long enough to provide benefit (improved uptake into cells) but then should either be cleaved, or otherwise not interfere with the subsequent steps necessary for activity, such as hybridization to a target nucleic acid and interaction with RNase H or enzymes associated with splicing or splice modulation. This balance of properties is more important in the setting of single-stranded antisense compounds than in siRNA compounds, where the conjugate may simply be attached to the sense strand. Disclosed herein are conjugated single-stranded antisense compounds having improved potency in liver cells in vivo compared with the same antisense compound lacking the conjugate. Given the required balance of properties for these compounds such improved potency is surprising.

In certain embodiments, conjugate groups herein comprise a cleavable moiety. As noted, without wishing to be bound by mechanism, it is logical that the conjugate should remain on the compound long enough to provide enhancement in uptake, but after that, it is desirable for some portion or, ideally, all of the conjugate to be cleaved, releasing the parent compound (e.g., antisense compound) in its most active form. In certain embodiments, the cleavable moiety is a cleavable nucleoside. Such embodiments take advantage of endogenous nucleases in the cell by attaching the rest of the conjugate (the cluster) to the antisense oligonucleotide through a nucleoside via one or more cleavable bonds, such as those of a phosphodiester linkage. In certain embodiments, the cluster is bound to the cleavable nucleoside through a phosphodiester linkage. In certain embodiments, the cleavable nucleoside is attached to the antisense oligonucleotide (antisense compound) by a phosphodiester linkage. In certain embodiments, the conjugate group may comprise two or three cleavable nucleosides. In such embodiments, such cleavable nucleosides are linked to one another, to the antisense compound and/or to the cluster via cleavable bonds (such as those of a phosphodiester linkage). Certain conjugates herein do not comprise a cleavable nucleoside and instead comprise a cleavable bond. It is shown that that sufficient cleavage of the conjugate from the oligonucleotide is provided by at least one bond that is vulnerable to cleavage in the cell (a cleavable bond).

In certain embodiments, conjugated antisense compounds are prodrugs. Such prodrugs are administered to an animal and are ultimately metabolized to a more active form. For example, conjugated antisense compounds are cleaved to remove all or part of the conjugate resulting in the active (or more active) form of the antisense compound lacking all or some of the conjugate.

In certain embodiments, conjugates are attached at the 5’ end of an oligonucleotide. Certain such 5’-conjugates are cleaved more efficiently than counterparts having a similar conjugate group attached at the 3’ end. In certain embodiments, improved activity may correlate with improved cleavage. In certain embodiments, oligonucleotides comprising a conjugate at the 5’ end have greater efficacy than oligonucleotides comprising a conjugate at the 3’ end (see, for example, Examples 56, 81, 83, and 84). Further, 5’-attachment allows simpler oligonucleotide synthesis. Typically, oligonucleotides are synthesized on a solid support in the 3’ to 5’ direction. To make a 3’-conjugated oligonucleotide, typically one attaches a pre-conjugated 3’ nucleoside to the solid support and then builds the oligonucleotide as usual. However, attaching that conjugated nucleoside to the solid support adds complication to the synthesis. Further, using that approach, the conjugate

2026201390 25 Feb 2026

is then present throughout the synthesis of the oligonucleotide and can become degraded during subsequent steps or may limit the sorts of reactions and reagents that can be used. Using the structures and techniques described herein for 5'-conjugated oligonucleotides, one can synthesize the oligonucleotide using standard automated techniques and introduce the conjugate with the final (5'-most) nucleoside or after the oligonucleotide has been cleaved from the solid support.

In view of the art and the present disclosure, one of ordinary skill can easily make any of the conjugates and conjugated oligonucleotides herein. Moreover, synthesis of certain such conjugates and conjugated oligonucleotides disclosed herein is easier and/or requires few steps, and is therefore less expensive than that of conjugates previously disclosed, providing advantages in manufacturing. For example, the synthesis of certain conjugate groups consists of fewer synthetic steps, resulting in increased yield, relative to conjugate groups previously described. Conjugate groups such as GalNAc3-10 in Example 46 and GalNAc3-7 in Example 48 are much simpler than previously described conjugates such as those described in U.S. 8,106,022 or U.S. 7,262,177 that require assembly of more chemical intermediates . Accordingly, these and other conjugates described herein have advantages over previously described compounds for use with any oligonucleotide, including single-stranded oligonucleotides and either strand of double-stranded oligonucleotides (e.g., siRNA).

Similarly, disclosed herein are conjugate groups having only one or two GalNAc ligands. As shown, such conjugates groups improve activity of antisense compounds. Such compounds are much easier to prepare than conjugates comprising three GalNAc ligands. Conjugate groups comprising one or two GalNAc ligands may be attached to any antisense compounds, including single-stranded oligonucleotides and either strand of double-stranded oligonucleotides (e.g., siRNA).

In certain embodiments, the conjugates herein do not substantially alter certain measures of tolerability. For example, it is shown herein that conjugated antisense compounds are not more immunogenic than unconjugated parent compounds. Since potency is improved, embodiments in which tolerability remains the same (or indeed even if tolerability worsens only slightly compared to the gains in potency) have improved properties for therapy.

In certain embodiments, conjugation allows one to alter antisense compounds in ways that have less attractive consequences in the absence of conjugation. For example, in certain embodiments, replacing one or more phosphorothioate linkages of a fully phosphorothioate antisense compound with phosphodiester linkages results in improvement in some measures of tolerability. For example, in certain instances, such antisense compounds having one or more phosphodiester are less immunogenic than the same compound in which each linkage is a phosphorothioate. However, in certain instances, as shown in Example 26, that same replacement of one or more phosphorothioate linkages with phosphodiester linkages also results in reduced cellular uptake and/or loss in potency. In certain embodiments, conjugated antisense compounds described herein tolerate such change in linkages with little or no loss in uptake and potency when compared to the conjugated full-phosphorothioate counterpart. In fact, in certain embodiments, for example, in Examples 44, 57, 59, and 86,


2026201390 25 Feb 2026

oligonucleotides comprising a conjugate and at least one phosphodiester internucleoside linkage actually exhibit increased potency in vivo even relative to a full phosphorothioate counterpart also comprising the same conjugate. Moreover, since conjugation results in substantial increases in uptake/potency a small loss in that substantial gain may be acceptable to achieve improved tolerability. Accordingly, in certain embodiments, conjugated antisense compounds comprise at least one phosphodiester linkage.

In certain embodiments, conjugation of antisense compounds herein results in increased delivery, uptake and activity in hepatocytes. Thus, more compound is delivered to liver tissue. However, in certain embodiments, that increased delivery alone does not explain the entire increase in activity. In certain such embodiments, more compound enters hepatocytes. In certain embodiments, even that increased hepatocyte uptake does not explain the entire increase in activity. In such embodiments, productive uptake of the conjugated compound is increased. For example, as shown in Example 102, certain embodiments of GalNAc-containing conjugates increase enrichment of antisense oligonucleotides in hepatocytes versus non-parenchymal cells. This enrichment is beneficial for oligonucleotides that target genes that are expressed in hepatocytes.

In certain embodiments, conjugated antisense compounds herein result in reduced kidney exposure. For example, as shown in Example 20, the concentrations of antisense oligonucleotides comprising certain embodiments of GalNAc-containing conjugates are lower in the kidney than that of antisense oligonucleotides lacking a GalNAc-containing conjugate. This has several beneficial therapeutic implications. For therapeutic indications where activity in the kidney is not sought, exposure to kidney risks kidney toxicity without corresponding benefit. Moreover, high concentration in kidney typically results in loss of compound to the urine resulting in faster clearance. Accordingly for non-kidney targets, kidney accumulation is undesired.

In certain embodiments, the present disclosure provides conjugated antisense compounds represented by the formula:



wherein

A is the antisense oligonucleotide;

B is the cleavable moiety

C is the conjugate linker

D is the branching group


each E is a tether;

each F is a ligand; and


q is an integer between 1 and 5.

2026201390 25 Feb 2026


In the above diagram and in similar diagrams herein, the branching group "D" branches as many times as is necessary to accommodate the number of (E-F) groups as indicated by "q". Thus, where q = 1, the formula is:




where q = 2, the formula is:




where q = 3, the formula is:




where q = 4, the formula is:



where q = 5, the formula is:




In certain embodiments, conjugated antisense compounds are provided having the structure:



.

2026201390 25 Feb 2026

In certain embodiments, conjugated antisense compounds are provided having the structure:




.

5


2026201390 25 Feb 2026

In certain embodiments, conjugated antisense compounds are provided having the structure:



In certain embodiments, conjugated antisense compounds are provided having the structure:

2026201390 25 Feb 2026



The present disclosure provides the following non-limiting numbered embodiments:

Embodiment 1. A conjugated antisense compound comprising: an antisense oligonucleotide comprising 12-30 linked nucleosides and a conjugate group, wherein the conjugate group comprises: a cleavable moiety; a conjugate linker; and a cell- targeting moiety.

Embodiment 2. The conjugated antisense compound of embodiment 1, wherein:

the cleavable moiety is covalently bound to the antisense oligonucleotide;

the conjugate linker is covalently bound to the cleavable moiety; and

the cell-targeting moiety is covalently bound to the conjugate linker.

Embodiment 3. The conjugated antisense compound of embodiment 1 or 2, wherein the cell-targeting moiety comprises a branching group.

25 Feb 2026
2026201390

Embodiment 4. The conjugated antisense compound of embodiment 3, wherein the branching group is covalently attached to the conjugate linker.


Embodiment 5. The conjugated antisense compound of any of embodiments 1-4, wherein the cell-targeting moiety comprises at least one tether.

Embodiment 6. The conjugated antisense compound of embodiment 5, wherein the at least one tether is covalently attached to the branching group.

Embodiment 7. The conjugated antisense compound of any of embodiments 1-6, wherein the cell-targeting moiety comprises at least one ligand.

Embodiment 8. The conjugated antisense compound of embodiment 7, wherein each of the at least one ligands is covalently attached to a tether.

Embodiment 9. The conjugated antisense compound of embodiment 1-8, wherein the compound has a structure represented by formula I below:



wherein

A is the antisense oligonucleotide;

B is the cleavable moiety

C is the conjugate linker

D is the branching group

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 10. The conjugated antisense compound of any of embodiments 1-9, wherein the cleavable moiety comprises 1-4 linked cleavable moiety nucleosides, wherein the linkage between the antisense oligonucleotide and the first cleavable moiety nucleoside is a phosphodiester internucleoside linkage.

25 Feb 2026
2026201390

Embodiment 11. The conjugated antisense compound of embodiment 10, wherein each internucleoside linkage between each of the linked cleavable moiety nucleosides is a phosphodiester internucleoside linkage.

Embodiment 12. The conjugated antisense compound of embodiment 10 or 11, wherein the cleavable moiety comprises 1-3 linked cleavable moiety nucleosides.

Embodiment 13. The conjugated antisense compound of embodiment 10 or 11, wherein the cleavable moiety comprises 1-2 linked cleavable moiety nucleosides.

Embodiment 14. The conjugated antisense compound of embodiment 10, wherein the cleavable moiety comprises one cleavable moiety nucleoside.

Embodiment 15. The conjugated antisense compound of any of embodiments 1-14, wherein the cleavable moiety is a cleavable moiety nucleoside selected from the group consisting of a purine, a substituted purine, a pyrimidine, or a substituted pyrimidine.


Embodiment 16. The conjugated antisense compound of any of embodiments 1-14, wherein the cleavable moiety is a cleavable moiety nucleoside selected from cytidine, uridine, adenosine, thymidine, and guanosine.

Embodiment 17. The conjugated antisense compound of any of embodiments 1-14, wherein the cleavable moiety is a cleavable moiety deoxynucleoside selected from deoxyadenosine, deoxyguanosine, deoxyinosine, thymidine, deoxyuridine, and deoxycytidine.

Embodiment 18. The conjugated antisense compound of any of embodiments 1-17, wherein the cleavable moiety comprises deoxyadenosine.

Embodiment 19. The conjugated antisense compound of any of embodiments 1-18, wherein the cleavable moiety is deoxyadenosine.


Embodiment 20. The conjugated antisense compound of any of embodiments 1-19, wherein the cleavable moiety has a structure selected from among:



wherein each of Bx, Bx_1, Bx_2, and Bx_3 is independently a heterocyclic base moiety.

Embodiment 21. The conjugated antisense compound of embodiment 20, wherein the heterocyclic base moiety is selected from among: uracil, thymine, cytosine, 5-methylcytosine, adenine or guanine.

Embodiment 22. The conjugated antisense compound of any of embodiments 1-19, wherein the cleavable moiety has the structure:



.

Embodiment 23. The conjugated antisense compound of any of embodiments 1-22, wherein the conjugate linker comprises a pyrrolidine.

Embodiment 24. The conjugated antisense compound of any of embodiments 1-23, wherein the conjugate linker comprises PEG.

25 Feb 2026
2026201390

Embodiment 25. The conjugated antisense compound of any of embodiments 1-24, wherein the conjugate linker comprises an amide.

Embodiment 26. The conjugated antisense compound of any of embodiments 1-25, wherein the conjugate linker comprises a polyamide.

Embodiment 27. The conjugated antisense compound of any of embodiments 1-26, wherein the conjugate linker comprises an amine.

Embodiment 28. The conjugated antisense compound of any of embodiments 1-27, wherein the conjugate linker comprises one or more disulfide bonds.


Embodiment 29. The conjugated antisense compound of any of embodiments 1-28, wherein the conjugate linker comprises a protein binding moiety.

Embodiment 30. The conjugated antisense compound of embodiment 29, wherein the protein binding moiety comprises a lipid.

Embodiment 31. The conjugated antisense compound of embodiment 30, wherein the protein binding moiety is selected from among: cholesterol, cholic acid, adamantane acetic acid, 1-pyrene butyric acid, dihydrotestosterone, 1,3-Bis-O(hexadecyl)glycerol, geranyloxyhexyl group, hexadecylglycerol, borneol, menthol, 1,3-propanediol, heptadecyl group, palmitic acid, myristic acid, O3-(oleoyl)lithocholic acid, O3-(oleoyl)cholenic acid, dimethoxytrityl, or phenoxazine), a vitamin (e.g., folate, vitamin A, vitamin E, biotin, pyridoxal), a peptide, a carbohydrate (e.g., monosaccharide, disaccharide, trisaccharide, tetrasaccharide, oligosaccharide, polysaccharide), an endosomolytic component, a steroid (e.g., uvaol, hecigenin, diosgenin), a terpene (e.g., triterpene, sarsasapogenin, friedelin, epifriedelanol derivatized lithocholic acid), or a cationic lipid.

Embodiment 32. The conjugated antisense compound of any of embodiments 1-31 wherein the protein binding moiety is a C16 to C22 long chain saturated or unsaturated fatty acid, cholesterol, cholic acid, vitamin E, adamantane or 1-pentafluoropropyl.


Embodiment 33. The conjugated antisense compound of any of embodiments 1-32 wherein the conjugate linker has a structure selected from among:





; and


wherein n is from 1 to 20; and p is from 1 to 6. In such embodiments having more than one n, each n is selected independently.


Embodiment 34. The conjugated antisense compound of any of embodiments 1-33 wherein the conjugate linker has a structure selected from among:



;



;



;



;


;


;


;


; and


















5

2026201390 25 Feb 2026


wherein n is from 1 to 20.


Embodiment 35. The conjugated antisense compound of any of embodiments 1-33 wherein the conjugate linker has a structure selected from among:



;

;

;

;

;

;

;

;

;

;

;

;

;

; and



wherein n is from 1 to 20.


Embodiment 36. The conjugated antisense compound of any of embodiments 1-33 wherein the conjugate linker has a structure selected from among:



;



;



;






;



;



;



;



;


;


;



;


; and



.

2026201390 25 Feb 2026

Embodiment 37. The conjugated antisense compound of any of embodiments 1-33 wherein the conjugate linker has a structure selected from among:




Embodiment 38. The conjugated antisense compound of any of embodiments 1-33 wherein the conjugate linker has a structure selected from among:



wherein n is from 1 to 20.

25 Feb 2026
2026201390

Embodiment 39. The conjugated antisense compound of any of embodiments 1-33 wherein the conjugate linker has the structure:



Embodiment 40. The conjugated antisense compound of any of embodiments 1-39, wherein the cell-targeting moiety comprises a carbohydrate.

Embodiment 41. The conjugated antisense compound of any of embodiments 1-40, wherein the cell-targeting moiety comprises a carbohydrate cluster.


Embodiment 42. The conjugated antisense compound of any of embodiments 1-41, wherein the cell-targeting moiety comprises a cell surface receptor ligand.

Embodiment 43. The conjugated antisense compound of any of embodiments 1-42, wherein the targeting moiety comprises at least one *N*-Acetylgalactosamine (GalNAc).

Embodiment 44. The conjugated antisense compound of any of embodiments 1-43, wherein the targeting moiety comprises a branching group.

Embodiment 45. The conjugated antisense compound of embodiment 44, wherein the branching group comprises an ether.

Embodiment 46. The conjugated antisense compound of embodiment 44 or 45, wherein the branching group has the following structure:




wherein each n is, independently, from 1 to 20; and


m is from 2 to 6.

2026201390 25 Feb 2026

Embodiment 47. The conjugated antisense compound of embodiment 44 or 45, wherein the branching group has the following structure:




Embodiment 48. The conjugated antisense compound of embodiment 44 or 45, wherein the branching group has the following structure:



wherein each A_1 is independently, O, S, C=O or NH; and

each n is, independently, from 1 to 20.

Embodiment 49. The conjugated antisense compound of embodiment 44 or 45, wherein the branching group has the following structure:



25 Feb 2026
2026201390

Embodiment 50. The conjugated antisense compound of any embodiments 1-49, wherein the cell-targeting moiety comprises a tether.

Embodiment 51. The conjugated antisense compound of any embodiments 1-49, wherein the cell-targeting moiety comprises two tethers.

Embodiment 52. The conjugated antisense compound of any embodiments 1-49, wherein the cell-targeting moiety comprises three tethers.

Embodiment 53. The conjugated antisense compound of any embodiments 1-49, wherein the cell-targeting moiety comprises four or more tethers.

Embodiment 54. The conjugated antisense compound of any of embodiments 1-53, wherein at least one tether comprises PEG.

Embodiment 55. The conjugated antisense compound of any of embodiments 1-54, wherein at least one tether comprises an amide.


Embodiment 56. The conjugated antisense compound of any of embodiments 1-55, wherein at least one tether comprises a polyamide.

Embodiment 57. The conjugated antisense compound of any of embodiments 1-56, wherein at least one tether comprises an amine.

Embodiment 58. The conjugated antisense compound of any of embodiments 1-57, wherein at least two tethers are different from one another.

Embodiment 59. The conjugated antisense compound of any of embodiments 1-57, wherein all of the tethers are the same as one another.


Embodiment 60. The conjugated antisense compound of any of embodiments 1-59, wherein each tether is selected from among:




wherein each n is, independently, from 1 to 20; and

each p is from 1 to about 6.

Embodiment 61. The conjugated antisense compound of any of embodiments 1-60, wherein each tether is selected from among:




Embodiment 62. The conjugated antisense compound of any of embodiments 1-61, wherein each tether has the following structure:



wherein each n is, independently, from 1 to 20.

25 Feb 2026
2026201390

Embodiment 63. The conjugated antisense compound of any of embodiments 1-61, wherein each tether has the following structure:



Embodiment 64. The conjugated antisense compound of any of embodiments 1-63, wherein the cell-targeting moiety comprises at least one ligand.

Embodiment 65. The conjugated antisense compound of embodiment 64, wherein the cell-targeting moiety comprises one ligand.

Embodiment 66. The conjugated antisense compound of embodiment 64, wherein the targeting moiety comprises two ligands.

Embodiment 67. The conjugated antisense compound of embodiment 64, wherein the targeting moiety comprises three ligands.

Embodiment 68. The conjugated antisense compound of any of embodiments 64-67, wherein a ligand is covalently attached to each tether.

Embodiment 69. The conjugated antisense compound of any of embodiments 1 to 68, wherein at least one ligand is *N*-Acetylgalactosamine (GalNAc).

Embodiment 70. The conjugated antisense compound of any of embodiments 1 to 69, wherein each ligand is N-Acetylgalactosamine (GalNAc).

Embodiment 71. The conjugated antisense compound of any of embodiments 1-70, wherein the ligand is selected from among: a polysaccharide, modified polysaccharide, mannose, galactose, a mannose derivative, a galactose derivative, D-mannopyranose, L-Mannopyranose, D-Arabinose, L-Galactose, D-xylofuranose, L-xylofuranose, D-glucose, L-glucose, D-Galactose, L-Galactose, α-D-Mannofuranose, β-D-Mannofuranose, α-D-Mannopyranose, β-D-Mannopyranose, α-D-Glucopyranose, β-D-Glucopyranose, α-D-Glucofuranose, β-D-Glucofuranose, α-D-fructofuranose, α-D-fructopyranose, α-D-Galactopyranose, β -D-Galactopyranose, α-D-Galactofuranose, β -D-Galactofuranose, glucosamine, sialic acid, α-D-galactosamine, N-Acetylgalactosamine, 2-Amino-3-*O*-[(*R*)-1-carboxyethyl]-2-deoxy-β-D-glucopyranose, 2-Deoxy-2-methylamino-L-glucopyranose, 4,6-Dideoxy-4-formamido-2,3-di-*O*-

25 Feb 2026


2026201390

methyl-D-mannopyranose, 2-Deoxy-2-sulfoamino-D-glucopyranose, *N*-Glycoloyl-α-neuraminic acid, 5-thio-β-D-glucopyranose, methyl 2,3,4-tri-*O*-acetyl-1-thio-6-*O*-trityl-α-D-glucopyranoside, 4-Thio-β-D-galactopyranose, ethyl 3,4,6,7-tetra-*O*-acetyl-2-deoxy-1,5-dithio-α-D-*gluco*-heptopyranoside, 2,5-Anhydro-D-allononitrile, ribose, D-ribose, D-4-thioribose, L-ribose, L-4-thioribose.


Embodiment 72. The conjugated antisense compound of any of embodiments 1-71, wherein the ligand is galactose.

Embodiment 73. The conjugated antisense compound of any of embodiments 1-71, wherein the ligand is mannose-6-phosphate.

Embodiment 74. The conjugated antisense compound of any of embodiments 1-71, wherein each ligand is selected from among:




and




wherein each R_1 is selected from OH and NHCOOH.


Embodiment 75. The conjugated antisense compound of any of embodiments 1-71, wherein each ligand is selected from among:




Embodiment 76. The conjugated antisense compound of any of embodiments 1-71, wherein each ligand has the following structure:



Embodiment 77. The conjugated antisense compound of any of embodiments 1-71, wherein each ligand has the following structure:




Embodiment 78. The conjugated antisense compound of any of embodiments 1-77, wherein the cell-targeting group has the following structure:




wherein each n is, independently, from 1 to 20.

Embodiment 79. The conjugated antisense compound of any of embodiments 1-77, wherein the cell-targeting group has the following structure:



2026201390 25 Feb 2026

Embodiment 80. The conjugated antisense compound of any of embodiments 1-79, wherein the conjugate has the following structure:



wherein each n is, independently, from 1 to 20;


Z is H or a linked solid support;

Q is said antisense compound;

X is O or S; and

Bx is a heterocyclic base moiety.

Embodiment 81. The conjugated antisense compound of any of embodiments 1-79, wherein the conjugate has the following structure:



wherein Z is H or a linked solid support;

Q is said antisense compound.

25 Feb 2026
2026201390

Embodiment 82. The conjugated antisense compound of any of embodiments 1-81, wherein the conjugate group is attached to the 2’-position of a nucleoside of the antisense oligonucleotide.

Embodiment 83. The conjugated antisense compound of any of embodiments 1-81, wherein the conjugate group is attached to the 3’-position of a nucleoside of the antisense oligonucleotide.

Embodiment 84. The conjugated antisense compound of any of embodiments 1-81, wherein the conjugate group is attached to the 5’-position of a nucleoside of the antisense oligonucleotide.

Embodiment 85. The conjugated antisense compound of any of embodiments 1-82, wherein the conjugate group is attached to the 5’-terminal nucleoside of the antisense oligonucleotide.

Embodiment 86. The conjugated antisense compound of any of embodiments 1-84, wherein the conjugate group is attached to the 3’-terminal nucleoside of the antisense oligonucleotide.

Embodiment 87. The conjugated antisense compound of any of embodiments 1-84, wherein the conjugate group is attached to an internal nucleoside of the antisense oligonucleotide.

Embodiment 88. The conjugated antisense compound of any of embodiments 1-87, wherein the conjugate group increases uptake of the conjugated antisense compound into a hepatocyte relative to an unconjugated antisense compound.

Embodiment 89. The conjugated antisense compound of any of embodiments 1-88, wherein the conjugate group increases the uptake of the conjugated antisense compound into a liver cell relative to an unconjugated antisense compound.

Embodiment 90. The conjugated antisense compound of any of embodiments 1-89, wherein the conjugate group increases accumulation of the conjugated antisense compound in the liver relative to an unconjugated antisense compound.

Embodiment 91. The conjugated antisense compound of any of embodiments 1-90, wherein the conjugate group decreases accumulation of the conjugated antisense compound in the kidneys relative to an unconjugated antisense compound.

25 Feb 2026
2026201390

Embodiment 92. The conjugated antisense compound of any of embodiments 1-91, wherein the antisense oligonucleotide is an RNase H based antisense compound.

Embodiment 93. The conjugated antisense compound of any of embodiments 1-92, wherein the antisense oligonucleotide comprises at least one modified nucleoside.

Embodiment 94. The conjugated antisense compound of any of embodiments 1-93, wherein each nucleoside of the antisense oligonucleotide is a modified nucleoside.

Embodiment 95. The conjugated antisense compound of any of embodiments 1-94, wherein the antisense oligonucleotide is single-stranded.

Embodiment 96. The conjugated antisense compound of embodiment 93-95, wherein at least one modified nucleoside comprises a modified sugar moiety.

Embodiment 97. The conjugated antisense compound of embodiment 96, wherein the antisense oligonucleotide has a sugar motif comprising:

a 5'-region consisting of 2-8 linked 5'-region nucleosides, wherein at least two 5'-region nucleosides are modified nucleosides and wherein the 3'-most 5'-region nucleoside is a modified nucleoside;

a 3'-region consisting of 2-8 linked 3'-region nucleosides, wherein at least two 3'-region nucleosides are modified nucleosides and wherein the 5'-most 3'-region nucleoside is a modified nucleoside; and

a central region between the 5'-region and the 3'-region consisting of 5-10 linked central region nucleosides, each independently selected from among: a modified nucleoside and an unmodified deoxynucleoside, wherein the 5'-most central region nucleoside is an unmodified deoxynucleoside and the 3'-most central region nucleoside is an unmodified deoxynucleoside.

Embodiment 98. The conjugated antisense compound of embodiment 97, wherein the 5'-region consists of 2 linked 5'-region nucleosides.

Embodiment 99. The conjugated antisense compound of embodiment 97, wherein the 5'-region consists of 3 linked 5'-region nucleosides.

2026201390 25 Feb 2026

Embodiment 100. The conjugated antisense compound of embodiment 97, wherein the 5'-region consists of 4 linked 5'-region nucleosides.

Embodiment 101. The conjugated antisense compound of embodiment 97, wherein the 5'-region consists of 5 linked 5'-region nucleosides.

Embodiment 102. The conjugated antisense compound of any of embodiments 97-101, wherein the 3'-region consists of 2 linked 3'-region nucleosides.

Embodiment 103. The conjugated antisense compound of any of embodiments 97-101, wherein the 3'-region consists of 3 linked 3'-region nucleosides.

Embodiment 104. The conjugated antisense compound of any of embodiments 97-91, wherein the 3'-region consists of 4 linked 3'-region nucleosides.

Embodiment 105. The conjugated antisense compound of any of embodiments 97-101, wherein the 3'-region consists of 5 linked 3'-region nucleosides.

Embodiment 106. The conjugated antisense compound of any of embodiments 97-105, wherein the central region consists of 5 linked central region nucleosides.

Embodiment 107. The conjugated antisense compound of any of embodiments 97-105, wherein the central region consists of 6 linked central region nucleosides.

Embodiment 108. The conjugated antisense compound of any of embodiments 97-105, wherein the central region consists of 7 linked central region nucleosides.

Embodiment 109. The conjugated antisense compound of any of embodiments 97-105, wherein the central region consists of 8 linked central region nucleosides.

Embodiment 110. The conjugated antisense compound of any of embodiments 97-105, wherein the central region consists of 9 linked central region nucleosides.

Embodiment 111. The conjugated antisense compound of any of embodiments 97-105, wherein the central region consists of 10 linked central region nucleosides.

2026201390 25 Feb 2026

Embodiment 112. The conjugated antisense compound of any of embodiments 1-111, wherein the antisense oligonucleotide consists of 14 to 26 linked nucleosides.

Embodiment 113. The conjugated antisense compound of any of embodiments 1-111, wherein the antisense oligonucleotide consists of 15 to 25 linked nucleosides.

Embodiment 114. The conjugated antisense compound of any of embodiments 1-111, wherein the antisense oligonucleotide consists of 16 to 20 linked nucleosides.

Embodiment 115. The conjugated antisense compound of any of embodiments 1-114, wherein each modified nucleoside independently comprises a 2'-substituted sugar moiety or a bicyclic sugar moiety.

Embodiment 116. The conjugated antisense compound of embodiment 115, wherein the at least one modified nucleoside comprises a 2'-substituted sugar moiety.

Embodiment 117. The conjugated antisense compound of embodiment 116, wherein each modified nucleoside comprising a 2'-substituted sugar moiety comprises a 2' substituent independently selected from among: halogen, optionally substituted allyl, optionally substituted amino, azido, optionally substituted SH, CN, OCN, CF_3, OCF_3, O, S, or N(Rm)-alkyl; O, S, or N(Rm)-alkenyl; O, S or N(Rm)-alkynyl; optionally substituted O-alkylenyl-O-alkyl, optionally substituted alkynyl, optionally substituted alkaryl, optionally substituted aralkyl, optionally substituted O-alkaryl, optionally substituted O-aralkyl, $O(CH_2)_2SCH_3$, $O-(CH_2)_2-O-N(Rm)(Rn)$ or O-CH2-C(=O)-N(Rm)(Rn), where each Rm and Rn is, independently, H, an amino protecting group or substituted or unsubstituted C_1-C_{10} alkyl;

wherein each optionally substituted group is optionally substituted with a substituent group independently selected from among: hydroxyl, amino, alkoxy, carboxy, benzyl, phenyl, nitro (NO_2), thiol, thioalkoxy (S-alkyl), halogen, alkyl, aryl, alkenyl and alkynyl.

Embodiment 118. The conjugated antisense compound of embodiment 116, wherein each 2' substituent is independently selected from among: a halogen, OCH_3, OCH_2F, $OCHF_2$, OCF_3, OCH_2CH_3, $O(CH_2)_2F$, OCH_2CHF_2, OCH_2CF_3, $OCH_2-CH=CH_2$, $O(CH_2)_2-OCH_3$, $O(CH_2)_2-SCH_3$, $O(CH_2)_2-OCF_3$, $O(CH_2)_3-N(R_1)(R_2)$, $O(CH_2)_2-ON(R_1)(R_2)$, $O(CH_2)_2-O(CH_2)_2-N(R_1)(R_2)$, $OCH_2C(=O)-N(R_1)(R_2)$, $OCH_2C(=O)-N(R_3)-(CH_2)_2-N(R_1)(R_2)$, and $O(CH_2)_2-N(R_3)-C(=NR_4)[N(R_1)(R_2)]$; wherein R_1, R_2, R_3 and R_4 are each, independently, H or C_1-C_6 alkyl.

25 Feb 2026
2026201390

Embodiment 119. The conjugated antisense compound of embodiment 116, wherein each 2' substituent is independently selected from among: a halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-$CH=CH_2$, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-$N(H)CH_3$, $OCH_2C(=O)$-$N(H)$-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-$N(H)$-$C(=NH)NH_2$.

Embodiment 120. The conjugated antisense compound of embodiment 116, wherein the at least one 2'-modified nucleoside comprises a 2'-MOE sugar moiety.

Embodiment 121. The conjugated antisense compound of embodiment 116, wherein the at least one 2'-modified nucleoside comprises a 2'-OMe sugar moiety.

Embodiment 122. The conjugated antisense compound of embodiment 116, wherein the at least one 2'-modified nucleoside comprises a 2'-F sugar moiety.

Embodiment 123. The conjugated antisense compound of any of embodiments 1-122, wherein the antisense oligonucleotide comprises at least one modified nucleoside comprising a sugar surrogate.

Embodiment 124. The conjugated antisense compound of embodiment 123, wherein the modified nucleoside comprises an F-HNA sugar moiety.

Embodiment 125. The conjugated antisense compound of embodiment 123, wherein the modified nucleoside comprises an HNA sugar moiety.

Embodiment 126. The conjugated antisense compound of any of embodiments 1-125 wherein the antisense oligonucleotide comprises at least one modified nucleoside comprising a bicyclic sugar moiety.

Embodiment 127. The conjugated antisense compound of embodiment 126, wherein the bicyclic sugar moiety is a cEt sugar moiety.

Embodiment 128. The conjugated antisense compound of embodiment 126, wherein bicyclic sugar moiety is an LNA sugar moiety.

Embodiment 129. The conjugated antisense compound of any of embodiments 1-128, wherein the antisense oligonucleotide comprises at least one modified internucleoside linkage.

25 Feb 2026
2026201390

Embodiment 130. The conjugated antisense compound of embodiment 129, wherein each internucleoside linkage of the antisense oligonucleotide is a modified internucleoside linkage.

Embodiment 131. The conjugated antisense compound of embodiment 129, wherein the antisense oligonucleotide comprises at least one modified linkage and at least one unmodified phosphodiester internucleoside linkage.

Embodiment 132. The conjugated antisense compound of any of embodiments 129-131 wherein at least one modified internucleoside linkage is a phosphosphorothioate internucleoside linkage.

Embodiment 133. The conjugated antisense compound of any of embodiments 129-122, wherein each modified internucleoside linkage is a phosphorothioate internucleoside linkage.

Embodiment 134. The conjugated antisense compound of any of embodiments 129-133, wherein the antisense oligonucleotide comprises at least 2 phosphodiester internucleoside linkages.

Embodiment 135. The conjugated antisense compound of any of embodiments 129-133, wherein the antisense oligonucleotide comprises at least 3 phosphodiester internucleoside linkages.

Embodiment 136. The conjugated antisense compound of any of embodiments 129-132, wherein the antisense oligonucleotide comprises at least 4 phosphodiester internucleoside linkages.

Embodiment 137. The conjugated antisense compound of any of embodiments 129-132, wherein the antisense oligonucleotide comprises at least 5 phosphodiester internucleoside linkages.

Embodiment 138. The conjugated antisense compound of any of embodiments 129-132, wherein the antisense oligonucleotide comprises at least 6 phosphodiester internucleoside linkages.

Embodiment 139. The conjugated antisense compound of any of embodiments 129-132, wherein the antisense oligonucleotide comprises at least 7 phosphodiester internucleoside linkages.

Embodiment 140. The conjugated antisense compound of any of embodiments 129-132, wherein the antisense oligonucleotide comprises at least 8 phosphodiester internucleoside linkages.

Embodiment 141. The conjugated antisense compound of any of embodiments 129-132, wherein the antisense oligonucleotide comprises at least 9 phosphodiester internucleoside linkages.

25 Feb 2026
2026201390

Embodiment 142. The conjugated antisense compound of any of embodiments 129-132, wherein the antisense oligonucleotide comprises at least 10 phosphodiester internucleoside linkages.

Embodiment 143. The conjugated antisense compound of any of embodiments 129-142, wherein the antisense oligonucleotide comprises fewer than 16 phosphorothioate internucleoside linkages.

Embodiment 144. The conjugated antisense compound of any of embodiments 129-142, wherein the antisense oligonucleotide comprises fewer than 15 phosphorothioate internucleoside linkages.

Embodiment 145. The conjugated antisense compound of any of embodiments 129-142, wherein the antisense oligonucleotide comprises fewer than 14 phosphorothioate internucleoside linkages.

Embodiment 146. The conjugated antisense compound of any of embodiments 129-142, wherein the antisense oligonucleotide comprises fewer than 13 phosphorothioate internucleoside linkages.

Embodiment 147. The conjugated antisense compound of any of embodiments 129-142, wherein the antisense oligonucleotide comprises fewer than 12 phosphorothioate internucleoside linkages.

Embodiment 148. The conjugated antisense compound of any of embodiments 129-142, wherein the antisense oligonucleotide comprises fewer than 11 phosphorothioate internucleoside linkages.

Embodiment 149. The conjugated antisense compound of any of embodiments 129-142, wherein the antisense oligonucleotide comprises fewer than 10 phosphorothioate internucleoside linkages.

Embodiment 150. The conjugated antisense compound of any of embodiments 129-142, wherein the antisense oligonucleotide comprises fewer than 9 phosphorothioate internucleoside linkages.

Embodiment 151. The conjugated antisense compound of any of embodiments 129-142, wherein the antisense oligonucleotide comprises fewer than 8 phosphorothioate internucleoside linkages.

Embodiment 152. The conjugated antisense compound of any of embodiments 129-142, wherein the antisense oligonucleotide comprises fewer than 7 phosphorothioate internucleoside linkages.

Embodiment 153. The conjugated antisense compound of any of embodiments 129-142, wherein the antisense oligonucleotide comprises fewer than 6 phosphorothioate internucleoside linkages.

25 Feb 2026
2026201390

Embodiment 154. The conjugated antisense compound of any of embodiments 129-153, wherein each terminal internucleoside linkage of the antisense oligonucleotide is a phosphorothioate internucleoside linkage.

Embodiment 155. The conjugated antisense compound of any of embodiments 129-154, wherein each internucleoside linkage linking two deoxynucleosides of the antisense oligonucleotide is a phosphorothioate internucleoside linkage.

Embodiment 156. The conjugated antisense compound of any of embodiments 129-155, wherein each non-terminal internucleoside linkage linking two modified nucleosides of the antisense oligonucleotide is a phosphodiester internucleoside linkage.

Embodiment 157. The conjugated antisense compound of any of embodiments 129-156, wherein each non-terminal internucleoside linkage of the antisense oligonucleotide that is 3' of a modified nucleoside is a phosphodiester internucleoside linkage.

Embodiment 158. The conjugated antisense compound of any of embodiments 129-157, wherein each internucleoside linkage of the antisense oligonucleotide that is 3' of a deoxynucleoside is a phosphorothioate internucleoside linkage.

Embodiment 159. The conjugated antisense compound of any of embodiments 1-158 wherein the antisense oligonucleotides has a chemical motif selected from among:

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$
$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$
$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$
$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$
$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$
$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$
$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$
$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$
$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$
$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$
$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$

2026201390 25 Feb 2026

$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$

$MsMyMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMyMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$

$MsMyMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$; and

$MsMyMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$;

wherein each M is independently a modified nucleoside, each D is a deoxynucleoside; each s is a phosphorothioate internucleoside linkage, and each y is either a phosphodiester internucleoside linkage or a phosphorothioate internucleoside linkage, provided that at least one y is a phosphodiester internucleotide linkage.

Embodiment 160. The conjugated antisense compound of any of embodiments 1-158 wherein the antisense oligonucleotides has a chemical motif selected from among:

$MsMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMsM$

$MsMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMsM$

$MsMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMoMsM$

$MsMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMsM$

$MsMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMsM$

$MsMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMoMsM$

$MsMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMsM$

$MsMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMsM$

$MsMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMoMsM$

$MsMoMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMoMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMsM$

$MsMoMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMsM$; and

$MsMoMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMoMsM$;

wherein each M is independently a modified nucleoside, each D is a deoxynucleoside; each o is a phosphodiester internucleoside linkage, and each s is a phosphorothioate internucleoside linkage.

Embodiment 161. The conjugated antisense compound of embodiment 159 or 160, wherein each M is independently selected from among: a 2’-MOE nucleoside and a bicyclic nucleoside.

25 Feb 2026
2026201390

Embodiment 162. The conjugated antisense compound of embodiment 161, wherein each M is independently selected from among a 2'-MOE nucleoside, a cEt nucleoside, and an LNA nucleoside.

Embodiment 163. The conjugated antisense compound of embodiment 159 or 160, wherein each M is a 2'-MOE nucleoside.

Embodiment 164. The conjugated antisense compound of embodiment 159 or 160, wherein each M is a cEt nucleoside.

Embodiment 165. The conjugated antisense compound of embodiments 159 or 160, wherein each M is an LNA nucleoside.

Embodiment 166. The conjugated antisense compound of any of embodiments 1-165, wherein the antisense oligonucleotide has a nucleobase sequence comprising an at least 8 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 167. The conjugated antisense compound of any of embodiments 1-165, wherein the antisense oligonucleotide has a nucleobase sequence comprising an at least 10 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 168. The conjugated antisense compound of any of embodiments 1-165, wherein the antisense oligonucleotide has a nucleobase sequence comprising an at least 12 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 169. The conjugated antisense compound of any of embodiments 1-165, wherein the antisense oligonucleotide has a nucleobase sequence comprising an at least 14 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 170. The conjugated antisense compound of any of embodiments 1-165, wherein the antisense oligonucleotide has a nucleobase sequence comprising an at least 16 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 171. The conjugated antisense compound of any of embodiments 1-165, wherein the antisense oligonucleotide has a nucleobase sequence comprising an at least 18 nucleobase portion complementary to an equal length portion of a target nucleic acid.

25 Feb 2026
2026201390

Embodiment 172. The conjugated antisense compound of any of embodiments 1-171, wherein the antisense oligonucleotide is at least 90% complementary to a target nucleic acid.

Embodiment 173. The conjugated antisense compound of any of embodiments 1-171, wherein the antisense oligonucleotide is at least 95% complementary to a target nucleic acid.

Embodiment 174. The conjugated antisense compound of any of embodiments 1-171, wherein the antisense oligonucleotide is 100% complementary to a target nucleic acid.

Embodiment 175. The conjugated antisense compound of any of embodiments 166-174, wherein the target nucleic acid is a pre-mRNA.

Embodiment 176. The conjugated antisense compound of any of embodiments 166-174, wherein the target nucleic acid is an mRNA.

Embodiment 177. The conjugated antisense compound of any of embodiments 166-176, wherein the target nucleic acid is expressed in the liver.

Embodiment 178. The conjugated antisense compound of embodiment 177, wherein the target nucleic acid is expressed in hepatocytes.

Embodiment 179. The conjugated antisense compound of embodiment 177 or 178, wherein the target nucleic encodes a protein selected from among: Androgen Receptor, Apolipoprotein (a), Apolipoprotein B, Apolipoprotein C-III, C-Reactive Protein, eIF-4E, Factor VII, Factor XI, Glucocorticoid Receptor, Glucagon Receptor, Protein Tyrosine Phosphatase 1B, STAT3, and Transthyretin.

Embodiment 180. The conjugated antisense compound of embodiment 166-179 wherein the target nucleic acid is a viral nucleic acid.

Embodiment 181. The conjugated antisense compound of embodiment 180, wherein the viral nucleic acid expressed in the liver.

Embodiment 182. The conjugated antisense compound of embodiment 181, wherein the target nucleic acid is a Hepatitis B viral nucleic acid.

25 Feb 2026
2026201390

Embodiment 183. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of any one of SEQ ID NOs.: 17, 18, 19, 20, 21, 22, 23, or 24.

Embodiment 184. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of any one of SEQ ID NO.: 25, 26, 27, 28, 29, or 30.

Embodiment 185. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 31.

Embodiment 186. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 32.

Embodiment 187. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 33.

Embodiment 188. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 34.

Embodiment 189. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 35, 36, 37, 38, 39, 40, 41, 42, or 43.

Embodiment 190. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 44, 45, 46, 47, or 48.

Embodiment 191. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, or 59.

Embodiment 192. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 60, 61, 62, 63, 64, 65, 66, or 67.

2026201390 25 Feb 2026

Embodiment 193. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of any of SEQ ID NO.: 69, 70, 71, or 72.

Embodiment 194. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 73.

Embodiment 195. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 74, 75, 76, 77, 78, 79, 80, or 81.

Embodiment 196. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 68.

Embodiment 197. The conjugated antisense compound of any of embodiments 1-179, wherein the antisense oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 82-103.

Embodiment 198. A method of reducing the amount or activity of a target nucleic acid in a cell, comprising contacting a cell with the conjugated antisense compound of any of embodiments 1-197.

Embodiment 199. The method of embodiment 198, wherein the cell is a liver cell.

Embodiment 200. The method of embodiment 199, wherein the cell is a hepatocyte.

Embodiment 201. The method of any of embodiments 198-200 wherein the cell is in vitro.

Embodiment 202. The method of any of embodiments 198-200 wherein the cell is in an animal.

Embodiment 203. The method of embodiment 202 wherein the animal is a mouse.

Embodiment 204. The method of embodiment 202 wherein the animal is a human.

Embodiment 205. A pharmaceutical composition comprising an conjugated antisense compound according to any of embodiments 1-197 and a pharmaceutically acceptable carrier or diluent.

Embodiment 206. The pharmaceutical composition of embodiment 205 wherein the pharmaceutically acceptable carrier or diluent is selected from among sterile water and sterile saline.

25 Feb 2026
2026201390

Embodiment 207. A method of treating a disease or condition in an animal comprising administering the pharmaceutical composition of embodiment 205 or 206 to the animal and thereby treating the disease or condition in the animal.

Embodiment 208. The method of embodiment 207 wherein the animal is a mouse.

Embodiment 209. The method of embodiment 207 wherein the animal is a human.

Embodiment 210. The method of any of embodiments 207-209, wherein the disease or condition is a liver disease or condition.

Embodiment 211. The method of any of embodiments 207-210 wherein the administration is parenteral.

Embodiment 212. The method embodiment 211 wherein the administration is by subcutaneous injection.

Embodiment 213. The method of embodiment 211 wherein the administration is by intravenous injection.

Embodiment 214. The method of embodiment 211 wherein the administration is by intramuscular injection.

Embodiment 215. The method of any of embodiments 207-214 wherein the conjugated antisense compound is provided at a dose of 1-10 mg/kg.

Embodiment 216. The method of any of embodiments 207-214 wherein the conjugated antisense compound is provided at a dose of less than 1 mg/kg.

Embodiment 217. The method of any of embodiments 207-216 wherein the conjugated antisense compound is provided at a dose of greater than 10 mg/kg.

Embodiment 218. The method of any of embodiments 207-217 wherein the conjugated antisense compound is provided for a dosing period of at least 2 months.

25 Feb 2026
2026201390

Embodiment 219. The method of any of embodiments 207-217 wherein the conjugated antisense compound is provided for a dosing period of at least 4 months.

Embodiment 220. The method of any of embodiments 207-217 wherein the conjugated antisense compound is provided for a dosing period of at least 6 months.

Embodiment 221. The method of any of embodiments 207-217 wherein the conjugated antisense compound is provided at a dosing frequency of about one dose every week.

Embodiment 222. The method of any of embodiments 207-217 wherein the conjugated antisense compound is provided at a dosing frequency of about one dose every two weeks.

Embodiment 223. The method of any of embodiments 207-217 wherein the conjugated antisense compound is provided at a dosing frequency of about one dose every three weeks.

Embodiment 224. The method of any of embodiments 207-217 wherein the conjugated antisense compound is provided at a dosing frequency of one dose every four weeks.

Embodiment 225. The method of any of embodiments 207-217 wherein the conjugated antisense compound is provided at a dosing frequency of one dose every five weeks.

Embodiment 226. The method of any of embodiments 207-217 wherein the conjugated antisense compound is provided at a dosing frequency of one dose every six weeks.

Embodiment 227. The method of any of embodiments 207-217 wherein the conjugated antisense compound is provided at a dosing frequency of one dose every seven weeks.

Embodiment 228. The method of any of embodiments 207-217 wherein the conjugated antisense compound is provided at a dosing frequency of one dose every eight weeks.

Embodiment 229. A conjugated antisense compound comprising: an antisense oligonucleotide comprising 12-30 linked nucleosides, and a conjugate group, wherein the conjugate group comprises at least one cell-targeting moiety.

2026201390 25 Feb 2026

Embodiment 230. The conjugated antisense compound of embodiment 229, wherein the conjugate group comprises 2 cell-targeting moieties.

Embodiment 231. The conjugated antisense compound of embodiment 229, wherein the conjugate group comprises 3 cell-targeting moieties.

Embodiment 232. The conjugated antisense compound of embodiment 229, wherein the conjugate group comprises 4 cell-targeting moieties.

Embodiment 233. The conjugated antisense compound of any of embodiments 229-232, wherein each cell-targeting moiety comprises a cleavable bond.

Embodiment 234. The conjugated antisense compound of any of embodiments 229-233, wherein each cell-targeting moiety comprises a tether and a ligand.

Embodiment 235. The conjugated antisense compound of embodiment 234, wherein the ligand is a cell surface receptor ligand.

Embodiment 236. The conjugated antisense compound of embodiment 235, wherein at least one tether comprises a cleavable bond.

Embodiment 237. The conjugated antisense compound of embodiment 235, wherein each tether comprises a cleavable bond.

Embodiment 238. The conjugated antisense compound of any of embodiments 229-237, wherein the conjugate group comprises a conjugate linker.

Embodiment 239. The conjugated antisense compound of embodiment 238, wherein the conjugate linker comprises one or more cleavable bonds.

Embodiment 240. The conjugated antisense compound of any of embodiments 229-239, wherein the conjugate group comprises a branching group.

Embodiment 241. The conjugated antisense compound of embodiment 240, wherein the branching group comprises one or more cleavable bonds.

25 Feb 2026
2026201390

Embodiment 242. The conjugated antisense compound of any of embodiments 229-241, wherein the conjugate group comprises a cleavable moiety.

Embodiment 243. The conjugated antisense compound of embodiment 242, wherein the cleavable moiety comprises one or more cleavable bonds.

Embodiment 244. The conjugated antisense compound of any of embodiments 229-243, wherein the conjugate group comprises at least one cleavable bond.

Embodiment 245. The conjugated antisense compound of any of embodiments 229-243, wherein the conjugate group comprises at least two cleavable bonds.

Embodiment 246. The conjugated antisense compound of any of embodiments 229-243, wherein the conjugate group comprises at least 3 cleavable bonds.

Embodiment 247. The conjugated antisense compound of any of embodiments 229-243, wherein the conjugate group comprises at least 4 cleavable bonds.

Embodiment 248. The conjugated antisense compound of any of embodiments 229-243, wherein the conjugate group comprises at least 5 cleavable bonds.

Embodiment 249. The conjugated antisense compound of any of embodiments 229-248, comprising a cleavable bond selected from among an amide, a polyamide, an ester, an ether, a phosphodiester, a phosphate ester, a carbamate, a di-sulfide, or a peptide.

Embodiment 250. The conjugated antisense compound of embodiment 249, wherein the peptide is a di-peptide.

Embodiment 251. The conjugated antisense compound of embodiment 249, wherein the peptide is a tri-peptide.

Embodiment 252. The conjugated antisense compound of embodiment 249, wherein the peptide is lysine.






25 Feb 2026
2026201390

Embodiment 253. The conjugated antisense compound of embodiment 249, wherein the peptide is a lysine derivative.

Embodiment 254. The conjugated antisense compound of any of embodiments 250-251, wherein one or more peptides are lysine.






Embodiment 255. The conjugated antisense compound of any of embodiments 250-251, wherein two or more peptides are lysine.

Embodiment 256. The conjugated antisense compound of any of embodiments 229 to 255 wherein the conjugate group comprises:












wherein each j is an integer from 1 to 3; and
wherein each n is an integer from 1 to 20.

Embodiment 257. The conjugated antisense compound of any of embodiments 229 to 255 wherein the conjugate group comprises:

Embodiment 258. The conjugated antisense compound of any of embodiments 229 to 257 wherein the branching group comprises:












wherein each j is an integer from 1 to 3; and

2026201390 25 Feb 2026

wherein each n is an integer from 1 to 20.

Embodiment 259. The conjugated antisense compound of any of embodiments 229 to 257 wherein the branching group comprises:

Embodiment 260. The conjugated antisense compound of any of embodiments 229-259, wherein the cell-targeting moiety comprises a carbohydrate.

Embodiment 261. The conjugated antisense compound of any of embodiments 229-259, wherein the cell-targeting moiety comprises a carbohydrate cluster.

Embodiment 262. The conjugated antisense compound of any of embodiments 229-259, wherein the cell-targeting moiety comprises a cell surface receptor ligand.

Embodiment 263. The conjugated antisense compound of any of embodiments 229-259, wherein the cell-targeting moiety comprises at least one *N*-Acetylgalactosamine (GalNAc).

Embodiment 264. The conjugated antisense compound of any of embodiments 229-263, wherein:

the cleavable moiety is covalently bound to the antisense oligonucleotide;

the conjugate linker is covalently bound to the cleavable moiety; and

25 Feb 2026

2026201390

the cell-targeting moiety is covalently bound to the conjugate linker.

Embodiment 265. The conjugated antisense compound of any of embodiments 229-264, wherein the cell-targeting moiety comprises a branching group.

Embodiment 266. The conjugated antisense compound of embodiment 265, wherein the branching group is covalently attached to the conjugate linker.


Embodiment 267. The conjugated antisense compound of any of embodiments 229-266, wherein the cell-targeting moiety comprises at least one tether.

Embodiment 268. The conjugated antisense compound any of embodiments 229-267, wherein the at least one tether is covalently attached to the branching group.

Embodiment 269. The conjugated antisense compound of any of embodiments 229-267, wherein the cell-targeting moiety comprises at least one ligand.

Embodiment 270. The conjugated antisense compound of embodiment 269, wherein each of the at least one ligand is covalently attached to a tether.

Embodiment 271. The conjugated antisense compound of any of embodiments 229-270, wherein the compound has a structure represented by formula I below:



wherein

A is the antisense oligonucleotide;

B is the cleavable moiety

C is the conjugate linker

D is the branching group

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

25 Feb 2026
2026201390

Embodiment 272. The conjugated antisense compound any of embodiments 229-271, wherein the cleavable moiety comprises 1-4 linked cleavable moiety nucleosides, wherein the linkage between the antisense oligonucleotide and the first cleavable moiety nucleoside is a phosphodiester internucleoside linkage.

Embodiment 273. The conjugated antisense compound of embodiment 272, wherein each internucleoside linkage between each of the linked cleavable moiety nucleosides is a phosphodiester internucleoside linkage.

Embodiment 274. The conjugated antisense compound of embodiment 271 or 272, wherein the cleavable moiety comprises 1-3 linked cleavable moiety nucleosides.

Embodiment 275. The conjugated antisense compound of embodiment 271 or 272, wherein the cleavable moiety comprises 1-2 linked cleavable moiety nucleosides.

Embodiment 276. The conjugated antisense compound of embodiment 271, wherein the cleavable moiety comprises one cleavable moiety nucleoside.

Embodiment 277. The conjugated antisense compound of any of embodiments 229 to 276, wherein the cleavable moiety is a cleavable moiety nucleoside selected from the group consisting of a purine, a substituted purine, a pyrimidine, or a substituted pyrimidine.

Embodiment 278. The conjugated antisense compound of any of embodiments 229 to 276, wherein the cleavable moiety is a cleavable moiety nucleoside selected from cytidine, uridine, adenosine, thymidine, and guanosine.


Embodiment 279. The conjugated antisense compound of any of embodiments 229 to 276, wherein the cleavable moiety is a cleavable moiety deoxynucleoside selected from deoxyadenosine, deoxyguanosine, deoxyinosine, thymidine, deoxyuridine, and deoxycytidine.

Embodiment 280. The conjugated antisense compound of any of embodiments 229 to 280, wherein the cleavable moiety comprises deoxyadenosine.

Embodiment 281. The conjugated antisense compound of any of embodiments 229 to 280, wherein the cleavable moiety is deoxyadenosine.

2026201390 25 Feb 2026


Embodiment 282. The conjugated antisense compound of any of embodiments 229 to 276, wherein the cleavable moiety has a structure selected from among:



wherein each of Bx, Bx_1, Bx_2, and Bx_3 is independently a heterocyclic base moiety.

Embodiment 283. The conjugated antisense compound of embodiment 282, wherein the heterocyclic base moiety is selected from among: uracil, thymine, cytosine, 5-methylcytosine, adenine or guanine.

Embodiment 284. The conjugated antisense compound of any of embodiments 229 to 276, wherein the cleavable moiety has the structure:



Embodiment 285. The conjugated antisense compound of any of embodiments 229 to 285, wherein the conjugate linker comprises a pyrrolidine.

25 Feb 2026
2026201390

Embodiment 286. The conjugated antisense compound of any of embodiments 229 to 286, wherein the conjugate linker comprises PEG.

Embodiment 287. The conjugated antisense compound of any of embodiments 229 to 287, wherein the conjugate linker comprises an amide.

Embodiment 288. The conjugated antisense compound of any of embodiments 229 to 288, wherein the conjugate linker comprises a polyamide.

Embodiment 289. The conjugated antisense compound of any of embodiments 229 to 289, wherein the conjugate linker comprises an amine.

Embodiment 290. The conjugated antisense compound of any of embodiments 229 to 290, wherein the conjugate linker comprises one or more disulfide bonds.


Embodiment 291. The conjugated antisense compound of any of embodiments 229 to 291, wherein the conjugate linker comprises a protein binding moiety.


Embodiment 292. The conjugated antisense compound of embodiment 292, wherein the protein binding moiety comprises a lipid.


Embodiment 293. The conjugated antisense compound of embodiment 293, wherein the protein binding moiety is selected from among: cholesterol, cholic acid, adamantane acetic acid, 1-pyrene butyric acid, dihydrotestosterone, 1,3-Bis-O(hexadecyl)glycerol, geranyloxyhexyl group, hexadecylglycerol, borneol, menthol, 1,3-propanediol, heptadecyl group, palmitic acid, myristic acid, O3-(oleoyl)lithocholic acid, O3-(oleoyl)cholenic acid, dimethoxytrityl, or phenoxazine), a vitamin (e.g., folate, vitamin A, vitamin E, biotin, pyridoxal), a peptide, a carbohydrate (e.g., monosaccharide, disaccharide, trisaccharide, tetrasaccharide, oligosaccharide, polysaccharide), an endosomolytic component, a steroid (e.g., uvaol, hecigenin, diosgenin), a terpene (e.g., triterpene, e.g., sarsasapogenin, friedelin, epifriedelanol derivatized lithocholic acid), or a cationic lipid.


Embodiment 294. The conjugated antisense compound of any of embodiments 229 to 293 wherein the protein binding moiety is a C16 to C22 long chain saturated or unsaturated fatty acid, cholesterol, cholic acid, vitamin E, adamantane or 1-pentafluoropropyl.


Embodiment 295. The conjugated antisense compound of any of embodiments 229 to 294 wherein the conjugate linker has a structure selected from among:



;



;



;



;



;



;



;


;


;


;



; and





wherein each n is, independently from 1 to 20; and p is from 1 to 6.


5


Embodiment 296. The conjugated antisense compound of any of embodiments 229 to 295 wherein the conjugate linker has a structure selected from among:



;



;



;



;


;


;


;


; and


















wherein each n is, independently, from 1 to 20.

25 Feb 2026


2026201390


Embodiment 297. The conjugated antisense compound of any of embodiments 229 to 295 wherein the conjugate linker has a structure selected from among:



;

;

;

;

;

;

;

;

;

;

;

;

;

; and



wherein each n is, independently, from 1 to 20.


Embodiment 298. The conjugated antisense compound of any of embodiments 229 to 295 wherein the conjugate linker has a structure selected from among:



;



;



;



;



;



;



;



;


;


;



;


; and



.

2026201390 25 Feb 2026

Embodiment 299. The conjugated antisense compound of any of embodiments 229 to 295 wherein the conjugate linker has a structure selected from among:




Embodiment 300. The conjugated antisense compound of any of embodiments 229 to 295 wherein the conjugate linker has a structure selected from among:



wherein n is from 1 to 20.

2026201390 25 Feb 2026

Embodiment 301. The conjugated antisense compound of any of embodiments 229 to 295 wherein the conjugate linker has the structure:



Embodiment 302. The conjugated antisense compound of any of embodiments 229 to 301, wherein the cell-targeting moiety comprises a carbohydrate.

Embodiment 303. The conjugated antisense compound of any of embodiments 229 to 302, wherein the cell-targeting moiety comprises a carbohydrate cluster.


Embodiment 304. The conjugated antisense compound of any of embodiments 229 to 303, wherein the cell-targeting moiety comprises a cell surface receptor ligand.

Embodiment 305. The conjugated antisense compound of any of embodiments 229 to 304, wherein the targeting moiety comprises at least one *N*-Acetylgalactosamine (GalNAc).

Embodiment 306. The conjugated antisense compound of any of embodiments 229 to 305, wherein the targeting moiety comprises a branching group.

Embodiment 307. The conjugated antisense compound of embodiment 306, wherein the branching group comprises an ether.

Embodiment 308. The conjugated antisense compound of embodiment 306 or 307, wherein the branching group has the following structure:




wherein each n is, independently, from 1 to 20; and


m is from 2 to 6.

2026201390 25 Feb 2026

Embodiment 309. The conjugated antisense compound of embodiment 306 or 307, wherein the branching group has the following structure:




Embodiment 310. The conjugated antisense compound of embodiment 306 or 307, wherein the branching group has the following structure:



wherein each A_1 is independently, O, S, C=O or NH; and






each n is, independently, from 1 to 20.

Embodiment 311. The conjugated antisense compound of embodiment 306 or 307, wherein the branching group has the following structure:



2026201390 25 Feb 2026






Embodiment 312. The conjugated antisense compound of any of embodiments 306 or 307 wherein the branching group comprises:


j ,

,

,

, or

;

wherein each j is an integer from 1 to 3; and

wherein each n is an integer from 1 to 20.

Embodiment 313. The conjugated antisense compound of any of embodiments 306 or 307 wherein the branching group comprises:

Embodiment 314. The conjugated antisense compound of any embodiments 229-313, wherein the cell-targeting moiety comprises a tether.

Embodiment 315. The conjugated antisense compound of any embodiments 229-313, wherein the cell-targeting moiety comprises two tethers.

Embodiment 316. The conjugated antisense compound of any embodiments 229-313, wherein the cell-targeting moiety comprises three tethers.

Embodiment 317. The conjugated antisense compound of any embodiments 229-313, wherein the cell-targeting moiety comprises four or more tethers.

Embodiment 318. The conjugated antisense compound of any of embodiments 229-317, wherein at least one tether comprises PEG.

Embodiment 319. The conjugated antisense compound of any of embodiments 229-318, wherein at least one tether comprises an amide.

25 Feb 2026
2026201390





Embodiment 320. The conjugated antisense compound of any of embodiments 229-319, wherein at least one tether comprises a polyamide.




Embodiment 321. The conjugated antisense compound of any of embodiments 229-320, wherein at least one tether comprises an amine.




Embodiment 322. The conjugated antisense compound of any of embodiments 229-321, wherein at least two tethers are different from one another.




Embodiment 323. The conjugated antisense compound of any of embodiments 229-321, wherein all of the tethers are the same as one another.

Embodiment 324. The conjugated antisense compound of any of embodiments 229-323, wherein each tether is selected from among:


;

;

;

;



;

;

;


;

;

;



;

; and


wherein each n is, independently, from 1 to 20; and
each p is from 1 to about 6.

Embodiment 325. The conjugated antisense compound of any of embodiments 229-324, wherein each tether is selected from among:




Embodiment 326. The conjugated antisense compound of any of embodiments 229-324, wherein each tether has the following structure:



wherein each n is, independently, from 1 to 20.

Embodiment 327. The conjugated antisense compound of any of embodiments 229-324, wherein each tether has the following structure:



Embodiment 328. The conjugated antisense compound of any of embodiments 229-328, wherein the cell-targeting moiety comprises at least one ligand.

Embodiment 329. The conjugated antisense compound of embodiment 328, wherein the cell-targeting moiety comprises one ligand.

Embodiment 330. The conjugated antisense compound of embodiment 328, wherein the targeting moiety comprises two ligands.

Embodiment 331. The conjugated antisense compound of embodiment 328, wherein the targeting moiety comprises three ligands.

Embodiment 332. The conjugated antisense compound of any of embodiments 328-331, wherein a ligand is covalently attached to each tether.

2026201390 25 Feb 2026

Embodiment 333. The conjugated antisense compound of any of embodiments 229-332, wherein at least one ligand is *N*-Acetylgalactosamine (GalNAc).


Embodiment 334. The conjugated antisense compound of any of embodiments 229-332, wherein each ligand is N-Acetylgalactosamine (GalNAc).

Embodiment 335. The conjugated antisense compound of any of embodiments 229-332, wherein the ligand is selected from among: a polysaccharide, modified polysaccharide, mannose, galactose, a mannose derivative, a galactose derivative, D-mannopyranose, L-Mannopyranose, D-Arabinose, L-Galactose, D-xylofuranose, L-xylofuranose, D-glucose, L-glucose, D-Galactose, L-Galactose, α-D-Mannofuranose, β-D-Mannofuranose, α-D-Mannopyranose, β-D-Mannopyranose, α-D-Glucopyranose, β-D-Glucopyranose, α-D-Glucofuranose, β-D-Glucofuranose, α-D-fructofuranose, α-D-fructopyranose, α-D-Galactopyranose, β -D-Galactopyranose, α-D-Galactofuranose, β -D-Galactofuranose, glucosamine, sialic acid, α-D-galactosamine, N-Acetylgalactosamine, 2-Amino-3-*O*-[(*R*)-1-carboxyethyl]-2-deoxy-β-D-glucopyranose, 2-Deoxy-2-methylamino-L-glucopyranose, 4,6-Dideoxy-4-formamido-2,3-di-*O*-methyl-D-mannopyranose, 2-Deoxy-2-sulfoamino-D-glucopyranose, *N*-Glycoloyl-α-neuraminic acid, 5-thio-β-D-glucopyranose, methyl 2,3,4-tri-*O*-acetyl-1-thio-6-*O*-trityl-α-D-glucopyranoside, 4-Thio-β-D-galactopyranose, ethyl 3,4,6,7-tetra-*O*-acetyl-2-deoxy-1,5-dithio-α-D-*gluco*-heptopyranoside, 2,5-Anhydro-D-allononitrile, ribose, D-ribose, D-4-thioribose, L-ribose, L-4-thioribose.

Embodiment 336. The conjugated antisense compound of any of embodiments 229-332, wherein the ligand is galactose.

Embodiment 337. The conjugated antisense compound of any of embodiments 229-332, wherein the ligand is mannose-6-phosphate.


Embodiment 338. The conjugated antisense compound of any of embodiments 229-332, wherein each ligand is selected from among:




wherein each R_1 is selected from OH and NHCOOH.

2026201390 25 Feb 2026


Embodiment 339. The conjugated antisense compound of any of embodiments 229-332, wherein each ligand is selected from among:



Embodiment 340. The conjugated antisense compound of any of embodiments 229-332, wherein each ligand has the following structure:




Embodiment 341. The conjugated antisense compound of any of embodiments 229-332, wherein each ligand has the following structure:




2026201390 25 Feb 2026

Embodiment 342. The conjugated antisense compound of any of embodiments 229-332, wherein the cell-targeting group has the following structure:




wherein each n is, independently, from 1 to 20.

Embodiment 343. The conjugated antisense compound of any of embodiments 229-336, wherein the cell-targeting group has the following structure:



2026201390 25 Feb 2026

Embodiment 344. The conjugated antisense compound of any of embodiments 229-336, wherein the conjugate has the following structure:



wherein each n is, independently, from 1 to 20;


Z is H or a linked solid support;

Q is said antisense compound;

X is O or S; and

Bx is a heterocyclic base moiety.

Embodiment 345. The conjugated antisense compound of any of embodiments 229-336, wherein the conjugate has the following structure:



wherein Z is H or a linked solid support; and

Q is said antisense compound.

25 Feb 2026
2026201390

Embodiment 346. The conjugated antisense compound of any of embodiments 229-345, wherein the conjugate group is attached to the 2’-position of a nucleoside of the antisense oligonucleotide.

Embodiment 347. The conjugated antisense compound of any of embodiments 229-345, wherein the conjugate group is attached to the 3’-position of a nucleoside of the antisense oligonucleotide.

Embodiment 348. The conjugated antisense compound of any of embodiments 229-345, wherein the conjugate group is attached to the 5’-position of a nucleoside of the antisense oligonucleotide.

Embodiment 349. The conjugated antisense compound of any of embodiments 229-345, wherein the conjugate group is attached to the 5’-terminal nucleoside of the antisense oligonucleotide.

Embodiment 350. The conjugated antisense compound of any of embodiments 229-350, wherein the conjugate group is attached to the 3’-terminal nucleoside of the antisense oligonucleotide.

Embodiment 351. The conjugated antisense compound of any of embodiments 229-350, wherein the conjugate group is attached to an internal nucleoside of the antisense oligonucleotide.

Embodiment 352. The conjugated antisense compound of any of embodiments 229-351, wherein the conjugate group increases uptake of the conjugated antisense compound into a hepatocyte relative to an unconjugated antisense compound.

Embodiment 353. The conjugated antisense compound of any of embodiments 229-352, wherein the conjugate group increases the uptake of the conjugated antisense compound into a liver cell relative to an unconjugated antisense compound.

Embodiment 354. The conjugated antisense compound of any of embodiments 229-353, wherein the conjugate group increases accumulation of the conjugated antisense compound in the liver relative to an unconjugated antisense compound.

Embodiment 355. The conjugated antisense compound of any of embodiments 229-354, wherein the conjugate group decreases accumulation of the conjugated antisense compound in the kidneys relative to an unconjugated antisense compound.

25 Feb 2026
2026201390

Embodiment 356. The conjugated antisense compound of any of embodiments 229-355, wherein the antisense oligonucleotide is an RNase H based antisense compound.

Embodiment 357. The conjugated antisense compound of any of embodiments 229-356, wherein the antisense oligonucleotide comprises at least one modified nucleoside.

Embodiment 358. The conjugated antisense compound of any of embodiments 229-357, wherein each nucleoside of the antisense oligonucleotide is a modified nucleoside.

Embodiment 359. The conjugated antisense compound of any of embodiments 229-358, wherein the antisense oligonucleotide is single-stranded.

Embodiment 360. The conjugated antisense compound of embodiment 357-359, wherein at least one modified nucleoside comprises a modified sugar moiety.

Embodiment 361. The conjugated antisense compound of embodiment 359, wherein the antisense oligonucleotide has a sugar motif comprising:

a 5'-region consisting of 2-8 linked 5'-region nucleosides, wherein at least two 5'-region nucleosides are modified nucleosides and wherein the 3'-most 5'-region nucleoside is a modified nucleoside;

a 3'-region consisting of 2-8 linked 3'-region nucleosides, wherein at least two 3'-region nucleosides are modified nucleosides and wherein the 5'-most 3'-region nucleoside is a modified nucleoside; and

a central region between the 5'-region and the 3'-region consisting of 5-10 linked central region nucleosides, each independently selected from among: a modified nucleoside and an unmodified deoxynucleoside, wherein the 5'-most central region nucleoside is an unmodified deoxynucleoside and the 3'-most central region nucleoside is an unmodified deoxynucleoside.

Embodiment 362. The conjugated antisense compound of embodiment 361, wherein the 5'-region consists of 2 linked 5'-region nucleosides.

Embodiment 363. The conjugated antisense compound of embodiment 361, wherein the 5'-region consists of 3 linked 5'-region nucleosides.

Embodiment 364. The conjugated antisense compound of embodiment 361, wherein the 5'-region consists of 4 linked 5'-region nucleosides.

25 Feb 2026
2026201390

Embodiment 365. The conjugated antisense compound of embodiment 361, wherein the 5'-region consists of 5 linked 5'-region nucleosides.

Embodiment 366. The conjugated antisense compound of any of embodiments 361-365, wherein the 3'-region consists of 2 linked 3'-region nucleosides.

Embodiment 367. The conjugated antisense compound of any of embodiments 361-365, wherein the 3'-region consists of 3 linked 3'-region nucleosides.

Embodiment 368. The conjugated antisense compound of any of embodiments 361-365, wherein the 3'-region consists of 4 linked 3'-region nucleosides.

Embodiment 369. The conjugated antisense compound of any of embodiments 361-365, wherein the 3'-region consists of 5 linked 3'-region nucleosides.

Embodiment 370. The conjugated antisense compound of any of embodiments 361-369, wherein the central region consists of 5 linked central region nucleosides.

Embodiment 371. The conjugated antisense compound of any of embodiments 361-369, wherein the central region consists of 6 linked central region nucleosides.

Embodiment 372. The conjugated antisense compound of any of embodiments 361-369, wherein the central region consists of 7 linked central region nucleosides.

Embodiment 373. The conjugated antisense compound of any of embodiments 361-369, wherein the central region consists of 8 linked central region nucleosides.

Embodiment 374. The conjugated antisense compound of any of embodiments 361-369, wherein the central region consists of 9 linked central region nucleosides.

Embodiment 375. The conjugated antisense compound of any of embodiments 361-369, wherein the central region consists of 10 linked central region nucleosides.

Embodiment 376. The conjugated antisense compound of any of embodiments 229-376, wherein the antisense oligonucleotide consists of 14 to 26 linked nucleosides.

25 Feb 2026
2026201390

Embodiment 377. The conjugated antisense compound of any of embodiments 229-376, wherein the antisense oligonucleotide consists of 15 to 25 linked nucleosides.

Embodiment 378. The conjugated antisense compound of any of embodiments 229-376, wherein the antisense oligonucleotide consists of 16 to 20 linked nucleosides.

Embodiment 379. The conjugated antisense compound of any of embodiments 229-378, wherein each modified nucleoside independently comprises a 2'-substituted sugar moiety or a bicyclic sugar moiety.

Embodiment 380. The conjugated antisense compound of embodiment 379, wherein the at least one modified nucleoside comprises a 2'-substituted sugar moiety.

Embodiment 381. The conjugated antisense compound of embodiment 380, wherein each modified nucleoside comprising a 2'-substituted sugar moiety comprises a 2' substituent independently selected from among: halogen, optionally substituted allyl, optionally substituted amino, azido, optionally substituted SH, CN, OCN, CF3, OCF3, O, S, or N(Rm)-alkyl; O, S, or N(Rm)-alkenyl; O, S or N(Rm)-alkynyl; optionally substituted O-alkylenyl-O-alkyl, optionally substituted alkynyl, optionally substituted alkaryl, optionally substituted aralkyl, optionally substituted O-alkaryl, optionally substituted O-aralkyl, O(CH2)2SCH3, O-(CH2)2-O-N(Rm)(Rn) or O-CH2-C(=O)-N(Rm)(Rn), where each Rm and Rn is, independently, H, an amino protecting group or substituted or unsubstituted C_1-C_{10} alkyl;

wherein each optionally substituted group is optionally substituted with a substituent group independently selected from among: hydroxyl, amino, alkoxy, carboxy, benzyl, phenyl, nitro (NO_2), thiol, thioalkoxy (S-alkyl), halogen, alkyl, aryl, alkenyl and alkynyl.

Embodiment 382. The conjugated antisense compound of embodiment 380, wherein each 2' substituent is independently selected from among: a halogen, OCH_3, OCH_2F, $OCHF_2$, OCF_3, OCH_2CH_3, $O(CH_2)_2F$, OCH_2CHF_2, OCH_2CF_3, OCH_2-$CH=CH_2$, $O(CH_2)_2$-OCH_3, $O(CH_2)_2$-SCH_3, $O(CH_2)_2$-OCF_3, $O(CH_2)_3$-$N(R_1)(R_2)$, $O(CH_2)_2$-$ON(R_1)(R_2)$, $O(CH_2)_2$-$O(CH_2)_2$-$N(R_1)(R_2)$, $OCH_2C(=O)$-$N(R_1)(R_2)$, $OCH_2C(=O)$-$N(R_3)$-$(CH_2)_2$-$N(R_1)(R_2)$, and $O(CH_2)_2$-$N(R_3)$-$C(=NR_4)[N(R_1)(R_2)]$; wherein R_1, R_2, R_3 and R_4 are each, independently, H or C_1-C_6 alkyl.

Embodiment 383. The conjugated antisense compound of embodiment 380, wherein each 2' substituent is independently selected from among: a halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-$CH=CH_2$,

25 Feb 2026
2026201390

$O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-$N(H)CH_3$, $OCH_2C(=O)$-$N(H)$-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-$N(H)$-$C(=NH)NH_2$.

Embodiment 384. The conjugated antisense compound of embodiment 380, wherein the at least one 2'-modified nucleoside comprises a 2'-MOE sugar moiety.

Embodiment 385. The conjugated antisense compound of embodiment 380, wherein the at least one 2'-modified nucleoside comprises a 2'-OMe sugar moiety.

Embodiment 386. The conjugated antisense compound of embodiment 380, wherein the at least one 2'-modified nucleoside comprises a 2'-F sugar moiety.

Embodiment 387. The conjugated antisense compound of any of embodiments 229-386, wherein the antisense oligonucleotide comprises at least one modified nucleoside comprising a sugar surrogate.

Embodiment 388. The conjugated antisense compound of embodiment 387, wherein the modified nucleoside comprises an F-HNA sugar moiety.

Embodiment 389. The conjugated antisense compound of embodiment 387, wherein the modified nucleoside comprises an HNA sugar moiety.

Embodiment 390. The conjugated antisense compound of any of embodiments 229-389 wherein the antisense oligonucleotide comprises at least one modified nucleoside comprising a bicyclic sugar moiety.

Embodiment 391. The conjugated antisense compound of embodiment 390, wherein the bicyclic sugar moiety is a cEt sugar moiety.

Embodiment 392. The conjugated antisense compound of embodiment 390, wherein bicyclic sugar moiety is an LNA sugar moiety.

Embodiment 393. The conjugated antisense compound of any of embodiments 1-392, wherein the antisense oligonucleotide comprises at least one modified internucleoside linkage.

Embodiment 394. The conjugated antisense compound of embodiment 393, wherein each internucleoside linkage of the antisense oligonucleotide is a modified internucleoside linkage.

25 Feb 2026

2026201390

Embodiment 395. The conjugated antisense compound of embodiment 394, wherein the antisense oligonucleotide comprises at least one modified linkage and at least one unmodified phosphodiester internucleoside linkage.

Embodiment 396. The conjugated antisense compound of any of embodiments 393-395 wherein at least one modified internucleoside linkage is a phosphosphorothioate internucleoside linkage.

Embodiment 397. The conjugated antisense compound of any of embodiments 393-396, wherein each modified internucleoside linkage is a phosphorothioate internucleoside linkage.

Embodiment 398. The conjugated antisense compound of any of embodiments 393-396, wherein the antisense oligonucleotide comprises at least 2 phosphodiester internucleoside linkages.

Embodiment 399. The conjugated antisense compound of any of embodiments 393-396, wherein the antisense oligonucleotide comprises at least 3 phosphodiester internucleoside linkages.

Embodiment 400. The conjugated antisense compound of any of embodiments 393-396, wherein the antisense oligonucleotide comprises at least 4 phosphodiester internucleoside linkages.

Embodiment 401. The conjugated antisense compound of any of embodiments 393-396, wherein the antisense oligonucleotide comprises at least 5 phosphodiester internucleoside linkages.

Embodiment 402. The conjugated antisense compound of any of embodiments 393-396, wherein the antisense oligonucleotide comprises at least 6 phosphodiester internucleoside linkages.

Embodiment 403. The conjugated antisense compound of any of embodiments 393-396, wherein the antisense oligonucleotide comprises at least 7 phosphodiester internucleoside linkages.

Embodiment 404. The conjugated antisense compound of any of embodiments 393-396, wherein the antisense oligonucleotide comprises at least 8 phosphodiester internucleoside linkages.

Embodiment 405. The conjugated antisense compound of any of embodiments 393-396, wherein the antisense oligonucleotide comprises at least 9 phosphodiester internucleoside linkages.

25 Feb 2026
2026201390

Embodiment 406. The conjugated antisense compound of any of embodiments 393-396, wherein the antisense oligonucleotide comprises at least 10 phosphodiester internucleoside linkages.

Embodiment 407. The conjugated antisense compound of any of embodiments 393-396 or 398-406, wherein the antisense oligonucleotide comprises fewer than 16 phosphorothioate internucleoside linkages.

Embodiment 408. The conjugated antisense compound of any of embodiments 393-396 or 398-406, wherein the antisense oligonucleotide comprises fewer than 15 phosphorothioate internucleoside linkages.

Embodiment 409. The conjugated antisense compound of any of embodiments 393-396 or 398-406, wherein the antisense oligonucleotide comprises fewer than 14 phosphorothioate internucleoside linkages.

Embodiment 410. The conjugated antisense compound of any of embodiments 393-396 or 398-406, wherein the antisense oligonucleotide comprises fewer than 13 phosphorothioate internucleoside linkages.

Embodiment 411. The conjugated antisense compound of any of embodiments 393-396 or 398-406, wherein the antisense oligonucleotide comprises fewer than 12 phosphorothioate internucleoside linkages.

Embodiment 412. The conjugated antisense compound of any of embodiments 393-396 or 398-406, wherein the antisense oligonucleotide comprises fewer than 11 phosphorothioate internucleoside linkages.

Embodiment 413. The conjugated antisense compound of any of embodiments 393-396 or 398-406, wherein the antisense oligonucleotide comprises fewer than 10 phosphorothioate internucleoside linkages.

Embodiment 414. The conjugated antisense compound of any of embodiments 393-396 or 398-406, wherein the antisense oligonucleotide comprises fewer than 9 phosphorothioate internucleoside linkages.

25 Feb 2026
2026201390

Embodiment 415. The conjugated antisense compound of any of embodiments 393-396 or 398-406, wherein the antisense oligonucleotide comprises fewer than 8 phosphorothioate internucleoside linkages.

Embodiment 416. The conjugated antisense compound of any of embodiments 393-396 or 398-406, wherein the antisense oligonucleotide comprises fewer than 7 phosphorothioate internucleoside linkages.

Embodiment 417. The conjugated antisense compound of any of embodiments 393-396 or 398-406, wherein the antisense oligonucleotide comprises fewer than 6 phosphorothioate internucleoside linkages.

Embodiment 418. The conjugated antisense compound of any of embodiments 393-418, wherein each terminal internucleoside linkage of the antisense oligonucleotide is a phosphorothioate internucleoside linkage.

Embodiment 419. The conjugated antisense compound of any of embodiments 393-396 or 398-418, wherein each internucleoside linkage linking two deoxynucleosides of the antisense oligonucleotide is a phosphorothioate internucleoside linkage.

Embodiment 420. The conjugated antisense compound of any of embodiments 393-396 or 398-419, wherein each non-terminal internucleoside linkage linking two modified nucleosides of the antisense oligonucleotide is a phosphodiester internucleoside linkage.

Embodiment 421. The conjugated antisense compound of any of embodiments 393-396 or 398-420, wherein each non-terminal internucleoside linkage of the antisense oligonucleotide that is 3’ of a modified nucleoside is a phosphodiester internucleoside linkage.

Embodiment 422. The conjugated antisense compound of any of embodiments 393-396 or 398-418, wherein each internucleoside linkage of the antisense oligonucleotide that is 3’ of a deoxynucleoside is a phosphorothioate internucleoside linkage.

Embodiment 423. The conjugated antisense compound of any of embodiments 229-422 wherein the antisense oligonucleotides has a chemical motif selected from among:

2026201390 25 Feb 2026

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$

$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$

$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$

$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$

$MsMyMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMyMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$

$MsMyMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$; and

$MsMyMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$;

wherein each M is independently a modified nucleoside, each D is a deoxynucleoside; each s is a phosphorothioate internucleoside linkage, and each y is either a phosphodiester internucleoside linkage or a phosphorothioate internucleoside linkage, provided that at least one y is a phosphodiester internucleotide linkage.

Embodiment 424. The conjugated antisense compound of any of embodiments 229-422 wherein the antisense oligonucleotides has a chemical motif selected from among:

$MsMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMsM$

$MsMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMsM$

$MsMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMoMsM$

$MsMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMsM$

$MsMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMsM$

$MsMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMoMsM$

$MsMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMsM$

$MsMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMsM$

$MsMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMoMsM$

25 Feb 2026

2026201390

$MsMoMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMoMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMsM$

$MsMoMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMsM$; and

$MsMoMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMoMsM$;

wherein each M is independently a modified nucleoside, each D is a deoxynucleoside; each o is a phosphodiester internucleoside linkage, and each s is a phosphorothioate internucleoside linkage.

Embodiment 425. The conjugated antisense compound of embodiment 423 or 424, wherein each M is independently selected from among: a 2'-MOE nucleoside and a bicyclic nucleoside.

Embodiment 426. The conjugated antisense compound of embodiment 425, wherein each M is independently selected from among a 2'-MOE nucleoside, a cEt nucleoside, and an LNA nucleoside.

Embodiment 427. The conjugated antisense compound of embodiment 425 or 426, wherein each M is a 2'-MOE nucleoside.

Embodiment 428. The conjugated antisense compound of embodiment 425 or 426, wherein each M is a cEt nucleoside.

Embodiment 429. The conjugated antisense compound of embodiments 425 or 426, wherein each M is an LNA nucleoside.

Embodiment 430. The conjugated antisense compound of any of embodiments 229-429, wherein the antisense oligonucleotide has a nucleobase sequence comprising an at least 8 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 431. The conjugated antisense compound of any of embodiments 229-429, wherein the antisense oligonucleotide has a nucleobase sequence comprising an at least 10 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 432. The conjugated antisense compound of any of embodiments 229-429, wherein the antisense oligonucleotide has a nucleobase sequence comprising an at least 12 nucleobase portion complementary to an equal length portion of a target nucleic acid.

25 Feb 2026

2026201390

Embodiment 433. The conjugated antisense compound of any of embodiments 229-429, wherein the antisense oligonucleotide has a nucleobase sequence comprising an at least 14 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 434. The conjugated antisense compound of any of embodiments 229-429, wherein the antisense oligonucleotide has a nucleobase sequence comprising an at least 16 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 435. The conjugated antisense compound of any of embodiments 229-429, wherein the antisense oligonucleotide has a nucleobase sequence comprising an at least 18 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 436. The conjugated antisense compound of any of embodiments 229-435, wherein the antisense oligonucleotide is at least 90% complementary to a target nucleic acid.

Embodiment 437. The conjugated antisense compound of any of embodiments 229-435, wherein the antisense oligonucleotide is at least 95% complementary to a target nucleic acid.

Embodiment 438. The conjugated antisense compound of any of embodiments 229-435, wherein the antisense oligonucleotide is 100% complementary to a target nucleic acid.

Embodiment 439. The conjugated antisense compound of any of embodiments 430-438, wherein the target nucleic acid is a pre-mRNA.

Embodiment 440. The conjugated antisense compound of any of embodiments 430-438, wherein the target nucleic acid is an mRNA.

Embodiment 441. The conjugated antisense compound of any of embodiments 430-440, wherein the target nucleic acid is expressed in the liver.

Embodiment 442. The conjugated antisense compound of embodiment 441, wherein the target nucleic acid is expressed in hepatocytes.

Embodiment 443. The conjugated antisense compound of embodiment 441 or 442, wherein the target nucleic encodes a protein selected from among: Androgen Receptor, Apolipoprotein (a), Apolipoprotein B, Apolipoprotein C-III, C-Reactive Protein, eIF-4E, Factor VII, Factor XI,

25 Feb 2026
2026201390

Glucocorticoid Receptor, Glucagon Receptor, Protein Tyrosine Phosphatase 1B, STAT3, and Transthyretin.

Embodiment 444. The conjugated antisense compound of embodiment 430-440 wherein the target nucleic acid is a viral nucleic acid.

Embodiment 445. The conjugated antisense compound of embodiment 444, wherein the viral nucleic acid expressed in the liver.

Embodiment 446. The conjugated antisense compound of embodiment 445, wherein the target nucleic acid is a Hepatitis B viral nucleic acid.

Embodiment 447. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of any one of SEQ ID NOs.: 17, 18, 19, 20, 21, 22, 23, or 24.

Embodiment 448. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of any one of SEQ ID NO.: 25, 26, 27, 28, 29, or 30.

Embodiment 449. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 31.

Embodiment 450. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 32.

Embodiment 451. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 33.

Embodiment 452. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 34.

Embodiment 453. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 35, 36, 37, 38, 39, 40, 41, 42, or 43.

25 Feb 2026
2026201390

Embodiment 454. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 44, 45, 46, 47, or 48.

Embodiment 455. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, or 59.

Embodiment 456. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 60, 61, 62, 63, 64, 65, 66, or 67.

Embodiment 457. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of any of SEQ ID NO.: 69, 70, 71, or 72.

Embodiment 458. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 73.

Embodiment 459. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 74, 75, 76, 77, 78, 79, 80, or 81.

Embodiment 460. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 68.

Embodiment 461. The conjugated antisense compound of any of embodiments 229-443, wherein the antisense oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 82-103.

Embodiment 462. A method of reducing the amount or activity of a target nucleic acid in a cell, comprising contacting a cell with the conjugated antisense compound of any of embodiments 229-461.

Embodiment 463. The method of embodiment 462, wherein the cell is a liver cell.

Embodiment 464. The method of embodiment 462, wherein the cell is a hepatocyte.

Embodiment 465. The method of any of embodiments 462-464 wherein the cell is in vitro.

25 Feb 2026
2026201390

Embodiment 466. The method of any of embodiments 462-464 wherein the cell is in an animal.

Embodiment 467. The method of embodiment 466 wherein the animal is a mouse.

Embodiment 468. The method of embodiment 466 wherein the animal is a human.

Embodiment 469. A pharmaceutical composition comprising an conjugated antisense compound according to any of embodiments 229-469 and a pharmaceutically acceptable carrier or diluent.

Embodiment 470. The pharmaceutical composition of embodiment 469 wherein the pharmaceutically acceptable carrier or diluent is selected from among sterile water and sterile saline.

Embodiment 471. A method of treating a disease or condition in an animal comprising administering the pharmaceutical composition of embodiment 469 or 470 to the animal and thereby treating the disease or condition in the animal.

Embodiment 472. The method of embodiment 471 wherein the animal is a mouse.

Embodiment 473. The method of embodiment 471 wherein the animal is a human.

Embodiment 474. The method of any of embodiments 471-473, wherein the disease or condition is a liver disease or condition.

Embodiment 475. The method of any of embodiments 471-474 wherein the administration is parenteral.

Embodiment 476. The method embodiment 475 wherein the administration is by subcutaneous injection.

Embodiment 477. The method of embodiment 475 wherein the administration is by intravenous injection.

Embodiment 478. The method of embodiment 475 wherein the administration is by intramuscular injection.

25 Feb 2026
2026201390

Embodiment 479. The method of any of embodiments 471-478 wherein the conjugated antisense compound is provided at a dose of 1-10 mg/kg.

Embodiment 480. The method of any of embodiments 471-478 wherein the conjugated antisense compound is provided at a dose of less than 1 mg/kg.

Embodiment 481. The method of any of embodiments 471-480 wherein the conjugated antisense compound is provided at a dose of greater than 10 mg/kg.

Embodiment 482. The method of any of embodiments 471-481 wherein the conjugated antisense compound is provided for a dosing period of at least 2 months.

Embodiment 483. The method of any of embodiments 471-481 wherein the conjugated antisense compound is provided for a dosing period of at least 4 months.

Embodiment 484. The method of any of embodiments 471-481 wherein the conjugated antisense compound is provided for a dosing period of at least 6 months.

Embodiment 485. The method of any of embodiments 471-481 wherein the conjugated antisense compound is provided at a dosing frequency of about one dose every week.

Embodiment 486. The method of any of embodiments 471-481 wherein the conjugated antisense compound is provided at a dosing frequency of about one dose every two weeks.

Embodiment 487. The method of any of embodiments 471-481 wherein the conjugated antisense compound is provided at a dosing frequency of about one dose every three weeks.

Embodiment 488. The method of any of embodiments 471-481 wherein the conjugated antisense compound is provided at a dosing frequency of one dose every four weeks.

Embodiment 489. The method of any of embodiments 471-481 wherein the conjugated antisense compound is provided at a dosing frequency of one dose every five weeks.

Embodiment 490. The method of any of embodiments 471-481 wherein the conjugated antisense compound is provided at a dosing frequency of one dose every six weeks.

25 Feb 2026
2026201390

Embodiment 491. The method of any of embodiments 471-481 wherein the conjugated antisense compound is provided at a dosing frequency of one dose every seven weeks.

Embodiment 492. The method of any of embodiments 471-481 wherein the conjugated antisense compound is provided at a dosing frequency of one dose every eight weeks.

Embodiment 493. A conjugate compound comprising at least one phosphorus linking group or neutral linking group and one or more ligands.


Embodiment 494. The conjugate compound of embodiment 493 comprising two or more ligands.

Embodiment 495. The conjugate compound of embodiment 493 comprising three ligands.


Embodiment 496. The conjugate compound of any of embodiments 493 to 495, wherein the ligand is selected from among: a polysaccharide, modified polysaccharide, mannose, galactose, a mannose derivative, a galactose derivative, D-mannopyranose, L-Mannopyranose, D-Arabinose, L-Galactose, D-xylofuranose, L-xylofuranose, D-glucose, L-glucose, D-Galactose, L-Galactose, α-D-Mannofuranose, β-D-Mannofuranose, α-D-Mannopyranose, β-D-Mannopyranose, α-D-Glucopyranose, β-D-Glucopyranose, α-D-Glucofuranose, β-D-Glucofuranose, α-D-fructofuranose, α-D-fructopyranose, α-D-Galactopyranose, β -D-Galactopyranose, α-D-Galactofuranose, β -D-Galactofuranose, glucosamine, sialic acid, α-D-galactosamine, N-Acetylgalactosamine, 2-Amino-3-*O*-[(*R*)-1-carboxyethyl]-2-deoxy-β-D-glucopyranose, 2-Deoxy-2-methylamino-L-glucopyranose, 4,6-Dideoxy-4-formamido-2,3-di-*O*-methyl-D-mannopyranose, 2-Deoxy-2-sulfoamino-D-glucopyranose, *N*-Glycoloyl-α-neuraminic acid, 5-thio-β-D-glucopyranose, methyl 2,3,4-tri-*O*-acetyl-1-thio-6-*O*-trityl-α-D-glucopyranoside, 4-Thio-β-D-galactopyranose, ethyl 3,4,6,7-tetra-*O*-acetyl-2-deoxy-1,5-dithio-α-D-*gluco*-heptopyranoside, 2,5-Anhydro-D-allononitrile, ribose, D-ribose, D-4-thioribose, L-ribose, L-4-thioribose.


Embodiment 497. The conjugate compound of any of embodiments 493 to 495, wherein the ligand is N-acetyl galactoseamine.

Embodiment 498. The conjugate compound of any of embodiments 493 to 497, wherein conjugate group comprises a structure selected from among:




,





Embodiment 499. The conjugate compound of any of embodiments 493 to 498, wherein the conjugate compound has a tether having a structure selected from among:



wherein L is either a phosphorus linking group or a neutral linking group;


Z_1 is C(=O)O-R_2;

Z_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky;

R_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky; and

each m_1 is, independently, from 0 to 20 wherein at least one m_1 is greater than 0 for each tether.

Embodiment 500. The conjugate compound of embodiment 499, wherein the tether has a structure selected from among:



wherein Z_2 is H or CH_3; and


each m_1 is, independently, from 0 to 20 wherein at least one m_1 is greater than 0 for each tether.

Embodiment 501. The conjugate compound of any of embodiments 493 to 500, wherein the conjugate compound is covalently attached to an oligonucleotide.

Embodiment 502. An oligomeric compound comprising an oligonucleotide at least one conjugate group, wherein the at least one conjugate group is a conjugate compound of any of embodiments 493 to 500.

Embodiment 503. A compound having the formula (I):

2026201390 25 Feb 2026




(I)

wherein:

Bx is a heterocyclic base moiety; and

T_1 is a hydroxyl, hydrogen, a hydroxyl protecting group, phosphorus moiety, or a reactive phosphorus group.

Embodiment 504. A compound having the formula (II):




(II)

wherein:

Bx is a heterocyclic base moiety; and

T_1 is a hydroxyl, hydrogen, a hydroxyl protecting group, phosphorus moiety, or a reactive phosphorus group.

Embodiment 505. The compound of any of embodiment 503 or 504, wherein said phosphorus moiety has the formula:



wherein:


n is 0 or 1;

R_a and R_c are each, independently, OH, SH, C_1-C_6 alkyl, substituted C_1-C_6 alkyl, C_1-C_6 alkoxy, substituted C_1-C_6 alkoxy, amino or substituted amino; and

R_b is O or S.

2026201390 25 Feb 2026

Embodiment 506. An oligomeric compound comprising an oligonucleotide and at least one conjugate group, wherein the at least one conjugate group is a conjugate compound of formula (III):




(III)

wherein:

Bx is a heterocyclic base moiety; and

T_2 is an internucleoside linking group attached to a nucleoside, a nucleotide, an oligonucleoside, an oligonucleotide, a monomeric subunit or an oligomeric compound.

Embodiment 507. An oligomeric compound comprising an oligonucleotide and at least one conjugate group, wherein the at least one conjugate group is a conjugate compound of formula (IV):



(IV)

wherein:

Bx is a heterocyclic base moiety; and

T_2 is an internucleoside linking group attached to a nucleoside, a nucleotide, an oligonucleoside, an oligonucleotide, a monomeric subunit or an oligomeric compound.


Embodiment 508. The compound or oligomeric compound of any of embodiments 503 to 507, wherein the heterocyclic base moiety is a pyrimidine, substituted pyrimidine, purine or substituted purine.

Embodiment 509. The compound or oligomeric compound of any of embodiments 503 to 507, wherein Bx is uracil, thymine, cytosine, 5-methyl cytosine, adenine, or guanine.

Embodiment 510. The compound or oligomeric compound of any of embodiments 503 to 507, wherein Bx is adenine.

Embodiment 511. A conjugated antisense compound, wherein the compound has a structure represented by the formula:

25 Feb 2026
2026201390



wherein

A is the antisense oligonucleotide;

B is the cleavable moiety

C is the conjugate linker


D is the branching group

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 512. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein:

A is the antisense oligonucleotide;

B is the cleavable moiety

C is the conjugate linker

D is the branching group



















each E is a tether;




each F is a ligand;

n_1 is 0 or 1; and

q is an integer between 1 and 5.

Embodiment 513. The conjugated antisense compound of embodiment 511 or 512, wherein the conjugate linker has a structure selected from among:


;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;


and

.

wherein each L is, independently, a phosphorus linking group or a neutral linking group; and each n is, independently, from 1 to 20.

2026201390 25 Feb 2026


Embodiment 514. The conjugated antisense compound of embodiment 511 or 512, wherein the conjugate linker has a structure selected from among:



and


.

Embodiment 515. The conjugated antisense compound of embodiment 511 or 512, wherein the conjugate linker has the structure:




.

Embodiment 516. The conjugated antisense compound of embodiment 511 or 512, wherein the conjugate linker has one of the structures selected from:




; ; and .

Embodiment 517. The conjugated antisense compound of embodiment 511 or 512, wherein the conjugate linker has one of the structures selected from:



and .

Embodiment 518. The conjugated antisense compound of embodiment 511 or 512, wherein the conjugate linker has one of the structures selected from:



and .

Embodiment 519. The conjugated antisense compound of any of embodiments 511 or 518, wherein the conjugate linker comprises a pyrrolidine.

Embodiment 520. The conjugated antisense compound of any of embodiments 511 or 519, wherein the conjugate linker does not comprise a pyrrolidine.

Embodiment 521. The conjugated antisense compound of any of embodiments 511 or 520, wherein the conjugate linker comprises PEG.

25 Feb 2026
2026201390

Embodiment 522. The conjugated antisense compound of any of embodiments 511 or 521, wherein the conjugate linker comprises an amide.

Embodiment 523. The conjugated antisense compound of any of embodiments 511 or 522, wherein the conjugate linker does not comprise an amide.

Embodiment 524. The conjugated antisense compound of any of embodiments 511 or 523, wherein the conjugate linker comprises a polyamide.

Embodiment 525. The conjugated antisense compound of any of embodiments 511 or 524, wherein the conjugate linker comprises an amine.

Embodiment 526. The conjugated antisense compound of any of embodiments 511 or 525, wherein the conjugate linker comprises one or more disulfide bonds.


Embodiment 527. The conjugated antisense compound of any of embodiments 511 or 526, wherein the conjugate linker comprises a protein binding moiety.


Embodiment 528. The conjugated antisense compound of embodiment 527, wherein the protein binding moiety comprises a lipid.


Embodiment 529. The conjugated antisense compound of embodiment 528, wherein the protein binding moiety is selected from among: cholesterol, cholic acid, adamantane acetic acid, 1-pyrene butyric acid, dihydrotestosterone, 1,3-Bis-O(hexadecyl)glycerol, geranyloxyhexyl group, hexadecylglycerol, borneol, menthol, 1,3-propanediol, heptadecyl group, palmitic acid, myristic acid, O3-(oleoyl)lithocholic acid, O3-(oleoyl)cholenic acid, dimethoxytrityl, or phenoxazine), a vitamin (e.g., folate, vitamin A, vitamin E, biotin, pyridoxal), a peptide, a carbohydrate (e.g., monosaccharide, disaccharide, trisaccharide, tetrasaccharide, oligosaccharide, polysaccharide), an endosomolytic component, a steroid (e.g., uvaol, hecigenin, diosgenin), a terpene (e.g., triterpene, e.g., sarsasapogenin, friedelin, epifriedelanol derivatized lithocholic acid), or a cationic lipid.


Embodiment 530. The conjugated antisense compound of any of embodiments 527 to 529 wherein the protein binding moiety is a C16 to C22 long chain saturated or unsaturated fatty acid, cholesterol, cholic acid, vitamin E, adamantane or 1-pentafluoropropyl.


Embodiment 531. The conjugated antisense compound of any of embodiments 511 to 512 wherein the conjugate linker has a structure selected from among:



;



;



;



;



;



;



;


;


;



;



; and





wherein each n is, independently, is from 1 to 20; and p is from 1 to 6.


Embodiment 532. The conjugated antisense compound of any of embodiments 511 to 512 wherein the conjugate linker has a structure selected from among:



;



;



;



;


;


;


;


; and





5


2026201390 25 Feb 2026


wherein each n is, independently, from 1 to 20.


Embodiment 533. The conjugated antisense compound of any of embodiments 511 to 512 wherein the conjugate linker has a structure selected from among:



;



;



;



;



;



;



;



;


;


;



;


; and


.


25 Feb 2026
2026201390

Embodiment 534. The conjugated antisense compound of any of embodiments 511 to 512 wherein the conjugate linker has a structure selected from among:



wherein n is from 1 to 20.

Embodiment 535. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein

A is the antisense oligonucleotide;

B is the cleavable moiety;


D is the branching group;

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 536. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein

A is the antisense oligonucleotide;

D is the branching group;


each E is a tether;

2026201390 25 Feb 2026

each F is a ligand; and

q is an integer between 1 and 5.


Embodiment 537. The conjugated antisense compound of embodiment 511 to 536, wherein the branching group has one of the following structures:



wherein each A_1 is independently, O, S, C=O or NH; and

each n is, independently, from 1 to 20.


Embodiment 538. The conjugated antisense compound of embodiment 511 to 536, wherein the branching group has one of the following structures:



wherein each A_1 is independently, O, S, C=O or NH; and


each n is, independently, from 1 to 20.

Embodiment 539. The conjugated antisense compound of embodiment 511 to 536, wherein the branching group has the following structure:



.












Embodiment 540. The conjugated antisense compound of embodiment 511 to 536, wherein the branching group has the following structure:



.

Embodiment 541. The conjugated antisense compound of any of embodiments 511 to 536, wherein the branching group comprises an ether.


Embodiment 542. The conjugated antisense compound of embodiment 511 to 536, wherein the branching group has the following structure:


;

;

;

;

;

;

;

;

;

; and



each n is, independently, from 1 to 20; and

m is from 2 to 6.


Embodiment 543. The conjugated antisense compound of embodiment 511 to 536, wherein the branching group has the following structure:





Embodiment 544. The conjugated antisense compound of embodiment 511 to 536, wherein the branching group has the following structure:



Embodiment 545. The conjugated antisense compound of any of embodiments 511 to 536, wherein the branching group comprises:









, or 
;

wherein each j is an integer from 1 to 3; and



wherein each n is an integer from 1 to 20.

Embodiment 546. The conjugated antisense compound of any of embodiments 511 to 536 wherein the branching group comprises:


, 
, 
,


, or 
.

Embodiment 547. The conjugated antisense compound of embodiment 511 to 546, wherein each tether is selected from among:


and 

25 Feb 2026

2026201390

wherein L is selected from a phosphorus linking group and a neutral linking group;


Z_1 is C(=O)O-R_2;

Z_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky;


R_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky; and

each m_1 is, independently, from 0 to 20 wherein at least one m_1 is greater than 0 for each tether.

Embodiment 548. The conjugated antisense compound of embodiment 511 to 546, wherein each tether is selected from among:



and



wherein Z_2 is H or CH_3; and

each m_2 is, independently, from 0 to 20 wherein at least one m_2 is greater than 0 for each tether.

Embodiment 549. The conjugated antisense compound of any of embodiments 511 to 546, wherein at least one tether comprises PEG.

Embodiment 550. The conjugated antisense compound of any of embodiments 511 to 546, wherein at least one tether comprises an amide.


Embodiment 551. The conjugated antisense compound of any of embodiments 511 to 546, wherein at least one tether comprises a polyamide.

Embodiment 552. The conjugated antisense compound of any of embodiments 511 to 546, wherein at least one tether comprises an amine.

Embodiment 553. The conjugated antisense compound of any of embodiments 511 to 546, wherein at least two tethers are different from one another.

Embodiment 554. The conjugated antisense compound of any of embodiments 511 to 546, wherein all of the tethers are the same as one another.


Embodiment 555. The conjugated antisense compound of any of embodiments 511 to 546, wherein each tether is selected from among:




wherein each n is, independently, from 1 to 20; and

each p is from 1 to about 6.

Embodiment 556. The conjugated antisense compound of any of embodiments 511 to 546, wherein each tether is selected from among:



Embodiment 557. The conjugated antisense compound of any of embodiments 511 to 546, wherein each tether has the following structure:




wherein each n is, independently, from 1 to 20.

Embodiment 558. The conjugated antisense compound of any of embodiments 511 to 546, wherein each tether has the following structure:


25 Feb 2026

2026201390




.

Embodiment 559. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 558, wherein the cell-targeting moiety has the following structure:



.

Embodiment 560. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 558, wherein the cell-targeting moiety has the following structure:



.

Embodiment 561. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 558, wherein the cell-targeting moiety comprises at least one ligand.

25 Feb 2026
2026201390

Embodiment 562. The conjugated antisense compound of embodiment 493 to 502 or 511 to 558, wherein the cell-targeting moiety comprises one ligand.

Embodiment 563. The conjugated antisense compound of embodiment 493 to 502 or 511 to 558, wherein the targeting moiety comprises two ligands.

Embodiment 564. The conjugated antisense compound of embodiment 493 to 502 or 511 to 558, wherein the targeting moiety comprises three ligands.

Embodiment 565. The conjugated antisense compound of any of embodiments 561 to 564, wherein each ligand is covalently attached to each tether.

Embodiment 566. The conjugated antisense compound of any of embodiments 561 to 564, wherein at least one ligand is *N*-Acetylgalactosamine (GalNAc).

Embodiment 567. The conjugated antisense compound of any of embodiments 561 to 564, wherein each ligand is N-Acetylgalactosamine (GalNAc).



Embodiment 568. The conjugated antisense compound of any of embodiments 561 to 564, wherein the ligand is selected from among: a polysaccharide, modified polysaccharide, mannose, galactose, a mannose derivative, a galactose derivative, D-mannopyranose, L-Mannopyranose, D-Arabinose, L-Galactose, D-xylofuranose, L-xylofuranose, D-glucose, L-glucose, D-Galactose, L-Galactose, α-D-Mannofuranose, β-D-Mannofuranose, α-D-Mannopyranose, β-D-Mannopyranose, α-D-Glucopyranose, β-D-Glucopyranose, α-D-Glucofuranose, β-D-Glucofuranose, α-D-fructofuranose, α-D-fructopyranose, α-D-Galactopyranose, β -D-Galactopyranose, α-D-Galactofuranose, β -D-Galactofuranose, glucosamine, sialic acid, α-D-galactosamine, N-Acetylgalactosamine, 2-Amino-3-*O*-[(*R*)-1-carboxyethyl]-2-deoxy-β-D-glucopyranose, 2-Deoxy-2-methylamino-L-glucopyranose, 4,6-Dideoxy-4-formamido-2,3-di-*O*-methyl-D-mannopyranose, 2-Deoxy-2-sulfoamino-D-glucopyranose, *N*-Glycoloyl-α-neuraminic acid, 5-thio-β-D-glucopyranose, methyl 2,3,4-tri-*O*-acetyl-1-thio-6-*O*-trityl-α-D-glucopyranoside, 4-Thio-β-D-galactopyranose, ethyl 3,4,6,7-tetra-*O*-acetyl-2-deoxy-1,5-dithio-α-D-*gluco*-heptopyranoside, 2,5-Anhydro-D-allononitrile, ribose, D-ribose, D-4-thioribose, L-ribose, L-4-thioribose.

Embodiment 569. The conjugated antisense compound of any of embodiments 561 to 564, wherein the ligand is galactose.

2026201390 25 Feb 2026









Embodiment 570. The conjugated antisense compound of any of embodiments 561 to 564, wherein the ligand is mannose-6-phosphate.

Embodiment 571. The conjugated antisense compound of any of embodiments 561 to 564, wherein each ligand is selected from among:


and


wherein each R_1 is selected from OH and NHCOOH.


Embodiment 572. The conjugated antisense compound of any of embodiments 561 to 564, wherein each ligand is selected from among:


;

;

;

;

;

;

; and

.


Embodiment 573. The conjugated antisense compound of any of embodiments 561 to 564, wherein each ligand has the following structure:

25 Feb 2026


2026201390



Embodiment 574. The conjugated antisense compound of any of embodiments 561 to 564, wherein each ligand has the following structure:




Embodiment 575. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 574, wherein the cell-targeting moiety has the following structure:




wherein each n is, independently, from 1 to 20.

Embodiment 576. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 574, wherein the cell-targeting moiety has the following structure:



Embodiment 577. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 574, wherein the conjugate group has the following structure:




wherein each n is, independently, from 1 to 20;

Q is said antisense compound; and

Bx is a heterocyclic base moiety.

Embodiment 578. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 574, wherein the conjugate group has the following structure:

2026201390 25 Feb 2026




wherein each n is, independently, from 1 to 20;

Q is said antisense compound; and

Bx is a heterocyclic base moiety.

Embodiment 579. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 574, wherein the conjugate group has the following structure:



wherein each n is, independently, from 1 to 20;


Q is said antisense compound;

Z is H or a linked solid support; and

Bx is a heterocyclic base moiety.

Embodiment 580. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 574, wherein the conjugate group has the following structure:

2026201390 25 Feb 2026



wherein each n is, independently, from 1 to 20;


Q is said antisense compound;

Z is H or a linked solid support; and

Bx is a heterocyclic base moiety.


Embodiment 581. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 574, wherein the conjugate group has the following structure:

2026201390 25 Feb 2026




wherein Q is said antisense compound.

Embodiment 582. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 574, wherein the conjugate group has the following structure:



wherein Q is said antisense compound.

Embodiment 583. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 574, wherein the conjugate group has the following structure:




wherein Q is said antisense compound; and

Z is H or a linked solid support.

Embodiment 584. The conjugated antisense compound of any of embodiments 493 to 502 or 511 to 574, wherein the conjugate group has the following structure:

2026201390 25 Feb 2026



wherein Q is said antisense compound; and

Z is H or a linked solid support.

Embodiment 585. A conjugated oligonucleotide comprising an oligonucleotide and a conjugate group, wherein the conjugate group is any conjugate group of any of embodiments 493 to 584.

Embodiment 586. The conjugated oligonucleotide of embodiment 585 wherein the oligonucleotide comprises at least one modified nucleoside.

Embodiment 587. The conjugated oligonucleotide of embodiment 586 wherein the at least one modified nucleoside comprises a modified base.

25 Feb 2026
2026201390

Embodiment 588. The conjugated oligonucleotide of embodiment 586 or 587 wherein the at least one modified nucleoside comprises a sugar surrogate.

Embodiment 589. The conjugated oligonucleotide of embodiment 588 wherein the sugar surrogate is a tetrahydropyran.

Embodiment 590. The conjugated oligonucleotide of any of embodiment 589 wherein the tetrahydropyran is F-HNA.

Embodiment 591. The conjugated oligonucleotide of any of embodiments 586 to 590 wherein the remainder of the oligonucleotide comprises at least one nucleoside comprising a modified sugar.

Embodiment 592. The conjugated oligonucleotide of embodiment 591 wherein the at least one modified nucleoside comprising a modified sugar is selected from a bicyclic nucleoside and a 2'-modified nucleoside.

Embodiment 593. The conjugated oligonucleotide of embodiment 586 wherein the at least one modified nucleoside is a bicyclic nucleoside.

Embodiment 594. The conjugated oligonucleotide of embodiment 593 wherein the bicyclic nucleoside is a (4'-CH_2-O-2') BNA nucleoside.

Embodiment 595. The conjugated oligonucleotide of embodiment 593 wherein the bicyclic nucleoside is a (4'-$(CH_2)_2$-O-2') BNA nucleoside.

Embodiment 596. The conjugated oligonucleotide of embodiment 593 wherein the bicyclic nucleoside is a (4'-C(CH_3)H-O-2') BNA nucleoside.

Embodiment 597. The conjugated oligonucleotide of embodiment 586 wherein the at least one modified nucleoside is a 2'-modifed nucleoside.

25 Feb 2026

2026201390

Embodiment 598. The conjugated oligonucleotide of embodiment 597 wherein the at least one 2'-modified nucleoside is selected from a 2'-F nucleoside, a 2'-OCH_3 nucleoside, and a 2'-$O(CH_2)_2OCH_3$ nucleoside.

Embodiment 599. The conjugated oligonucleotide of embodiment 598 wherein the at least one 2'-modified nucleoside is a 2'-F nucleoside.

Embodiment 600. The conjugated oligonucleotide of embodiment 598 wherein the at least one 2'-modified nucleoside is a 2'-OCH_3 nucleoside.

Embodiment 601. The conjugated oligonucleotide of embodiment 598 wherein the at least one 2'-modified nucleoside is a 2'-$O(CH_2)_2OCH_3$ nucleoside.

Embodiment 602. The conjugated oligonucleotide of any of embodiments 585-601 wherein the oligonucleotide comprises at least one unmodified nucleoside.

Embodiment 603. The conjugated oligonucleotide of embodiment 602 wherein the unmodified nucleoside is a ribonucleoside.

Embodiment 604. The conjugated oligonucleotide of embodiment 602 wherein the unmodified nucleoside is a deoxyribonucleoside.

Embodiment 605. The conjugated oligonucleotide of any of embodiments 585 to 604 wherein the oligonucleotide comprises at least two modified nucleosides.

Embodiment 606. The conjugated oligonucleotide of embodiment 605 wherein the at least two modified nucleosides comprise the same modification.

Embodiment 607. The conjugated oligonucleotide of embodiment 605 wherein the at least two modified nucleosides comprise different modifications.

25 Feb 2026
2026201390

Embodiment 608. The conjugated oligonucleotide of any of embodiments 605 to 607 wherein at least one of the at least two modified nucleosides comprises a sugar surrogate.

Embodiment 609. The conjugated oligonucleotide of any of embodiments 605 to 608 wherein at least one of the at least two modified nucleosides comprises a 2'-modification.

Embodiment 610. The conjugated oligonucleotide of embodiment 609 wherein each of the at least two modified nucleosides is independently selected from 2'-F nucleosides, 2'-OCH_3 nucleosides and 2'-$O(CH_2)_2OCH_3$ nucleosides.

Embodiment 611. The conjugated oligonucleotide of embodiment 610 wherein each of the at least two modified nucleosides is a 2'-F nucleoside.

Embodiment 612. The conjugated oligonucleotide of embodiment 610 wherein each of the at least two modified nucleosides is a 2'-OCH_3 nucleosides.

Embodiment 613. The conjugated oligonucleotide of embodiment 610 wherein each of the at least two modified nucleosides is a 2'-$O(CH_2)_2OCH_3$ nucleoside.

Embodiment 614. The conjugated oligonucleotide of any of embodiments 586 to 613 wherein essentially every nucleoside of the oligonucleotide is a modified nucleoside.

Embodiment 615. The conjugated oligonucleotide of any of embodiments 586 to 601 or 606 to 613 wherein every nucleoside of the oligonucleotide is a modified nucleoside.

Embodiment 616. The conjugated oligonucleotide of any of embodiments 586 to 615 wherein the oligonucleotide is single-stranded.

Embodiment 617. The conjugated oligonucleotide of any of embodiments 586 to 615 wherein the oligonucleotide is double-stranded.

2026201390 25 Feb 2026

Embodiment 618. The conjugated oligonucleotide of any of embodiments 586 to 615, wherein the oligonucleotide is an antisense compound.

Embodiment 619. The conjugated oligonucleotide of any of embodiments 586 to 615, wherein the oligonucleotide is a RISC based oligonucleotide.

Embodiment 620. The conjugated oligonucleotide of any of embodiments 586 to 615, wherein the oligonucleotide activates the RISC pathway.

Embodiment 621. The conjugated oligonucleotide of any of embodiments 586 to 615, wherein the oligonucleotide is an RNase H based antisense compound.

Embodiment 622. The conjugated oligonucleotide compound of any of embodiments 586 to 621, wherein the conjugate group is attached to the 5'-terminal nucleoside of the antisense oligonucleotide.

Embodiment 623. The conjugated oligonucleotide compound of any of embodiments 586 to 621, wherein the conjugate group is attached to the 3'-terminal nucleoside of the antisense oligonucleotide.

Embodiment 624. The conjugated oligonucleotide compound of any of embodiments 586 to 621, wherein the conjugate group is attached to an internal nucleoside of the antisense oligonucleotide.

Embodiment 625. The conjugated oligonucleotide compound of any of embodiments 586 to 624, wherein the conjugate group increases uptake of the conjugated oligonucleotide compound into a hepatocyte relative to an unconjugated oligonucleotide compound.

Embodiment 626. The conjugated oligonucleotide compound of any of embodiments 586 to 624, wherein the conjugate group increases the uptake of the conjugated oligonucleotide compound into a liver cell relative to an unconjugated oligonucleotide compound.

Embodiment 627. The conjugated oligonucleotide compound of any of embodiments 586 to 626, wherein the conjugate group increases accumulation of the conjugated oligonucleotide compound in the liver relative to an unconjugated oligonucleotide compound.

2026201390 25 Feb 2026

Embodiment 628. The conjugated oligonucleotide compound of any of embodiments 586 to 627, wherein the conjugate group decreases accumulation of the conjugated oligonucleotide compound in the kidneys relative to an unconjugated oligonucleotide compound.

Embodiment 629. The conjugated oligonucleotide compound of embodiment 586 to 628, wherein the conjugated oligonucleotide has a sugar motif comprising:

a 5'-region consisting of 2-8 linked 5'-region nucleosides, wherein at least two 5'-region nucleosides are modified nucleosides and wherein the 3'-most 5'-region nucleoside is a modified nucleoside;

a 3'-region consisting of 2-8 linked 3'-region nucleosides, wherein at least two 3'-region nucleosides are modified nucleosides and wherein the 5'-most 3'-region nucleoside is a modified nucleoside; and

a central region between the 5'-region and the 3'-region consisting of 5-10 linked central region nucleosides, each independently selected from among: a modified nucleoside and an unmodified deoxynucleoside, wherein the 5'-most central region nucleoside is an unmodified deoxynucleoside and the 3'-most central region nucleoside is an unmodified deoxynucleoside.

Embodiment 630. The conjugated oligonucleotide compound of embodiment 629, wherein the 5'-region consists of 2 linked 5'-region nucleosides.

Embodiment 631. The conjugated oligonucleotide compound of embodiment 629, wherein the 5'-region consists of 3 linked 5'-region nucleosides.

Embodiment 632. The conjugated oligonucleotide compound of embodiment 629, wherein the 5'-region consists of 4 linked 5'-region nucleosides.

Embodiment 633. The conjugated oligonucleotide compound of embodiment 629, wherein the 5'-region consists of 5 linked 5'-region nucleosides.

Embodiment 634. The conjugated oligonucleotide compound of any of embodiments 629-633, wherein the 3'-region consists of 2 linked 3'-region nucleosides.

Embodiment 635. The conjugated oligonucleotide compound of any of embodiments 629-633, wherein the 3'-region consists of 3 linked 3'-region nucleosides.

25 Feb 2026
2026201390

Embodiment 636. The conjugated oligonucleotide compound of any of embodiments 629-633, wherein the 3'-region consists of 4 linked 3'-region nucleosides.

Embodiment 637. The conjugated oligonucleotide compound of any of embodiments 629-633, wherein the 3'-region consists of 5 linked 3'-region nucleosides.

Embodiment 638. The conjugated oligonucleotide compound of any of embodiments 629-633, wherein the central region consists of 5 linked central region nucleosides.

Embodiment 639. The conjugated oligonucleotide compound of any of embodiments 629-633, wherein the central region consists of 6 linked central region nucleosides.

Embodiment 640. The conjugated oligonucleotide compound of any of embodiments 629-633, wherein the central region consists of 7 linked central region nucleosides.

Embodiment 641. The conjugated oligonucleotide compound of any of embodiments 629-633, wherein the central region consists of 8 linked central region nucleosides.

Embodiment 642. The conjugated oligonucleotide compound of any of embodiments 629-633, wherein the central region consists of 9 linked central region nucleosides.

Embodiment 643. The conjugated oligonucleotide compound of any of embodiments 629-633, wherein the central region consists of 10 linked central region nucleosides.

Embodiment 644. The conjugated oligonucleotide compound of any of embodiments 629-644, wherein the conjugated oligonucleotide consists of 14 to 26 linked nucleosides.

Embodiment 645. The conjugated oligonucleotide compound of any of embodiments 629-644, wherein the conjugated oligonucleotide consists of 15 to 25 linked nucleosides.

Embodiment 646. The conjugated oligonucleotide compound of any of embodiments 629-644, wherein the conjugated oligonucleotide consists of 16 to 20 linked nucleosides.

25 Feb 2026
2026201390

Embodiment 647. The conjugated oligonucleotide compound of any of embodiments 629-644, wherein each modified nucleoside independently comprises a 2'-substituted sugar moiety or a bicyclic sugar moiety.

Embodiment 648. The conjugated oligonucleotide compound of embodiment 647, wherein the at least one modified nucleoside comprises a 2'-substituted sugar moiety.

Embodiment 649. The conjugated oligonucleotide compound of embodiment 648, wherein each modified nucleoside comprising a 2'-substituted sugar moiety comprises a 2' substituent independently selected from among: halogen, optionally substituted allyl, optionally substituted amino, azido, optionally substituted SH, CN, OCN, CF_3, OCF_3, O, S, or N(Rm)-alkyl; O, S, or N(Rm)-alkenyl; O, S or N(Rm)-alkynyl; optionally substituted O-alkylenyl-O-alkyl, optionally substituted alkynyl, optionally substituted alkaryl, optionally substituted aralkyl, optionally substituted O-alkaryl, optionally substituted O-aralkyl, $O(CH_2)_2SCH_3$, $O-(CH_2)_2-O-N(Rm)(Rn)$ or $O-CH_2-C(=O)-N(Rm)(Rn)$, where each Rm and Rn is, independently, H, an amino protecting group or substituted or unsubstituted C_1-C_{10} alkyl;

wherein each optionally substituted group is optionally substituted with a substituent group independently selected from among: hydroxyl, amino, alkoxy, carboxy, benzyl, phenyl, nitro (NO_2), thiol, thioalkoxy (S-alkyl), halogen, alkyl, aryl, alkenyl and alkynyl.

Embodiment 650. The conjugated oligonucleotide compound of embodiment 648, wherein each 2' substituent is independently selected from among: a halogen, OCH_3, OCH_2F, $OCHF_2$, OCF_3, OCH_2CH_3, $O(CH_2)_2F$, OCH_2CHF_2, OCH_2CF_3, $OCH_2-CH=CH_2$, $O(CH_2)_2-OCH_3$, $O(CH_2)_2-SCH_3$, $O(CH_2)_2-OCF_3$, $O(CH_2)_3-N(R_1)(R_2)$, $O(CH_2)_2-ON(R_1)(R_2)$, $O(CH_2)_2-O(CH_2)_2-N(R_1)(R_2)$, $OCH_2C(=O)-N(R_1)(R_2)$, $OCH_2C(=O)-N(R_3)-(CH_2)_2-N(R_1)(R_2)$, and $O(CH_2)_2-N(R_3)-C(=NR_4)[N(R_1)(R_2)]$; wherein R_1, R_2, R_3 and R_4 are each, independently, H or C_1-C_6 alkyl.

Embodiment 651. The conjugated oligonucleotide compound of embodiment 648, wherein each 2' substituent is independently selected from among: a halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, $OCH_2-CH=CH_2$, $O(CH_2)_2-OCH_3$ (MOE), $O(CH_2)_2-O(CH_2)_2-N(CH_3)_2$, $OCH_2C(=O)-N(H)CH_3$, $OCH_2C(=O)-N(H)-(CH_2)_2-N(CH_3)_2$, and $OCH_2-N(H)-C(=NH)NH_2$.

Embodiment 652. The conjugated oligonucleotide compound of embodiment 648, wherein the at least one 2'-modified nucleoside comprises a 2'-MOE sugar moiety.

25 Feb 2026
2026201390

Embodiment 653. The conjugated oligonucleotide compound of embodiment 648, wherein the at least one 2'-modified nucleoside comprises a 2'-OMe sugar moiety.

Embodiment 654. The conjugated oligonucleotide compound of embodiment 648, wherein the at least one 2'-modified nucleoside comprises a 2'-F sugar moiety.

Embodiment 655. The conjugated oligonucleotide compound of any of embodiments 629-644, wherein the conjugated oligonucleotide comprises at least one modified nucleoside comprising a sugar surrogate.

Embodiment 656. The conjugated oligonucleotide compound of embodiment 655, wherein the modified nucleoside comprises an F-HNA sugar moiety.

Embodiment 657. The conjugated oligonucleotide compound of embodiment 655, wherein the modified nucleoside comprises an HNA sugar moiety.

Embodiment 658. The conjugated oligonucleotide compound of any of embodiments 629-657 wherein the conjugated oligonucleotide comprises at least one modified nucleoside comprising a bicyclic sugar moiety.

Embodiment 659. The conjugated oligonucleotide compound of embodiment 658, wherein the bicyclic sugar moiety is a cEt sugar moiety.

Embodiment 660. The conjugated oligonucleotide compound of embodiment 658, wherein bicyclic sugar moiety is an LNA sugar moiety.

Embodiment 661. The conjugated oligonucleotide compound of any of embodiments 585 to 660, wherein the conjugated oligonucleotide comprises at least one modified internucleoside linkage.

Embodiment 662. The conjugated oligonucleotide compound of embodiment 661, wherein each internucleoside linkage of the conjugated oligonucleotide is a modified internucleoside linkage.

Embodiment 663. The conjugated oligonucleotide compound of embodiment 661, wherein the conjugated oligonucleotide comprises at least one modified linkage and at least one unmodified phosphodiester internucleoside linkage.

25 Feb 2026
2026201390

Embodiment 664. The conjugated oligonucleotide compound of any of embodiments 661 to 663 wherein at least one modified internucleoside linkage is a phosphosphorothioate internucleoside linkage.

Embodiment 665. The conjugated oligonucleotide compound of any of embodiments 661 to 663, wherein each modified internucleoside linkage is a phosphorothioate internucleoside linkage.

Embodiment 666. The conjugated oligonucleotide compound of any of embodiments 661 to 662, wherein the conjugated oligonucleotide comprises at least 2 phosphodiester internucleoside linkages.

Embodiment 667. The conjugated oligonucleotide compound of any of embodiments 661 to 662, wherein the conjugated oligonucleotide comprises at least 3 phosphodiester internucleoside linkages.

Embodiment 668. The conjugated oligonucleotide compound of any of embodiments 661 to 662, wherein the conjugated oligonucleotide comprises at least 4 phosphodiester internucleoside linkages.

Embodiment 669. The conjugated oligonucleotide compound of any of embodiments 661 to 662, wherein the conjugated oligonucleotide comprises at least 5 phosphodiester internucleoside linkages.

Embodiment 670. The conjugated oligonucleotide compound of any of embodiments 661 to 662, wherein the conjugated oligonucleotide comprises at least 6 phosphodiester internucleoside linkages.

Embodiment 671. The conjugated oligonucleotide compound of any of embodiments 661 to 662, wherein the conjugated oligonucleotide comprises at least 7 phosphodiester internucleoside linkages.

Embodiment 672. The conjugated oligonucleotide compound of any of embodiments 661 to 662, wherein the conjugated oligonucleotide comprises at least 8 phosphodiester internucleoside linkages.

Embodiment 673. The conjugated oligonucleotide compound of any of embodiments 661 to 662, wherein the conjugated oligonucleotide comprises at least 9 phosphodiester internucleoside linkages.

Embodiment 674. The conjugated oligonucleotide compound of any of embodiments 661 to 662, wherein the conjugated oligonucleotide comprises at least 10 phosphodiester internucleoside linkages.

25 Feb 2026

2026201390

Embodiment 675. The conjugated oligonucleotide compound of any of embodiments 661 or 663 to 674, wherein the conjugated oligonucleotide comprises fewer than 16 phosphorothioate internucleoside linkages.

Embodiment 676. The conjugated oligonucleotide compound of any of embodiments 661 or 663 to 674, wherein the conjugated oligonucleotide comprises fewer than 15 phosphorothioate internucleoside linkages.

Embodiment 677. The conjugated oligonucleotide compound of any of embodiments 661 or 663 to 674, wherein the conjugated oligonucleotide comprises fewer than 14 phosphorothioate internucleoside linkages.

Embodiment 678. The conjugated oligonucleotide compound of any of embodiments 661 or 663 to 674, wherein the conjugated oligonucleotide comprises fewer than 13 phosphorothioate internucleoside linkages.

Embodiment 679. The conjugated oligonucleotide compound of any of embodiments 661 or 663 to 674, wherein the conjugated oligonucleotide comprises fewer than 12 phosphorothioate internucleoside linkages.

Embodiment 680. The conjugated oligonucleotide compound of any of embodiments 661 or 663 to 674, wherein the conjugated oligonucleotide comprises fewer than 11 phosphorothioate internucleoside linkages.

Embodiment 681. The conjugated oligonucleotide compound of any of embodiments 661 or 663 to 674, wherein the conjugated oligonucleotide comprises fewer than 10 phosphorothioate internucleoside linkages.

Embodiment 682. The conjugated oligonucleotide compound of any of embodiments 661 or 663 to 674, wherein the conjugated oligonucleotide comprises fewer than 9 phosphorothioate internucleoside linkages.

Embodiment 683. The conjugated oligonucleotide compound of any of embodiments 661 or 663 to 674, wherein the conjugated oligonucleotide comprises fewer than 8 phosphorothioate internucleoside linkages.

25 Feb 2026

2026201390

Embodiment 684. The conjugated oligonucleotide compound of any of embodiments 661 or 663 to 674, wherein the conjugated oligonucleotide comprises fewer than 7 phosphorothioate internucleoside linkages.

Embodiment 685. The conjugated oligonucleotide compound of any of embodiments 661 or 663 to 674, wherein the conjugated oligonucleotide comprises fewer than 6 phosphorothioate internucleoside linkages.

Embodiment 686. The conjugated oligonucleotide compound of any of embodiments 585 to 685, wherein each terminal internucleoside linkage of the conjugated oligonucleotide is a phosphorothioate internucleoside linkage.

Embodiment 687. The conjugated oligonucleotide compound of any of embodiments 585 to 662 or 665 to 686, wherein each internucleoside linkage linking two deoxynucleosides of the conjugated oligonucleotide is a phosphorothioate internucleoside linkage.

Embodiment 688. The conjugated oligonucleotide compound of any of embodiments 585 to 662 or 665 to 687, wherein each non-terminal internucleoside linkage linking two modified nucleosides of the conjugated oligonucleotide is a phosphodiester internucleoside linkage.

Embodiment 689. The conjugated oligonucleotide compound of any of embodiments 585 to 662 or 665 to 688, wherein each non-terminal internucleoside linkage of the conjugated oligonucleotide that is 3' of a modified nucleoside is a phosphodiester internucleoside linkage.

Embodiment 690. The conjugated oligonucleotide compound of any of embodiments 585 to 662 or 665 to 689, wherein each internucleoside linkage of the conjugated oligonucleotide that is 3' of a deoxynucleoside is a phosphorothioate internucleoside linkage.

Embodiment 691. The conjugated oligonucleotide compound of any of embodiments 585 to 662 or 665 to 690 wherein the conjugated oligonucleotide has a chemical motif selected from among:

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$

2026201390 25 Feb 2026

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$
$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$
$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$
$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$
$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$
$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$
$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$
$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$
$MsMyMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$
$MsMyMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$
$MsMyMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$; and
$MsMyMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$;

wherein each M is independently a modified nucleoside, each D is a deoxynucleoside; each s is a phosphorothioate internucleoside linkage, and each y is either a phosphodiester internucleoside linkage or a phosphorothioate internucleoside linkage, provided that at least one y is a phosphodiester internucleotide linkage.

Embodiment 692. The conjugated oligonucleotide compound of any of embodiments 585 to 662 or 665 to 690 wherein the conjugated oligonucleotides has a chemical motif selected from among:

$MsMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMsM$
$MsMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMsM$
$MsMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMoMsM$
$MsMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MsM$
$MsMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMsM$
$MsMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMsM$
$MsMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMoMsM$
$MsMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MsM$
$MsMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMsM$
$MsMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMsM$
$MsMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMoMsM$
$MsMoMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MsM$
$MsMoMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMsM$
$MsMoMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMsM$; and
$MsMoMoMoMo(Ds)_{0-1}(DsDs)_{(3-5)}MoMoMoMsM$;

25 Feb 2026
2026201390

wherein each M is independently a modified nucleoside, each D is a deoxynucleoside; each o is a phosphodiester internucleoside linkage, and each s is a phosphorothioate internucleoside linkage.

Embodiment 693. The conjugated oligonucleotide compound of embodiment 691 or 692, wherein each M is independently selected from among: a 2'-MOE nucleoside and a bicyclic nucleoside.

Embodiment 694. The conjugated oligonucleotide compound of embodiment 693, wherein each M is independently selected from among a 2'-MOE nucleoside, a cEt nucleoside, and an LNA nucleoside.

Embodiment 695. The conjugated oligonucleotide compound of embodiment 693 or 694, wherein each M is a 2'-MOE nucleoside.

Embodiment 696. The conjugated oligonucleotide compound of embodiment 693 or 694, wherein each M is a cEt nucleoside.

Embodiment 697. The conjugated oligonucleotide compound of embodiments 693 or 694, wherein each M is an LNA nucleoside.

Embodiment 698. The conjugated oligonucleotide compound of any of embodiments 585 to 697, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 8 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 699. The conjugated oligonucleotide compound of any of embodiments 585 to 697, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 10 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 700. The conjugated oligonucleotide compound of any of embodiments 585 to 697, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 12 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 701. The conjugated oligonucleotide compound of any of embodiments 585 to 697, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 14 nucleobase portion complementary to an equal length portion of a target nucleic acid.

25 Feb 2026
2026201390

Embodiment 702. The conjugated oligonucleotide compound of any of embodiments 585 to 697, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 16 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 703. The conjugated oligonucleotide compound of any of embodiments 585 to 697, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 18 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 704. The conjugated oligonucleotide compound of any of embodiments 585 to 697, wherein the conjugated oligonucleotide is at least 90% complementary to a target nucleic acid.

Embodiment 705. The conjugated oligonucleotide compound of any of embodiments 585 to 697, wherein the conjugated oligonucleotide is at least 95% complementary to a target nucleic acid.

Embodiment 706. The conjugated oligonucleotide compound of any of embodiments 585 to 697, wherein the conjugated oligonucleotide is 100% complementary to a target nucleic acid.

Embodiment 707. The conjugated oligonucleotide compound of any of embodiments 698 to 706, wherein the target nucleic acid is a pre-mRNA.

Embodiment 708. The conjugated oligonucleotide compound of any of embodiments 698 to 706, wherein the target nucleic acid is an mRNA.

Embodiment 709. The conjugated oligonucleotide compound of any of embodiments 698 to 706, wherein the target nucleic acid is a micro RNA.

Embodiment 710. The conjugated oligonucleotide compound of any of embodiments 698 to 709, wherein the target nucleic acid is expressed in the liver.

Embodiment 711. The conjugated oligonucleotide compound of any of embodiments 698 to 709, wherein the target nucleic acid is expressed in hepatocytes.

Embodiment 712. The conjugated oligonucleotide compound of any of embodiments 698 to 709, wherein the target nucleic encodes a protein selected from among: Androgen Receptor, Apolipoprotein (a), Apolipoprotein B, Apolipoprotein C-III, C-Reactive Protein, eIF-4E, Factor VII, Factor XI,

25 Feb 2026
2026201390

Glucocorticoid Receptor, Glucagon Receptor, Protein Tyrosine Phosphatase 1B, STAT3, and Transthyretin.

Embodiment 713. The conjugated oligonucleotide compound of any of embodiments 698 to 709 wherein the target nucleic acid is a viral nucleic acid.

Embodiment 714. The conjugated oligonucleotide compound of embodiment 713, wherein the viral nucleic acid expressed in the liver.

Embodiment 715. The conjugated oligonucleotide compound of embodiment 714, wherein the target nucleic acid is a Hepatitis B viral nucleic acid.

Embodiment 716. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any one of SEQ ID NOs.: 17, 18, 19, 20, 21, 22, 23, or 24.

Embodiment 717. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any one of SEQ ID NO.: 25, 26, 27, 28, 29, or 30.

Embodiment 718. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 31.

Embodiment 719. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 32.

Embodiment 720. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 33.

Embodiment 721. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 34.

Embodiment 722. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 35, 36, 37, 38, 39, 40, 41, 42, or 43.

25 Feb 2026

2026201390

Embodiment 723. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 44, 45, 46, 47, or 48.

Embodiment 724. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, or 59.

Embodiment 725. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 60, 61, 62, 63, 64, 65, 66, or 67.

Embodiment 726. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NO.: 69, 70, 71, or 72.

Embodiment 727. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 73.

Embodiment 728. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 74, 75, 76, 77, 78, 79, 80, or 81.

Embodiment 729. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 68.

Embodiment 730. The conjugated oligonucleotide compound of any of embodiments 585 to 708, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 82-103.

Embodiment 731. The conjugated oligonucleotide compound of any of embodiments 585 to 731, wherein the conjugated oligonucleotide is an antisense oligonucleotide.

Embodiment 732. A method of reducing the amount or activity of a target nucleic acid in a cell, comprising contacting a cell with a compound or conjugated antisense compound of any of embodiments 493 to 731.

25 Feb 2026
2026201390

Embodiment 733. The method of embodiment 732, wherein the cell is a liver cell.

Embodiment 734. The method of embodiment 732, wherein the cell is a hepatocyte.

Embodiment 735. The method of any of embodiments 732 to 734 wherein the cell is in vitro.

Embodiment 736. The method of any of embodiments 732 to 734 wherein the cell is in an animal.

Embodiment 737. The method of embodiment 736 wherein the animal is a mouse.

Embodiment 738. The method of embodiment 736 wherein the animal is a human.

Embodiment 739. A pharmaceutical composition comprising a compound or conjugated oligonucleotide according to any of embodiments 493 to 731 and a pharmaceutically acceptable carrier or diluent.

Embodiment 740. The pharmaceutical composition of embodiment 739 wherein the pharmaceutically acceptable carrier or diluent is selected from among sterile water and sterile saline.

Embodiment 741. A method of treating a disease or condition in an animal comprising administering the pharmaceutical composition of embodiment 739 or 740 to the animal and thereby treating the disease or condition in the animal.

Embodiment 742. The method of embodiment 741 wherein the animal is a mouse.

Embodiment 743. The method of embodiment 741 wherein the animal is a human.

Embodiment 744. The method of any of embodiments 741 to 743, wherein the disease or condition is a liver disease or condition.

Embodiment 745. The method of any of embodiments 741 to 743 wherein the administration is parenteral.

Embodiment 746. The method embodiment 745 wherein the administration is by subcutaneous injection.

25 Feb 2026
2026201390

Embodiment 747. The method of embodiment 745 wherein the administration is by intravenous injection.

Embodiment 748. The method of embodiment 745 wherein the administration is by intramuscular injection.

Embodiment 749. The method of any of embodiments 741 to 748 wherein the conjugated oligonucleotide is provided at a dose of 1-10 mg/kg.

Embodiment 750. The method of any of embodiments 741 to 748 wherein the conjugated oligonucleotide is provided at a dose of less than 1 mg/kg.

Embodiment 751. The method of any of embodiments 741 to 748 wherein the conjugated oligonucleotide is provided at a dose of greater than 10 mg/kg.

Embodiment 752. The method of any of embodiments 741 to 751 wherein the conjugated oligonucleotide is provided for a dosing period of at least 2 months.

Embodiment 753. The method of any of embodiments 741 to 751 wherein the conjugated oligonucleotide is provided for a dosing period of at least 4 months.

Embodiment 754. The method of any of embodiments 741 to 751 wherein the conjugated oligonucleotide is provided for a dosing period of at least 6 months.

Embodiment 755. The method of any of embodiments 741 to 751 wherein the conjugated oligonucleotide is provided at a dosing frequency of about one dose every week.

Embodiment 756. The method of any of embodiments 741 to 751 wherein the conjugated oligonucleotide is provided at a dosing frequency of about one dose every two weeks.

Embodiment 757. The method of any of embodiments 741 to 751 wherein the conjugated oligonucleotide is provided at a dosing frequency of about one dose every three weeks.

Embodiment 758. The method of any of embodiments 741 to 751 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every four weeks.

25 Feb 2026
2026201390

Embodiment 759. The method of any of embodiments 741 to 751 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every five weeks.

Embodiment 760. The method of any of embodiments 741 to 751 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every six weeks.

Embodiment 761. The method of any of embodiments 741 to 751 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every seven weeks.

Embodiment 762. The method of any of embodiments 741 to 751 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every eight weeks.

Embodiment 763. A conjugated antisense compound comprising: an antisense oligonucleotide comprising 12-30 linked nucleosides, and a conjugate group, wherein the conjugate group comprises at least one cell-targeting moiety.

Embodiment 764. A method of reducing the activity or amount of an Apolipoprotein C-III protein in a cell, comprising contacting a cell with at least one conjugated antisense compound of any of embodiments 493 to 731; and thereby reducing the activity or amount of the Apolipoprotein C-III protein in the cell.

Embodiment 765. A method of decreasing total cholesterol, comprising contacting a cell with at least one compound of any of embodiments 493 to 731; and thereby decreasing total cholesterol.

Embodiment 766. A method of decreasing triglycerides, comprising contacting a cell with at least one compound of any of embodiments 493 to 731; and thereby decreasing triglycerides.

Embodiment 767. A method of lowering LDL, comprising contacting a cell with at least one compound of any of embodiments 493 to 731; and thereby lowering LDL.

Embodiment 768. A method of increasing HDL, comprising contacting a cell with at least one compound of any of embodiments 493 to 731; and thereby increasing HDL.

Embodiment 769. The method of any of embodiments 764 to 768, wherein the cell is in vitro.

25 Feb 2026


2026201390

Embodiment 770. The method of any of embodiments 764 to 768, wherein the cell is in an animal.

Embodiment 771. The method of any of embodiments 764 to 768, wherein the animal is a human.

Embodiment 772. The compound or conjugated oligonucleotide of any of embodiments 1-771 or a prodrug thereof.


Embodiment 773. A prodrug of an antisense compound comprising the structure:



,

wherein ASO represents an antisense oligonucleotide of any of embodiments 1-771.

Embodiment 774. A prodrug of an antisense compound comprising the structure, wherein the one or more metabolites of the prodrug has the structure:




,

and wherein ASO represents an antisense oligonucleotide of any of embodiments 1-771.

Embodiment 775. A prodrug of an antisense compound, wherein one or more metabolites of the prodrug comprises an antisense oligonucleotide of any of embodiments 1-771.

2026201390 25 Feb 2026

Embodiment 776. A prodrug comprising:



,

wherein ASO represents an antisense oligonucleotide of any of claims 1 to 731.

Embodiment 777. A method of manufacturing an antisense oligonucleotide of any of embodiments 1-771.

Embodiment 778. A method of preparing an antisense oligonucleotide of any of embodiments 1-771.

Embodiment 779. A conjugate compound comprising at least one phosphorus linking group or neutral linking group and one or more ligands.

Embodiment 780. The conjugate compound of embodiment 779 comprising two or more ligands.





Embodiment 781. The conjugate compound of embodiment 779 comprising three ligands.

25 Feb 2026
2026201390



Embodiment 782. The conjugate compound of any of embodiments 779 to 781, wherein the ligand is selected from among: a polysaccharide, modified polysaccharide, mannose, galactose, a mannose derivative, a galactose derivative, D-mannopyranose, L-Mannopyranose, D-Arabinose, L-Galactose, D-xylofuranose, L-xylofuranose, D-glucose, L-glucose, D-Galactose, L-Galactose, α-D-Mannofuranose, β-D-Mannofuranose, α-D-Mannopyranose, β-D-Mannopyranose, α-D-Glucopyranose, β-D-Glucopyranose, α-D-Glucofuranose, β-D-Glucofuranose, α-D-fructofuranose, α-D-fructopyranose, α-D-Galactopyranose, β -D-Galactopyranose, α-D-Galactofuranose, β -D-Galactofuranose, glucosamine, sialic acid, α-D-galactosamine, N-Acetylgalactosamine, 2-Amino-3-*O*-[(*R*)-1-carboxyethyl]-2-deoxy-β-D-glucopyranose, 2-Deoxy-2-methylamino-L-glucopyranose, 4,6-Dideoxy-4-formamido-2,3-di-*O*-methyl-D-mannopyranose, 2-Deoxy-2-sulfoamino-D-glucopyranose, *N*-Glycoloyl-α-neuraminic acid, 5-thio-β-D-glucopyranose, methyl 2,3,4-tri-*O*-acetyl-1-thio-6-*O*-trityl-α-D-glucopyranoside, 4-Thio-β-D-galactopyranose, ethyl 3,4,6,7-tetra-*O*-acetyl-2-deoxy-1,5-dithio-α-D-*gluco*-heptopyranoside, 2,5-Anhydro-D-allononitrile, ribose, D-ribose, D-4-thioribose, L-ribose, L-4-thioribose.

Embodiment 783. The conjugate compound of any of embodiments 779 to 781, wherein the ligand is N-acetyl galactoseamine.

Embodiment 784. The conjugate compound of any of embodiments 779 to 783, wherein conjugate group comprises a structure selected from among:


,


and

.

Embodiment 785. The conjugate compound of any of embodiments 779 to 784, wherein the conjugate compound has a tether having a structure selected from among:


and


wherein L is either a phosphorus linking group or a neutral linking group;

Z_1 is C(=O)O-R_2;


2026201390 25 Feb 2026

Z_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky;

R_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky; and

each m_1 is, independently, from 0 to 20 wherein at least one m_1 is greater than 0 for each tether.

Embodiment 786. The conjugate compound of embodiment 785, wherein the tether has a structure selected from among:




wherein Z_2 is H or CH_3; and

each m_1 is, independently, from 0 to 20 wherein at least one m_1 is greater than 0 for each tether.

Embodiment 787. The conjugate compound of any of embodiments 779 to 786, wherein the conjugate compound is covalently attached to an oligonucleotide.

Embodiment 788. An oligomeric compound comprising an oligonucleotide and at least one conjugate group, wherein at least one conjugate group is a conjugate compound of any of embodiments 780 to 786.

Embodiment 789. A compound having the formula (V):




wherein one of T_3 or T_4 is selected from among: GalNAc$_3$-1a, GalNAc$_3$-2a, GalNAc$_3$-3a, GalNAc$_3$-4a, GalNAc$_3$-5a, GalNAc$_3$-6a, GalNAc$_3$-7a, GalNAc$_3$-8a, GalNAc$_3$-9a, GalNAc$_3$-10a, or GalNAc$_3$-11a;

and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; and

wherein Bx is a heterocyclic base moiety.

2026201390 25 Feb 2026


Embodiment 790. A compound having the formula (VIII):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 791. A compound having the formula (IX):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 792. A compound having the formula (X):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 793. A compound having the formula (XI):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 794. A compound having the formula (XII):




wherein:

2026201390 25 Feb 2026

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 795. A compound having the formula (XIII):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 796. A compound having the formula (XIV):




wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 797. A compound having the formula (XV):


2026201390 25 Feb 2026



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 798. A compound having the formula (I):



(I)


wherein:

Bx is a heterocyclic base moiety; and

25 Feb 2026
2026201390

T_1 is a hydroxyl, hydrogen, a hydroxyl protecting group, phosphorus moiety, or a reactive phosphorus group.

Embodiment 799. A compound having the formula (II):




(II)

wherein:

Bx is a heterocyclic base moiety; and

T_1 is a hydroxyl, hydrogen, a hydroxyl protecting group, phosphorus moiety, or a reactive phosphorus group.

Embodiment 800. The compound of any of embodiment 798 or 799, wherein the phosphorus moiety has the formula:



wherein:


n is 0 or 1;

2026201390 25 Feb 2026

R_a and R_c are each, independently, OH, SH, C_1-C_6 alkyl, substituted C_1-C_6 alkyl, C_1-C_6 alkoxy, substituted C_1-C_6 alkoxy, amino or substituted amino; and

R_b is O or S.

Embodiment 801. An oligomeric compound comprising an oligonucleotide and at least one conjugate group, wherein the at least one conjugate group is a conjugate compound of formula (III):




(III)

Wherein;

Bx is a heterocyclic base moiety; and

T_2 is an internucleoside linking group attached to a nucleoside, a nucleotide, an oligonucleoside, an oligonucleotide, a monomeric subunit or an oligomeric compound.

Embodiment 802. An oligomeric compound comprising an oligonucleotide and at least one conjugate group, wherein the at least one conjugate group is a conjugate compound of formula (IV):



(IV)

wherein:

Bx is a heterocyclic base moiety; and

T_2 is an internucleoside linking group attached to a nucleoside, a nucleotide, an oligonucleoside, an oligonucleotide, a monomeric subunit or an oligomeric compound.


Embodiment 803. The compound or oligomeric compound of any of embodiments 798 to 802, wherein the heterocyclic base moiety is a pyrimidine, substituted pyrimidine, purine or substituted purine.

Embodiment 804. The compound or oligomeric compound of any of embodiments 798 to 802, wherein Bx is uracil, thymine, cytosine, 5-methyl cytosine, adenine, or guanine.

Embodiment 805. The compound or oligomeric compound of any of embodiments 798 to 802, wherein Bx is adenine.

Embodiment 806. A conjugated antisense compound, wherein the compound has a structure represented by the formula:

25 Feb 2026
2026201390



Wherein:

A is the antisense oligonucleotide;

B is the cleavable moiety

C is the conjugate linker


D is the branching group

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 807. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



Wherein:

A is the antisense oligonucleotide;

B is the cleavable moiety

C is the conjugate linker

D is the branching group


each E is a tether;

each F is a ligand;

n_1 is 0 or 1; and

q is an integer between 1 and 5.

Embodiment 808. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



25 Feb 2026

2026201390

wherein

A is the antisense oligonucleotide;

B is the cleavable moiety;


C is the conjugate linker;

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 809. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein

A is the antisense oligonucleotide;

C is the conjugate linker;


D is the branching group;

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 810. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein

A is the antisense oligonucleotide;

C is the conjugate linker;


each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 811. A conjugated antisense compound, wherein the compound has a structure represented by the formula:

25 Feb 2026
2026201390



wherein

A is the antisense oligonucleotide;

B is the cleavable moiety;


D is the branching group;

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 812. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein

A is the antisense oligonucleotide;


B is the cleavable moiety;

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 813. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein

A is the antisense oligonucleotide;





















D is the branching group;

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 814. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker has a structure selected from among:


;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;


;

and

.

wherein each L is, independently, a phosphorus linking group or a neutral linking group; and each n is, independently, from 1 to 20.


Embodiment 815. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker has a structure selected from among:




and

.


Embodiment 816. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker has the structure:




Embodiment 817. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker has one of the structures selected from:



Embodiment 818. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker has one of the structures selected from:



Embodiment 819. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker has one of the structures selected from:



Embodiment 820. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker comprises a pyrrolidine.

Embodiment 821. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker does not comprise a pyrrolidine.

25 Feb 2026
2026201390

Embodiment 822. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker comprises PEG.

Embodiment 823. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker comprises an amide.

Embodiment 824. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker does not comprise an amide.

Embodiment 825. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker comprises a polyamide.

Embodiment 826. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker comprises an amine.

Embodiment 827. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker comprises one or more disulfide bonds.

Embodiment 828. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker comprises a protein binding moiety.


Embodiment 829. The conjugated antisense compound of embodiment 828, wherein the protein binding moiety comprises a lipid.


Embodiment 830. The conjugated antisense compound of embodiment 829, wherein the protein binding moiety is selected from among: cholesterol, cholic acid, adamantane acetic acid, 1-pyrene butyric acid, dihydrotestosterone, 1,3-Bis-O(hexadecyl)glycerol, geranyloxyhexyl group, hexadecylglycerol, borneol, menthol, 1,3-propanediol, heptadecyl group, palmitic acid, myristic acid, O3-(oleoyl)lithocholic acid, O3-(oleoyl)cholenic acid, dimethoxytrityl, or phenoxazine), a vitamin (e.g., folate, vitamin A, vitamin E, biotin, pyridoxal), a peptide, a carbohydrate (e.g., monosaccharide, disaccharide, trisaccharide, tetrasaccharide, oligosaccharide, polysaccharide), an endosomolytic component, a steroid (e.g., uvaol, hecigenin, diosgenin), a terpene (e.g., triterpene, e.g., sarsasapogenin, friedelin, epifriedelanol derivatized lithocholic acid), or a cationic lipid.


2026201390 25 Feb 2026


Embodiment 831. The conjugated antisense compound of any of embodiments 828 to 830 wherein the protein binding moiety is a C16 to C22 long chain saturated or unsaturated fatty acid, cholesterol, cholic acid, vitamin E, adamantane or 1-pentafluoropropyl.


Embodiment 832. The conjugated antisense compound of any of embodiments 806 to 810, wherein the conjugate linker has a structure selected from among:



;



;



;



;



;



;



;


;


;



;



; and





wherein each n is, independently, is from 1 to 20; and p is from 1 to 6.


Embodiment 833. The conjugated antisense compound of any of embodiments 806 to 810 wherein the conjugate linker has a structure selected from among:



;



;



;



;


;


;


;



; and





2026201390 25 Feb 2026


wherein each n is, independently, from 1 to 20.


Embodiment 834. The conjugated antisense compound of any of embodiments 806 to 810 wherein the conjugate linker has a structure selected from among:



;



;



;






;



;



;



;



;


;


;



;


; and


.


25 Feb 2026
2026201390

Embodiment 835. The conjugated antisense compound of any of embodiments 806 to 810 wherein the conjugate linker has a structure selected from among:




wherein n is from 1 to 20.

Embodiment 836. The conjugated antisense compound of embodiment 806 to 835, wherein the branching group has one of the following structures:



wherein each A_1 is independently, O, S, C=O or NH; and
each n is, independently, from 1 to 20.

Embodiment 837. The conjugated antisense compound of embodiment 806 to 835, wherein the branching group has one of the following structures:




wherein each A_1 is independently, O, S, C=O or NH; and
each n is, independently, from 1 to 20.

25 Feb 2026


2026201390

Embodiment 838. The conjugated antisense compound of embodiment 806 to 835, wherein the branching group has the following structure:




.

Embodiment 839. The conjugated antisense compound of embodiment 806 to 835, wherein the branching group has the following structure:




.

Embodiment 840. The conjugated antisense compound of embodiment 806 to 835, wherein the branching group has the following structure:



.


Embodiment 841. The conjugated antisense compound of embodiment 806 to 835, wherein the branching group has the following structure:



.

Embodiment 842. The conjugated antisense compound of any of embodiments 806 to 835, wherein the branching group comprises an ether.







Embodiment 843. The conjugated antisense compound of embodiment 806 to 835, wherein the branching group has the following structure:



each n is, independently, from 1 to 20; and


m is from 2 to 6.

Embodiment 844. The conjugated antisense compound of embodiment 806 to 835, wherein the branching group has the following structure:





;

;


;

;

; and



.

Embodiment 845. The conjugated antisense compound of embodiment 806 to 835, wherein the branching group has the following structure:


.

Embodiment 846. The conjugated antisense compound of any of embodiments 806 to 835, wherein the branching group comprises:







,

,

,


, or

;



wherein each j is an integer from 1 to 3; and

wherein each n is an integer from 1 to 20.

Embodiment 847. The conjugated antisense compound of any of embodiments 806 to 835 wherein the branching group comprises:


,

,

,

,
or

.

Embodiment 848. The conjugated antisense compound of embodiment 806 to 847, wherein each tether is selected from among:


and


25 Feb 2026

2026201390

wherein L is selected from a phosphorus linking group and a neutral linking group;


Z_1 is C(=O)O-R_2;

Z_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky;


R_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky; and

each m_1 is, independently, from 0 to 20 wherein at least one m_1 is greater than 0 for each tether.

Embodiment 849. The conjugated antisense compound of embodiment 806 to 847, wherein each tether is selected from among:



and



wherein Z_2 is H or CH_3; and

each m_2 is, independently, from 0 to 20 wherein at least one m_2 is greater than 0 for each tether.

Embodiment 850. The conjugated antisense compound of any of embodiments 806 to 847, wherein at least one tether comprises PEG.

Embodiment 851. The conjugated antisense compound of any of embodiments 806 to 847, wherein at least one tether comprises an amide.


Embodiment 852. The conjugated antisense compound of any of embodiments 806 to 847, wherein at least one tether comprises a polyamide.

Embodiment 853. The conjugated antisense compound of any of embodiments 806 to 847, wherein at least one tether comprises an amine.

Embodiment 854. The conjugated antisense compound of any of embodiments 806 to 847, wherein at least two tethers are different from one another.


Embodiment 855. The conjugated antisense compound of any of embodiments 806 to 847, wherein all of the tethers are the same as one another.

Embodiment 856. The conjugated antisense compound of any of embodiments 806 to 847, wherein each tether is selected from among:




wherein each n is, independently, from 1 to 20; and
each p is from 1 to about 6.

Embodiment 857. The conjugated antisense compound of any of embodiments 806 to 847, wherein each tether is selected from among:



Embodiment 858. The conjugated antisense compound of any of embodiments 806 to 847, wherein each tether has the following structure:




wherein each n is, independently, from 1 to 20.

25 Feb 2026


2026201390

Embodiment 859. The conjugated antisense compound of any of embodiments 806 to 847, wherein each tether has the following structure:



.


Embodiment 860. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:



.

Embodiment 861. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:

2026201390 25 Feb 2026



Embodiment 862. The conjugated antisense compound of any of embodiments 806 to 859, wherein the cell-targeting moiety comprises at least one ligand.

Embodiment 863. The conjugated antisense compound of any of embodiments 806 to 859, wherein the cell-targeting moiety comprises one ligand.

Embodiment 864. The conjugated antisense compound of any of embodiments 806 to 859, wherein the targeting moiety comprises two ligands.

Embodiment 865. The conjugated antisense compound of any of embodiments 806 to 859, wherein the targeting moiety comprises three ligands.

Embodiment 866. The conjugated antisense compound of any of embodiments 806 to 859, wherein each ligand is covalently attached to each tether.

Embodiment 867. The conjugated antisense compound of any of embodiments 862 to 866, wherein at least one ligand is *N*-Acetylgalactosamine (GalNAc).

Embodiment 868. The conjugated antisense compound of any of embodiments 862 to 866, wherein each ligand is N-Acetylgalactosamine (GalNAc).

Embodiment 869. The conjugated antisense compound of any of embodiments 862 to 866, wherein the ligand is selected from among: a polysaccharide, modified polysaccharide, mannose, galactose, a


2026201390 25 Feb 2026

mannose derivative, a galactose derivative, D-mannopyranose, L-Mannopyranose, D-Arabinose, L-Galactose, D-xylofuranose, L-xylofuranose, D-glucose, L-glucose, D-Galactose, L-Galactose, α-D-Mannofuranose, β-D-Mannofuranose, α-D-Mannopyranose, β-D-Mannopyranose, α-D-Glucopyranose, β-D-Glucopyranose, α-D-Glucofuranose, β-D-Glucofuranose, α-D-fructofuranose, α-D-fructopyranose, α-D-Galactopyranose, β -D-Galactopyranose, α-D-Galactofuranose, β -D-Galactofuranose, glucosamine, sialic acid, α-D-galactosamine, N-Acetylgalactosamine, 2-Amino-3-*O*-[(*R*)-1-carboxyethyl]-2-deoxy-β-D-glucopyranose, 2-Deoxy-2-methylamino-L-glucopyranose, 4,6-Dideoxy-4-formamido-2,3-di-*O*-methyl-D-mannopyranose, 2-Deoxy-2-sulfoamino-D-glucopyranose, *N*-Glycoloyl-α-neuraminic acid, 5-thio-β-D-glucopyranose, methyl 2,3,4-tri-*O*-acetyl-1-thio-6-*O*-trityl-α-D-glucopyranoside, 4-Thio-β-D-galactopyranose, ethyl 3,4,6,7-tetra-*O*-acetyl-2-deoxy-1,5-dithio-α-D-*gluco*-heptopyranoside, 2,5-Anhydro-D-allononitrile, ribose, D-ribose, D-4-thioribose, L-ribose, L-4-thioribose.

Embodiment 870. The conjugated antisense compound of any of embodiments 862 to 866, wherein the ligand is galactose.

Embodiment 871. The conjugated antisense compound of any of embodiments 862 to 866, wherein the ligand is mannose-6-phosphate.


Embodiment 872. The conjugated antisense compound of any of embodiments 862 to 866, wherein each ligand is selected from among:




wherein each R_1 is selected from OH and NHCOOH.

Embodiment 873. The conjugated antisense compound of any of embodiments 862 to 866, wherein each ligand is selected from among:


2026201390 25 Feb 2026



Embodiment 874. The conjugated antisense compound of any of embodiments 862 to 866, wherein each ligand has the following structure:




Embodiment 875. The conjugated antisense compound of any of embodiments 862 to 866, wherein each ligand has the following structure:



Embodiment 876. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:


25 Feb 2026

2026201390




wherein each n is, independently, from 1 to 20.

Embodiment 877. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




2026201390 25 Feb 2026

Embodiment 878. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 879. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 880. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:

2026201390 25 Feb 2026




Embodiment 881. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 882. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:


2026201390 25 Feb 2026



Embodiment 883. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 884. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 885. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:

2026201390 25 Feb 2026




Embodiment 886. The conjugated antisense compound of any of embodiments 806 to 860, wherein the conjugate group comprises a cell-targeting moiety having the following structure:



Embodiment 887. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:

2026201390 25 Feb 2026




wherein each n is, independently, from 1 to 20;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

Embodiment 888. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:




wherein each n is, independently, from 1 to 20;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

2026201390 25 Feb 2026

Embodiment 889. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:



wherein each n is, independently, from 1 to 20;


A is the antisense oligonucleotide;

Z is H or a linked solid support; and

Bx is a heterocyclic base moiety.

Embodiment 890. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:

2026201390 25 Feb 2026



wherein each n is, independently, from 1 to 20;


A is the antisense oligonucleotide;

Z is H or a linked solid support; and

Bx is a heterocyclic base moiety.


Embodiment 891. The conjugated antisense compound of any of any of embodiments 779 to 789, wherein the conjugate group has the following structure:

2026201390 25 Feb 2026



wherein A is the antisense oligonucleotide.


Embodiment 892. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:



wherein A is the antisense oligonucleotide.

2026201390 25 Feb 2026

Embodiment 893. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:




wherein A is the antisense oligonucleotide; and

Z is H or a linked solid support.

2026201390 25 Feb 2026

Embodiment 894. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:




wherein A is the antisense oligonucleotide; and

Z is H or a linked solid support.

2026201390 25 Feb 2026


Embodiment 895. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:



, and wherein A is the antisense oligonucleotide.

Embodiment 896. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:

2026201390 25 Feb 2026




, and

wherein A is the antisense oligonucleotide.

2026201390 25 Feb 2026

Embodiment 897. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:




, and wherein

A is the antisense oligonucleotide.


2026201390 25 Feb 2026

Embodiment 898. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:



and wherein A is the antisense oligonucleotide.


Embodiment 899. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:



and wherein A is the antisense oligonucleotide.

Embodiment 900. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:

2026201390 25 Feb 2026




, and

wherein A is the antisense oligonucleotide.

2026201390 25 Feb 2026


Embodiment 901. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:



, and wherein A is the antisense oligonucleotide.

2026201390 25 Feb 2026

Embodiment 902. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:




, and

wherein A is the antisense oligonucleotide.

2026201390 25 Feb 2026

Embodiment 903. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:




, and wherein

A is the antisense oligonucleotide.

2026201390 25 Feb 2026

Embodiment 904. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:




, and

wherein A is the antisense oligonucleotide.

2026201390 25 Feb 2026


Embodiment 905. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:



, and wherein A is the antisense oligonucleotide.

2026201390 25 Feb 2026

Embodiment 906. The conjugated antisense compound of any of embodiments 779 to 789, wherein the conjugate group has the following structure:



, and wherein A is the antisense oligonucleotide.

Embodiment 907. A conjugated oligonucleotide comprising an oligonucleotide and a conjugate group, wherein the conjugate group is any conjugate group of any of embodiments 779 to 907.

Embodiment 908. The conjugated oligonucleotide of embodiment 907 wherein the oligonucleotide comprises at least one modified nucleoside.

Embodiment 909. The conjugated oligonucleotide of embodiment 908 wherein the at least one modified nucleoside comprises a modified base.

Embodiment 910. The conjugated oligonucleotide of embodiment 908 or 909 wherein the at least one modified nucleoside comprises a sugar surrogate.

25 Feb 2026
2026201390

Embodiment 911. The conjugated oligonucleotide of embodiment 910 wherein the sugar surrogate is a tetrahydropyran.

Embodiment 912. The conjugated oligonucleotide of any of embodiment 911 wherein the tetrahydropyran is F-HNA.

Embodiment 913. The conjugated oligonucleotide of any of embodiments 908 to 912 wherein the remainder of the oligonucleotide comprises at least one nucleoside comprising a modified sugar.

Embodiment 914. The conjugated oligonucleotide of embodiment 913 wherein the at least one modified nucleoside comprising a modified sugar is selected from a bicyclic nucleoside and a 2'-modified nucleoside.

Embodiment 915. The conjugated oligonucleotide of embodiment 914 wherein the at least one modified nucleoside is a bicyclic nucleoside.

Embodiment 916. The conjugated oligonucleotide of embodiment 915 wherein the bicyclic nucleoside is a (4'-CH_2-O-2') BNA nucleoside.

Embodiment 917. The conjugated oligonucleotide of embodiment 915 wherein the bicyclic nucleoside is a (4'-$(CH_2)_2$-O-2') BNA nucleoside.

Embodiment 918. The conjugated oligonucleotide of embodiment 915 wherein the bicyclic nucleoside is a (4'-$C(CH_3)$H-O-2') BNA nucleoside.

Embodiment 919. The conjugated oligonucleotide of embodiment 914 wherein the at least one modified nucleoside is a 2'-modifed nucleoside.

Embodiment 920. The conjugated oligonucleotide of embodiment 919 wherein the at least one 2'-modified nucleoside is selected from a 2'-F nucleoside, a 2'-OCH_3 nucleoside, and a 2'-$O(CH_2)_2OCH_3$ nucleoside.

25 Feb 2026
2026201390

Embodiment 921. The conjugated oligonucleotide of embodiment 920 wherein the at least one 2'-modified nucleoside is a 2'-F nucleoside.

Embodiment 922. The conjugated oligonucleotide of embodiment 920 wherein the at least one 2'-modified nucleoside is a 2'-OCH_3 nucleoside.

Embodiment 923. The conjugated oligonucleotide of embodiment 920 wherein the at least one 2'-modified nucleoside is a 2'-$O(CH_2)_2OCH_3$ nucleoside.

Embodiment 924. The conjugated oligonucleotide of any of embodiments 907-923 wherein the oligonucleotide comprises at least one unmodified nucleoside.

Embodiment 925. The conjugated oligonucleotide of embodiment 924 wherein the unmodified nucleoside is a ribonucleoside.

Embodiment 926. The conjugated oligonucleotide of embodiment 924 wherein the unmodified nucleoside is a deoxyribonucleoside.

Embodiment 927. The conjugated oligonucleotide of any of embodiments 907 to 926 wherein the oligonucleotide comprises at least two modified nucleosides.

Embodiment 928. The conjugated oligonucleotide of embodiment 927 wherein the at least two modified nucleosides comprise the same modification.

Embodiment 929. The conjugated oligonucleotide of embodiment 927 wherein the at least two modified nucleosides comprise different modifications.

Embodiment 930. The conjugated oligonucleotide of any of embodiments 927 to 929 wherein at least one of the at least two modified nucleosides comprises a sugar surrogate.

25 Feb 2026

2026201390

Embodiment 931. The conjugated oligonucleotide of any of embodiments 927 to 930 wherein at least one of the at least two modified nucleosides comprises a 2'-modification.

Embodiment 932. The conjugated oligonucleotide of embodiment 931 wherein each of the at least two modified nucleosides is independently selected from 2'-F nucleosides, 2'-OCH_3 nucleosides and 2'-$O(CH_2)_2OCH_3$ nucleosides.

Embodiment 933. The conjugated oligonucleotide of embodiment 932 wherein each of the at least two modified nucleosides is a 2'-F nucleoside.

Embodiment 934. The conjugated oligonucleotide of embodiment 932 wherein each of the at least two modified nucleosides is a 2'-OCH_3 nucleosides.

Embodiment 935. The conjugated oligonucleotide of embodiment 932 wherein each of the at least two modified nucleosides is a 2'-$O(CH_2)_2OCH_3$ nucleoside.

Embodiment 936. The conjugated oligonucleotide of any of embodiments 907 to 935 wherein essentially every nucleoside of the oligonucleotide is a modified nucleoside.

Embodiment 937. The conjugated oligonucleotide of any of embodiments 907 to 927 or 930 to 936 wherein every nucleoside of the oligonucleotide is a modified nucleoside.

Embodiment 938. The conjugated oligonucleotide of any of embodiments 907 to 937 wherein the oligonucleotide is single-stranded.

Embodiment 939. The conjugated oligonucleotide of any of embodiments 907 to 937 wherein the oligonucleotide is double-stranded.

Embodiment 940. The conjugated oligonucleotide of any of embodiments 907 to 937, wherein the oligonucleotide is an antisense compound.

25 Feb 2026
2026201390

Embodiment 941. The conjugated oligonucleotide of any of embodiments 907 to 937, wherein the oligonucleotide is a RISC based oligonucleotide.

Embodiment 942. The conjugated oligonucleotide of any of embodiments 907 to 937, wherein the oligonucleotide activates the RISC pathway.

Embodiment 943. The conjugated oligonucleotide of any of embodiments 907 to 937, wherein the oligonucleotide is an RNase H based antisense compound.

Embodiment 944. The conjugated oligonucleotide compound of any of embodiments 907 to 943, wherein the conjugate group is attached to the 5'-terminal nucleoside of the antisense oligonucleotide.

Embodiment 945. The conjugated oligonucleotide compound of any of embodiments 907 to 943, wherein the conjugate group is attached to the 3'-terminal nucleoside of the antisense oligonucleotide.

Embodiment 946. The conjugated oligonucleotide compound of any of embodiments 907 to 943, wherein the conjugate group is attached to an internal nucleoside of the antisense oligonucleotide.

Embodiment 947. The conjugated oligonucleotide compound of any of embodiments 907 to 943, wherein the conjugate group increases uptake of the conjugated oligonucleotide compound into a hepatocyte relative to an unconjugated oligonucleotide compound.

Embodiment 948. The conjugated oligonucleotide compound of any of embodiments 907 to 943, wherein the conjugate group increases the uptake of the conjugated oligonucleotide compound into a liver cell relative to an unconjugated oligonucleotide compound.

Embodiment 949. The conjugated oligonucleotide compound of any of embodiments 907 to 943, wherein the conjugate group increases accumulation of the conjugated oligonucleotide compound in the liver relative to an unconjugated oligonucleotide compound.

Embodiment 950. The conjugated oligonucleotide compound of any of embodiments 907 to 943, wherein the conjugate group decreases accumulation of the conjugated oligonucleotide compound in the kidneys relative to an unconjugated oligonucleotide compound.

2026201390 25 Feb 2026

Embodiment 951. The conjugated oligonucleotide compound of embodiment 907 to 935 or 938 to 950, wherein the conjugated oligonucleotide has a sugar motif comprising:

a 5'-region consisting of 2-8 linked 5'-region nucleosides, wherein at least two 5'-region nucleosides are modified nucleosides and wherein the 3'-most 5'-region nucleoside is a modified nucleoside;

a 3'-region consisting of 2-8 linked 3'-region nucleosides, wherein at least two 3'-region nucleosides are modified nucleosides and wherein the 5'-most 3'-region nucleoside is a modified nucleoside; and

a central region between the 5'-region and the 3'-region consisting of 5-10 linked central region nucleosides, each independently selected from among: a modified nucleoside and an unmodified deoxynucleoside, wherein the 5'-most central region nucleoside is an unmodified deoxynucleoside and the 3'-most central region nucleoside is an unmodified deoxynucleoside.

Embodiment 952. The conjugated oligonucleotide compound of embodiment 951, wherein the 5'-region consists of 2 linked 5'-region nucleosides.

Embodiment 953. The conjugated oligonucleotide compound of embodiment 951, wherein the 5'-region consists of 3 linked 5'-region nucleosides.

Embodiment 954. The conjugated oligonucleotide compound of embodiment 951, wherein the 5'-region consists of 4 linked 5'-region nucleosides.

Embodiment 955. The conjugated oligonucleotide compound of embodiment 951, wherein the 5'-region consists of 5 linked 5'-region nucleosides.

Embodiment 956. The conjugated oligonucleotide compound of any of embodiments 951-955, wherein the 3'-region consists of 2 linked 3'-region nucleosides.

Embodiment 957. The conjugated oligonucleotide compound of any of embodiments 951-955, wherein the 3'-region consists of 3 linked 3'-region nucleosides.

Embodiment 958. The conjugated oligonucleotide compound of any of embodiments 951-955, wherein the 3'-region consists of 4 linked 3'-region nucleosides.

25 Feb 2026
2026201390

Embodiment 959. The conjugated oligonucleotide compound of any of embodiments 951-955, wherein the 3'-region consists of 5 linked 3'-region nucleosides.

Embodiment 960. The conjugated oligonucleotide compound of any of embodiments 951-959, wherein the central region consists of 5 linked central region nucleosides.

Embodiment 961. The conjugated oligonucleotide compound of any of embodiments 951-959, wherein the central region consists of 6 linked central region nucleosides.

Embodiment 962. The conjugated oligonucleotide compound of any of embodiments 951-959, wherein the central region consists of 7 linked central region nucleosides.

Embodiment 963. The conjugated oligonucleotide compound of any of embodiments 951-959, wherein the central region consists of 8 linked central region nucleosides.

Embodiment 964. The conjugated oligonucleotide compound of any of embodiments 951-959, wherein the central region consists of 9 linked central region nucleosides.

Embodiment 965. The conjugated oligonucleotide compound of any of embodiments 951-959, wherein the central region consists of 10 linked central region nucleosides.

Embodiment 966. The conjugated oligonucleotide compound of any of embodiments 951-965, wherein the conjugated oligonucleotide consists of 14 to 26 linked nucleosides.

Embodiment 967. The conjugated oligonucleotide compound of any of embodiments 951-965, wherein the conjugated oligonucleotide consists of 15 to 25 linked nucleosides.

Embodiment 968. The conjugated oligonucleotide compound of any of embodiments 951-965, wherein the conjugated oligonucleotide consists of 16 to 20 linked nucleosides.

Embodiment 969. The conjugated oligonucleotide compound of any of embodiments 951-968, wherein each modified nucleoside independently comprises a 2'-substituted sugar moiety or a bicyclic sugar moiety.

2026201390 25 Feb 2026

Embodiment 970. The conjugated oligonucleotide compound of embodiment 969, wherein the at least one modified nucleoside comprises a 2'-substituted sugar moiety.

Embodiment 971. The conjugated oligonucleotide compound of embodiment 970, wherein each modified nucleoside comprising a 2'-substituted sugar moiety comprises a 2' substituent independently selected from among: halogen, optionally substituted allyl, optionally substituted amino, azido, optionally substituted SH, CN, OCN, CF3, OCF3, O, S, or N(Rm)-alkyl; O, S, or N(Rm)-alkenyl; O, S or N(Rm)-alkynyl; optionally substituted O-alkylenyl-O-alkyl, optionally substituted alkynyl, optionally substituted alkaryl, optionally substituted aralkyl, optionally substituted O-alkaryl, optionally substituted O-aralkyl, O(CH2)2SCH3, O-(CH2)2-O-N(Rm)(Rn) or O-CH2-C(=O)-N(Rm)(Rn), where each Rm and Rn is, independently, H, an amino protecting group or substituted or unsubstituted C_1-C_{10} alkyl;

wherein each optionally substituted group is optionally substituted with a substituent group independently selected from among: hydroxyl, amino, alkoxy, carboxy, benzyl, phenyl, nitro (NO_2), thiol, thioalkoxy (S-alkyl), halogen, alkyl, aryl, alkenyl and alkynyl.

Embodiment 972. The conjugated oligonucleotide compound of embodiment 970, wherein each 2' substituent is independently selected from among: a halogen, OCH_3, OCH_2F, $OCHF_2$, OCF_3, OCH_2CH_3, $O(CH_2)_2F$, OCH_2CHF_2, OCH_2CF_3, OCH_2-CH=CH_2, $O(CH_2)_2$-OCH_3, $O(CH_2)_2$-SCH_3, $O(CH_2)_2$-OCF_3, $O(CH_2)_3$-$N(R_1)(R_2)$, $O(CH_2)_2$-$ON(R_1)(R_2)$, $O(CH_2)_2$-$O(CH_2)_2$-$N(R_1)(R_2)$, $OCH_2C(=O)$-$N(R_1)(R_2)$, $OCH_2C(=O)$-$N(R_3)$-$(CH_2)_2$-$N(R_1)(R_2)$, and $O(CH_2)_2$-$N(R_3)$-$C(=NR_4)[N(R_1)(R_2)]$; wherein R_1, R_2, R_3 and R_4 are each, independently, H or C_1-C_6 alkyl.

Embodiment 973. The conjugated oligonucleotide compound of embodiment 970, wherein each 2' substituent is independently selected from among: a halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-CH=CH_2, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-$N(H)CH_3$, $OCH_2C(=O)$-$N(H)$-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-$N(H)$-$C(=NH)NH_2$.

Embodiment 974. The conjugated oligonucleotide compound of embodiment 970, wherein the at least one 2'-modified nucleoside comprises a 2'-MOE sugar moiety.

Embodiment 975. The conjugated oligonucleotide compound of embodiment 970, wherein the at least one 2'-modified nucleoside comprises a 2'-OMe sugar moiety.

Embodiment 976. The conjugated oligonucleotide compound of embodiment 970, wherein the at least one 2'-modified nucleoside comprises a 2'-F sugar moiety.

25 Feb 2026
2026201390

Embodiment 977. The conjugated oligonucleotide compound of any of embodiments 951-968, wherein the conjugated oligonucleotide comprises at least one modified nucleoside comprising a sugar surrogate.

Embodiment 978. The conjugated oligonucleotide compound of embodiment 977, wherein the modified nucleoside comprises an F-HNA sugar moiety.

Embodiment 979. The conjugated oligonucleotide compound of embodiment 977, wherein the modified nucleoside comprises an HNA sugar moiety.

Embodiment 980. The conjugated oligonucleotide compound of any of embodiments 951-968 wherein the conjugated oligonucleotide comprises at least one modified nucleoside comprising a bicyclic sugar moiety.

Embodiment 981. The conjugated oligonucleotide compound of embodiment 980, wherein the bicyclic sugar moiety is a cEt sugar moiety.

Embodiment 982. The conjugated oligonucleotide compound of embodiment 980, wherein bicyclic sugar moiety is an LNA sugar moiety.

Embodiment 983. The conjugated oligonucleotide compound of any of embodiments 907 to 982, wherein the conjugated oligonucleotide comprises at least one modified internucleoside linkage.

Embodiment 984. The conjugated oligonucleotide compound of embodiment 908, wherein each internucleoside linkage of the conjugated oligonucleotide is a modified internucleoside linkage.

Embodiment 985. The conjugated oligonucleotide compound of embodiment 983, wherein the conjugated oligonucleotide comprises at least one modified linkage and at least one unmodified phosphodiester internucleoside linkage.

Embodiment 986. The conjugated oligonucleotide compound of any of embodiments 983 to 985 wherein at least one modified internucleoside linkage is a phosphosphorothioate internucleoside linkage.

25 Feb 2026
2026201390

Embodiment 987. The conjugated oligonucleotide compound of any of embodiments 983 to 985, wherein each modified internucleoside linkage is a phosphorothioate internucleoside linkage.

Embodiment 988. The conjugated oligonucleotide compound of any of embodiments 983 to 984, wherein the conjugated oligonucleotide comprises at least 2 phosphodiester internucleoside linkages.

Embodiment 989. The conjugated oligonucleotide compound of any of embodiments 983 to 984, wherein the conjugated oligonucleotide comprises at least 3 phosphodiester internucleoside linkages.

Embodiment 990. The conjugated oligonucleotide compound of any of embodiments 983 to 984, wherein the conjugated oligonucleotide comprises at least 4 phosphodiester internucleoside linkages.

Embodiment 991. The conjugated oligonucleotide compound of any of embodiments 983 to 984, wherein the conjugated oligonucleotide comprises at least 5 phosphodiester internucleoside linkages.

Embodiment 992. The conjugated oligonucleotide compound of any of embodiments 983 to 984, wherein the conjugated oligonucleotide comprises at least 6 phosphodiester internucleoside linkages.

Embodiment 993. The conjugated oligonucleotide compound of any of embodiments 983 to 984, wherein the conjugated oligonucleotide comprises at least 7 phosphodiester internucleoside linkages.

Embodiment 994. The conjugated oligonucleotide compound of any of embodiments 983 to 984, wherein the conjugated oligonucleotide comprises at least 8 phosphodiester internucleoside linkages.

Embodiment 995. The conjugated oligonucleotide compound of any of embodiments 983 to 984, wherein the conjugated oligonucleotide comprises at least 9 phosphodiester internucleoside linkages.

Embodiment 996. The conjugated oligonucleotide compound of any of embodiments 983 to 984, wherein the conjugated oligonucleotide comprises at least 10 phosphodiester internucleoside linkages.

Embodiment 997. The conjugated oligonucleotide compound of any of embodiments 983 or 985 to 996, wherein the conjugated oligonucleotide comprises fewer than 16 phosphorothioate internucleoside linkages.

25 Feb 2026
2026201390

Embodiment 998. The conjugated oligonucleotide compound of any of embodiments 983 or 985 to 996, wherein the conjugated oligonucleotide comprises fewer than 15 phosphorothioate internucleoside linkages.

Embodiment 999. The conjugated oligonucleotide compound of any of embodiments 983 or 985 to 996, wherein the conjugated oligonucleotide comprises fewer than 14 phosphorothioate internucleoside linkages.

Embodiment 1000. The conjugated oligonucleotide compound of any of embodiments 983 or 985 to 996, wherein the conjugated oligonucleotide comprises fewer than 13 phosphorothioate internucleoside linkages.

Embodiment 1001. The conjugated oligonucleotide compound of any of embodiments 983 or 985 to 996, wherein the conjugated oligonucleotide comprises fewer than 12 phosphorothioate internucleoside linkages.

Embodiment 1002. The conjugated oligonucleotide compound of any of embodiments 983 or 985 to 996, wherein the conjugated oligonucleotide comprises fewer than 11 phosphorothioate internucleoside linkages.

Embodiment 1003. The conjugated oligonucleotide compound of any of embodiments 983 or 985 to 996, wherein the conjugated oligonucleotide comprises fewer than 10 phosphorothioate internucleoside linkages.

Embodiment 1004. The conjugated oligonucleotide compound of any of embodiments 983 or 985 to 996, wherein the conjugated oligonucleotide comprises fewer than 9 phosphorothioate internucleoside linkages.

Embodiment 1005. The conjugated oligonucleotide compound of any of embodiments 983 or 985 to 996, wherein the conjugated oligonucleotide comprises fewer than 8 phosphorothioate internucleoside linkages.

Embodiment 1006. The conjugated oligonucleotide compound of any of embodiments 983 or 985 to 996, wherein the conjugated oligonucleotide comprises fewer than 7 phosphorothioate internucleoside linkages.

25 Feb 2026

2026201390

Embodiment 1007. The conjugated oligonucleotide compound of any of embodiments 983 or 985 to 996, wherein the conjugated oligonucleotide comprises fewer than 6 phosphorothioate internucleoside linkages.

Embodiment 1008. The conjugated oligonucleotide compound of any of embodiments 907 to 1007, wherein each terminal internucleoside linkage of the conjugated oligonucleotide is a phosphorothioate internucleoside linkage.

Embodiment 1009. The conjugated oligonucleotide compound of any of embodiments 907 to 984 or 997 to 1008, wherein each internucleoside linkage linking two deoxynucleosides of the conjugated oligonucleotide is a phosphorothioate internucleoside linkage.

Embodiment 1010. The conjugated oligonucleotide compound of any of embodiments 907 to 984 or 997 to 1009, wherein each non-terminal internucleoside linkage linking two modified nucleosides of the conjugated oligonucleotide is a phosphodiester internucleoside linkage.

Embodiment 1011. The conjugated oligonucleotide compound of any of embodiments 907 to 984 or 997 to 1010, wherein each non-terminal internucleoside linkage of the conjugated oligonucleotide that is 3' of a modified nucleoside is a phosphodiester internucleoside linkage.

Embodiment 1012. The conjugated oligonucleotide compound of any of embodiments 907 to 984 or 997 to 1011, wherein each internucleoside linkage of the conjugated oligonucleotide that is 3' of a deoxynucleoside is a phosphorothioate internucleoside linkage.

Embodiment 1013. The conjugated oligonucleotide compound of any of embodiments 907 to 984 or 997 to 1012 wherein the conjugated oligonucleotide has a chemical motif selected from among:

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$

2026201390 25 Feb 2026

MsMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MsM
MsMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMsM
MsMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMyMsM
MsMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMyMyMsM
MsMyMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MsM
MsMyMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMsM
MsMyMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMyMsM; and
MsMyMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMyMyMsM;

wherein each M is independently a modified nucleoside, each D is a deoxynucleoside; each s is a phosphorothioate internucleoside linkage, and each y is either a phosphodiester internucleoside linkage or a phosphorothioate internucleoside linkage, provided that at least one y is a phosphodiester internucleotide linkage.

Embodiment 1014. The conjugated oligonucleotide compound of any of embodiments 907 to 984 or 997 to 1012, wherein the conjugated oligonucleotides has a chemical motif selected from among:

MsMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMsM
MsMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMsM
MsMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMoMsM
MsMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MsM
MsMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMsM
MsMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMsM
MsMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMoMsM
MsMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MsM
MsMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMsM
MsMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMsM
MsMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMoMsM
MsMoMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MsM
MsMoMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMsM
MsMoMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMsM; and
MsMoMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMoMsM;

wherein each M is independently a modified nucleoside, each D is a deoxynucleoside; each o is a phosphodiester internucleoside linkage, and each s is a phosphorothioate internucleoside linkage.

25 Feb 2026
2026201390

Embodiment 1015. The conjugated oligonucleotide compound of embodiment 1013 or 1014, wherein each M is independently selected from among: a 2'-MOE nucleoside and a bicyclic nucleoside.

Embodiment 1016. The conjugated oligonucleotide compound of embodiment 1015, wherein each M is independently selected from among a 2'-MOE nucleoside, a cEt nucleoside, and an LNA nucleoside.

Embodiment 1017. The conjugated oligonucleotide compound of embodiment 1015 or 1016, wherein each M is a 2'-MOE nucleoside.

Embodiment 1018. The conjugated oligonucleotide compound of embodiment 1015 or 1016, wherein each M is a cEt nucleoside.

Embodiment 1019. The conjugated oligonucleotide compound of embodiments 1015 or 1016, wherein each M is an LNA nucleoside.

Embodiment 1020. The conjugated oligonucleotide compound of any of embodiments 907 to 1019, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 8 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1021. The conjugated oligonucleotide compound of any of embodiments 907 to 1019, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 10 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1022. The conjugated oligonucleotide compound of any of embodiments 907 to 1019, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 12 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1023. The conjugated oligonucleotide compound of any of embodiments 907 to 1019, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 14 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1024. The conjugated oligonucleotide compound of any of embodiments 907 to 1019, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 16 nucleobase portion complementary to an equal length portion of a target nucleic acid.

25 Feb 2026
2026201390

Embodiment 1025. The conjugated oligonucleotide compound of any of embodiments 907 to 1019, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 18 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1026. The conjugated oligonucleotide compound of any of embodiments 907 to 1019, wherein the conjugated oligonucleotide is at least 90% complementary to a target nucleic acid.

Embodiment 1027. The conjugated oligonucleotide compound of any of embodiments 907 to 1019, wherein the conjugated oligonucleotide is at least 95% complementary to a target nucleic acid.

Embodiment 1028. The conjugated oligonucleotide compound of any of embodiments 907 to 1019, wherein the conjugated oligonucleotide is 100% complementary to a target nucleic acid.

Embodiment 1029. The conjugated oligonucleotide compound of any of embodiments 1020 to 1028, wherein the target nucleic acid is a pre-mRNA.

Embodiment 1030. The conjugated oligonucleotide compound of any of embodiments 1020 to 1028, wherein the target nucleic acid is an mRNA.

Embodiment 1031. The conjugated oligonucleotide compound of any of embodiments 1020 to 1030, wherein the target nucleic acid is a micro RNA.

Embodiment 1032. The conjugated oligonucleotide compound of any of embodiments 1020 to 1030, wherein the target nucleic acid is expressed in the liver.

Embodiment 1033. The conjugated oligonucleotide compound of any of embodiments 1020 to 1030, wherein the target nucleic acid is expressed in hepatocytes.

Embodiment 1034. The conjugated oligonucleotide compound of any of embodiments 1020 to 1030, wherein the target nucleic encodes a protein selected from among: Androgen Receptor, Apolipoprotein (a), Apolipoprotein B, Apolipoprotein C-III, C-Reactive Protein, eIF-4E, Factor VII, Factor XI, Glucocorticoid Receptor, Glucagon Receptor, Protein Tyrosine Phosphatase 1B, STAT3, SRB-1, and Transthyretin.

Embodiment 1035. The conjugated oligonucleotide compound of any of embodiments 1020 to 1031 wherein the target nucleic acid is a viral nucleic acid.

25 Feb 2026
2026201390

Embodiment 1036. The conjugated oligonucleotide compound of embodiment 1035, wherein the viral nucleic acid expressed in the liver.

Embodiment 1037. The conjugated oligonucleotide compound of embodiment 1036, wherein the target nucleic acid is a Hepatitis B viral nucleic acid.

Embodiment 1038. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any one of SEQ ID NOs.: 17, 18, 19, 20, 21, 22, 23, or 24.

Embodiment 1039. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any one of SEQ ID NO.: 25, 26, 27, 28, 29, or 30.

Embodiment 1040. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 31.

Embodiment 1041. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 32.

Embodiment 1042. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 33.

Embodiment 1043. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 34.

Embodiment 1044. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 35, 36, 37, 38, 39, 40, 41, 42, or 43.

Embodiment 1045. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 44, 45, 46, 47, or 48.

25 Feb 2026

2026201390

Embodiment 1046. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, or 59.

Embodiment 1047. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 60, 61, 62, 63, 64, 65, 66, or 67.

Embodiment 1048. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NO.: 69, 70, 71, or 72.

Embodiment 1049. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 73.

Embodiment 1050. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 74, 75, 76, 77, 78, 79, 80, or 81.

Embodiment 1051. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 68.

Embodiment 1052. The conjugated oligonucleotide compound of any of embodiments 907 to 1030, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 82-103, 111, or 113.

Embodiment 1053. The conjugated oligonucleotide compound of any of embodiments 907 to 1052, wherein the conjugated oligonucleotide is an antisense oligonucleotide.

Embodiment 1054. A pharmaceutical composition comprising a compound or conjugated oligonucleotide according to any of embodiments 779 to 1053 and a pharmaceutically acceptable carrier or diluent.

Embodiment 1055. The pharmaceutical composition of embodiment 1054 wherein the pharmaceutically acceptable carrier or diluent is selected from among sterile water and sterile saline.

25 Feb 2026
2026201390

Embodiment 1056. A method of reducing the amount or activity of a target nucleic acid in a cell, comprising contacting a cell with a compound or conjugated antisense compound of any of embodiments 779 to 1053, or the pharmaceutical composition of embodiments 1054 to 1055.

Embodiment 1057. The method of embodiment 1056, wherein the cell is a liver cell.

Embodiment 1058. The method of embodiment 1056, wherein the cell is a hepatocyte.

Embodiment 1059. The method of any of embodiments 1056 to 1058 wherein the cell is in vitro.

Embodiment 1060. The method of any of embodiments 1056 to 1058, wherein the cell is in an animal.

Embodiment 1061. The method of embodiment 1060 wherein the animal is a mouse.

Embodiment 1062. The method of embodiment 1060 wherein the animal is a human.

Embodiment 1063. A method of treating a disease or condition in an animal comprising administering the pharmaceutical composition of embodiment 1054 or 1056 to the animal and thereby treating the disease or condition in the animal.

Embodiment 1064. The method of embodiment 1063 wherein the animal is a mouse.

Embodiment 1065. The method of embodiment 1063 wherein the animal is a human.

Embodiment 1066. The method of any of embodiments 1063 to 1065, wherein the disease or condition is a liver disease or condition.

Embodiment 1067. The method of any of embodiments 1063 to 1065 wherein the administration is parenteral.

Embodiment 1068. The method embodiment 1067 wherein the administration is by subcutaneous injection.

Embodiment 1069. The method of embodiment 1067 wherein the administration is by intravenous injection.

25 Feb 2026
2026201390

Embodiment 1070. The method of embodiment 1067 wherein the administration is by intramuscular injection.

Embodiment 1071. The method of any of embodiments 741 to 748 wherein the conjugated oligonucleotide is provided at a dose of 1-10 mg/kg.

Embodiment 1072. The method of any of embodiments 1056 to 1070 wherein the conjugated oligonucleotide is provided at a dose of less than 1 mg/kg.

Embodiment 1073. The method of any of embodiments 1056 to 1070 wherein the conjugated oligonucleotide is provided at a dose of greater than 10 mg/kg.

Embodiment 1074. The method of any of embodiments 1056 to 1073 wherein the conjugated oligonucleotide is provided for a dosing period of at least 2 months.

Embodiment 1075. The method of any of embodiments 1056 to 1073 wherein the conjugated oligonucleotide is provided for a dosing period of at least 4 months.

Embodiment 1076. The method of any of embodiments 1056 to 1073 wherein the conjugated oligonucleotide is provided for a dosing period of at least 6 months.

Embodiment 1077. The method of any of embodiments 1056 to 1073 wherein the conjugated oligonucleotide is provided at a dosing frequency of about one dose every week.

Embodiment 1078. The method of any of embodiments 1056 to 1073 wherein the conjugated oligonucleotide is provided at a dosing frequency of about one dose every two weeks.

Embodiment 1079. The method of any of embodiments 1056 to 1073 wherein the conjugated oligonucleotide is provided at a dosing frequency of about one dose every three weeks.

Embodiment 1080. The method of any of embodiments 1056 to 1073 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every four weeks.

Embodiment 1081. The method of any of embodiments 1056 to 1073 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every five weeks.

25 Feb 2026
2026201390

Embodiment 1082. The method of any of embodiments 1056 to 1073 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every six weeks.

Embodiment 1083. The method of any of embodiments 1056 to 1073 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every seven weeks.

Embodiment 1084. The method of any of embodiments 1056 to 1073 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every eight weeks.

Embodiment 1085. A conjugated antisense compound comprising: an antisense oligonucleotide comprising 12-30 linked nucleosides, and a conjugate group, wherein the conjugate group comprises at least one cell-targeting moiety.

Embodiment 1086. A method of reducing the activity or amount of an Apolipoprotein C-III protein in a cell, comprising contacting a cell with at least one conjugated antisense compound of any of embodiments 779 to 1055; and thereby reducing the activity or amount of the Apolipoprotein C-III protein in the cell.

Embodiment 1087. A method of decreasing total cholesterol, comprising contacting a cell with at least one compound of any of embodiments 779 to 1055; and thereby decreasing total cholesterol.

Embodiment 1088. A method of decreasing triglycerides, comprising contacting a cell with at least one compound of any of embodiments 779 to 1055; and thereby decreasing triglycerides.

Embodiment 1089. A method of lowering LDL, comprising contacting a cell with at least one compound of any of embodiments 779 to 1055; and thereby lowering LDL.

Embodiment 1090. A method of increasing HDL, comprising contacting a cell with at least one compound of any of embodiments 779 to 1055; and thereby increasing HDL.

Embodiment 1091. The method of any of embodiments 1086 to 1090, wherein the cell is in vitro.

Embodiment 1092. The method of any of embodiments 1086 to 1090, wherein the cell is in an animal.

Embodiment 1093. The method of any of embodiments 1086 to 1090, wherein the animal is a human.

25 Feb 2026
2026201390

Embodiment 1094. The compound or conjugated oligonucleotide of any of embodiments 1-1055 or a prodrug thereof.

Embodiment 1095. A method of manufacturing an antisense oligonucleotide of any of embodiments 1-1055.

Embodiment 1096. A method of preparing an antisense oligonucleotide of any of embodiments 1-1055.

Embodiment 1097. A process for manufacturing a conjugated antisense compound of any one of embodiments 1-1055, wherein the method includes formulating the conjugated antisense compound for human use, performing chromatogram analysis of the formulated conjugated antisense compound, and packaging the conjugated antisense compound ready for sale.

Embodiment 1098. A conjugate compound comprising at least one phosphorus linking group or neutral linking group and one or more ligands.

Embodiment 1099. The conjugate compound of claim 1098 comprising two or more ligands.








Embodiment 1100. The conjugate compound of claim 1098 comprising three ligands.

Embodiment 1101. The conjugate compound of any of claims 1098 to 1100, wherein the ligand is selected from among: a polysaccharide, modified polysaccharide, mannose, galactose, a mannose derivative, a galactose derivative, D-mannopyranose, L-Mannopyranose, D-Arabinose, L-Galactose, D-xylofuranose, L-xylofuranose, D-glucose, L-glucose, D-Galactose, L-Galactose, α-D-Mannofuranose, β-D-Mannofuranose, α-D-Mannopyranose, β-D-Mannopyranose, α-D-Glucopyranose, β-D-Glucopyranose, α-D-Glucofuranose, β-D-Glucofuranose, α-D-fructofuranose, α-D-fructopyranose, α-D-Galactopyranose, β -D-Galactopyranose, α-D-Galactofuranose, β -D-Galactofuranose, glucosamine, sialic acid, α-D-galactosamine, N-Acetylgalactosamine, 2-Amino-3-*O*-[(*R*)-1-carboxyethyl]-2-deoxy-β-D-glucopyranose, 2-Deoxy-2-methylamino-L-glucopyranose, 4,6-Dideoxy-4-formamido-2,3-di-*O*-methyl-D-mannopyranose, 2-Deoxy-2-sulfoamino-D-glucopyranose, *N*-Glycoloyl-α-neuraminic acid, 5-thio-β-D-glucopyranose, methyl 2,3,4-tri-*O*-acetyl-1-thio-6-*O*-trityl-α-D-glucopyranoside, 4-Thio-β-D-galactopyranose, ethyl 3,4,6,7-tetra-*O*-acetyl-2-deoxy-1,5-dithio-α-D-*gluco*-heptopyranoside, 2,5-Anhydro-D-allononitrile, ribose, D-ribose, D-4-thioribose, L-ribose, L-4-thioribose.

2026201390 25 Feb 2026

Embodiment 1102. The conjugate compound of any of claims 1098 to 1101, wherein the ligand is N-acetyl galactoseamine.



Embodiment 1103. The conjugate compound of any of claims 1098 to 1102, wherein conjugate group comprises a structure selected from among:


,


and

.

;

;

;

wherein n is from 1 to 12; and

wherein m is from 1 to 12.

Embodiment 1104. The conjugate compound of any of claims 1098 to 1102, wherein the conjugate compound has a tether having a structure selected from among:


and


wherein L is either a phosphorus linking group or a neutral linking group;

Z_1 is C(=O)O-R_2;

Z_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky;


R_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky; and

each m_1 is, independently, from 0 to 20 wherein at least one m_1 is greater than 0 for each tether.


25 Feb 2026

2026201390

Embodiment 1105. The conjugate compound of claim 1104, wherein the tether has a structure selected from among:




and




wherein Z_2 is H or CH_3; and

each m_1 is, independently, from 0 to 20 wherein at least one m_1 is greater than 0 for each tether.


Embodiment 1106. The conjugate compound of any of claims 1098 to 1102, wherein the tether has a structure selected from among:



;



;



;


wherein n is from 1 to 12; and

wherein m is from 1 to 12.

Embodiment 1107. The conjugate compound of any of claims 1098 to 1106, wherein the conjugate compound is covalently attached to an oligonucleotide.

Embodiment 1108. An oligomeric compound comprising an oligonucleotide and at least one conjugate group, wherein at least one conjugate group is a conjugate compound of any of claims 1098 to 1108.

Embodiment 1109. A compound having the formula (V):




25 Feb 2026

2026201390

wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, or $GalNAc_3$-22a.

and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; and wherein Bx is a heterocyclic base moiety.

Embodiment 1110. A compound having the formula (Va):



wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, or $GalNAc_3$-22a.


and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety; and wherein Q_{13} is selected from among: a halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-$CH=CH_2$, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-$N(H)CH_3$, $OCH_2C(=O)$-$N(H)$-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-$N(H)$-$C(=NH)NH_2$.

Embodiment 1111. The compound of claim 1109 or 1110, wherein B_x is selected from adenine, guanine, thymine, uracil, or cytosine.

Embodiment 1112. The compound of any of claims 1109 to 1111, wherein Q_{13} $O(CH_2)_2$-OCH_3.

Embodiment 1113. A compound having the formula (XVI):


2026201390 25 Feb 2026



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1114. A compound having the formula (XVII):




wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1115. A compound having the formula (XVIII):


2026201390 25 Feb 2026



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 1116. A compound having the formula (XIX):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1117. A compound having the formula (XX):




wherein:

2026201390 25 Feb 2026

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 1118. A compound having the formula (XXI):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1119. A compound having the formula (XXII):




wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1120. A compound having the formula (XXIII):


2026201390 25 Feb 2026



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 1121. A compound having the formula (XXIIIa):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 1122. A compound having the formula (XXIV):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 1123. A compound having the formula (XXIVa):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1124. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



25 Feb 2026

2026201390

wherein

A is the antisense oligonucleotide;

B is the cleavable moiety

C is the conjugate linker


D is the branching group

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 1125. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein:

A is the antisense oligonucleotide;

B is the cleavable moiety

C is the conjugate linker

D is the branching group


each E is a tether;

each F is a ligand;

n_1 is 0 or 1; and

q is an integer between 1 and 5.

Embodiment 1126. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein

A is the antisense oligonucleotide;

B is the cleavable moiety;

C is the conjugate linker;


each E is a tether;

25 Feb 2026
2026201390

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 1127. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein

A is the antisense oligonucleotide;

C is the conjugate linker;


D is the branching group;

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 1128. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein

A is the antisense oligonucleotide;


C is the conjugate linker;

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 1129. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



25 Feb 2026

2026201390

wherein

A is the antisense oligonucleotide;

B is the cleavable moiety;


D is the branching group;

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 1130. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein

A is the antisense oligonucleotide;


B is the cleavable moiety;

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

Embodiment 1131. A conjugated antisense compound, wherein the compound has a structure represented by the formula:



wherein

A is the antisense oligonucleotide;














D is the branching group;





each E is a tether;

each F is a ligand; and




q is an integer between 1 and 5.

Embodiment 1132. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker has a structure selected from among:


;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;

;




;




;

;

;

and




.



wherein each L is, independently, a phosphorus linking group or a neutral linking group; and each n is, independently, from 1 to 20.



Embodiment 1133. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker has a structure selected from among:





;

;

;




;

;

;




;

;

;



;

;


;




;

;

;


;

;


;

and



.

Embodiment 1134. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker has the structure:




.

Embodiment 1135. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker has one of the structures selected from:




; ; and .

Embodiment 1136. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker has one of the structures selected from:



and .

Embodiment 1137. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker has one of the structures selected from:



and .

Embodiment 1138. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker comprises a pyrrolidine.

Embodiment 1139. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker does not comprise a pyrrolidine.

Embodiment 1140. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker comprises PEG.

25 Feb 2026
2026201390

Embodiment 1141. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker comprises an amide.

Embodiment 1142. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker does not comprise an amide.

Embodiment 1143. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker comprises a polyamide.

Embodiment 1144. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker comprises an amine.

Embodiment 1145. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker comprises one or more disulfide bonds.


Embodiment 1146. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate linker comprises a protein binding moiety.


Embodiment 1147. The conjugated antisense compound of claim 1146, wherein the protein binding moiety comprises a lipid.


Embodiment 1148. The conjugated antisense compound of claim 1146, wherein the protein binding moiety is selected from among: cholesterol, cholic acid, adamantane acetic acid, 1-pyrene butyric acid, dihydrotestosterone, 1,3-Bis-O(hexadecyl)glycerol, geranyloxyhexyl group, hexadecylglycerol, borneol, menthol, 1,3-propanediol, heptadecyl group, palmitic acid, myristic acid, O3-(oleoyl)lithocholic acid, O3-(oleoyl)cholenic acid, dimethoxytrityl, or phenoxazine), a vitamin (e.g., folate, vitamin A, vitamin E, biotin, pyridoxal), a peptide, a carbohydrate (e.g., monosaccharide, disaccharide, trisaccharide, tetrasaccharide, oligosaccharide, polysaccharide), an endosomolytic component, a steroid (e.g., uvaol, hecigenin, diosgenin), a terpene (e.g., triterpene, e.g., sarsasapogenin, friedelin, epifriedelanol derivatized lithocholic acid), or a cationic lipid.


Embodiment 1149. The conjugated antisense compound of any of claims 1146 to 1147 wherein the protein binding moiety is a C16 to C22 long chain saturated or unsaturated fatty acid, cholesterol, cholic acid, vitamin E, adamantane or 1-pentafluoropropyl.


Embodiment 1150. The conjugated antisense compound of any of claims 1124 to 1128, wherein the conjugate linker has a structure selected from among:



;



;



;



;



;



;



;


;


;



;



; and





wherein each n is, independently, is from 1 to 20; and p is from 1 to 6.


Embodiment 1151. The conjugated antisense compound of any of claims 1124 to 1128 wherein the conjugate linker has a structure selected from among:



;



;



;



;


;


;


;



; and





2026201390 25 Feb 2026


wherein each n is, independently, from 1 to 20.


Embodiment 1152. The conjugated antisense compound of any of claims 1124 to 1128 wherein the conjugate linker has a structure selected from among:



;



;



;






;



;



;



;



;


;


;



;


; and


.


25 Feb 2026
2026201390

Embodiment 1153. The conjugated antisense compound of any of claims 1124 to 1128 wherein the conjugate linker has a structure selected from among:




wherein n is from 1 to 20.

Embodiment 1154. The conjugated antisense compound of claim 1124 to 1154, wherein the branching group has one of the following structures:



wherein each A_1 is independently, O, S, C=O or NH; and
each n is, independently, from 1 to 20.

Embodiment 1155. The conjugated antisense compound of claim 1124 to 1154, wherein the branching group has one of the following structures:




wherein each A_1 is independently, O, S, C=O or NH; and
each n is, independently, from 1 to 20.

25 Feb 2026


2026201390

Embodiment 1156. The conjugated antisense compound of claim 1124 to 1154, wherein the branching group has the following structure:




.

Embodiment 1157. The conjugated antisense compound of claim 1124 to 1154, wherein the branching group has the following structure:




.

Embodiment 1158. The conjugated antisense compound of claim 1124 to 1154, wherein the branching group has the following structure:



.

Embodiment 1159. The conjugated antisense compound of claim 1124 to 1154, wherein the branching group has the following structure:




.

Embodiment 1160. The conjugated antisense compound of any of claims 1124 to 1154, wherein the branching group comprises an ether.

2026201390 25 Feb 2026

Embodiment 1161. The conjugated antisense compound of claim 1124 to 1154, wherein the branching group has the following structure:









each n is, independently, from 1 to 20; and

m is from 2 to 6.


2026201390 25 Feb 2026

Embodiment 1162. The conjugated antisense compound of claim 1124 to 1154, wherein the branching group has the following structure:





;

;


;

;

; and



.

Embodiment 1163. The conjugated antisense compound of claim 1124 to 1154, wherein the branching group has the following structure:


.

Embodiment 1164. The conjugated antisense compound of any of claims 1124 to 1154, wherein the branching group comprises:





,

,

,




, or 
;

wherein each j is an integer from 1 to 3; and

wherein each n is an integer from 1 to 20.


Embodiment 1165. The conjugated antisense compound of any of claims 1124 to 1154 wherein the branching group comprises:


, 
, 
,


, or 
.

Embodiment 1166. The conjugated antisense compound of claim 1124 to 1165, wherein each tether is selected from among:

25 Feb 2026
2026201390



wherein L is selected from a phosphorus linking group and a neutral linking group;


Z_1 is C(=O)O-R_2;

Z_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky;

R_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky; and

each m_1 is, independently, from 0 to 20 wherein at least one m_1 is greater than 0 for each tether.


Embodiment 1167. The conjugated antisense compound of claim 1124 to 1165, wherein each tether is selected from among:



wherein Z_2 is H or CH_3; and

each m_2 is, independently, from 0 to 20 wherein at least one m_2 is greater than 0 for each tether.

Embodiment 1168. The conjugated antisense compound of claim 1124 to 1165, wherein each tether is selected from among:



wherein n is from 1 to 12; and

wherein m is from 1 to 12.

Embodiment 1169. The conjugated antisense compound of any of claims 1124 to 1165, wherein at least one tether comprises PEG.

25 Feb 2026

2026201390

Embodiment 1170. The conjugated antisense compound of any of claims 1124 to 1165, wherein at least one tether comprises an amide.





Embodiment 1171. The conjugated antisense compound of any of claims 1124 to 1165, wherein at least one tether comprises a polyamide.




Embodiment 1172. The conjugated antisense compound of any of claims 1124 to 1165, wherein at least one tether comprises an amine.




Embodiment 1173. The conjugated antisense compound of any of claims 1124 to 1165, wherein at least two tethers are different from one another.




Embodiment 1174. The conjugated antisense compound of any of claims 1124 to 1165, wherein all of the tethers are the same as one another.

Embodiment 1175. The conjugated antisense compound of any of claims 1124 to 1165, wherein each tether is selected from among:


;

;

;

;


;

;

;


;

;

;



;

; and


wherein each n is, independently, from 1 to 20; and


each p is from 1 to about 6.

25 Feb 2026
2026201390

Embodiment 1176. The conjugated antisense compound of any of claims 1124 to 1165, wherein each tether is selected from among:




Embodiment 1177. The conjugated antisense compound of any of claims 1124 to 1165, wherein each tether has the following structure:



wherein each n is, independently, from 1 to 20.

Embodiment 1178. The conjugated antisense compound of any of claims 1124 to 1165, wherein each tether has the following structure:



Embodiment 1179. The conjugated antisense compound of any of claims 1124 to 1178, wherein the cell-targeting moiety comprises at least one ligand.

Embodiment 1180. The conjugated antisense compound of any of claims 1124 to 1178, wherein the cell-targeting moiety comprises one ligand.

Embodiment 1181. The conjugated antisense compound of any of claims 1124 to 1178, wherein the targeting moiety comprises two ligands.

Embodiment 1182. The conjugated antisense compound of any of claims 1124 to 1178, wherein the targeting moiety comprises three ligands.

25 Feb 2026
2026201390

Embodiment 1183. The conjugated antisense compound of any of claims 1179 to 1182, wherein each ligand is covalently attached to each tether.

Embodiment 1184. The conjugated antisense compound of any of claims 1179 to 1182, wherein at least one ligand is *N*-Acetylgalactosamine (GalNAc).

Embodiment 1185. The conjugated antisense compound of any of claims 1179 to 1182, wherein each ligand is N-Acetylgalactosamine (GalNAc).

Embodiment 1186. The conjugated antisense compound of any of claims 1179 to 1182, wherein the ligand is selected from among: a polysaccharide, modified polysaccharide, mannose, galactose, a mannose derivative, a galactose derivative, D-mannopyranose, L-Mannopyranose, D-Arabinose, L-Galactose, D-xylofuranose, L-xylofuranose, D-glucose, L-glucose, D-Galactose, L-Galactose, α-D-Mannofuranose, β-D-Mannofuranose, α-D-Mannopyranose, β-D-Mannopyranose, α-D-Glucopyranose, β-D-Glucopyranose, α-D-Glucofuranose, β-D-Glucofuranose, α-D-fructofuranose, α-D-fructopyranose, α-D-Galactopyranose, β -D-Galactopyranose, α-D-Galactofuranose, β -D-Galactofuranose, glucosamine, sialic acid, α-D-galactosamine, N-Acetylgalactosamine, 2-Amino-3-*O*-[(*R*)-1-carboxyethyl]-2-deoxy-β-D-glucopyranose, 2-Deoxy-2-methylamino-L-glucopyranose, 4,6-Dideoxy-4-formamido-2,3-di-*O*-methyl-D-mannopyranose, 2-Deoxy-2-sulfoamino-D-glucopyranose, *N*-Glycoloyl-α-neuraminic acid, 5-thio-β-D-glucopyranose, methyl 2,3,4-tri-*O*-acetyl-1-thio-6-*O*-trityl-α-D-glucopyranoside, 4-Thio-β-D-galactopyranose, ethyl 3,4,6,7-tetra-*O*-acetyl-2-deoxy-1,5-dithio-α-D-*gluco*-heptopyranoside, 2,5-Anhydro-D-allononitrile, ribose, D-ribose, D-4-thioribose, L-ribose, L-4-thioribose.


Embodiment 1187. The conjugated antisense compound of any of claims 1179 to 1182, wherein the ligand is galactose.

Embodiment 1188. The conjugated antisense compound of any of claims 1179 to 1182, wherein the ligand is mannose-6-phosphate.


Embodiment 1189. The conjugated antisense compound of any of claims 1179 to 1182, wherein each ligand is selected from among:

25 Feb 2026

2026201390




and




wherein each R_1 is selected from OH and NHCOOH.


Embodiment 1190. The conjugated antisense compound of any of claims 1179 to 1182, wherein each ligand is selected from among:




;




;




;




;




;



;




; and



.

Embodiment 1191. The conjugated antisense compound of any of claims 1179 to 1182, wherein each ligand has the following structure:




.


25 Feb 2026

2026201390


Embodiment 1192. The conjugated antisense compound of any of claims 1179 to 1182, wherein each ligand has the following structure:




Embodiment 1193. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:



Embodiment 1194. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 1195. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




wherein each n is, independently, from 1 to 20.

Embodiment 1196. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




2026201390 25 Feb 2026

Embodiment 1197. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 1198. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




2026201390 25 Feb 2026

Embodiment 1199. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 1200. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




2026201390 25 Feb 2026


Embodiment 1201. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:



Embodiment 1202. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 1203. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




2026201390 25 Feb 2026

Embodiment 1204. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 1205. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




2026201390 25 Feb 2026

Embodiment 1206. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 1207. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 1208. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:


2026201390 25 Feb 2026




Embodiment 1209. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 1210. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 1211. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:



Embodiment 1212. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 1213. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




2026201390 25 Feb 2026


Embodiment 1214. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:




Embodiment 1215. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:



Embodiment 1216. The conjugated antisense compound of any of claims 1124 to 1153, wherein the conjugate group comprises a cell-targeting moiety having the following structure:



Embodiment 1217. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:



wherein each n is, independently, from 1 to 20;


Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

Embodiment 1218. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:

2026201390 25 Feb 2026



wherein each n is, independently, from 1 to 20;


Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

2026201390 25 Feb 2026

Embodiment 1219. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:



wherein each n is, independently, from 1 to 20;

Q_{13} is H or $O(CH_2)_2$-OCH_3;


A is the antisense oligonucleotide;

Z is H or a linked solid support; and

Bx is a heterocyclic base moiety.

2026201390 25 Feb 2026

Embodiment 1220. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:



wherein each n is, independently, from 1 to 20;

Q_{13} is H or $O(CH_2)_2$-OCH_3;


A is the antisense oligonucleotide;

Z is H or a linked solid support; and

Bx is a heterocyclic base moiety.

2026201390 25 Feb 2026

Embodiment 1221. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:




wherein Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide;and

Bx is a heterocyclic base moiety.

Embodiment 1222. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:




,

wherein Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide;and

Bx is a heterocyclic base moiety.

Embodiment 1223. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:




wherein Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

Embodiment 1224. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:




wherein Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

2026201390 25 Feb 2026

Embodiment 1225. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:




wherein Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

Embodiment 1226. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:




wherein Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

2026201390 25 Feb 2026

Embodiment 1227. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:




wherein Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

Embodiment 1228. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:




wherein Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

Embodiment 1229. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:




wherein Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

Embodiment 1230. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:




2026201390 25 Feb 2026

wherein Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

Embodiment 1231. The conjugated antisense compound of any of claims 1124 to 1131, wherein the conjugate group has the following structure:



wherein Q_{13} is H or $O(CH_2)_2$-OCH_3;

A is the antisense oligonucleotide; and

Bx is a heterocyclic base moiety.

Embodiment 1232. The compound of any of claims 1217 to 1231, wherein B_x is selected from among from adenine, guanine, thymine, uracil, or cytosine.

Embodiment 1233. The compound of any of claims1217 to 1231, wherein B_x is adenine.

Embodiment 1234. The compound of any of claims1217 to 1231, wherein B_x is thymine.

Embodiment 1235. The compound of any of claims 1217 to 1234, wherein Q_{13} is $O(CH_2)_2$-OCH_3.

Embodiment 1236. The compound of any of claims 1217 to 1234, wherein Q_{13} is H.

Embodiment 1237. A conjugated oligonucleotide comprising an oligonucleotide and a conjugate group, wherein the conjugate group is any conjugate group of any of claims 1098 to 1236.

Embodiment 1238. The conjugated oligonucleotide of claim 1237 wherein the oligonucleotide comprises at least one modified nucleoside.

2026201390 25 Feb 2026

Embodiment 1239. The conjugated oligonucleotide of claim 1237 wherein the at least one modified nucleoside comprises a modified base.

Embodiment 1240. The conjugated oligonucleotide of claim 1238 or 1239 wherein the at least one modified nucleoside comprises a sugar surrogate.

Embodiment 1241. The conjugated oligonucleotide of claim 1240 wherein the sugar surrogate is a tetrahydropyran.

Embodiment 1242. The conjugated oligonucleotide of any of claim 1241 wherein the tetrahydropyran is F-HNA.

Embodiment 1243. The conjugated oligonucleotide of any of claims 1238 to 1242 wherein the remainder of the oligonucleotide comprises at least one nucleoside comprising a modified sugar.

Embodiment 1244. The conjugated oligonucleotide of claim 1243 wherein the at least one modified nucleoside comprising a modified sugar is selected from a bicyclic nucleoside and a 2'-modified nucleoside.

Embodiment 1245. The conjugated oligonucleotide of claim 1244 wherein the at least one modified nucleoside is a bicyclic nucleoside.

Embodiment 1246. The conjugated oligonucleotide of claim 1245 wherein the bicyclic nucleoside is a (4'-CH_2-O-2') BNA nucleoside.

Embodiment 1247. The conjugated oligonucleotide of claim 1245 wherein the bicyclic nucleoside is a (4'-$(CH_2)_2$-O-2') BNA nucleoside.

Embodiment 1248. The conjugated oligonucleotide of claim 1245 wherein the bicyclic nucleoside is a (4'-$C(CH_3)$H-O-2') BNA nucleoside.

25 Feb 2026
2026201390

Embodiment 1249. The conjugated oligonucleotide of claim 1244 wherein the at least one modified nucleoside is a 2'-modifed nucleoside.

Embodiment 1250. The conjugated oligonucleotide of claim 1249 wherein the at least one 2'-modified nucleoside is selected from a 2'-F nucleoside, a 2'-OCH_3 nucleoside, and a 2'-$O(CH_2)_2OCH_3$ nucleoside.

Embodiment 1251. The conjugated oligonucleotide of claim 1250 wherein the at least one 2'-modified nucleoside is a 2'-F nucleoside.

Embodiment 1252. The conjugated oligonucleotide of claim 1250 wherein the at least one 2'-modified nucleoside is a 2'-OCH_3 nucleoside.

Embodiment 1253. The conjugated oligonucleotide of claim 1250 wherein the at least one 2'-modified nucleoside is a 2'-$O(CH_2)_2OCH_3$ nucleoside.

Embodiment 1254. The conjugated oligonucleotide of any of claims 1237-1253 wherein the oligonucleotide comprises at least one unmodified nucleoside.

Embodiment 1255. The conjugated oligonucleotide of claim 1254 wherein the unmodified nucleoside is a ribonucleoside.

Embodiment 1256. The conjugated oligonucleotide of claim 1254 wherein the unmodified nucleoside is a deoxyribonucleoside.

Embodiment 1257. The conjugated oligonucleotide of any of claims 1237 to 1256 wherein the oligonucleotide comprises at least two modified nucleosides.

Embodiment 1258. The conjugated oligonucleotide of claim 1257 wherein the at least two modified nucleosides comprise the same modification.

2026201390 25 Feb 2026

Embodiment 1259. The conjugated oligonucleotide of claim 1257 wherein the at least two modified nucleosides comprise different modifications.

Embodiment 1260. The conjugated oligonucleotide of any of claims 1257 to 1259 wherein at least one of the at least two modified nucleosides comprises a sugar surrogate.

Embodiment 1261. The conjugated oligonucleotide of any of claims 1257 to 1260 wherein at least one of the at least two modified nucleosides comprises a 2'-modification.

Embodiment 1262. The conjugated oligonucleotide of claim 1261 wherein each of the at least two modified nucleosides is independently selected from 2'-F nucleosides, 2'-OCH_3 nucleosides and 2'-$O(CH_2)_2OCH_3$ nucleosides.

Embodiment 1263. The conjugated oligonucleotide of claim 1262 wherein each of the at least two modified nucleosides is a 2'-F nucleoside.

Embodiment 1264. The conjugated oligonucleotide of claim 1262 wherein each of the at least two modified nucleosides is a 2'-OCH_3 nucleosides.

Embodiment 1265. The conjugated oligonucleotide of claim 1262 wherein each of the at least two modified nucleosides is a 2'-$O(CH_2)_2OCH_3$ nucleoside.

Embodiment 1266. The conjugated oligonucleotide of any of claims 1237 to 1265 wherein essentially every nucleoside of the oligonucleotide is a modified nucleoside.

Embodiment 1267. The conjugated oligonucleotide of any of claims 1237 to 1257 or 1260 to 1266 wherein every nucleoside of the oligonucleotide is a modified nucleoside.

Embodiment 1268. The conjugated oligonucleotide of any of claims 1237 to 1267 wherein the oligonucleotide is single-stranded.

2026201390 25 Feb 2026

Embodiment 1269. The conjugated oligonucleotide of any of claims 1237 to 1267 wherein the oligonucleotide is double-stranded.

Embodiment 1270. The conjugated oligonucleotide of any of claims 1237 to 1267, wherein the oligonucleotide is an antisense compound.

Embodiment 1271. The conjugated oligonucleotide of any of claims 1237 to 1267, wherein the oligonucleotide is a RISC based oligonucleotide.

Embodiment 1272. The conjugated oligonucleotide of any of claims 1237 to 1267, wherein the oligonucleotide activates the RISC pathway.

Embodiment 1273. The conjugated oligonucleotide of any of claims 1237 to 1267, wherein the oligonucleotide is an RNase H based antisense compound.

Embodiment 1274. The conjugated oligonucleotide compound of any of claims 1237 to 1273, wherein the conjugate group is attached to the 5’-terminal nucleoside of the antisense oligonucleotide.

Embodiment 1275. The conjugated oligonucleotide compound of any of claims 1237 to 1273, wherein the conjugate group is attached to the 3’-terminal nucleoside of the antisense oligonucleotide.

Embodiment 1276. The conjugated oligonucleotide compound of any of claims 1237 to 1273, wherein the conjugate group is attached to an internal nucleoside of the antisense oligonucleotide.

Embodiment 1277. The conjugated oligonucleotide compound of any of claims 1237 to 1273, wherein the conjugate group increases uptake of the conjugated oligonucleotide compound into a hepatocyte relative to an unconjugated oligonucleotide compound.

Embodiment 1278. The conjugated oligonucleotide compound of any of claims 1237 to 1273, wherein the conjugate group increases the uptake of the conjugated oligonucleotide compound into a liver cell relative to an unconjugated oligonucleotide compound.

25 Feb 2026

2026201390

Embodiment 1279. The conjugated oligonucleotide compound of any of claims 1237 to 1273, wherein the conjugate group increases accumulation of the conjugated oligonucleotide compound in the liver relative to an unconjugated oligonucleotide compound.

Embodiment 1280. The conjugated oligonucleotide compound of any of claims 1237 to 1273, wherein the conjugate group decreases accumulation of the conjugated oligonucleotide compound in the kidneys relative to an unconjugated oligonucleotide compound.

Embodiment 1281. The conjugated oligonucleotide compound of claim 1237 to 1265 or 1268 to 1280, wherein the conjugated oligonucleotide has a sugar motif comprising:

a 5'-region consisting of 2-8 linked 5'-region nucleosides, wherein at least two 5'-region nucleosides are modified nucleosides and wherein the 3'-most 5'-region nucleoside is a modified nucleoside;

a 3'-region consisting of 2-8 linked 3'-region nucleosides, wherein at least two 3'-region nucleosides are modified nucleosides and wherein the 5'-most 3'-region nucleoside is a modified nucleoside; and

a central region between the 5'-region and the 3'-region consisting of 5-10 linked central region nucleosides, each independently selected from among: a modified nucleoside and an unmodified deoxynucleoside, wherein the 5'-most central region nucleoside is an unmodified deoxynucleoside and the 3'-most central region nucleoside is an unmodified deoxynucleoside.

Embodiment 1282. The conjugated oligonucleotide compound of claim 1281, wherein the 5'-region consists of 2 linked 5'-region nucleosides.

Embodiment 1283. The conjugated oligonucleotide compound of claim 1281, wherein the 5'-region consists of 3 linked 5'-region nucleosides.

Embodiment 1284. The conjugated oligonucleotide compound of claim 1281, wherein the 5'-region consists of 4 linked 5'-region nucleosides.

Embodiment 1285. The conjugated oligonucleotide compound of claim 1281, wherein the 5'-region consists of 5 linked 5'-region nucleosides.

Embodiment 1286. The conjugated oligonucleotide compound of any of claims 1281-1285, wherein the 3'-region consists of 2 linked 3'-region nucleosides.

25 Feb 2026
2026201390

Embodiment 1287. The conjugated oligonucleotide compound of any of claims 1281-1285, wherein the 3'-region consists of 3 linked 3'-region nucleosides.

Embodiment 1288. The conjugated oligonucleotide compound of any of claims 1281-1285, wherein the 3'-region consists of 4 linked 3'-region nucleosides.

Embodiment 1289. The conjugated oligonucleotide compound of any of claims 1281-1285, wherein the 3'-region consists of 5 linked 3'-region nucleosides.

Embodiment 1290. The conjugated oligonucleotide compound of any of claims 1281-1289, wherein the central region consists of 5 linked central region nucleosides.

Embodiment 1291. The conjugated oligonucleotide compound of any of claims 1281-1289, wherein the central region consists of 6 linked central region nucleosides.

Embodiment 1292. The conjugated oligonucleotide compound of any of claims 1281-1289, wherein the central region consists of 7 linked central region nucleosides.

Embodiment 1293. The conjugated oligonucleotide compound of any of claims 1281-1289, wherein the central region consists of 8 linked central region nucleosides.

Embodiment 1294. The conjugated oligonucleotide compound of any of claims 1281-1289, wherein the central region consists of 9 linked central region nucleosides.

Embodiment 1295. The conjugated oligonucleotide compound of any of claims 1281-1289, wherein the central region consists of 10 linked central region nucleosides.

Embodiment 1296. The conjugated oligonucleotide compound of any of claims 1281-1295, wherein the conjugated oligonucleotide consists of 14 to 26 linked nucleosides.

Embodiment 1297. The conjugated oligonucleotide compound of any of claims 1281-1295, wherein the conjugated oligonucleotide consists of 15 to 25 linked nucleosides.

Embodiment 1298. The conjugated oligonucleotide compound of any of claims 1281-1295, wherein the conjugated oligonucleotide consists of 16 to 20 linked nucleosides.

25 Feb 2026

2026201390

Embodiment 1299. The conjugated oligonucleotide compound of any of claims 1281-1298, wherein each modified nucleoside independently comprises a 2'-substituted sugar moiety or a bicyclic sugar moiety.

Embodiment 1300. The conjugated oligonucleotide compound of claim 1299, wherein the at least one modified nucleoside comprises a 2'-substituted sugar moiety.

Embodiment 1301. The conjugated oligonucleotide compound of claim 1300, wherein each modified nucleoside comprising a 2'-substituted sugar moiety comprises a 2' substituent independently selected from among: halogen, optionally substituted allyl, optionally substituted amino, azido, optionally substituted SH, CN, OCN, CF3, OCF3, O, S, or N(Rm)-alkyl; O, S, or N(Rm)-alkenyl; O, S or N(Rm)-alkynyl; optionally substituted O-alkylenyl-O-alkyl, optionally substituted alkynyl, optionally substituted alkaryl, optionally substituted aralkyl, optionally substituted O-alkaryl, optionally substituted O-aralkyl, O(CH2)2SCH3, O-(CH2)2-O-N(Rm)(Rn) or O-CH2-C(=O)-N(Rm)(Rn), where each Rm and Rn is, independently, H, an amino protecting group or substituted or unsubstituted C_1-C_{10} alkyl;

wherein each optionally substituted group is optionally substituted with a substituent group independently selected from among: hydroxyl, amino, alkoxy, carboxy, benzyl, phenyl, nitro (NO_2), thiol, thioalkoxy (S-alkyl), halogen, alkyl, aryl, alkenyl and alkynyl.

Embodiment 1302. The conjugated oligonucleotide compound of claim 1300, wherein each 2' substituent is independently selected from among: a halogen, OCH_3, OCH_2F, $OCHF_2$, OCF_3, OCH_2CH_3, $O(CH_2)_2F$, OCH_2CHF_2, OCH_2CF_3, OCH_2-$CH=CH_2$, $O(CH_2)_2$-OCH_3, $O(CH_2)_2$-SCH_3, $O(CH_2)_2$-OCF_3, $O(CH_2)_3$-$N(R_1)(R_2)$, $O(CH_2)_2$-$ON(R_1)(R_2)$, $O(CH_2)_2$-$O(CH_2)_2$-$N(R_1)(R_2)$, $OCH_2C(=O)$-$N(R_1)(R_2)$, $OCH_2C(=O)$-$N(R_3)$-$(CH_2)_2$-$N(R_1)(R_2)$, and $O(CH_2)_2$-$N(R_3)$-$C(=NR_4)[N(R_1)(R_2)]$; wherein R_1, R_2, R_3 and R_4 are each, independently, H or C_1-C_6 alkyl.

Embodiment 1303. The conjugated oligonucleotide compound of claim 1300, wherein each 2' substituent is independently selected from among: a halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-$CH=CH_2$, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-$N(H)CH_3$, $OCH_2C(=O)$-$N(H)$-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-$N(H)$-$C(=NH)NH_2$.

Embodiment 1304. The conjugated oligonucleotide compound of claim 1300, wherein the at least one 2'-modified nucleoside comprises a 2'-MOE sugar moiety.

25 Feb 2026
2026201390

Embodiment 1305. The conjugated oligonucleotide compound of claim 1300, wherein the at least one 2’-modified nucleoside comprises a 2’-OMe sugar moiety.

Embodiment 1306. The conjugated oligonucleotide compound of claim 1300, wherein the at least one 2’-modified nucleoside comprises a 2’-F sugar moiety.

Embodiment 1307. The conjugated oligonucleotide compound of any of claims 1281-1298, wherein the conjugated oligonucleotide comprises at least one modified nucleoside comprising a sugar surrogate.

Embodiment 1308. The conjugated oligonucleotide compound of claim 1307, wherein the modified nucleoside comprises an F-HNA sugar moiety.

Embodiment 1309. The conjugated oligonucleotide compound of claim 1307, wherein the modified nucleoside comprises an HNA sugar moiety.

Embodiment 1310. The conjugated oligonucleotide compound of any of claims 1281-1298 wherein the conjugated oligonucleotide comprises at least one modified nucleoside comprising a bicyclic sugar moiety.

Embodiment 1311. The conjugated oligonucleotide compound of claim 1310, wherein the bicyclic sugar moiety is a cEt sugar moiety.

Embodiment 1312. The conjugated oligonucleotide compound of claim 1310, wherein bicyclic sugar moiety is an LNA sugar moiety.

Embodiment 1313. The conjugated oligonucleotide compound of any of claims 1237 to 1312, wherein the conjugated oligonucleotide comprises at least one modified internucleoside linkage.

Embodiment 1314. The conjugated oligonucleotide compound of claim 1238, wherein each internucleoside linkage of the conjugated oligonucleotide is a modified internucleoside linkage.

Embodiment 1315. The conjugated oligonucleotide compound of claim 1313, wherein the conjugated oligonucleotide comprises at least one modified linkage and at least one unmodified phosphodiester internucleoside linkage.

25 Feb 2026
2026201390

Embodiment 1316. The conjugated oligonucleotide compound of any of claims 1313 or 1315 wherein at least one modified internucleoside linkage is a phosphosphorothioate internucleoside linkage.

Embodiment 1317. The conjugated oligonucleotide compound of any of claims 1313 or 1315, wherein each modified internucleoside linkage is a phosphorothioate internucleoside linkage.

Embodiment 1318. The conjugated oligonucleotide compound of any of claims 1313 or 1314, wherein the conjugated oligonucleotide comprises at least 2 phosphodiester internucleoside linkages.

Embodiment 1319. The conjugated oligonucleotide compound of any of claims 1313 or 1314, wherein the conjugated oligonucleotide comprises at least 3 phosphodiester internucleoside linkages.

Embodiment 1320. The conjugated oligonucleotide compound of any of claims 1313 or 1314, wherein the conjugated oligonucleotide comprises at least 4 phosphodiester internucleoside linkages.

Embodiment 1321. The conjugated oligonucleotide compound of any of claims 1313 or 1314, wherein the conjugated oligonucleotide comprises at least 5 phosphodiester internucleoside linkages.

Embodiment 1322. The conjugated oligonucleotide compound of any of claims 1313 or 1314, wherein the conjugated oligonucleotide comprises at least 6 phosphodiester internucleoside linkages.

Embodiment 1323. The conjugated oligonucleotide compound of any of claims 1313 or 1314, wherein the conjugated oligonucleotide comprises at least 7 phosphodiester internucleoside linkages.

Embodiment 1324. The conjugated oligonucleotide compound of any of claims 1313 or 1314, wherein the conjugated oligonucleotide comprises at least 8 phosphodiester internucleoside linkages.

Embodiment 1325. The conjugated oligonucleotide compound of any of claims 1313 or 1314, wherein the conjugated oligonucleotide comprises at least 9 phosphodiester internucleoside linkages.

Embodiment 1326. The conjugated oligonucleotide compound of any of claims 1313 or 1314, wherein the conjugated oligonucleotide comprises at least 10 phosphodiester internucleoside linkages.

Embodiment 1327. The conjugated oligonucleotide compound of any of claims 1313 or 1315 to 1326, wherein the conjugated oligonucleotide comprises fewer than 16 phosphorothioate internucleoside linkages.

2026201390 25 Feb 2026

Embodiment 1328. The conjugated oligonucleotide compound of any of claims 1313 or 1315 to 1326, wherein the conjugated oligonucleotide comprises fewer than 15 phosphorothioate internucleoside linkages.

Embodiment 1329. The conjugated oligonucleotide compound of any of claims 1313 or 1315 to 1326, wherein the conjugated oligonucleotide comprises fewer than 14 phosphorothioate internucleoside linkages.

Embodiment 1330. The conjugated oligonucleotide compound of any of claims 1313 or 1315 to 1326, wherein the conjugated oligonucleotide comprises fewer than 13 phosphorothioate internucleoside linkages.

Embodiment 1331. The conjugated oligonucleotide compound of any of claims 1313 or 1315 to 1326, wherein the conjugated oligonucleotide comprises fewer than 12 phosphorothioate internucleoside linkages.

Embodiment 1332. The conjugated oligonucleotide compound of any of claims 1313 or 1315 to 1326, wherein the conjugated oligonucleotide comprises fewer than 11 phosphorothioate internucleoside linkages.

Embodiment 1333. The conjugated oligonucleotide compound of any of claims 1313 or 1315 to 1326, wherein the conjugated oligonucleotide comprises fewer than 10 phosphorothioate internucleoside linkages.

Embodiment 1334. The conjugated oligonucleotide compound of any of claims 1313 or 1315 to 1326, wherein the conjugated oligonucleotide comprises fewer than 9 phosphorothioate internucleoside linkages.

Embodiment 1335. The conjugated oligonucleotide compound of any of claims 1313 or 1315 to 1326, wherein the conjugated oligonucleotide comprises fewer than 8 phosphorothioate internucleoside linkages.

Embodiment 1336. The conjugated oligonucleotide compound of any of claims 1313 or 1315 to 1326, wherein the conjugated oligonucleotide comprises fewer than 7 phosphorothioate internucleoside linkages.

25 Feb 2026
2026201390

Embodiment 1337. The conjugated oligonucleotide compound of any of claims 1313 or 1315 to 1326, wherein the conjugated oligonucleotide comprises fewer than 6 phosphorothioate internucleoside linkages.

Embodiment 1338. The conjugated oligonucleotide compound of any of claims 1237 to 1337, wherein each terminal internucleoside linkage of the conjugated oligonucleotide is a phosphorothioate internucleoside linkage.

Embodiment 1339. The conjugated oligonucleotide compound of any of claims 1237 to 1314 or 1327 to 1338, wherein each internucleoside linkage linking two deoxynucleosides of the conjugated oligonucleotide is a phosphorothioate internucleoside linkage.

Embodiment 1340. The conjugated oligonucleotide compound of any of claims 1237 to 1314 or 1327 to 1339, wherein each non-terminal internucleoside linkage linking two modified nucleosides of the conjugated oligonucleotide is a phosphodiester internucleoside linkage.

Embodiment 1341. The conjugated oligonucleotide compound of any of claims 1237 to 1314 or 1327 to 1340, wherein each non-terminal internucleoside linkage of the conjugated oligonucleotide that is 3' of a modified nucleoside is a phosphodiester internucleoside linkage.

Embodiment 1342. The conjugated oligonucleotide compound of any of claims 1237 to 1314 or 1327 to 1341, wherein each internucleoside linkage of the conjugated oligonucleotide that is 3' of a deoxynucleoside is a phosphorothioate internucleoside linkage.

Embodiment 1343. The conjugated oligonucleotide compound of any of claims 1237 to 1314 or 1327 to 1342 wherein the conjugated oligonucleotide has a chemical motif selected from among:

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$
$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$
$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$
$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$
$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$
$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$
$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$

2026201390 25 Feb 2026

MsMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMyMyMsM
MsMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MsM
MsMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMsM
MsMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMyMsM
MsMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMyMyMsM
MsMyMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MsM
MsMyMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMsM
MsMyMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMyMsM; and
MsMyMyMyMy(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MyMyMyMsM;

wherein each M is independently a modified nucleoside, each D is a deoxynucleoside; each s is a phosphorothioate internucleoside linkage, and each y is either a phosphodiester internucleoside linkage or a phosphorothioate internucleoside linkage, provided that at least one y is a phosphodiester internucleotide linkage.

Embodiment 1344. The conjugated oligonucleotide compound of any of claims 1237 to 1314 or 1327 to 1342, wherein the conjugated oligonucleotides has a chemical motif selected from among:

MsMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMsM
MsMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMsM
MsMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMoMsM
MsMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MsM
MsMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMsM
MsMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMsM
MsMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMoMsM
MsMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MsM
MsMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMsM
MsMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMsM
MsMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMoMsM
MsMoMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MsM
MsMoMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMsM
MsMoMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMsM; and
MsMoMoMoMo(Ds)$_{0-1}$(DsDs)$_{(3-5)}$MoMoMoMsM;

wherein each M is independently a modified nucleoside, each D is a deoxynucleoside; each o is a phosphodiester internucleoside linkage, and each s is a phosphorothioate internucleoside linkage.

25 Feb 2026
2026201390

Embodiment 1345. The conjugated oligonucleotide compound of claim 1343 or 1344, wherein each M is independently selected from among: a 2'-MOE nucleoside and a bicyclic nucleoside.

Embodiment 1346. The conjugated oligonucleotide compound of claim 1345, wherein each M is independently selected from among a 2'-MOE nucleoside, a cEt nucleoside, and an LNA nucleoside.

Embodiment 1347. The conjugated oligonucleotide compound of claim 1345 or 1346, wherein each M is a 2'-MOE nucleoside.

Embodiment 1348. The conjugated oligonucleotide compound of claim 1345 or 1346, wherein each M is a cEt nucleoside.

Embodiment 1349. The conjugated oligonucleotide compound of claims 1345 or 1346, wherein each M is an LNA nucleoside.

Embodiment 1350. The conjugated oligonucleotide compound of any of claims 1237 to 1349, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 8 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1351. The conjugated oligonucleotide compound of any of claims 1237 to 1349, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 10 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1352. The conjugated oligonucleotide compound of any of claims 1237 to 1349, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 12 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1353. The conjugated oligonucleotide compound of any of claims 1237 to 1349, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 14 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1354. The conjugated oligonucleotide compound of any of claims 1237 to 1349, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 16 nucleobase portion complementary to an equal length portion of a target nucleic acid.

25 Feb 2026
2026201390

Embodiment 1355. The conjugated oligonucleotide compound of any of claims 1237 to 1349, wherein the conjugated oligonucleotide has a nucleobase sequence comprising an at least 18 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1356. The conjugated oligonucleotide compound of any of claims 1237 to 1349, wherein the conjugated oligonucleotide is at least 90% complementary to a target nucleic acid.

Embodiment 1357. The conjugated oligonucleotide compound of any of claims 1237 to 1349, wherein the conjugated oligonucleotide is at least 95% complementary to a target nucleic acid.

Embodiment 1358. The conjugated oligonucleotide compound of any of claims 1237 to 1349, wherein the conjugated oligonucleotide is 100% complementary to a target nucleic acid.

Embodiment 1359. The conjugated oligonucleotide compound of any of claims 1350 to 1358, wherein the target nucleic acid is a pre-mRNA.

Embodiment 1360. The conjugated oligonucleotide compound of any of claims 1350 to 1358, wherein the target nucleic acid is an mRNA.

Embodiment 1361. The conjugated oligonucleotide compound of any of claims 1350 to 1358, wherein the target nucleic acid is a micro RNA.

Embodiment 1362. The conjugated oligonucleotide compound of any of claims 1350 to 1358, wherein the target nucleic acid is expressed in the liver.

Embodiment 1363. The conjugated oligonucleotide compound of any of claims 1350 to 1358, wherein the target nucleic acid is expressed in hepatocytes.

Embodiment 1364. The conjugated oligonucleotide compound of any of claims 1350 to 1360, wherein the target nucleic encodes a protein selected from among: Alpha 1 antitrypsin, Androgen Receptor, Apolipoprotein (a), Apolipoprotein B, Apolipoprotein C-III, C-Reactive Protein, eIF-4E, Factor VII, Factor XI, Glucocorticoid Receptor, Glucagon Receptor, Protein Tyrosine Phosphatase 1B, STAT3, SRB-1, and Transthyretin.

Embodiment 1365. The conjugated oligonucleotide compound of any of claims 1350 to 1361 wherein the target nucleic acid is a viral nucleic acid.

25 Feb 2026
2026201390

Embodiment 1366. The conjugated oligonucleotide compound of claim 1365, wherein the viral nucleic acid expressed in the liver.

Embodiment 1367. The conjugated oligonucleotide compound of claim 1366, wherein the target nucleic acid is a Hepatitis B viral nucleic acid.

Embodiment 1368. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any one of SEQ ID NOs.: 17, 18, 19, 20, 21, 22, 23, or 24.

Embodiment 1369. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any one of SEQ ID NO.: 25, 26, 27, 28, 29, or 30.

Embodiment 1370. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 31.

Embodiment 1371. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 32.

Embodiment 1372. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 33.

Embodiment 1373. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 34.

Embodiment 1374. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 35, 36, 37, 38, 39, 40, 41, 42, or 43.

Embodiment 1375. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 44, 45, 46, 47, or 48.

25 Feb 2026
2026201390

Embodiment 1376. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, or 59.

Embodiment 1377. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 60, 61, 62, 63, 64, 65, 66, or 67.

Embodiment 1378. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NO.: 69, 70, 71, or 72.

Embodiment 1379. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 73.

Embodiment 1380. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 74, 75, 76, 77, 78, 79, 80, or 81.

Embodiment 1381. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of SEQ ID NO.: 68.

Embodiment 1382. The conjugated oligonucleotide compound of any of claims 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 82-103, 111, or 113.

Embodiment 1383. The conjugated oligonucleotide compound of any of claims 1237 to 1382, wherein the conjugated oligonucleotide is an antisense oligonucleotide.

Embodiment 1384. A pharmaceutical composition comprising a compound or conjugated oligonucleotide according to any of claims 1098 to 1383 and a pharmaceutically acceptable carrier or diluent.

Embodiment 1385. The pharmaceutical composition of claim 1384 wherein the pharmaceutically acceptable carrier or diluent is selected from among sterile water and sterile saline.

25 Feb 2026
2026201390

Embodiment 1386. A method of reducing the amount or activity of a target nucleic acid in a cell, comprising contacting a cell with a compound or conjugated antisense compound of any of claims 1098 to 1383, or the pharmaceutical composition of claims 1384 to 1385.

Embodiment 1387. The method of claim 1386, wherein the cell is a liver cell.

Embodiment 1388. The method of claim 1386, wherein the cell is a hepatocyte.

Embodiment 1389. The method of any of claims 1386 to 1388 wherein the cell is in vitro.

Embodiment 1390. The method of any of claims 1386 to 1388, wherein the cell is in an animal.

Embodiment 1391. The method of claim 1060 wherein the animal is a mouse.

Embodiment 1392. The method of claim 1060 wherein the animal is a human.

Embodiment 1393. A method of treating a disease or condition in an animal comprising administering the pharmaceutical composition of claim 1384 or 1386 to the animal and thereby treating the disease or condition in the animal.

Embodiment 1394. The method of claim 1393 wherein the animal is a mouse.

Embodiment 1395. The method of claim 1393 wherein the animal is a human.

Embodiment 1396. The method of any of claims 1393 to 1395, wherein the disease or condition is a liver disease or condition.

Embodiment 1397. The method of any of claims 1393 to 1395 wherein the administration is parenteral.

Embodiment 1398. The method claim 1397 wherein the administration is by subcutaneous injection.

Embodiment 1399. The method of claim 1397 wherein the administration is by intravenous injection.

Embodiment 1400. The method of claim 1397 wherein the administration is by intramuscular injection.

25 Feb 2026
2026201390

Embodiment 1401. The method of any of claims 1393 to 1400 wherein the conjugated oligonucleotide is provided at a dose of 1-10 mg/kg.

Embodiment 1402. The method of any of claims 1393 to 1400 wherein the conjugated oligonucleotide is provided at a dose of less than 1 mg/kg.

Embodiment 1403. The method of any of claims 1393 to 1400 wherein the conjugated oligonucleotide is provided at a dose of greater than 10 mg/kg.

Embodiment 1404. The method of any of claims 1393 to 1403 wherein the conjugated oligonucleotide is provided for a dosing period of at least 2 months.

Embodiment 1405. The method of any of claims 1393 to 1403 wherein the conjugated oligonucleotide is provided for a dosing period of at least 4 months.

Embodiment 1406. The method of any of claims 1393 to 1403 wherein the conjugated oligonucleotide is provided for a dosing period of at least 6 months.

Embodiment 1407. The method of any of claims 1393 to 1403 wherein the conjugated oligonucleotide is provided at a dosing frequency of about one dose every week.

Embodiment 1408. The method of any of claims 1393 to 1403 wherein the conjugated oligonucleotide is provided at a dosing frequency of about one dose every two weeks.

Embodiment 1409. The method of any of claims 1393 to 1403 wherein the conjugated oligonucleotide is provided at a dosing frequency of about one dose every three weeks.

Embodiment 1410. The method of any of claims 1393 to 1403 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every four weeks.

Embodiment 1411. The method of any of claims 1393 to 1403 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every five weeks.

Embodiment 1412. The method of any of claims 1393 to 1403 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every six weeks.

25 Feb 2026
2026201390

Embodiment 1413. The method of any of claims 1393 to 1403 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every seven weeks.

Embodiment 1414. The method of any of claims 1393 to 1403 wherein the conjugated oligonucleotide is provided at a dosing frequency of one dose every eight weeks.

Embodiment 1415. A conjugated antisense compound comprising: an antisense oligonucleotide comprising 12-30 linked nucleosides, and a conjugate group, wherein the conjugate group comprises at least one cell-targeting moiety.

Embodiment 1416. A method of reducing the activity or amount of an Apolipoprotein C-III protein in a cell, comprising contacting a cell with at least one conjugated antisense compound of any of claims 1098 to 1385; and thereby reducing the activity or amount of the Apolipoprotein C-III protein in the cell.

Embodiment 1417. A method of decreasing total cholesterol, comprising contacting a cell with at least one compound of any of claims 1098 to 1385; and thereby decreasing total cholesterol.

Embodiment 1418. A method of decreasing triglycerides, comprising contacting a cell with at least one compound of any of claims 1098 to 1385; and thereby decreasing triglycerides.

Embodiment 1419. A method of lowering LDL, comprising contacting a cell with at least one compound of any of claims 1098 to 1385; and thereby lowering LDL.

Embodiment 1420. A method of increasing HDL, comprising contacting a cell with at least one compound of any of claims 1098 to 1385; and thereby increasing HDL.

Embodiment 1421. The method of any of claims 1416 to 1420, wherein the cell is in vitro.

Embodiment 1422. The method of any of claims 1416 to 1420, wherein the cell is in an animal.

Embodiment 1423. The method of any of claims 1416 to 1420, wherein the animal is a human.

2026201390 25 Feb 2026

Embodiment 1424. The compound or conjugated oligonucleotide of any of claims 1-1385 or a prodrug thereof.


Embodiment 1425. A method of manufacturing an antisense oligonucleotide of any of claims 1-1385.

Embodiment 1426. A method of preparing an antisense oligonucleotide of any of claims 1-1385.

Embodiment 1427. A process for manufacturing a conjugated antisense compound of any one of claims 1-1385, wherein the method includes formulating the conjugated antisense compound for human use, performing chromatogram analysis of the formulated conjugated antisense compound, and packaging the conjugated antisense compound ready for sale.

Embodiment 1428. The conjugated oligonucleotide compound of any of embodiments 1237 to 1360, wherein the conjugated oligonucleotide comprises the nucleobase sequence of any of SEQ ID NOs.: 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, or 127.


Embodiment 1429. A compound having the formula (V):



wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, or GalNAc-23a.

and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; and wherein Bx is a heterocyclic base moiety.


Embodiment 1430. A compound having the formula (Va):



wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, or $GalNAc_3$-23a.

and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety; and wherein Q_{13} is selected from among: a halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-$CH=CH_2$, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-$N(H)CH_3$, $OCH_2C(=O)$-$N(H)$-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-$N(H)$-$C(=NH)NH_2$.

Embodiment 1431. A compound having the formula (XXV):




wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1432. A compound having the formula (XXVI):

2026201390 25 Feb 2026




(XXVI)

wherein:

T_2 comprises a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

Embodiment 1433. A compound having the formula (XXVII):




(XXVII)

wherein:

CM represents a cleavable moiety and T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1434. A compound having the formula (XXVIII):

2026201390 25 Feb 2026




(XXVIII)

Wherein:

T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1435. A compound having the formula (XXIX):




(XXIX)

wherein:

T_3 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1436. A compound having the formula (XXX):

2026201390 25 Feb 2026




(XXX)

wherein:

CM represents a cleavable moiety and T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1437. A compound having formula (XXXI):




(XXXI)

wherein:

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

2026201390 25 Feb 2026

Embodiment 1438. A compound having the formula (XXXII):




(XXXII)

wherein:

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

Embodiment 1439. A compound having the formula (XXXIII):




(XXXIII)

wherein:

T_3 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1440. A compound having formula (XXXIV):




(XXXIV)

wherein:

2026201390 25 Feb 2026

CM represents a cleavable moiety and T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1441. A compound having the formula (XXXV):




(XXXV)

wherein:

T_3 is a group comprising a linker, nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1442. A compound having the formula (XXXVI):




(XXXVI)

wherein:

2026201390 25 Feb 2026

CM represents a cleavable moiety and T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1443. A compound having formula (XXXVII):




(XXXVII)

wherein:

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

Embodiment 1444. A compound having formula (XXXVIII):




(XXXVIII)

wherein: T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

2026201390 25 Feb 2026


Embodiment 1445. A compound having formula (XXXIX):



(XXXIX)

wherein: T_2 is a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.


Embodiment 1446. A compound having formula (XL):



(XL)

wherein: T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

Embodiment 1447. A compound having formula (XLI):




25 Feb 2026
2026201390

(XLI)

wherein each Y is selected from O, S, a substituted or unsubstituted C_1-C_{10} alkyl, amino, substituted amino, azido, alkenyl or alkynyl;

and wherein T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

Embodiment 1448. A compound having formula (XLII):




(XLII)

wherein each Y is selected from O, S, a substituted or unsubstituted C_1-C_{10} alkyl, amino, substituted amino, azido, alkenyl or alkynyl;

and wherein T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

Embodiment 1449. A compound having formula (XLIII):




(XLIII)

wherein Y is selected from O, S, a substituted or unsubstituted C_1-C_{10} alkyl, amino, substituted amino, azido, alkenyl or alkynyl;

and wherein T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

25 Feb 2026
2026201390


Embodiment 1450. A compound having formula (XLIV):



(XLIV)

wherein T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.


Embodiment 1451. A compound having formula (XLV):



(XLV)

wherein T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.


Embodiment 1452. A compound having formula (XLV):



(XLV)

wherein T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.






Embodiment 1453. A compound having formula (XLV):



(XLV)

wherein T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

Embodiment 1454. The compound of any of embodiments 1432 to 1453, wherein T_2 or T_3 is selected from among:


,

,

,

, or

;

wherein:


Bx is a heterocyclic base moiety;

T_4 is H, a hydroxyl protecting group or a reactive phosphorus group;

X is O or S;

Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, acyl, substituted acyl, substituted amide, thiol or substituted thio; and wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1455. A compound having the formula:




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

wherein Q is selected from among: H, a halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-$CH=CH_2$, $O(CH_2)_2$-OCH_3, $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-$N(H)CH_3$, $OCH_2C(=O)$-$N(H)$-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-$N(H)$-$C(=NH)NH_2$;

and wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1456. A compound having the formula:




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

and wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1457. A compound having the formula:




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1458. A compound having the formula :




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

2026201390 25 Feb 2026

Embodiment 1459. A compound having the formula :




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1460. A compound having the formula :



wherein X is O or S;


wherein Bx is a heterocyclic base moiety;

wherein Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, acyl, substituted acyl, or substituted amide; and

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

2026201390 25 Feb 2026

Embodiment 1461. A compound having the formula:



;

wherein X is O or S;


wherein Bx is a heterocyclic base moiety;

wherein Q is selected from among: a halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-$CH=CH_2$, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-$N(H)CH_3$, $OCH_2C(=O)$-$N(H)$-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-$N(H)$-$C(=NH)NH_2$ and

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1462. A compound having the formula:

2026201390 25 Feb 2026




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1463. A compound having the formula:




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

2026201390 25 Feb 2026

Embodiment 1464. A compound having the formula:




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1465. A compound having the formula:

2026201390 25 Feb 2026




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1466. A compound having the formula:



wherein X is O or S;

25 Feb 2026


2026201390

wherein Bx is a heterocyclic base moiety;

wherein Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, acyl, substituted acyl, or substituted amide; and

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1467. A compound having the formula:



;

wherein X is O or S;


wherein Bx is a heterocyclic base moiety;

wherein Q is selected from among: a halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-$CH=CH_2$, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-$N(H)CH_3$, $OCH_2C(=O)$-$N(H)$-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-$N(H)$-$C(=NH)NH_2$;

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1468. A compound having the formula:

2026201390 25 Feb 2026




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1469. A compound having the formula:

2026201390 25 Feb 2026




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1470. A compound having the formula:

2026201390 25 Feb 2026




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

wherein Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, acyl, substituted acyl, or substituted amide; and

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1471. A compound having the formula:




wherein X is O or S;

wherein Bx is a heterocyclic base moiety;

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.

Embodiment 1472. A compound having the formula :

2026201390 25 Feb 2026



wherein X is O or S;


wherein Bx is a heterocyclic base moiety;

wherein Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, acyl, substituted acyl, or substituted amide; and

wherein T_4 is a nucleoside, a monomeric subunit, or an oligomeric compound.


Embodiment 1473. A compound having the formula:

2026201390 25 Feb 2026



, and wherein A is the modified oligonucleotide.

Embodiment 1474. A compound having the formula (V):




wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, $GalNAc_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a.

and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; and wherein Bx is a heterocyclic base moiety;

and where X is selected from among O or S.


Embodiment 1475. A compound having the formula (Va):

2026201390 25 Feb 2026



wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, $GalNAc_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a, and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety; and wherein Q_{13} is selected from among: a halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-CH=CH_2, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-N(H)CH_3, $OCH_2C(=O)$-N(H)-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-N(H)-C(=NH)NH_2;
and where X is selected from among O or S.


Embodiment 1476. A compound having the formula:



wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, $GalNAc_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a;
and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety;
and where X is selected from among O or S.

2026201390 25 Feb 2026

Embodiment 1477. A compound having the formula:




wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, $GalNAc_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a;

and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety;

and where X is selected from among O or S.

Embodiment 1478. A compound having the formula:



wherein Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, halogen, acyl, substituted acyl, substituted amide, thiol or substituted thio;

one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, $GalNAc_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a;


25 Feb 2026

2026201390

and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety;

and where X is selected from among O or S.

Embodiment 1479. A compound having the formula:



wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, $GalNAc_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a;


and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; and wherein Bx is a heterocyclic base moiety;

and wherein Q is selected from among: a hydrogen, halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-CH=CH_2, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-N(H)CH_3, $OCH_2C(=O)$-N(H)-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-N(H)-C(=NH)NH_2;

and where X is selected from among O or S.


.

Embodiment 1480. A compound having the formula:



wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, $GalNAc_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a, and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety; and wherein Q or Q_{13} is selected from among: a hydrogen, halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-CH=CH_2, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-N(H)CH_3, $OCH_2C(=O)$-N(H)-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-N(H)-C(=NH)NH_2; and where X is selected from among O or S.

Embodiment 1481. A compound having the formula:



wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a,

25 Feb 2026

2026201390


GalNAc$_3$-12a, GalNAc$_3$-13a, GalNAc$_3$-14a, GalNAc$_3$-15a, GalNAc$_3$-16a, GalNAc$_3$-17a, GalNAc$_3$-18a, GalNAc$_3$-19a, GalNAc$_3$-20a, GalNAc$_3$-21a, GalNAc$_3$-22a, GalNAc$_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a;

and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety;

and wherein Q is selected from among: a hydrogen, halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-CH=CH_2, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-N(H)CH_3, $OCH_2C(=O)$-N(H)-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-N(H)-C(=NH)NH_2;

and where X is selected from among O or S.

Embodiment 1482. A compound having the formula:



wherein one of T_3 or T_4 is selected from among: GalNAc$_3$-1a, GalNAc$_3$-2a, GalNAc$_3$-3a, GalNAc$_3$-4a, GalNAc$_3$-5a, GalNAc$_3$-6a, GalNAc$_3$-7a, GalNAc$_3$-8a, GalNAc$_3$-9a, GalNAc$_3$-10a, GalNAc$_3$-11a, GalNAc$_3$-12a, GalNAc$_3$-13a, GalNAc$_3$-14a, GalNAc$_3$-15a, GalNAc$_3$-16a, GalNAc$_3$-17a, GalNAc$_3$-18a, GalNAc$_3$-19a, GalNAc$_3$-20a, GalNAc$_3$-21a, GalNAc$_3$-22a, GalNAc$_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a;


and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety;

and wherein Q is selected from among: a hydrogen, halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-CH=CH_2, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-N(H)CH_3, $OCH_2C(=O)$-N(H)-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-N(H)-C(=NH)NH_2;

and where X is selected from among O or S.

2026201390 25 Feb 2026

Embodiment 1483. A compound having the formula:



wherein Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, halogen, acyl, substituted acyl, substituted amide, thiol or substituted thio;


one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, $GalNAc_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a;

and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety;

and wherein Q is selected from among: a hydrogen, halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-$CH=CH_2$, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-$N(H)CH_3$, $OCH_2C(=O)$-$N(H)$-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-$N(H)$-$C(=NH)NH_2$;

and where X is selected from among O or S.

Embodiment 1484. A compound having the formula:




wherein one of T_3 or T_4 is selected from among: GalNAc$_3$-1a, GalNAc$_3$-2a, GalNAc$_3$-3a, GalNAc$_3$-4a, GalNAc$_3$-5a, GalNAc$_3$-6a, GalNAc$_3$-7a, GalNAc$_3$-8a, GalNAc$_3$-9a, GalNAc$_3$-10a, GalNAc$_3$-11a, GalNAc$_3$-12a, GalNAc$_3$-13a, GalNAc$_3$-14a, GalNAc$_3$-15a, GalNAc$_3$-16a, GalNAc$_3$-17a, GalNAc$_3$-18a, GalNAc$_3$-19a, GalNAc$_3$-20a, GalNAc$_3$-21a, GalNAc$_3$-22a, GalNAc$_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a;

and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; and wherein Bx is a heterocyclic base moiety;

and where X is selected from among O or S

and where Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, halogen, hydrogen, acyl, substituted acyl, substituted amide, thiol or substituted thio.


Embodiment 1485. A compound having the formula:



2026201390 25 Feb 2026

wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, $GalNAc_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a; and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety; and wherein Q_{13} is selected from among: a hydrogen, halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-CH=CH_2, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-$N(H)CH_3$, $OCH_2C(=O)$-N(H)-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-N(H)-C(=NH)NH_2;
and where X is selected from among O or S
and where Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, halogen, hydrogen, acyl, substituted acyl, substituted amide, thiol or substituted thio.

Embodiment 1486. A compound having the formula:




wherein one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, $GalNAc_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a;
and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety;

2026201390 25 Feb 2026

and where X is selected from among O or S

and where Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, halogen, hydrogen, acyl, substituted acyl, substituted amide, thiol or substituted thio.

Embodiment 1487. A compound having the formula:




wherein one of T_3 or T_4 is selected from among: GalNAc$_3$-1a, GalNAc$_3$-2a, GalNAc$_3$-3a, GalNAc$_3$-4a, GalNAc$_3$-5a, GalNAc$_3$-6a, GalNAc$_3$-7a, GalNAc$_3$-8a, GalNAc$_3$-9a, GalNAc$_3$-10a, GalNAc$_3$-11a, GalNAc$_3$-12a, GalNAc$_3$-13a, GalNAc$_3$-14a, GalNAc$_3$-15a, GalNAc$_3$-16a, GalNAc$_3$-17a, GalNAc$_3$-18a, GalNAc$_3$-19a, GalNAc$_3$-20a, GalNAc$_3$-21a, GalNAc$_3$-22a, GalNAc$_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a;

and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety;

and where X is selected from among O or S.

and where Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, halogen, hydrogen, acyl, substituted acyl, substituted amide, thiol or substituted thio.

Embodiment 1488. A compound having the formula:



wherein Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, acyl, substituted acyl, substituted amide, thiol or substituted thio;

one of T_3 or T_4 is selected from among: $GalNAc_3$-1a, $GalNAc_3$-2a, $GalNAc_3$-3a, $GalNAc_3$-4a, $GalNAc_3$-5a, $GalNAc_3$-6a, $GalNAc_3$-7a, $GalNAc_3$-8a, $GalNAc_3$-9a, $GalNAc_3$-10a, $GalNAc_3$-11a, $GalNAc_3$-12a, $GalNAc_3$-13a, $GalNAc_3$-14a, $GalNAc_3$-15a, $GalNAc_3$-16a, $GalNAc_3$-17a, $GalNAc_3$-18a, $GalNAc_3$-19a, $GalNAc_3$-20a, $GalNAc_3$-21a, $GalNAc_3$-22a, $GalNAc_3$-23a, GalNAc-24a, GalNAc-25a, GalNAc-26a, GalNAc-27a, GalNAc-28a, GalNAc-29a, GalNAc-30a, GalNAc-31a, and GalNAc-32a;

and the other of T_3 or T_4 is selected from among: a hydroxyl, a hydroxyl protecting group, a nucleoside, an oligonucleotide, a monomeric subunit, or an oligomeric compound; wherein Bx is a heterocyclic base moiety;

and where X is O or S;


and where Z is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, substituted C_1-C_6 alkyl, substituted C_2-C_6 alkenyl, substituted C_2-C_6 alkynyl, halogen, hydrogen, acyl, substituted acyl, substituted amide, thiol or substituted thio.

Embodiment 1489. The compound of any of embodiments 1474 to 1488, wherein B_x is selected from adenine, guanine, thymine, uracil, cytosine, or 5-methyl cytosine.

Embodiment 1490. The compound of any of embodiments 1474 to 1483 or 1485, wherein Q or Q_{13} is $O(CH_2)_2$-OCH_3.

Embodiment 1491. A compound having the formula (XVI):


2026201390 25 Feb 2026



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1492. A compound having the formula (XVII):




wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1493. A compound having the formula (XVIII):


2026201390 25 Feb 2026



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 1494. A compound having the formula (XIX):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1495. A compound having the formula (XX):




wherein:

2026201390 25 Feb 2026

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 1496. A compound having the formula (XXI):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 1497. A compound having the formula (XXII):



wherein:

T_2 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 1498. A compound having the formula (XXIII):



wherein:

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 1499. A compound having the formula (XXIIIa):



wherein:

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.


Embodiment 1500. A compound having the formula (XXIV):



wherein:

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1501. A compound having the formula (XXIVa):



wherein:

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1502. The compound of any of embodiments 1432 to 1502, wherein the oligomeric compound is a modified oligonucleotide.

Embodiment 1503. The compound of embodiment 1502, wherein the modified oligonucleotide is a gapmer.

25 Feb 2026

2026201390

Embodiment 1504. The compound of embodiment 1502, wherein the modified oligonucleotide activates RNase H when bound to a complementary target nucleic acid.

Embodiment 1505. The compound of any of embodiments 1502 to 1504, wherein the modified oligonucleotide comprises at least one modified nucleoside.

Embodiment 1506. The compound of embodiment 1505 wherein the at least one modified nucleoside comprises a modified base.

Embodiment 1507. The compound of embodiment 1505 or 1506 wherein the at least one modified nucleoside comprises a sugar surrogate.

Embodiment 1508. The compound of embodiment 1507 wherein the sugar surrogate is a tetrahydropyran.

Embodiment 1509. The compound of embodiment 1508 wherein the tetrahydropyran is F-HNA.

Embodiment 1510. The compound of any of embodiments 1505 to 1509 wherein the remainder of the modified oligonucleotide comprises at least one nucleoside comprising a modified sugar.

Embodiment 1511. The compound of embodiment any of embodiments 1502 to 1510 wherein the modified oligonucleotide comprises at least one nucleoside comprising a modified sugar.

Embodiment 1512. The compound of embodiment 1511 wherein the at least one modified nucleoside comprising a modified sugar is selected from a bicyclic nucleoside and a 2’-modified nucleoside.

Embodiment 1513. The compound of embodiment 1512 wherein the at least one modified nucleoside is a bicyclic nucleoside.

25 Feb 2026
2026201390

Embodiment 1514. The compound of embodiment 1513 wherein the bicyclic nucleoside is a (4'-CH_2-O-2') BNA nucleoside.

Embodiment 1515. The compound of embodiment 1513 wherein the bicyclic nucleoside is a (4'-$(CH_2)_2$-O-2') BNA nucleoside.

Embodiment 1516. The compound of embodiment 1513 wherein the bicyclic nucleoside is a (4'-$C(CH_3)H$-O-2') BNA nucleoside.

Embodiment 1517. The compound of embodiment 1513 wherein the at least one modified nucleoside is a 2'-modifed nucleoside.

Embodiment 1518. The compound of embodiment 1512 wherein the at least one 2'-modified nucleoside is selected from a 2'-F nucleoside, a 2'-OCH_3 nucleoside, and a 2'-$O(CH_2)_2OCH_3$ nucleoside.

Embodiment 1519. The compound of embodiment 1518 wherein the at least one 2'-modified nucleoside is a 2'-F nucleoside.

Embodiment 1520. The compound of embodiment 1518 wherein the at least one 2'-modified nucleoside is a 2'-OCH_3 nucleoside.

Embodiment 1521. The compound of embodiment 1518 wherein the at least one 2'-modified nucleoside is a 2'-$O(CH_2)_2OCH_3$ nucleoside.

Embodiment 1522. The compound of any of embodiments 1502 to 1521 wherein the modified oligonucleotide comprises at least one unmodified nucleoside.

Embodiment 1523. The compound of embodiment 1522 wherein the unmodified nucleoside is a ribonucleoside.

25 Feb 2026
2026201390

Embodiment 1524. The compound of embodiment 1522 wherein the unmodified nucleoside is a deoxyribonucleoside.

Embodiment 1525. The compound of any of embodiments 1502 to 1524 wherein the modified oligonucleotide comprises at least two modified nucleosides.

Embodiment 1526. The compound of embodiment 1525 wherein the at least two modified nucleosides comprise the same modification.

Embodiment 1527. The compound of embodiment 1525 wherein the at least two modified nucleosides comprise different modifications.

Embodiment 1528. The compound of any of embodiments 1525 to 1527 wherein at least one of the at least two modified nucleosides comprises a sugar surrogate.

Embodiment 1529. The compound of any of embodiments 1525 to 1528 wherein at least one of the at least two modified nucleosides comprises a 2'-modification.

Embodiment 1530. The compound of embodiment 1529 wherein each of the at least two modified nucleosides is independently selected from 2'-F nucleosides, 2'-OCH_3 nucleosides and 2'-$O(CH_2)_2OCH_3$ nucleosides.

Embodiment 1531. The compound of embodiment 1530 wherein each of the at least two modified nucleosides is a 2'-F nucleoside.

Embodiment 1532. The compound of embodiment 1530 wherein each of the at least two modified nucleosides is a 2'-OCH_3 nucleosides.

Embodiment 1533. The compound of embodiment 1530 wherein each of the at least two modified nucleosides are a 2'-$O(CH_2)_2OCH_3$ nucleoside.

25 Feb 2026
2026201390

Embodiment 1534. The compound of any of embodiments 1502 to 1533, wherein essentially every nucleoside of the modified oligonucleotide is a modified nucleoside.

Embodiment 1535. The compound of any of embodiments 1502 to 1522 or 1525 to 1534 wherein every nucleoside of the modified oligonucleotide is a modified nucleoside.

Embodiment 1536. The compound of any of embodiments 1502 to 1533, wherein at least 4 nucleosides of the modified oligonucleotide are deoxyribonucleosides.

Embodiment 1537. The compound of any of embodiments 1520 to 1533, wherein at least 5 nucleosides of the modified oligonucleotide are deoxyribonucleosides.

Embodiment 1538. The compound of any of embodiments 1502 to 1533, wherein at least 6 nucleosides of the modified oligonucleotide are deoxyribonucleosides.

Embodiment 1539. The compound of any of embodiments 1502 to 1533, wherein at least 7 nucleosides of the modified oligonucleotide are deoxyribonucleosides.

Embodiment 1540. The compound of any of embodiments 1502 to 1533, wherein at least 8 nucleosides of the modified oligonucleotide are deoxyribonucleosides.

Embodiment 1541. The compound of any of embodiments 1502 to 1533, wherein at least 9 nucleosides of the modified oligonucleotide are deoxyribonucleosides.

Embodiment 1542. The compound of any of embodiments 1502 to 1533, wherein at least 10 nucleosides of the modified oligonucleotide are deoxyribonucleosides.

Embodiment 1543. The compound of any of embodiments 1536 to 1542, wherein each of the deoxyribonucleosides of the modified oligonucleotide are consecutively linked by internucleoside linkages.

25 Feb 2026
2026201390

Embodiment 1544. The compound of any of embodiments 1502 to 1543, wherein the modified oligonucleotide is single-stranded.

Embodiment 1545. The compound of any of embodiments 1502 to 1543, wherein the modified oligonucleotide is double-stranded.

Embodiment 1546. The compound of any of embodiments 1502 to 1543, wherein the modified oligonucleotide is an antisense compound.

Embodiment 1547. The compound of any of embodiments 1502 to 1543, wherein the modified oligonucleotide is a RISC based oligonucleotide.

Embodiment 1548. The compound of any of embodiments 1502 to 1543, wherein the modified oligonucleotide activates the RISC pathway.

Embodiment 1549. The compound of any of embodiments 1502 to 1547, wherein the oligonucleotide is an RNase H based antisense compound.

Embodiment 1550. The compound of any of embodiments 1502 to 1534 or 1536 to 1546, wherein the compound has a sugar motif comprising:

a 5’-region consisting of 2-8 linked 5’-region nucleosides, wherein at least two 5’-region nucleosides are modified nucleosides and wherein the 3’-most 5’-region nucleoside is a modified nucleoside;

a 3’-region consisting of 2-8 linked 3’-region nucleosides, wherein at least two 3’-region nucleosides are modified nucleosides and wherein the 5’-most 3’-region nucleoside is a modified nucleoside; and

a central region between the 5’-region and the 3’-region consisting of 5-10 linked central region nucleosides, each independently selected from among: a modified nucleoside and an unmodified deoxynucleoside, wherein the 5’-most central region nucleoside is an unmodified deoxynucleoside and the 3’-most central region nucleoside is an unmodified deoxynucleoside.

25 Feb 2026
2026201390

Embodiment 1551. The compound of embodiment 1550, wherein the 5'-region consists of 2 linked 5'-region nucleosides.

Embodiment 1552. The compound of embodiment 1550, wherein the 5'-region consists of 3 linked 5'-region nucleosides.

Embodiment 1553. The compound of embodiment 1550, wherein the 5'-region consists of 4 linked 5'-region nucleosides.

Embodiment 1554. The compound of embodiment 1550, wherein the 5'-region consists of 5 linked 5'-region nucleosides.

Embodiment 1555. The compound of any of embodiments 1550 to 1554, wherein the 3'-region consists of 2 linked 3'-region nucleosides.

Embodiment 1556. The compound of any of embodiments 1550 to 1554, wherein the 3'-region consists of 3 linked 3'-region nucleosides.

Embodiment 1557. The compound of any of embodiments 1550 to 1554, wherein the 3'-region consists of 4 linked 3'-region nucleosides.

Embodiment 1558. The compound of any of embodiments 1550 to 1554, wherein the 3'-region consists of 5 linked 3'-region nucleosides.

Embodiment 1559. The compound of any of embodiments 1550 to 1558, wherein the central region consists of 5 linked central region nucleosides.

Embodiment 1560. The compound of any of embodiments 1550 to 1558, wherein the central region consists of 6 linked central region nucleosides.

Embodiment 1561. The compound of any of embodiments 1550 to 1558, wherein the central region consists of 7 linked central region nucleosides.

Embodiment 1562. The compound of any of embodiments 1550 to 1558, wherein the central region consists of 8 linked central region nucleosides.

25 Feb 2026
2026201390

Embodiment 1563. The compound of any of embodiments 1550 to 1558, wherein the central region consists of 9 linked central region nucleosides.

Embodiment 1564. The compound of any of embodiments 1550 to 1558, wherein the central region consists of 10 linked central region nucleosides.

Embodiment 1565. The compound of any of embodiments 1550 to 1564, wherein the compound consists of 14 to 26 linked nucleosides.

Embodiment 1566. The compound of any of embodiments 1550 to 1564, wherein the compound consists of 15 to 25 linked nucleosides.

Embodiment 1567. The compound of any of embodiments 1550 to 1564, wherein the compound consists of 16 to 20 linked nucleosides.

Embodiment 1568. The compound of any of embodiments 1550 to 1567, wherein each modified nucleoside independently comprises a 2'-substituted sugar moiety or a bicyclic sugar moiety.

Embodiment 1569. The compound of embodiment 1568, wherein the at least one modified nucleoside comprises a 2'-substituted sugar moiety.

Embodiment 1570. The compound of embodiment 1569, wherein each modified nucleoside comprising a 2'-substituted sugar moiety comprises a 2' substituent independently selected from among: halogen, optionally substituted allyl, optionally substituted amino, azido, optionally substituted SH, CN, OCN, CF3, OCF3, O, S, or N(Rm)-alkyl; O, S, or N(Rm)-alkenyl; O, S or N(Rm)-alkynyl; optionally substituted O-alkylenyl-O-alkyl, optionally substituted alkynyl, optionally substituted alkaryl, optionally substituted aralkyl, optionally substituted O-alkaryl, optionally substituted O-aralkyl, O(CH2)2SCH3, O-(CH2)2-O-N(Rm)(Rn) or O-CH2-C(=O)-N(Rm)(Rn), where each Rm and Rn is, independently, H, an amino protecting group or substituted or unsubstituted C_1-C_{10} alkyl;

wherein each optionally substituted group is optionally substituted with a substituent group independently selected from among: hydroxyl, amino, alkoxy, carboxy, benzyl, phenyl, nitro (NO_2), thiol, thioalkoxy (S-alkyl), halogen, alkyl, aryl, alkenyl and alkynyl.

Embodiment 1571. The compound of embodiment 1569, wherein each 2' substituent is independently selected from among: a halogen, OCH_3, OCH_2F, $OCHF_2$, OCF_3, OCH_2CH_3, $O(CH_2)_2F$, OCH_2CHF_2,

2026201390 25 Feb 2026

OCH_2CF_3, OCH_2-CH=CH_2, $O(CH_2)_2$-OCH_3, $O(CH_2)_2$-SCH_3, $O(CH_2)_2$-OCF_3, $O(CH_2)_3$-$N(R_1)(R_2)$, $O(CH_2)_2$-$ON(R_1)(R_2)$, $O(CH_2)_2$-$O(CH_2)_2$-$N(R_1)(R_2)$, $OCH_2C(=O)$-$N(R_1)(R_2)$, $OCH_2C(=O)$-$N(R_3)$-$(CH_2)_2$-$N(R_1)(R_2)$, and $O(CH_2)_2$-$N(R_3)$-$C(=NR_4)[N(R_1)(R_2)]$; wherein R_1, R_2, R_3 and R_4 are each, independently, H or C_1-C_6 alkyl.

Embodiment 1572. The compound of embodiment 1569, wherein each 2' substituent is independently selected from among: a halogen, OCH_3, OCF_3, OCH_2CH_3, OCH_2CF_3, OCH_2-CH=CH_2, $O(CH_2)_2$-OCH_3 (MOE), $O(CH_2)_2$-$O(CH_2)_2$-$N(CH_3)_2$, $OCH_2C(=O)$-$N(H)CH_3$, $OCH_2C(=O)$-$N(H)$-$(CH_2)_2$-$N(CH_3)_2$, and OCH_2-$N(H)$-$C(=NH)NH_2$.

Embodiment 1573. The compound of embodiment 1569, wherein the at least one 2'-modified nucleoside comprises a 2'-MOE sugar moiety.

Embodiment 1574. The compound of embodiment 1569, wherein the at least one 2'-modified nucleoside comprises a 2'-OMe sugar moiety.

Embodiment 1575. The compound of embodiment 1569, wherein the at least one 2'-modified nucleoside comprises a 2'-F sugar moiety.

Embodiment 1576. The compound of any of embodiments 1550 to 1575, wherein the compound comprises at least one modified nucleoside comprising a sugar surrogate.

Embodiment 1577. The compound of embodiment 1576, wherein the modified nucleoside comprises an F-HNA sugar moiety.

Embodiment 1578. The compound of embodiment 1576, wherein the modified nucleoside comprises an HNA sugar moiety.

Embodiment 1579. The compound of any of embodiments 1550 to 1578 wherein the compound comprises at least one modified nucleoside comprising a bicyclic sugar moiety.

Embodiment 1580. The compound of embodiment 1579, wherein the bicyclic sugar moiety is a cEt sugar moiety.

Embodiment 1581. The compound of embodiment 1579, wherein bicyclic sugar moiety is an LNA sugar moiety.

25 Feb 2026
2026201390

Embodiment 1582. The compound of any of embodiments 1502 to 1581, wherein the compound comprises at least one modified internucleoside linkage.

Embodiment 1583. The compound of embodiment 1582, wherein each internucleoside linkage of the compound is a modified internucleoside linkage.

Embodiment 1584. The compound of embodiment 1582, wherein the compound comprises at least one modified linkage and at least one unmodified phosphodiester internucleoside linkage.

Embodiment 1585. The compound of any of embodiments 1582 or 1584 wherein at least one modified internucleoside linkage is a phosphosphorothioate internucleoside linkage.

Embodiment 1586. The compound of any of embodiments 1584 or 1585, wherein each modified internucleoside linkage is a phosphorothioate internucleoside linkage.

Embodiment 1587. The compound of any of embodiments 1584 or 1585, wherein the compound comprises at least 2 phosphodiester internucleoside linkages.

Embodiment 1588. The compound of any of embodiments 1584 or 1585, wherein the compound comprises at least 3 phosphodiester internucleoside linkages.

Embodiment 1589. The compound of any of embodiments 1584 or 1585, wherein the compound comprises at least 4 phosphodiester internucleoside linkages.

Embodiment 1590. The compound of any of embodiments 1584 or 1585, wherein the compound comprises at least 5 phosphodiester internucleoside linkages.

Embodiment 1591. The compound of any of embodiments 1584 or 1585, wherein the compound comprises at least 6 phosphodiester internucleoside linkages.

Embodiment 1592. The compound of any of embodiments 1584 or 1585, wherein the compound comprises at least 7 phosphodiester internucleoside linkages.

Embodiment 1593. The compound of any of embodiments 1584 or 1585, wherein the compound comprises at least 8 phosphodiester internucleoside linkages.

25 Feb 2026
2026201390

Embodiment 1594. The compound of any of embodiments 1584 or 1585, wherein the compound comprises at least 9 phosphodiester internucleoside linkages.

Embodiment 1595. The compound of any of embodiments 1584 or 1585, wherein the compound comprises at least 10 phosphodiester internucleoside linkages.

Embodiment 1596. The compound of any of embodiments 1584 or 1595, wherein the compound comprises fewer than 16 phosphorothioate internucleoside linkages.

Embodiment 1597. The compound of any of embodiments 1584 or 1595, wherein the compound comprises fewer than 15 phosphorothioate internucleoside linkages.

Embodiment 1598. The compound of any of embodiments 1584 or 1595, wherein the compound comprises fewer than 14 phosphorothioate internucleoside linkages.

Embodiment 1599. The compound of any of embodiments 1584 or 1595, wherein the compound comprises fewer than 13 phosphorothioate internucleoside linkages.

Embodiment 1600. The compound of any of embodiments 1584 or 1595, wherein the compound comprises fewer than 12 phosphorothioate internucleoside linkages.

Embodiment 1601. The compound of any of embodiments 1584 or 1595, wherein the compound comprises fewer than 11 phosphorothioate internucleoside linkages.

Embodiment 1602. The compound of any of embodiments 1584 or 1595, wherein the compound comprises fewer than 10 phosphorothioate internucleoside linkages.

Embodiment 1603. The compound of any of embodiments 1584 or 1595, wherein the compound comprises fewer than 9 phosphorothioate internucleoside linkages.

Embodiment 1604. The compound of any of embodiments 1584 or 1595, wherein the compound comprises fewer than 8 phosphorothioate internucleoside linkages.

Embodiment 1605. The compound of any of embodiments 1584 or 1595, wherein the compound comprises fewer than 7 phosphorothioate internucleoside linkages.

25 Feb 2026

2026201390

Embodiment 1606. The compound of any of embodiments 1584 or 1595, wherein the compound comprises fewer than 6 phosphorothioate internucleoside linkages.

Embodiment 1607. The compound of any of embodiments 1502 to 1605, wherein each terminal internucleoside linkage of the compound is a phosphorothioate internucleoside linkage.

Embodiment 1608. The compound of any of embodiments 1502 to 1605, wherein each internucleoside linkage linking two deoxynucleosides of the compound is a phosphorothioate internucleoside linkage.

Embodiment 1609. The compound of any of embodiments 1502 to 1605, wherein each non-terminal internucleoside linkage linking two modified nucleosides of the compound is a phosphodiester internucleoside linkage.

Embodiment 1610. The compound of any of embodiments 1502 to 1605, wherein each non-terminal internucleoside linkage of the compound that is 3' of a modified nucleoside is a phosphodiester internucleoside linkage.

Embodiment 1611. The compound of any of embodiments 1502 to 1605, wherein each internucleoside linkage of the compound that is 3' of a deoxynucleoside is a phosphorothioate internucleoside linkage.

Embodiment 1612. The compound of any of embodiments 1502 to 1588, wherein the compound has a chemical motif selected from among:

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$

$MsMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$

$MsMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMyMsM$

$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MsM$

$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMsM$

$MsMyMyMy(Ds)_{0-1}(DsDs)_{(3-5)}MyMyMsM$

2026201390 25 Feb 2026

$MsMyMyMy(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MyMyMyMsM$

$MsMyMyMyMy(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MsM$

$MsMyMyMyMy(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MyMsM$

$MsMyMyMyMy(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MyMyMsM$; and

$MsMyMyMyMy(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MyMyMyMsM$;

wherein each M is independently a modified nucleoside, each D is a deoxynucleoside; each s is a phosphorothioate internucleoside linkage, and each y is either a phosphodiester internucleoside linkage or a phosphorothioate internucleoside linkage, provided that at least one y is a phosphodiester internucleotide linkage.

Embodiment 1613. The compound of any of embodiments 1502 to 1588, wherein the compounds has a chemical motif selected from among:

$MsMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MoMsM$

$MsMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MoMoMsM$

$MsMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MoMoMoMsM$

$MsMoMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MsM$

$MsMoMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MoMsM$

$MsMoMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MoMoMsM$

$MsMoMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MoMoMoMsM$

$MsMoMoMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MsM$

$MsMoMoMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MoMsM$

$MsMoMoMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MoMoMsM$

$MsMoMoMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MoMoMoMsM$

$MsMoMoMoMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MsM$

$MsMoMoMoMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MoMsM$

$MsMoMoMoMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MoMoMsM$; and

$MsMoMoMoMo(Ds)_{0\text{-}1}(DsDs)_{(3\text{-}5)}MoMoMoMsM$;

wherein each M is independently a modified nucleoside, each D is a deoxynucleoside; each o is a phosphodiester internucleoside linkage, and each s is a phosphorothioate internucleoside linkage.

Embodiment 1614. The compound of embodiment 1612 or 1613, wherein each M is independently selected from among: a 2'-MOE nucleoside and a bicyclic nucleoside.

25 Feb 2026

2026201390

Embodiment 1615. The compound of embodiment 1614, wherein each M is independently selected from among a 2'-MOE nucleoside, a cEt nucleoside, and an LNA nucleoside.

Embodiment 1616. The compound of embodiment 1612 or 1613, wherein each M is a 2'-MOE nucleoside.

Embodiment 1617. The compound of embodiment 1612 or 1613, wherein each M is a cEt nucleoside.

Embodiment 1618. The compound of embodiments 1612 or 1613, wherein each M is an LNA nucleoside.

Embodiment 1619. The compound of any of embodiments 1502 to 1618, wherein the compound has a nucleobase sequence comprising an at least 8 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1620. The compound of any of embodiments 1502 to 1618, wherein the compound has a nucleobase sequence comprising an at least 10 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1621. The compound of any of embodiments 1502 to 1618, wherein the compound has a nucleobase sequence comprising an at least 12 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1622. The compound of any of embodiments 1502 to 1618, wherein the compound has a nucleobase sequence comprising an at least 14 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1623. The compound of any of embodiments 1502 to 1618, wherein the compound has a nucleobase sequence comprising an at least 16 nucleobase portion complementary to an equal length portion of a target nucleic acid.

Embodiment 1624. The compound of any of embodiments 1502 to 1618, wherein the compound has a nucleobase sequence comprising an at least 18 nucleobase portion complementary to an equal length portion of a target nucleic acid.

25 Feb 2026
2026201390

Embodiment 1625. The compound of any of embodiments 1502 to 1618, wherein the compound is at least 90% complementary to a target nucleic acid.

Embodiment 1626. The compound of any of embodiments 1502 to 1618, wherein the compound is at least 95% complementary to a target nucleic acid.

Embodiment 1627. The compound of any of embodiments 1502 to 1618, wherein the compound is 100% complementary to a target nucleic acid.

Embodiment 1628. The compound of embodiment 1627, wherein the target nucleic acid is a pre-mRNA.

Embodiment 1629. The compound of embodiment 1627, wherein the target nucleic acid is an mRNA.

Embodiment 1630. The compound of embodiment 1627, wherein the target nucleic acid is a micro RNA.

Embodiment 1631. The compound of embodiment 1627, wherein the target nucleic acid is expressed in the liver.

Embodiment 1632. The compound of embodiment 1627, wherein the target nucleic acid is expressed in hepatocytes.

Embodiment 1633. The compound of embodiment 1627, wherein the target nucleic encodes a protein selected from among: Alpha 1 antitrypsin, Androgen Receptor, Apolipoprotein (a), Apolipoprotein B, Apolipoprotein C-III, C-Reactive Protein, eIF-4E, Factor VII, Factor XI, Glucocorticoid Receptor, Glucagon Receptor, Protein Tyrosine Phosphatase 1B, STAT3, SRB-1, and Transthyretin.

Embodiment 1634. The compound of embodiment 1627, wherein the target nucleic acid is a viral nucleic acid.

Embodiment 1635. The compound of embodiment 1634, wherein the viral nucleic acid expressed in the liver.

Embodiment 1636. The compound of embodiment 1634, wherein the target nucleic acid is a Hepatitis B viral nucleic acid.

25 Feb 2026
2026201390

Embodiment 1637. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of any one of SEQ ID NOs.: 17, 18, 19, 20, 21, 22, 23, or 24.

Embodiment 1638. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of any one of SEQ ID NO.: 25, 26, 27, 28, 29, or 30.

Embodiment 1639. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of SEQ ID NO.: 31.

Embodiment 1640. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of SEQ ID NO.: 32.

Embodiment 1641. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of SEQ ID NO.: 33.

Embodiment 1642. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of SEQ ID NO.: 34.

Embodiment 1643. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of any of SEQ ID NOs.: 35, 36, 37, 38, 39, 40, 41, 42, or 43.

Embodiment 1644. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of SEQ ID NO.: 44, 45, 46, 47, or 48.

Embodiment 1645. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of any of SEQ ID NOs.: 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, or 59.

Embodiment 1646. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of any of SEQ ID NOs.: 60, 61, 62, 63, 64, 65, 66, or 67.

Embodiment 1647. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of any of SEQ ID NO.: 69, 70, 71, or 72.

Embodiment 1648. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of SEQ ID NO.: 73.

25 Feb 2026
2026201390

Embodiment 1649. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of any of SEQ ID NOs.: 74, 75, 76, 77, 78, 79, 80, or 81.

Embodiment 1650. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of SEQ ID NO.: 68.

Embodiment 1651. The compound of any of embodiments 1502 to 1627, wherein the compound comprises the nucleobase sequence of any of SEQ ID NOs.: 82-103, 111, or 113.

Embodiment 1652. The compound of any of embodiments 1502 to 1627, wherein the compound is an antisense oligonucleotide.

Embodiment 1653. A pharmaceutical composition comprising a compound or compound according to any of embodiments 1502 to 1652 and a pharmaceutically acceptable carrier or diluent.

Embodiment 1654. The pharmaceutical composition of embodiment 1653 wherein the pharmaceutically acceptable carrier or diluent is selected from among sterile water and sterile saline.

Embodiment 1655. A method of reducing the amount or activity of a target nucleic acid in a cell, comprising contacting a cell with a compound or conjugated antisense compound of any of embodiments 1498 to 1648, or the pharmaceutical composition of embodiments 1653to 1654.

Embodiment 1656. The method of embodiment 1655, wherein the cell is a liver cell.

Embodiment 1657. The method of embodiment 1655, wherein the cell is a hepatocyte.

Embodiment 1658. The method of any of embodiments 1655 to 1657, wherein the cell is in vitro.

Embodiment 1659. The method of any of embodiments 1655 to 1657, wherein the cell is in an animal.

Embodiment 1660. The method of embodiment 1659 wherein the animal is a mouse.

Embodiment 1661. The method of embodiment 1659 wherein the animal is a human.

25 Feb 2026
2026201390

Embodiment 1662. A method of treating a disease or condition in an animal comprising administering the pharmaceutical composition of embodiment 1653 or 1654 to the animal and thereby treating the disease or condition in the animal.

Embodiment 1663. The method of embodiment 1662 wherein the animal is a mouse.

Embodiment 1664. The method of embodiment 1662 wherein the animal is a human.

Embodiment 1665. The method of any of embodiments 1662 to 1664, wherein the disease or condition is a liver disease or condition.

Embodiment 1666. The method of any of embodiments 1662 to 1665, wherein the administration is parenteral.

Embodiment 1667. The method of any of embodiments 1662 to 1665, wherein the administration is by subcutaneous injection.

Embodiment 1668. The method of any of embodiments 1662 to 1665, wherein the administration is by intravenous injection.

Embodiment 1669. The method of any of embodiments 1662 to 1665, wherein the administration is by intramuscular injection.

Embodiment 1670. The method of any of embodiments 1662 to 1669, wherein the compound is provided at a dose of 1-10 mg/kg.

Embodiment 1671. The method of any of embodiments 1662 to 1669, wherein the compound is provided at a dose of less than 1 mg/kg.

Embodiment 1672. The method of any of embodiments 1662 to 1669, wherein the compound is provided at a dose of greater than 10 mg/kg.

Embodiment 1673. The method of any of embodiments 1662 to 1669, wherein the compound is provided for a dosing period of at least 2 months.

25 Feb 2026
2026201390

Embodiment 1674. The method of any of embodiments 1662 to 1669, wherein the compound is provided for a dosing period of at least 4 months.

Embodiment 1675. The method of any of embodiments 1662 to 1669, wherein the compound is provided for a dosing period of at least 6 months.

Embodiment 1676. The method of any of embodiments 1662 to 1669, wherein the compound is provided at a dosing frequency of about one dose every week.

Embodiment 1677. The method of any of embodiments 1662 to 1669, wherein the compound is provided at a dosing frequency of about one dose every two weeks.

Embodiment 1678. The method of any of embodiments 1662 to 1669, wherein the compound is provided at a dosing frequency of about one dose every three weeks.

Embodiment 1679. The method of any of embodiments 1662 to 1669, wherein the compound is provided at a dosing frequency of one dose every four weeks.

Embodiment 1680. The method of any of embodiments 1662 to 1669, wherein the compound is provided at a dosing frequency of one dose every five weeks.

Embodiment 1681. The method of any of embodiments 1662 to 1669, wherein the compound is provided at a dosing frequency of one dose every six weeks.

Embodiment 1682. The method of any of embodiments 1662 to 1669, wherein the compound is provided at a dosing frequency of one dose every seven weeks.

Embodiment 1683. The method of any of embodiments 1662 to 1669, wherein the compound is provided at a dosing frequency of one dose every eight weeks.

Embodiment 1684. The compound or compound of any of embodiments 1 to 1652, or a prodrug thereof.

Embodiment 1685. A method of manufacturing an antisense oligonucleotide of any of embodiments 1 to 1652.



25 Feb 2026

2026201390


Embodiment 1686. A method of preparing an antisense oligonucleotide of any of embodiments 1 to 1652.

Embodiment 1687. A process for manufacturing a conjugated antisense compound of any one of embodiments 1 to 1652, wherein the method includes formulating the conjugated antisense compound for human use, performing chromatogram analysis of the formulated conjugated antisense compound, and packaging the conjugated antisense compound ready for sale.



Embodiment 1688. The conjugated antisense compound of any of embodiments 1179 to 1182, wherein the tether has a structure selected from among:


, or

; wherein each n is independently, 0, 1, 2, 3, 4, 5, 6, or 7.



Embodiment 1689. The conjugated antisense compound of any of embodiments 1179 to 1182, wherein the tether has the structure:


.

Embodiment 1690. The conjugated antisense compound of any of embodiments 1179 to 1182 or 1688 to 1689, wherein the linker has a structure selected from among:


and

.

Embodiment 1691. The conjugated antisense compound of any of embodiments 1179 to 1182 or 1688 to 1689, wherein the linker has a structure selected from among:



and

;

wherein each n is independently, 0, 1, 2, 3, 4, 5, 6, or 7.


25 Feb 2026

2026201390

Embodiment 1692. The conjugated antisense compound of any of embodiments 1179 to 1182 or 1688 to 1689, wherein the linker has the structure:



Embodiment 1693. A compound having the formula (XXVI):



(XXVI)


wherein:

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.


Embodiment 1694. The compound of embodiment 1693, wherein the linker comprises an amine, an amide, an ester, an ether, a pyrrolidine, PEG, a polyamide, or a disulfide bond.

Embodiment 1695. The compound of embodiment 1693 or 1694, wherein the linker does not comprise a pyrrolidine.

Embodiment 1696. The compound of any of embodiments 1693 to 1695, wherein the linker has the formula:



Embodiment 1697. The compound of any of embodiments 1693 to 1696, wherein T_2 has the formula:




wherein:

CM is a cleavable moiety and T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

25 Feb 2026

2026201390

Embodiment 1698. The compound of any of embodiments 1693 to 1697, wherein T_2 has the formula:



wherein:

T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1699. The compound of any of embodiments 1693 to 1698, wherein T_2 or T_3 is a group comprising an oligomeric compound, and wherein the oligomeric compound is a modified oligonucleotide.

Embodiment 1700. The compound of embodiment 1699, wherein the modified oligonucleotide consists of 10 to 30 linked nucleosides wherein at least one nucleoside is a modified nucleoside.

Embodiment 1701. The compound of embodiment 1699 or 1700, wherein the modified oligonucleotide comprises at least one modified nucleoside selected from among: a 2'-MOE nucleoside, a 2'-OMe nucleoside, a 2'-F nucleoside, a (4'-CH_2-O-2') bicyclic nucleoside, a (4'-$(CH_2)_2$-O-2') bicyclic nucleoside, a (4'-$C(CH_3)$H-O-2') bicyclic nucleoside; and a morpholino.

Embodiment 1702. The compound of any of embodiments 1699 to1701, wherein the modified oligonucleotide has a gapmer sugar motif comprising:

a 5'-region consisting of 2-8 linked 5'-region nucleosides, wherein at least two 5'-region nucleosides are modified nucleosides and wherein the 3'-most 5'-region nucleoside is a modified nucleoside;

a 3'-region consisting of 2-8 linked 3'-region nucleosides, wherein at least two 3'-region nucleosides are modified nucleosides and wherein the 5'-most 3'-region nucleoside is a modified nucleoside; and

a central region between the 5'-region and the 3'-region consisting of 5-10 linked central region nucleosides, each independently selected from among: a modified nucleoside and an unmodified deoxynucleoside, wherein the 5'-most central region nucleoside is an unmodified deoxynucleoside and the 3'-most central region nucleoside is an unmodified deoxynucleoside.

Embodiment 1703. The compound of embodiment 1702, wherein each 5'-region nucleoside is a modified nucleoside; each 3'-region nucleoside is a modified nucleoside; and each central region nucleoside is an unmodified deoxynucleoside.

Embodiment 1704. The compound of any of embodiments 1702 to 1704, wherein the 5'-region consists of 2-5 linked 5'-region nucleosides; the 3'-region consists of 2-5 linked 3'-region nucleosides; and the central region consists of 8-10 central region nucleosides.

Embodiment 1705. The compound of any of embodiments 1699 to 1704, wherein the modified oligonucleotide comprises at least one phosphorothioate internucleoside linkage.

Embodiment 1706. The compound of any of embodiments 1699 to 1705, wherein the modified oligonucleotide comprises at least one phosphodiester internucleoside linkage.

25 Feb 2026
2026201390

Embodiment 1707. The compound of any of embodiments 1699 to 1706, wherein each internucleoside linkage of the modified oligonucleotide is either phosphorothioate internucleoside linkage or a phosphodiester internucleoside linkage.

Embodiment 1708. The compound of any of embodiments 1699 to 1707, wherein the modified oligonucleotide is attached to the remainder of the compound at the 5'-end of the modified oligonucleotide.

Embodiment 1709. The compound of any of embodiments 1699 to 1707, wherein the modified oligonucleotide is attached to the remainder of the compound at the 3'-end of the modified oligonucleotide.

Embodiment 1710. The compound of any of embodiments 1699 to 1709, wherein the modified oligonucleotide is an antisense oligonucleotide.

Embodiment 1711. The compound of embodiment any of embodiments 1699 to 1710, wherein the modified oligonucleotide is single-stranded.

Embodiment 1712. The compound of any of embodiments 1699 to 1710, wherein the modified oligonucleotide is double-stranded.

Embodiment 1713. The compound of any of embodiments 1699 to 1712, wherein the modified oligonucleotide activates the RISC pathway.

Embodiment 1714. The compound of any of embodiments 1699 to 1712, wherein the modified oligonucleotide is an RNase H based antisense compound.

Embodiment 1715. The compound of any of embodiments 1699 to 1712, wherein the modified oligonucleotide alters splicing of a target pre-mRNA.

Embodiment 1716. The compound of any of embodiments 1699 to 1715, wherein the modified oligonucleotide is complementary to a target nucleic acid.

Embodiment 1717. The compound of embodiment 1716, wherein the target nucleic acid is selected from among: pre-mRNA, micro-RNA, or long non-coding RNA.

Embodiment 1718. The compound of any of embodiments 1699 to 1717, wherein the modified oligonucleotide consists of 12 to 30 linked nucleosides.

Embodiment 1719. The compound of any of embodiments 1699 to 1717, wherein the modified oligonucleotide consists of 18 to 22 linked nucleosides.

Embodiment 1720. The compound of any of embodiments 1699 to 1717, wherein the modified oligonucleotide consists of 16 to 20 linked nucleosides.


Embodiment 1721. A method of administering the compound of any of embodiments 1693 to 1720 to an animal.

2026201390 25 Feb 2026

Embodiment 1722. A method of treating a metabolic disorder comprising administering the compound of any of embodiments 1693 to 1720 to a subject in need thereof.

Embodiment 1723. A method of treating a cardiovascular disorder comprising administering the compound of any of embodiments 1693 to 1720 to a subject in need thereof.

Embodiment 1724. A compound having the formula (XXXI):



(XXXI)


wherein:

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

Embodiment 1725. The compound of embodiment 1724, wherein the linker comprises an amine, an amide, an ester, an ether, a pyrrolidine, PEG, a polyamide, or a disulfide bond.


Embodiment 1726. The compound of embodiment 1724 or 1725, wherein the linker does not comprise a pyrrolidine.

Embodiment 1727. The compound of any of embodiments 1724 to 1726, wherein the linker is:



.

Embodiment 1728. The compound of any of embodiments 1724 to 1727, wherein T_2 has the formula:



wherein:


CM represents a cleavable moiety and T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an

25 Feb 2026

2026201390

oligomeric compound.

Embodiment 1729. The compound of any of embodiments 1724 to 1728, wherein T_2 has the formula:



wherein:

T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1730. The compound of any of embodiments 1724 to 1729, wherein T_2 or T_3 is a group comprising an oligomeric compound, and wherein the oligomeric compound is a modified oligonucleotide.

Embodiment 1731. The compound of embodiment 1730, wherein the modified oligonucleotide consists of 10 to 30 linked nucleosides wherein at least one nucleoside is a modified nucleoside.

Embodiment 1732. The compound of embodiment 1730 or 1731, wherein the modified oligonucleotide comprises at least one modified nucleoside selected from among: a 2'-MOE nucleoside, a 2'-OMe nucleoside, a 2'-F nucleoside, a (4'-CH_2-O-2') bicyclic nucleoside, a (4'-$(CH_2)_2$-O-2') bicyclic nucleoside, a (4'-$C(CH_3)$H-O-2') bicyclic nucleoside; and a morpholino.

Embodiment 1733. The compound of any of embodiments 1730 to 1732, wherein the modified oligonucleotide has a gapmer sugar motif comprising:

a 5'-region consisting of 2-8 linked 5'-region nucleosides, wherein at least two 5'-region nucleosides are modified nucleosides and wherein the 3'-most 5'-region nucleoside is a modified nucleoside;

a 3'-region consisting of 2-8 linked 3'-region nucleosides, wherein at least two 3'-region nucleosides are modified nucleosides and wherein the 5'-most 3'-region nucleoside is a modified nucleoside; and

a central region between the 5'-region and the 3'-region consisting of 5-10 linked central region nucleosides, each independently selected from among: a modified nucleoside and an unmodified deoxynucleoside, wherein the 5'-most central region nucleoside is an unmodified deoxynucleoside and the 3'-most central region nucleoside is an unmodified deoxynucleoside.

Embodiment 1734. The compound of embodiment 1733, wherein each 5'-region nucleoside is a modified nucleoside; each 3'-region nucleoside is a modified nucleoside; and each central region nucleoside is an unmodified deoxynucleoside.

Embodiment 1735. The compound of any of embodiments 1733 to 1734, wherein the 5'-region consists of 2-5 linked 5'-region nucleosides; the 3'-region consists of 2-5 linked 3'-region nucleosides; and the central region consists of 8-10 central region nucleosides.

Embodiment 1736. The compound of any of embodiments 1730 to 1735, wherein the modified oligonucleotide comprises at least one phosphorothioate internucleoside linkage.

25 Feb 2026
2026201390

Embodiment 1737. The compound of any of embodiments 1730 to 1736, wherein the modified oligonucleotide comprises at least one phosphodiester internucleoside linkage.

Embodiment 1738. The compound of any of embodiments 1730 to 1737, wherein each internucleoside linkage of the modified oligonucleotide is either phosphorothioate internucleoside linkage or a phosphodiester internucleoside linkage.

Embodiment 1739. The compound of any of embodiments 1730 to 1738, wherein the modified oligonucleotide is attached to the remainder of the compound at the 5'-end of the modified oligonucleotide.

Embodiment 1740. The compound of any of embodiments 1730 to 1738, wherein the modified oligonucleotide is attached to the remainder of the compound at the 3'-end of the modified oligonucleotide.

Embodiment 1741. The compound of any of embodiments 1730 to 1740, wherein the modified oligonucleotide is an antisense oligonucleotide.

Embodiment 1742. The compound of embodiment any of embodiments 1730 to 1741, wherein the modified oligonucleotide is single-stranded.

Embodiment 1743. The compound of any of embodiments 1730 to 1741, wherein the modified oligonucleotide is double-stranded.

Embodiment 1744. The compound of any of embodiments 1730 to 1743, wherein the modified oligonucleotide activates the RISC pathway.

Embodiment 1745. The compound of any of embodiments 1730 to 1743, wherein the modified oligonucleotide is an RNase H based antisense compound.

Embodiment 1746. The compound of any of embodiments 1730 to 1743, wherein the modified oligonucleotide alters splicing of a target pre-mRNA.

Embodiment 1747. The compound of any of embodiments 1730 to 1746, wherein the modified oligonucleotide is complementary to a target nucleic acid.

Embodiment 1748. The compound of embodiment 1747, wherein the target nucleic acid is selected from among: pre-mRNA, micro-RNA, or long non-coding RNA.

Embodiment 1749. The compound of any of embodiments 1730 to 1748, wherein the modified oligonucleotide consists of 12 to 30 linked nucleosides.

Embodiment 1750. The compound of any of embodiments 1730 to 1748, wherein the modified oligonucleotide consists of 18 to 22 linked nucleosides.

Embodiment 1751. The compound of any of embodiments 1730 to 1748, wherein the modified oligonucleotide consists of 16 to 20 linked nucleosides.

25 Feb 2026


2026201390

Embodiment 1752. A method of administering the compound of any of embodiments 1724 to 1751 to an animal.

Embodiment 1753. A method of treating a metabolic disorder comprising administering the compound of any of embodiments 1724 to 1751 to a subject in need thereof.

Embodiment 1754. A method of treating a cardiovascular disorder comprising administering the compound of any of embodiments 1724 to 1751 to a subject in need thereof.

Embodiment 1755. A compound having the formula (XXXII):



(XXXII)


wherein:

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

Embodiment 1756. The compound of embodiment 1755, wherein the linker comprises an amine, an amide, an ester, an ether, a pyrrolidine, PEG, a polyamide, or a disulfide bond.

Embodiment 1757. The compound of embodiment 1755 or 1756, wherein the linker does not comprise a pyrrolidine.

Embodiment 1758. The compound of any of embodiments 1755 to 1757, wherein the linker is:




.

Embodiment 1759. The compound of any of embodiments 1755 to 1758, wherein T_2 has the formula:

25 Feb 2026


2026201390



wherein:

CM is a cleavable moiety and T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1760. The compound of any of embodiments 1755 to 1759, wherein T_2 has the formula:



wherein:

T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1761. The compound of any of embodiments 1755 to 1760, wherein T_2 or T_3 is a group comprising an oligomeric compound, and wherein the oligomeric compound is a modified oligonucleotide.

Embodiment 1762. The compound of embodiment 1761, wherein the modified oligonucleotide consists of 10 to 30 linked nucleosides wherein at least one nucleoside is a modified nucleoside.

Embodiment 1763. The compound of embodiment 1761 or 1762, wherein the modified oligonucleotide comprises at least one modified nucleoside selected from among: a 2'-MOE nucleoside, a 2'-OMe nucleoside, a 2'-F nucleoside, a (4'-CH_2-O-2') bicyclic nucleoside, a (4'-$(CH_2)_2$-O-2') bicyclic nucleoside, a (4'-$C(CH_3)$H-O-2') bicyclic nucleoside; and a morpholino.

Embodiment 1764. The compound of any of embodiments 1761 to 1763, wherein the modified oligonucleotide has a gapmer sugar motif comprising:

a 5'-region consisting of 2-8 linked 5'-region nucleosides, wherein at least two 5'-region nucleosides are modified nucleosides and wherein the 3'-most 5'-region nucleoside is a modified nucleoside;

a 3'-region consisting of 2-8 linked 3'-region nucleosides, wherein at least two 3'-region nucleosides are modified nucleosides and wherein the 5'-most 3'-region nucleoside is a modified nucleoside; and

a central region between the 5'-region and the 3'-region consisting of 5-10 linked central region nucleosides, each independently selected from among: a modified nucleoside and an unmodified deoxynucleoside, wherein the 5'-most central region nucleoside is an unmodified deoxynucleoside and the 3'-most central region nucleoside is an unmodified deoxynucleoside.

Embodiment 1765. The compound of embodiment 1764, wherein each 5'-region nucleoside is a modified nucleoside; each 3'-region nucleoside is a modified nucleoside; and each central region nucleoside is an unmodified deoxynucleoside.

25 Feb 2026
2026201390

Embodiment 1766. The compound of any of embodiments 1764 to 1765, wherein the 5'-region consists of 2-5 linked 5'-region nucleosides; the 3'-region consists of 2-5 linked 3'-region nucleosides; and the central region consists of 8-10 central region nucleosides.

Embodiment 1767. The compound of any of embodiments 1761 to 1766, wherein the modified oligonucleotide comprises at least one phosphorothioate internucleoside linkage.

Embodiment 1768. The compound of any of embodiments 1761 to 1767, wherein the modified oligonucleotide comprises at least one phosphodiester internucleoside linkage.

Embodiment 1769. The compound of any of embodiments 1761 to 1768, wherein each internucleoside linkage of the modified oligonucleotide is either phosphorothioate internucleoside linkage or a phosphodiester internucleoside linkage.

Embodiment 1770. The compound of any of embodiments 1761 to 1769, wherein the modified oligonucleotide is attached to the remainder of the compound at the 5'-end of the modified oligonucleotide.

Embodiment 1771. The compound of any of embodiments 1761 to 1769, wherein the modified oligonucleotide is attached to the remainder of the compound at the 3'-end of the modified oligonucleotide.

Embodiment 1772. The compound of any of embodiments 1761 to 1771, wherein the modified oligonucleotide is an antisense oligonucleotide.

Embodiment 1773. The compound of embodiment any of embodiments 1761 to 1772, wherein the modified oligonucleotide is single-stranded.

Embodiment 1774. The compound of any of embodiments 1761 to 1772, wherein the modified oligonucleotide is double-stranded.

Embodiment 1775. The compound of any of embodiments 1761 to 1774, wherein the modified oligonucleotide activates the RISC pathway.

Embodiment 1776. The compound of any of embodiments 1761 to 1774, wherein the modified oligonucleotide is an RNase H based antisense compound.

Embodiment 1777. The compound of any of embodiments 1761 to 1774, wherein the modified oligonucleotide alters splicing of a target pre-mRNA.

Embodiment 1778. The compound of any of embodiments 1761 to 1777, wherein the modified oligonucleotide is complementary to a target nucleic acid.

Embodiment 1779. The compound of embodiment 1779, wherein the target nucleic acid is selected from among: pre-mRNA, micro-RNA, or long non-coding RNA.

Embodiment 1780. The compound of any of embodiments 1761 to 1779, wherein the modified oligonucleotide consists of 12 to 30 linked nucleosides.

25 Feb 2026

2026201390

Embodiment 1781. The compound of any of embodiments 1761 to 1779, wherein the modified oligonucleotide consists of 18 to 22 linked nucleosides.


Embodiment 1782. The compound of any of embodiments 1761 to 1779, wherein the modified oligonucleotide consists of 16 to 20 linked nucleosides.

Embodiment 1783. A method of administering the compound of any of embodiments 1755 to 1782 to an animal.

Embodiment 1784. A method of treating a metabolic disorder comprising administering the compound of any of embodiments 1755 to 1782 to a subject in need thereof.

Embodiment 1785. A method of treating a cardiovascular disorder comprising administering the compound of any of embodiments 1755 to 1782 to a subject in need thereof.

Embodiment 1786. A compound having the formula(XXXVIII):



(XXXVIII)


wherein:

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.

Embodiment 1787. The compound of embodiment 1786, wherein the linker comprises an amine, an amide, an ester, an ether, a pyrrolidine, PEG, a polyamide, or a disulfide bond.


Embodiment 1788. The compound of embodiment 1786 or 1787, wherein the linker does not comprise a pyrrolidine.

Embodiment 1789. The compound of any of embodiments 1786 to 1788, wherein the linker is:



.

Embodiment 1790. The compound of any of embodiments 1786 to 1789, wherein T_2 has the formula:




wherein:

25 Feb 2026

2026201390

CM is a cleavable moiety and T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1791. The compound of any of embodiments 1786 to 1790, wherein T_2 has the formula:



wherein:

T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1792. The compound of any of embodiments 1786 to 1791, wherein T_2 or T_3 is a group comprising an oligomeric compound, and wherein the oligomeric compound is a modified oligonucleotide.

Embodiment 1793. The compound of embodiment 1792, wherein the modified oligonucleotide consists of 10 to 30 linked nucleosides wherein at least one nucleoside is a modified nucleoside.

Embodiment 1794. The compound of embodiment 1792 or 1793, wherein the modified oligonucleotide comprises at least one modified nucleoside selected from among: a 2'-MOE nucleoside, a 2'-OMe nucleoside, a 2'-F nucleoside, a (4'-CH_2-O-2') bicyclic nucleoside, a (4'-$(CH_2)_2$-O-2') bicyclic nucleoside, a (4'-$C(CH_3)$H-O-2') bicyclic nucleoside; and a morpholino.

Embodiment 1795. The compound of any of embodiments 1792 to 1794, wherein the modified oligonucleotide has a gapmer sugar motif comprising:

a 5'-region consisting of 2-8 linked 5'-region nucleosides, wherein at least two 5'-region nucleosides are modified nucleosides and wherein the 3'-most 5'-region nucleoside is a modified nucleoside;

a 3'-region consisting of 2-8 linked 3'-region nucleosides, wherein at least two 3'-region nucleosides are modified nucleosides and wherein the 5'-most 3'-region nucleoside is a modified nucleoside; and

a central region between the 5'-region and the 3'-region consisting of 5-10 linked central region nucleosides, each independently selected from among: a modified nucleoside and an unmodified deoxynucleoside, wherein the 5'-most central region nucleoside is an unmodified deoxynucleoside and the 3'-most central region nucleoside is an unmodified deoxynucleoside.

Embodiment 1796. The compound of embodiment 1795, wherein each 5'-region nucleoside is a modified nucleoside; each 3'-region nucleoside is a modified nucleoside; and each central region nucleoside is an unmodified deoxynucleoside.

Embodiment 1797. The compound of any of embodiments 1795 to 1796, wherein the 5'-region consists of 2-5 linked 5'-region nucleosides; the 3'-region consists of 2-5 linked 3'-region nucleosides; and the central region consists of 8-10 central region nucleosides.

Embodiment 1798. The compound of any of embodiments 1792 to 1797, wherein the modified oligonucleotide comprises at least one phosphorothioate internucleoside linkage.

Embodiment 1799. The compound of any of embodiments 1792 to 1798, wherein the modified oligonucleotide comprises at least one phosphodiester internucleoside linkage.

25 Feb 2026
2026201390

Embodiment 1800. The compound of any of embodiments 1792 to 1799, wherein each internucleoside linkage of the modified oligonucleotide is either phosphorothioate internucleoside linkage or a phosphodiester internucleoside linkage.

Embodiment 1801. The compound of any of embodiments 1792 to 1800, wherein the modified oligonucleotide is attached to the remainder of the compound at the 5'-end of the modified oligonucleotide.

Embodiment 1802. The compound of any of embodiments 1792 to 1800, wherein the modified oligonucleotide is attached to the remainder of the compound at the 3'-end of the modified oligonucleotide.

Embodiment 1803. The compound of any of embodiments 1792 to 1802, wherein the modified oligonucleotide is an antisense compound.

Embodiment 1804. The compound of embodiment any of embodiments 1792 to 1803, wherein the modified oligonucleotide is single-stranded.

Embodiment 1805. The compound of any of embodiments 1792 to 1803, wherein the modified oligonucleotide is double-stranded.

Embodiment 1806. The compound of any of embodiments 1792 to 1805, wherein the modified oligonucleotide activates the RISC pathway.

Embodiment 1807. The compound of any of embodiments 1792 to 1805, wherein the modified oligonucleotide is an RNase H based antisense compound.

Embodiment 1808. The compound of any of embodiments 1792 to 1805, wherein the modified oligonucleotide alters splicing of a target pre-mRNA.

Embodiment 1809. The compound of any of embodiments 1792 to 1808, wherein the modified oligonucleotide is complementary to a target nucleic acid.

Embodiment 1810. The compound of embodiment 1809, wherein the target nucleic acid is selected from among: pre-mRNA, micro-RNA, or long non-coding RNA.

Embodiment 1811. The compound of any of embodiments 1792 to 1810, wherein the modified oligonucleotide consists of 12 to 30 linked nucleosides.

Embodiment 1812. The compound of any of embodiments 1792 to 1810, wherein the modified oligonucleotide consists of 18 to 22 linked nucleosides.

Embodiment 1813. The compound of any of embodiments 1792 to 1810, wherein the modified oligonucleotide consists of 16 to 20 linked nucleosides.


Embodiment 1814. A method of administering the compound of any of embodiments 1786 to 1813 to an animal.

25 Feb 2026
2026201390

Embodiment 1815. A method of treating a metabolic disorder comprising administering the compound of any of embodiments 1786 to 1813 to a subject in need thereof.

Embodiment 1816. A method of treating a cardiovascular disorder comprising administering the compound of any of embodiments 1786 to 1813 to a subject in need thereof.

Embodiment 1817. A compound having the formula (XL):



(XL)


wherein:

T_2 is a group comprising a nucleoside, a nucleotide, a monomeric subunit, a reactive ester, a linker, a cleavable moiety or an oligomeric compound.


Embodiment 1818. The compound of embodiment 1817, wherein the linker comprises an amine, an amide, an ester, an ether, a pyrrolidine, PEG, a polyamide, or a disulfide bond.

Embodiment 1819. The compound of embodiment 1817 or 1818, wherein the linker does not comprise a pyrrolidine.

Embodiment 1820. The compound of any of embodiments 1817 to 1819, wherein the linker is:




Embodiment 1821. The compound of any of embodiments 1817 to 1820, wherein T_2 has the formula:



wherein:

CM is a cleavable moiety and T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

Embodiment 1822. The compound of any of embodiments 1817 to 1821, wherein T_2 has the formula:



wherein:

T_3 is a nucleoside, a nucleotide, a monomeric subunit, or an oligomeric compound.

25 Feb 2026
2026201390

Embodiment 1823. The compound of any of embodiments 1817 to 1822, wherein T_2 or T_3 is a group comprising an oligomeric compound, and wherein the oligomeric compound is a modified oligonucleotide.

Embodiment 1824. The compound of embodiment 1823, wherein the modified oligonucleotide consists of 10 to 30 linked nucleosides wherein at least one nucleoside is a modified nucleoside.

Embodiment 1825. The compound of embodiment 1824, wherein the modified oligonucleotide comprises at least one modified nucleoside selected from among: a 2'-MOE nucleoside, a 2'-OMe nucleoside, a 2'-F nucleoside, a (4'-CH_2-O-2') bicyclic nucleoside, a (4'-$(CH_2)_2$-O-2') bicyclic nucleoside, a (4'-$C(CH_3)$H-O-2') bicyclic nucleoside; and a morpholino.

Embodiment 1826. The compound of any of embodiments 1824 to 1825, wherein the modified oligonucleotide has a gapmer sugar motif comprising:

a 5'-region consisting of 2-8 linked 5'-region nucleosides, wherein at least two 5'-region nucleosides are modified nucleosides and wherein the 3'-most 5'-region nucleoside is a modified nucleoside;

a 3'-region consisting of 2-8 linked 3'-region nucleosides, wherein at least two 3'-region nucleosides are modified nucleosides and wherein the 5'-most 3'-region nucleoside is a modified nucleoside; and

a central region between the 5'-region and the 3'-region consisting of 5-10 linked central region nucleosides, each independently selected from among: a modified nucleoside and an unmodified deoxynucleoside, wherein the 5'-most central region nucleoside is an unmodified deoxynucleoside and the 3'-most central region nucleoside is an unmodified deoxynucleoside.

Embodiment 1827. The compound of embodiment 1826, wherein each 5'-region nucleoside is a modified nucleoside; each 3'-region nucleoside is a modified nucleoside; and each central region nucleoside is an unmodified deoxynucleoside.

Embodiment 1828. The compound of any of embodiments 1825 to 1826, wherein the 5'-region consists of 2-5 linked 5'-region nucleosides; the 3'-region consists of 2-5 linked 3'-region nucleosides; and the central region consists of 8-10 central region nucleosides.

Embodiment 1829. The compound of any of embodiments 1824 to 1828 wherein the modified oligonucleotide comprises at least one phosphorothioate internucleoside linkage.

Embodiment 1830. The compound of any of embodiments 1824 to 1829, wherein the modified oligonucleotide comprises at least one phosphodiester internucleoside linkage.

Embodiment 1831. The compound of any of embodiments 1824 to 1830, wherein each internucleoside linkage of the modified oligonucleotide is either phosphorothioate internucleoside linkage or a phosphodiester internucleoside linkage.

Embodiment 1832. The compound of any of embodiments 1824 to 1831, wherein the modified oligonucleotide is attached to the remainder of the compound at the 5'-end of the modified oligonucleotide.

Embodiment 1833. The compound of any of embodiments 1824 to 1831, wherein the modified oligonucleotide is attached to the remainder of the compound at the 3'-end of the modified oligonucleotide.

25 Feb 2026
2026201390

Embodiment 1834. The compound of any of embodiments 1824 to 1833, wherein the modified oligonucleotide is an antisense oligonucleotide.

Embodiment 1835. The compound of embodiment any of embodiments 1824 to 1834, wherein the modified oligonucleotide is single-stranded.

Embodiment 1836. The compound of any of embodiments 1824 to 1834, wherein the modified oligonucleotide is double-stranded.

Embodiment 1837. The compound of any of embodiments 1824 to 1836, wherein the modified oligonucleotide activates the RISC pathway.

Embodiment 1838. The compound of any of embodiments 1824 to 1836, wherein the modified oligonucleotide is an RNase H based antisense compound.

Embodiment 1839. The compound of any of embodiments 1824 to 1836, wherein the modified oligonucleotide alters splicing of a target pre-mRNA.

Embodiment 1840. The compound of any of embodiments 1824 to 1839, wherein the modified oligonucleotide is complementary to a target nucleic acid.

Embodiment 1841. The compound of embodiment 1840, wherein the target nucleic acid is selected from among: pre-mRNA, micro-RNA, or long non-coding RNA.

Embodiment 1842. The compound of any of embodiments 1824 to 1841, wherein the modified oligonucleotide consists of 12 to 30 linked nucleosides.

Embodiment 1843. The compound of any of embodiments 1824 to 1841, wherein the modified oligonucleotide consists of 18 to 22 linked nucleosides.

Embodiment 1844. The compound of any of embodiments 1824 to 1841, wherein the modified oligonucleotide consists of 16 to 20 linked nucleosides.

Embodiment 1845. A method of administering the compound of any of embodiments 1817 to 1844 to an animal.

Embodiment 1846. A method of treating a metabolic disorder comprising administering the compound of any of embodiments 1817 to 1844 to a subject in need thereof.


Embodiment 1847. A method of treating a cardiovascular disorder comprising administering the compound of any of embodiments 1817 to 1844 to a subject in need thereof.

Embodiment 1848. A method comprising administering a conjugated antisense compound to an animal, wherein the conjugated antisense compound comprises a modified oligonucleotide having a gapmer sugar motif and a conjugate comprising a GalNAc.


2026201390 25 Feb 2026

Embodiment 1849. A method of reducing the amount or activity of a target nucleic acid in a cell in an animal comprising administering to the animal a conjugated antisense compound comprising a modified oligonucleotide and a conjugate, wherein the modified oligonucleotide has a gapmer sugar motif and the conjugate comprises a GalNAc; and thereby reducing the amount or activity of the target nucleic acid in the cell in the animal.

Embodiment 1850. The method of embodiment 1848 or 1849, wherein the conjugate comprises the following structure:




Embodiment 1851. The method of embodiment 1848 or 1849, wherein the conjugate comprises the following structure:




Embodiment 1852. The method of embodiment 1848 or 1849, wherein the conjugate comprises the following structure:

2026201390 25 Feb 2026




Embodiment 1853. The method of embodiment 1848 or 1849, wherein the conjugate comprises the following structure:




Embodiment 1854. The method of embodiment 1848 or 1849, wherein the conjugate comprises the following structure:


2026201390 25 Feb 2026



Embodiment 1855. The method of embodiment 1848 or 1849, wherein the conjugate comprises the following structure:




Embodiment 1856. The method of embodiment 1848 or 1849, wherein the conjugate comprises the following structure:




25 Feb 2026
2026201390


Embodiment 1857. The method of embodiment 1848 or 1849, wherein the conjugate comprises the following structure:



Embodiment 1858. The method of embodiment 1848 or 1849, wherein the conjugate has a branching group selected from the following structures:



Embodiment 1859. The method of embodiment 1848 or 1849, wherein the conjugate has a linker selected from the following structures:



wherein each n is independently selected from 0, 1, 2, 3, 4, 5, 6, or 7.

Embodiment 1860. The method of any of embodiments 1848 to 1859, wherein the modified oligonucleotide comprises at least one modified internucleoside linkage.

Embodiment 1861. The method of embodiment 1860, wherein the modified internucleoside linkage is a phosphorothioate internucleoside linkage.

Embodiment 1862. The method of embodiment 1860 or 1861, wherein the modified oligonucleotide comprises at least one phosphodiester internucleoside linkage.

Embodiment 1863. The method of embodiment 1860 or 1861, wherein the modified oligonucleotide comprises at least 2 phosphodiester internucleoside linkages.

Embodiment 1864. The method of embodiment 1860 or 1861, wherein the modified oligonucleotide comprises at least 3 phosphodiester internucleoside linkages.

25 Feb 2026
2026201390

Embodiment 1865. The method of embodiment 1860 or 1861, wherein the modified oligonucleotide comprises at least 4 phosphodiester internucleoside linkages.

Embodiment 1866. The method of embodiment 1860 or 1861, wherein the modified oligonucleotide comprises at least 5 phosphodiester internucleoside linkages.

Embodiment 1867. The method of embodiment 1860 or 1861, wherein the modified oligonucleotide comprises at least 6 phosphodiester internucleoside linkages.

Embodiment 1868. The method of embodiment 1860 or 1861, wherein the modified oligonucleotide comprises at least 7 phosphodiester internucleoside linkages.

Embodiment 1869. The method of any of embodiments 1848 to 1868, wherein each internucleoside linkage of the modified oligonucleotide is selected from a phosphodiester internucleoside linkage and a phosphorothioate internucleoside linkage.

Embodiment 1870. The method of embodiment 1869, wherein each internucleoside linkage of the modified oligonucleotide is a phosphorothioate internucleoside linkage.

Embodiment 1871. The method of any of embodiments 1848 to 1870, wherein modified oligonucleotide is at least 80% complementary to a target nucleic acid.

Embodiment 1872. The method of any of embodiments 1848 to 1870, wherein modified oligonucleotide is at least 85% complementary to a target nucleic acid.

Embodiment 1873. The method of any of embodiments 1848 to 1870, wherein modified oligonucleotide is at least 90% complementary to a target nucleic acid.

Embodiment 1874. The method of any of embodiments 1848 to 1870, wherein modified oligonucleotide is 100% complementary to a target nucleic acid.

Embodiment 1875. The method of any of embodiments 1848 to 1874, wherein the target nucleic acid is expressed in the liver.

Embodiment 1876. The method of any of embodiments 1848 to 1875, wherein the target nucleic acid is expressed in hepatocytes.

25 Feb 2026

2026201390

Embodiment 1877. The method of any of embodiments 1848 to 1876, wherein the target nucleic encodes a protein selected from among: Androgen Receptor, Apolipoprotein (a), Apolipoprotein B, Apolipoprotein C-III, C-Reactive Protein, eIF-4E, Factor VII, Factor XI, Glucocorticoid Receptor, Glucagon Receptor, Protein Tyrosine Phosphatase 1B, STAT3, and Transthyretin.

Embodiment 1878. A method of modulating splicing of a pre-mRNA target nucleic acid in a cell comprising contacting the cell with a conjugated antisense compound, wherein the conjugated antisense compound comprises a modified oligonucleotide and a conjugate; and wherein the conjugate comprises a GalNac; and thereby modulating splicing of the pre-mRNA target nucleic acid in the cell.

Embodiment 1879. The method of embodiment 1878, wherein the pre-mRNA target nucleic acid is expressed in a hepatocyte.

Embodiment 1880. The method of embodiment 1878 or 1879, wherein the cell is in vitro.

Embodiment 1881. The method of embodiment 1878 or 1879, wherein the cell is in vivo.

Embodiment 1882. The method of embodiment 1878 or 1879, wherein the cell is in an animal.

Embodiment 1883. The method of any of embodiments 1878 to 1882, wherein the modified oligonucleotide comprises at least one modified nucleoside.

Embodiment 1884. The method of embodiment 1883, wherein the modified oligonucleotide comprises at least one nucleoside comprising a 2'-$O(CH_2)_2OCH_3$ modification.

Embodiment 1885. The method of embodiment 1883 or 1884, wherein the modified oligonucleotide comprises at least on nucleoside comprising a 2'-OCH_3 modification.

Embodiment 1886. The method of any of embodiments 1878 to 1885, wherein the modified oligonucleotide comprises at least one bicyclic nucleoside.

Embodiment 1887. The method of embodiment 1886 comprising a (4'-CH_2-O-2') BNA nucleoside.

Embodiment 1888. The method of embodiment 1886 or 1887 comprising a (4'-$(CH_2)_2$-O-2') BNA nucleoside.

Embodiment 1889. The method of embodiment any of embodiments 1886 to 1888 (4'-$C(CH_3)$H-O-2') BNA nucleoside.

Embodiment 1890. The method of any of embodiments 1878 to 1889 wherein each nucleoside of the modified oligonucleotide is a modified nucleoside.

25 Feb 2026


2026201390

Embodiment 1891. The method of embodiment 1890 wherein each modified nucleoside of the modified oligonucleotide comprises the same modification.


Embodiment 1892. The method of embodiment 1890 wherein at least two modified nucleosides of the modified oligonucleotide comprise modifications that are different from one another.

Embodiment 1893. The method of any of embodiments 1878 to 1889 or 1891 to 1892 wherein at least one nucleoside of the modified oligonucleotide is an unmodified deoxynucleotide.

Embodiment 1894. The method of any of embodiments 1878 to 1893, wherein the conjugate comprises the following structure:




Embodiment 1895. The method of any of embodiments 1878 to 1893, wherein the conjugate comprises the following structure:




2026201390 25 Feb 2026

Embodiment 1896. The method of any of embodiments 1878 to 1893, wherein the conjugate comprises the following structure:




Embodiment 1897. The method of any of embodiments 1878 to 1893, wherein the conjugate comprises the following structure:




Embodiment 1898. The method of any of embodiments 1878 to 1893, wherein the conjugate comprises the following structure:


2026201390 25 Feb 2026



Embodiment 1899. The method of any of embodiments 1878 to 1893, wherein the conjugate comprises the following structure:




Embodiment 1900. The method of any of embodiments 1878 to 1893, wherein the conjugate comprises the following structure:



25 Feb 2026


2026201390

Embodiment 1901. The method of any of embodiments 1878 to 1893, wherein the conjugate comprises the following structure:




.

Embodiment 1902. The method of any of embodiments 1878 to 1893, wherein the conjugate has a branching group selected from the following structures:



, , , or .

Embodiment 1903. The method of any of embodiments 1878 to 1893, wherein the conjugate has a linker selected from the following structures:



and ;

wherein each n is independently selected from 0, 1, 2, 3, 4, 5, 6, or 7.

Embodiment 1904. The method of any of embodiments 1878 to 1903, wherein the modified oligonucleotide comprises at least one modified internucleoside linkage.

Embodiment 1905. The method of embodiment 1904, wherein the modified internucleoside linkage is a phosphorothioate internucleoside linkage.

Embodiment 1906. The method of embodiment 1904 or 1905, wherein the modified oligonucleotide comprises at least one phosphodiester internucleoside linkage.

Embodiment 1907. The method of embodiment 1904 or 1905, wherein the modified oligonucleotide comprises at least 2 phosphodiester internucleoside linkages.

Embodiment 1908. The method of embodiment 1904 or 1905, wherein the modified oligonucleotide comprises at least 3 phosphodiester internucleoside linkages.

25 Feb 2026
2026201390

Embodiment 1909. The method of embodiment 1904 or 1905, wherein the modified oligonucleotide comprises at least 4 phosphodiester internucleoside linkages.

Embodiment 1910. The method of embodiment 1904 or 1905, wherein the modified oligonucleotide comprises at least 5 phosphodiester internucleoside linkages.

Embodiment 1911. The method of embodiment 1904 or 1905, wherein the modified oligonucleotide comprises at least 6 phosphodiester internucleoside linkages.

Embodiment 1912. The method of embodiment 1904 or 1905, wherein the modified oligonucleotide comprises at least 7 phosphodiester internucleoside linkages.

Embodiment 1913. The method of any of embodiments 1904 or 1905, wherein each internucleoside linkage of the modified oligonucleotide is selected from a phosphodiester internucleoside linkage and a phosphorothioate internucleoside linkage.

Embodiment 1914. The method of embodiment 1913, wherein each internucleoside linkage of the modified oligonucleotide is a phosphorothioate internucleoside linkage.

Embodiment 1915. The method of any of embodiments 1878 to 1913, wherein at least one nucleoside of the modified oligonucleotide is a morpholino nucleoside.

Embodiment 1916. The method of any of embodiments 1878 to 1913, wherein each nucleoside of the modified oligonucleotide is a morpholino nucleoside.

Embodiment 1917. A prodrug comprising an antisense oligonucleotide and a conjugate, wherein the conjugate comprises at least one GalNAc and the antisense oligonucleotide is an RNAse H based antisense oligonucleotide.

Embodiment 1918. The prodrug of embodiment 1917, wherein the RNase H based antisense oligonucleotide is a gapmer.

Embodiment 1919. The prodrug of embodiment 1917 or 1918, wherein the conjugate is attached to the antisense oligonucleotide at the 5’-end of the antisense oligonucleotide.

25 Feb 2026
2026201390

Embodiment 1920. A prodrug comprising an antisense oligonucleotide and a conjugate, wherein the conjugate comprises at least one GalNAc and the antisense oligonucleotide is an antisense oligonucleotide that alters splicing of a pre-mRNA.

Embodiment 1921. The prodrug of any of embodiments 1917 to 1920, wherein in vivo metabolism of the prodrug results in the antisense oligonucleotide lacking the conjugate.

Embodiment 1922. The prodrug of any of embodiments 1917 to 1921, wherein the prodrug is at least 5 times more potent in vivo than the antisense oligonucleotide lacking the conjugate.

Embodiment 1923. The prodrug of any of embodiments 1917 to 1921, wherein the prodrug is at least 8 times more potent in vivo than the antisense oligonucleotide lacking the conjugate.

Embodiment 1924. The prodrug of any of embodiments 1917 to 1921, wherein the prodrug is at least 10 times more potent in vivo than the antisense oligonucleotide lacking the conjugate.

Embodiment 1925. A method comprising administering the prodrug of any of embodiments 1917 to 1924 to an animal.

Embodiment 1926. A compound comprising an antisense oligonucleotide and a conjugate, wherein the conjugate comprises at least one GalNAc, wherein the antisense oligonucleotide has a gapmer sugar motif, and wherein the nucleobase sequence of the antisense oligonucleotide is not 100% complementary to a target nucleic acid selected from among: mouse Raf Kinase C, mouse Fas receptor, or human Phosphatase and Tensin Homolog (PTEN).

Embodiment 1927. The compound of embodiment 1926, wherein the conjugate is attached to the 5’-end of the antisense oligonucleotide.

Embodiment 1928. The compound of any of embodiments 1926 or 1927, wherein the internucleoside linkages of the antisense oligonucleotide comprise at least one phosphodiester linkage and at least one phosphorothioate linkage.

Embodiment 1929. The compound of any of embodiments 1926 to 1928, wherein the conjugate group does not comprise cholane.

25 Feb 2026

2026201390

Embodiment 1930. The compound of any of embodiments 1926 to 1929, wherein the branching group comprises a quaternary carbon or an amino acid.

Embodiment 1931. A compound comprising an antisense oligonucleotide and a conjugate, wherein the conjugate comprises at least one GalNAc, wherein the antisense oligonucleotide has a gapmer sugar motif, and wherein the nucleobase sequence of the antisense oligonucleotide is complementary to a target nucleic acid which may be modulated for the treatment of a metabolic or cardiovascular disorder.

Embodiment 1932. The compound of embodiment 1931, wherein the conjugate is attached to the 5'-end of the antisense oligonucleotide.

Embodiment 1933. The compound of any of embodiments 1931 or 1932, wherein the internucleoside linkages of the antisense oligonucleotide comprise at least one phosphodiester linkage and at least one phosphorothioate linkage.

Embodiment 1934. The compound of any of embodiments 1931 to 1933, wherein the conjugate group does not comprise cholane.

Embodiment 1935. The compound of any of embodiments 1931 to 1934, wherein the branching group comprises a quaternary carbon or an amino acid.

Embodiment 1936. A compound comprising an antisense oligonucleotide and a conjugate, wherein the conjugate comprises at least one GalNAc, and wherein the antisense oligonucleotide comprises at least one phosphodiester linkage and at least one phosphorothioate linkage.

Embodiment 1937. The compound of embodiment 1936, wherein the conjugate is attached to the 5'-end of the antisense oligonucleotide.

Embodiment 1938. The compound of any of embodiments 1936 or 1937, wherein the antisense oligonucleotide has a gapmer sugar motif.

Embodiment 1939. The compound of any of embodiments 1936 to 1938, wherein the conjugate group does not comprise cholane.

25 Feb 2026

2026201390

Embodiment 1940. The compound of any of embodiments 1936 to 1939, wherein the branching group comprises a quaternary carbon or an amino acid.

Embodiment 1941. A compound comprising an antisense oligonucleotide and a conjugate, wherein the conjugate comprises at least one GalNAc, wherein the conjugate group does not comprise cholane; and wherein the antisense oligonucleotide has a gapmer sugar motif.

Embodiment 1942. The compound of embodiment 1941, wherein the conjugate is attached to the 5'-end of the antisense oligonucleotide.

Embodiment 1943. The compound of any of embodiments 1941 or 1942, wherein the internucleoside linkages of the antisense oligonucleotide comprise at least one phosphodiester linkage and at least one phosphorothioate linkage.

Embodiment 1944. The compound of any of embodiments 1941 to 1943, wherein the branching group comprises a quaternary carbon or an amino acid.

Embodiment 1945. A compound comprising an antisense oligonucleotide and a conjugate, wherein the conjugate comprises at least one GalNAc, wherein the antisense oligonucleotide has a gapmer sugar motif, and wherein the branching group comprises a quaternary carbon or an amino acid.

Embodiment 1946. The compound of embodiment 1945, wherein the conjugate is attached to the 5'-end of the antisense oligonucleotide.

Embodiment 1947. The compound of any of embodiments 1945 or 1946, wherein the internucleoside linkages of the antisense oligonucleotide comprise at least one phosphodiester linkage and at least one phosphorothioate linkage.

Embodiment 1948. The compound of any of embodiments 1945 to 1957, wherein the conjugate group does not comprise cholane.

Embodiment 1949. A compound comprising an antisense oligonucleotide and a conjugate, wherein the conjugate comprises at least one GalNAc, and wherein the antisense oligonucleotide alters splicing of a pre-mRNA.

25 Feb 2026
2026201390

Embodiment 1950. The compound of any of embodiments 1926 to 1949, wherein the antisense oligonucleotide consists of 10 to 30 linked nucleosides.

Embodiment 1951. The compound of any of embodiments 1926 to 1949, wherein the antisense oligonucleotide consists of 18 to 22 linked nucleosides.


Embodiment 1952. The compound of any of embodiments 1926 to 1949, wherein the antisense oligonucleotide consists of 16 to 20 linked nucleosides.

Embodiment 1953. The method of any of embodiments 1926 to 1949, wherein the modified oligonucleotide consists of 10 to 30 linked nucleosides.

Embodiment 1954. The method of any of embodiments 1926 to 1949, wherein the modified oligonucleotide consists of 18 to 22 linked nucleosides.

Embodiment 1955. The method of any of embodiments 1848 to 1916, wherein the modified oligonucleotide consists of 16 to 20 linked nucleosides.


Embodiment 1956. A compound comprising a cell-targeting moiety that has the following structure:



wherein X is a substituted or unsubstituted tether of six to eleven consecutively bonded atoms.


Embodiment 1957. A compound comprising a cell-targeting moiety that has the following structure:

2026201390 25 Feb 2026




wherein X is a substituted or unsubstituted tether of ten consecutively bonded atoms.

Embodiment 1958. A compound comprising a cell-targeting moiety that has the following structure:



wherein X is a substituted or unsubstituted tether of four to eleven consecutively bonded atoms and wherein the tether comprises exactly one amide bond.

Embodiment 1959. A compound comprising a cell-targeting moiety that has the following structure:




wherein Y and Z are independently selected from a C_1-C_{12} substituted or unsubstituted alkyl, alkenyl, or alkynyl group, or a group comprising an ether, a ketone, an amide, an ester, a carbamate, an amine, a

2026201390 25 Feb 2026


piperidine, a phosphate, a phosphodiester, a phosphorothioate, a triazole, a pyrrolidine, a disulfide, or a thioether.

Embodiment 1960. A compound comprising a cell-targeting moiety that has the following structure:




wherein Y and Z are independently selected from a C_1-C_{12} substituted or unsubstituted alkyl group, or a group comprising exactly one ether or exactly two ethers, an amide, an amine, a piperidine, a phosphate, a phosphodiester, or a phosphorothioate.

Embodiment 1961. A compound comprising a cell-targeting moiety that has the following structure:




wherein Y and Z are independently selected from a C_1-C_{12} substituted or unsubstituted alkyl group.

Embodiment 1962. A compound comprising a cell-targeting moiety that has the following structure:




wherein m and n are independently selected from 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12.

Embodiment 1963. A compound comprising a cell-targeting moiety that has the following structure:



wherein m is 4, 5, 6, 7, or 8, and n is 1, 2, 3, or 4.

Embodiment 1964. A compound comprising a cell-targeting moiety that has the following structure:




wherein X is a substituted or unsubstituted tether of four to thirteen consecutively bonded atoms, and wherein X does not comprise an ether group.

Embodiment 1965. A compound comprising a cell-targeting moiety that has the following structure:


25 Feb 2026

2026201390




wherein X is a substituted or unsubstituted tether of eight consecutively bonded atoms, and wherein X does not comprise an ether group.

Embodiment 1966. A compound comprising a cell-targeting moiety that has the following structure:




wherein X is a substituted or unsubstituted tether of four to thirteen consecutively bonded atoms, and wherein the tether comprises exactly one amide bond, and wherein X does not comprise an ether group.

Embodiment 1967. A compound comprising a cell-targeting moiety that has the following structure:




wherein X is a substituted or unsubstituted tether of four to thirteen consecutively bonded atoms and wherein the tether consists of an amide bond and a substituted or unsubstituted C_2-C_{11} alkyl group.

Embodiment 1968. A compound comprising a cell-targeting moiety that has the following structure:




wherein Y is selected from a C_1-C_{12} substituted or unsubstituted alkyl, alkenyl, or alkynyl group, or a group comprising an ether, a ketone, an amide, an ester, a carbamate, an amine, a piperidine, a phosphate, a phosphodiester, a phosphorothioate, a triazole, a pyrrolidine, a disulfide, or a thioether.

Embodiment 1969. A compound comprising a cell-targeting moiety that has the following structure:




wherein Y is selected from a C_1-C_{12} substituted or unsubstituted alkyl group, or a group comprising an ether, an amine, a piperidine, a phosphate, a phosphodiester, or a phosphorothioate.

Embodiment 1970. A compound comprising a cell-targeting moiety that has the following structure:




wherein Y is selected from a C_1-C_{12} substituted or unsubstituted alkyl group.

Embodiment 1971. A compound comprising a cell-targeting moiety that has the following structure:



Wherein n is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, or 12.

Embodiment 1972. A compound comprising a cell-targeting moiety that has the following structure:



wherein n is 4, 5, 6, 7, or 8.

Embodiment 1973. A conjugated antisense oligonucleotide comprising a conjugate group and an antisense oligonucleotide, wherein the conjugate group comprises exactly one GalNAc, and wherein the conjugate group is attached to the 5’ end of the antisense oligonucleotide.

Embodiment 1974. A conjugated antisense oligonucleotide comprising a conjugate group and an antisense oligonucleotide, wherein the conjugate group comprises exactly two GalNAc ligands, and wherein the conjugate group is attached to the 5’ end of the antisense oligonucleotide.

Embodiment 1975. A conjugated antisense oligonucleotide comprising a conjugate group and an antisense oligonucleotide, wherein the conjugate group comprises exactly one GalNAc, and wherein the conjugate group is attached to the 3’ end of the antisense oligonucleotide.

2026201390 25 Feb 2026

Embodiment 1976. A conjugated antisense oligonucleotide comprising a conjugate group and an antisense oligonucleotide, wherein the conjugate group comprises exactly two GalNAc ligands, and wherein the conjugate group is attached to the 3' end of the antisense oligonucleotide.

Embodiment 1977. A conjugated antisense oligonucleotide comprising a conjugate group and an antisense oligonucleotide, wherein the conjugate group comprises 1-4 GalNAc ligands, and wherein the antisense oligonucleotide is a gapmer.

Embodiment 1978. The conjugated antisense oligonucleotide of embodiment 1977, wherein the conjugate group is attached to the 5' end of the antisense oligonucleotide.

Embodiment 1979. The conjugated antisense oligonucleotide of any of embodiments 1977-1978, wherein the conjugate group comprises a linker that does not comprise a disulfide.

Embodiment 1980. The conjugated antisense oligonucleotide of any of embodiments 1977-1979, wherein the conjugate group comprises a linker that does not comprise a thioether.

Embodiment 1981. The conjugated antisense oligonucleotide of any of embodiments 1977-1980, wherein the conjugate group comprises a linker that does not comprise a pyrrolidine.

Embodiment 1982. The conjugated antisense oligonucleotide of any of embodiments 1977-1981, wherein the conjugate group does not comprise a polycyclic moiety.

Embodiment 1983. The conjugated antisense oligonucleotide of any of embodiments 1977-1981, wherein the conjugate group comprises a branching group that does not comprise a polycyclic moiety.

Embodiment 1984. The conjugated antisense oligonucleotide of any of embodiments 1977-1983, wherein the conjugate group comprises a linker that does not comprise a lipid moiety.

Embodiment 1985. The conjugated antisense oligonucleotide of any of embodiments 1977-1984, wherein the linkage between the conjugate group and the antisense oligonucleotide is not a phosphorothioate group.

Embodiment 1986. The conjugated antisense oligonucleotide of any of embodiments 1977-1985, wherein the antisense oligonucleotide comprises at least one modified nucleoside, wherein the modified nucleoside is a 2'-O-methoxyethyl (MOE) modified nucleoside.

Embodiment 1987. The conjugated antisense oligonucleotide of any of embodiments 1977-1986, wherein the antisense oligonucleotide comprises at least one modified nucleoside, wherein the modified nucleoside is a cEt modified nucleoside.

Embodiment 1988. The conjugated antisense oligonucleotide of any of embodiments 1977-1987, wherein the antisense oligonucleotide comprises at least one phosphorothioate internucleoside linkage and at elast one phosphodiester internucleoside linkage.

Embodiment 1989. The conjugated antisense oligonucleotide of any of embodiments 1977-1987, wherein the wings of the gapmer comprise at least two different sugar modifications.

2026201390 25 Feb 2026

Embodiment 1990. The conjugated antisense oligonucleotide of any of embodiments 1977-1989, wherein the sequence of the antisense oligonucleotide is selected from SEQ ID NO.'s 17-159.

Embodiment 1991. A conjugated antisense oligonucleotide comprising a conjugate group and an antisense oligonucleotide, wherein the conjugate group comprises the cell-targeting moiety of any of embodiments 1956-1972.

Embodiment 1992. A conjugated antisense oligonucleotide comprising a conjugate group and an antisense oligonucleotide, wherein the conjugate group comprises the cell-targeting moiety of any of embodiments 1956-1972, and wherein the antisense oligonucleotide comprises a gapmer.

Embodiment 1993. A conjugated antisense oligonucleotide comprising a conjugate group and an antisense oligonucleotide, wherein the conjugate group comprises the cell-targeting moiety of any of embodiments 1956-1972, and wherein the sugars of the antisense oligonucleotide are uniformly modified.

Embodiment 1994. A conjugated antisense oligonucleotide comprising a conjugate group and an antisense oligonucleotide, wherein the conjugate group comprises the cell-targeting moiety of any of embodiments 1956-1972, and wherein the antisense oligonucleotide is single stranded.

Embodiment 1995. A conjugated antisense oligonucleotide comprising a conjugate group and an antisense oligonucleotide, wherein the conjugate group comprises the cell-targeting moiety of any of embodiments 1956-1972, and wherein the antisense oligonucleotide is double stranded.

Embodiment 1996. The conjugated antisense oligonucleotide of any of embodiments 1991-1995, wherein the conjugate is attached to the 5' end of the antisense oligonucleotide.

Embodiment 1997. The conjugated antisense oligonucleotide of any of embodiments 1991-1995, wherein the conjugate is attached to the 3' end of the antisense oligonucleotide.

Embodiment 1998. A conjugated antisense oligonucleotide comprising a conjugate group and an antisense oligonucleotide, wherein the conjugate group comprises 1-4 GalNAc ligands, and wherein the sugars of the antisense oligonucleotide are uniformly modified.

In embodiments having more than one of a particular variable (e.g., more than one "m" or "n"), unless otherwise indicated, each such particular variable is selected independently. Thus, for a structure having more than one n, each n is selected independently, so they may or may not be the same as one another.

DETAILED DESCRIPTION

It is to be understood that both the foregoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the disclosure. Herein, the use of the singular includes the plural unless specifically stated otherwise. As used herein, the use of "or" means "and/or" unless

2026201390 25 Feb 2026

stated otherwise. Furthermore, the use of the term "including" as well as other forms, such as "includes" and "included", is not limiting. Also, terms such as "element" or "component" encompass both elements and components comprising one unit and elements and components that comprise more than one subunit, unless specifically stated otherwise.

The section headings used herein are for organizational purposes only and are not to be construed as limiting the subject matter described. All documents, or portions of documents, cited in this application, including, but not limited to, patents, patent applications, articles, books, and treatises, are hereby expressly incorporated by reference in their entirety for any purpose.

A. Definitions

Unless specific definitions are provided, the nomenclature used in connection with, and the procedures and techniques of, analytical chemistry, synthetic organic chemistry, and medicinal and pharmaceutical chemistry described herein are those well known and commonly used in the art. Standard techniques may be used for chemical synthesis, and chemical analysis. Certain such techniques and procedures may be found for example in "Carbohydrate Modifications in Antisense Research" Edited by Sangvi and Cook, American Chemical Society , Washington D.C., 1994; "Remington's Pharmaceutical Sciences," Mack Publishing Co., Easton, Pa., 21st edition, 2005; and "Antisense Drug Technology, Principles, Strategies, and Applications" Edited by Stanley T. Crooke, CRC Press, Boca Raton, Florida; and Sambrook et al., "Molecular Cloning, A laboratory Manual," 2nd Edition, Cold Spring Harbor Laboratory Press, 1989, which are hereby incorporated by reference for any purpose. Where permitted, all patents, applications, published applications and other publications and other data referred to throughout in the disclosure are incorporated by reference herein in their entirety.

Unless otherwise indicated, the following terms have the following meanings:

As used herein, "nucleoside" means a compound comprising a nucleobase moiety and a sugar moiety. Nucleosides include, but are not limited to, naturally occurring nucleosides (as found in DNA and RNA) and modified nucleosides. Nucleosides may be linked to a phosphate moiety.

As used herein, "chemical modification" means a chemical difference in a compound when compared to a naturally occurring counterpart. Chemical modifications of oligonucleotides include nucleoside modifications (including sugar moiety modifications and nucleobase modifications) and internucleoside linkage modifications. In reference to an oligonucleotide, chemical modification does not include differences only in nucleobase sequence.

As used herein, "furanosyl" means a structure comprising a 5-membered ring comprising four carbon atoms and one oxygen atom.

As used herein, "naturally occurring sugar moiety" means a ribofuranosyl as found in naturally occurring RNA or a deoxyribofuranosyl as found in naturally occurring DNA.

As used herein, "sugar moiety" means a naturally occurring sugar moiety or a modified sugar moiety of a nucleoside.

2026201390 25 Feb 2026

As used herein, “modified sugar moiety” means a substituted sugar moiety or a sugar surrogate.

As used herein, “substituted sugar moiety” means a furanosyl that is not a naturally occurring sugar moiety. Substituted sugar moieties include, but are not limited to furanosyls comprising substituents at the 2’-position, the 3’-position, the 5’-position and/or the 4’-position. Certain substituted sugar moieties are bicyclic sugar moieties.

As used herein, “2’-substituted sugar moiety” means a furanosyl comprising a substituent at the 2’-position other than H or OH. Unless otherwise indicated, a 2’-substituted sugar moiety is not a bicyclic sugar moiety (i.e., the 2’-substituent of a 2’-substituted sugar moiety does not form a bridge to another atom of the furanosyl ring.

As used herein, “MOE” means $-OCH_2CH_2OCH_3$.

As used herein, “2’-F nucleoside” refers to a nucleoside comprising a sugar comprising fluorine at the 2’ position. Unless otherwise indicated, the fluorine in a 2’-F nucleoside is in the ribo position (replacing the OH of a natural ribose).

As used herein the term "sugar surrogate" means a structure that does not comprise a furanosyl and that is capable of replacing the naturally occurring sugar moiety of a nucleoside, such that the resulting nucleoside sub-units are capable of linking together and/or linking to other nucleosides to form an oligomeric compound which is capable of hybridizing to a complementary oligomeric compound. Such structures include rings comprising a different number of atoms than furanosyl (e.g., 4, 6, or 7-membered rings); replacement of the oxygen of a furanosyl with a non-oxygen atom (e.g., carbon, sulfur, or nitrogen); or both a change in the number of atoms and a replacement of the oxygen. Such structures may also comprise substitutions corresponding to those described for substituted sugar moieties (e.g., 6-membered carbocyclic bicyclic sugar surrogates optionally comprising additional substituents). Sugar surrogates also include more complex sugar replacements (e.g., the non-ring systems of peptide nucleic acid). Sugar surrogates include without limitation morpholinos, cyclohexenyls and cyclohexitols.

As used herein, “bicyclic sugar moiety” means a modified sugar moiety comprising a 4 to 7 membered ring (including but not limited to a furanosyl) comprising a bridge connecting two atoms of the 4 to 7 membered ring to form a second ring, resulting in a bicyclic structure. In certain embodiments, the 4 to 7 membered ring is a sugar ring. In certain embodiments the 4 to 7 membered ring is a furanosyl. In certain such embodiments, the bridge connects the 2’-carbon and the 4’-carbon of the furanosyl.

As used herein, “nucleotide” means a nucleoside further comprising a phosphate linking group. As used herein, “linked nucleosides” may or may not be linked by phosphate linkages and thus includes, but is not limited to “linked nucleotides.” As used herein, “linked nucleosides” are nucleosides that are connected in a continuous sequence (i.e. no additional nucleosides are present between those that are linked).

As used herein, "nucleobase" means a group of atoms that can be linked to a sugar moiety to create a nucleoside that is capable of incorporation into an oligonucleotide, and wherein the group of atoms is capable of bonding with a complementary naturally occurring nucleobase of another oligonucleotide or nucleic acid.

2026201390 25 Feb 2026

Nucleobases may be naturally occurring or may be modified.

As used herein the terms, "unmodified nucleobase" or "naturally occurring nucleobase" means the naturally occurring heterocyclic nucleobases of RNA or DNA: the purine bases adenine (A) and guanine (G), and the pyrimidine bases thymine (T), cytosine (C) (including 5-methyl C), and uracil (U).

As used herein, “modified nucleobase” means any nucleobase that is not a naturally occurring nucleobase.

As used herein, “modified nucleoside” means a nucleoside comprising at least one chemical modification compared to naturally occurring RNA or DNA nucleosides. Modified nucleosides comprise a modified sugar moiety and/or a modified nucleobase.

As used herein, “bicyclic nucleoside” or “BNA” means a nucleoside comprising a bicyclic sugar moiety.

As used herein, “constrained ethyl nucleoside” or “cEt” means a nucleoside comprising a bicyclic sugar moiety comprising a 4’-$CH(CH_3)$-O-2’bridge.

As used herein, “locked nucleic acid nucleoside” or “LNA” means a nucleoside comprising a bicyclic sugar moiety comprising a 4’-CH_2-O-2’bridge.

As used herein, “2’-substituted nucleoside” means a nucleoside comprising a substituent at the 2’-position other than H or OH. Unless otherwise indicated, a 2’-substituted nucleoside is not a bicyclic nucleoside.

As used herein, “deoxynucleoside” means a nucleoside comprising 2’-H furanosyl sugar moiety, as found in naturally occurring deoxyribonucleosides (DNA). In certain embodiments, a 2’-deoxynucleoside may comprise a modified nucleobase or may comprise an RNA nucleobase (e.g., uracil).

As used herein, "oligonucleotide" means a compound comprising a plurality of linked nucleosides. In certain embodiments, an oligonucleotide comprises one or more unmodified ribonucleosides (RNA) and/or unmodified deoxyribonucleosides (DNA) and/or one or more modified nucleosides.

As used herein “oligonucleoside” means an oligonucleotide in which none of the internucleoside linkages contains a phosphorus atom. As used herein, oligonucleotides include oligonucleosides.

As used herein, “modified oligonucleotide” means an oligonucleotide comprising at least one modified nucleoside and/or at least one modified internucleoside linkage.

As used herein, “linkage” or “linking group” means a group of atoms that link together two or more other groups of atoms.

As used herein “internucleoside linkage” means a covalent linkage between adjacent nucleosides in an oligonucleotide.

As used herein “naturally occurring internucleoside linkage” means a 3' to 5' phosphodiester linkage.


As used herein, “modified internucleoside linkage” means any internucleoside linkage other than a naturally occurring internucleoside linkage.

As used herein, “terminal internucleoside linkage” means the linkage between the last two nucleosides

2026201390 25 Feb 2026

of an oligonucleotide or defined region thereof.

As used herein, “phosphorus linking group” means a linking group comprising a phosphorus atom. Phosphorus linking groups include without limitation groups having the formula:



wherein:

R_a and R_d are each, independently, O, S, CH_2, NH, or NJ_1 wherein J_1 is C_1-C_6 alkyl or substituted C_1-C_6 alkyl;

R_b is O or S;

R_c is OH, SH, C_1-C_6 alkyl, substituted C_1-C_6 alkyl, C_1-C_6 alkoxy, substituted C_1-C_6 alkoxy, amino or substituted amino; and

J_1 is R_b is O or S.

Phosphorus linking groups include without limitation, phosphodiester, phosphorothioate, phosphorodithioate, phosphonate, phosphoramidate, phosphorothioamidate, thionoalkylphosphonate, phosphotriesters, thionoalkylphosphotriester and boranophosphate.

As used herein, “internucleoside phosphorus linking group” means a phosphorus linking group that directly links two nucleosides.

As used herein, “non-internucleoside phosphorus linking group” means a phosphorus linking group that does not directly link two nucleosides. In certain embodiments, a non-internucleoside phosphorus linking group links a nucleoside to a group other than a nucleoside. In certain embodiments, a non-internucleoside phosphorus linking group links two groups, neither of which is a nucleoside.

As used herein, "neutral linking group" means a linking group that is not charged. Neutral linking groups include without limitation phosphotriesters, methylphosphonates, MMI (-CH_2-N(CH_3)-O-), amide-3 (-CH_2-C(=O)-N(H)-), amide-4 (-CH_2-N(H)-C(=O)-), formacetal (-O-CH_2-O-), and thioformacetal (-S-CH_2-O-). Further neutral linking groups include nonionic linkages comprising siloxane (dialkylsiloxane), carboxylate ester, carboxamide, sulfide, sulfonate ester and amides (See for example: Carbohydrate Modifications in Antisense Research; Y.S. Sanghvi and P.D. Cook Eds. ACS Symposium Series 580; Chapters 3 and 4, (pp. 40-65)). Further neutral linking groups include nonionic linkages comprising mixed N, O, S and CH_2 component parts.

As used herein, “internucleoside neutral linking group” means a neutral linking group that directly links two nucleosides.

As used herein, “non-internucleoside neutral linking group” means a neutral linking group that does not directly link two nucleosides. In certain embodiments, a non-internucleoside neutral linking group links a

2026201390 25 Feb 2026

nucleoside to a group other than a nucleoside. In certain embodiments, a non-internucleoside neutral linking group links two groups, neither of which is a nucleoside.

As used herein, "oligomeric compound" means a polymeric structure comprising two or more sub-structures. In certain embodiments, an oligomeric compound comprises an oligonucleotide. In certain embodiments, an oligomeric compound comprises one or more conjugate groups and/or terminal groups. In certain embodiments, an oligomeric compound consists of an oligonucleotide. Oligomeric compounds also include naturally occurring nucleic acids. In certain embodiments, an oligomeric compound comprises a backbone of one or more linked monomeric subunits where each linked monomeric subunit is directly or indirectly attached to a heterocyclic base moiety. In certain embodiments, oligomeric compounds may also include monomeric subunits that are not linked to a heterocyclic base moiety, thereby providing abasic sites. In certain embodiments, the linkages joining the monomeric subunits, the sugar moieties or surrogates and the heterocyclic base moieties can be independently modified. In certain embodiments, the linkage-sugar unit, which may or may not include a heterocyclic base, may be substituted with a mimetic such as the monomers in peptide nucleic acids.

As used herein, “terminal group” means one or more atom attached to either, or both, the 3’ end or the 5’ end of an oligonucleotide. In certain embodiments a terminal group is a conjugate group. In certain embodiments, a terminal group comprises one or more terminal group nucleosides.

As used herein, “conjugate” or “conjugate group” means an atom or group of atoms bound to an oligonucleotide or oligomeric compound. In general, conjugate groups modify one or more properties of the compound to which they are attached, including, but not limited to pharmacodynamic, pharmacokinetic, binding, absorption, cellular distribution, cellular uptake, charge and/or clearance properties.

As used herein, “conjugate linker” or “linker” in the context of a conjugate group means a portion of a conjugate group comprising any atom or group of atoms and which covalently link (1) an oligonucleotide to another portion of the conjugate group or (2) two or more portions of the conjugate group.

Conjugate groups are shown herein as radicals, providing a bond for forming covalent attachment to an oligomeric compound such as an antisense oligonucleotide. In certain embodiments, the point of attachment on the oligomeric compound is the 3'-oxygen atom of the 3'-hydroxyl group of the 3’ terminal nucleoside of the oligomeric compound. In certain embodiments the point of attachment on the oligomeric compound is the 5'-oxygen atom of the 5'-hydroxyl group of the 5’ terminal nucleoside of the oligomeric compound. In certain embodiments, the bond for forming attachment to the oligomeric compound is a cleavable bond. In certain such embodiments, such cleavable bond constitutes all or part of a cleavable moiety.

In certain embodiments, conjugate groups comprise a cleavable moiety (e.g., a cleavable bond or cleavable nucleoside) and a carbohydrate cluster portion, such as a GalNAc cluster portion. Such carbohydrate cluster portion comprises: a targeting moiety and, optionally, a conjugate linker. In certain embodiments, the carbohydrate cluster portion is identified by the number and identity of the ligand. For example, in certain

2026201390 25 Feb 2026

embodiments, the carbohydrate cluster portion comprises 3 GalNAc groups and is designated "$GalNAc_3$". In certain embodiments, the carbohydrate cluster portion comprises 4 GalNAc groups and is designated "$GalNAc_4$". Specific carbohydrate cluster portions (having specific tether, branching and conjugate linker groups) are described herein and designated by Roman numeral followed by subscript "a". Accordingly "GalNac3-1_a" refers to a specific carbohydrate cluster portion of a conjugate group having 3 GalNac groups and specifically identified tether, branching and linking groups. Such carbohydrate cluster fragment is attached to an oligomeric compound via a cleavable moiety, such as a cleavable bond or cleavable nucleoside.

As used herein, "cleavable moiety" means a bond or group that is capable of being cleaved under physiological conditions. In certain embodiments, a cleavable moiety is cleaved inside a cell or sub-cellular compartments, such as an endosome or lysosome. In certain embodiments, a cleavable moiety is cleaved by endogenous enzymes, such as nucleases. In certain embodiments, a cleavable moiety comprises a group of atoms having one, two, three, four, or more than four cleavable bonds. In certain embodiments, a cleavable moiety is a phosphodiester linkage.

As used herein, "cleavable bond" means any chemical bond capable of being broken. In certain embodiments, a cleavable bond is selected from among: an amide, a polyamide, an ester, an ether, one or both esters of a phosphodiester, a phosphate ester, a carbamate, a di-sulfide, or a peptide.

As used herein, "carbohydrate cluster" means a compound having one or more carbohydrate residues attached to a scaffold or linker group. (*see*, e.g., Maier et al., "Synthesis of Antisense Oligonucleotides Conjugated to a Multivalent Carbohydrate Cluster for Cellular Targeting," *Bioconjugate Chemistry*, 2003, (14): 18-29, which is incorporated herein by reference in its entirety, or Rensen et al., "Design and Synthesis of Novel *N*-Acetylgalactosamine-Terminated Glycolipids for Targeting of Lipoproteins to the Hepatic Asiaglycoprotein Receptor," *J. Med. Chem.* 2004, (47): 5798-5808, for examples of carbohydrate conjugate clusters).

As used herein, "modified carbohydrate" means any carbohydrate having one or more chemical modifications relative to naturally occurring carbohydrates.

As used herein, "carbohydrate derivative" means any compound which may be synthesized using a carbohydrate as a starting material or intermediate.

As used herein, "carbohydrate" means a naturally occurring carbohydrate, a modified carbohydrate, or a carbohydrate derivative.

As used herein "protecting group" means any compound or protecting group known to those having skill in the art. Non-limiting examples of protecting groups may be found in "Protective Groups in Organic Chemistry", T. W. Greene, P. G. M. Wuts**,** ISBN 0-471-62301-6, John Wiley & Sons, Inc, New York, which is incorporated herein by reference in its entirety.

As used herein, "single-stranded" means an oligomeric compound that is not hybridized to its complement and which lacks sufficient self-complementarity to form a stable self-duplex.

As used herein, "double stranded" means a pair of oligomeric compounds that are hybridized to one

2026201390 25 Feb 2026

another or a single self-complementary oligomeric compound that forms a hairpin structure. In certain embodiments, a double-stranded oligomeric compound comprises a first and a second oligomeric compound.

As used herein, "antisense compound" means a compound comprising or consisting of an oligonucleotide at least a portion of which is complementary to a target nucleic acid to which it is capable of hybridizing, resulting in at least one antisense activity.

As used herein, "antisense activity" means any detectable and/or measurable change attributable to the hybridization of an antisense compound to its target nucleic acid. In certain embodiments, antisense activity includes modulation of the amount or activity of a target nucleic acid transcript (e.g. mRNA). In certain embodiments, antisense activity includes modulation of the splicing of pre-mRNA.

As used herein, "RNase H based antisense compound" means an antisense compound wherein at least some of the antisense activity of the antisense compound is attributable to hybridization of the antisense compound to a target nucleic acid and subsequent cleavage of the target nucleic acid by RNase H.

As used herein, "RISC based antisense compound" means an antisense compound wherein at least some of the antisense activity of the antisense compound is attributable to the RNA Induced Silencing Complex (RISC).

As used herein, "detecting" or "measuring" means that a test or assay for detecting or measuring is performed. Such detection and/or measuring may result in a value of zero. Thus, if a test for detection or measuring results in a finding of no activity (activity of zero), the step of detecting or measuring the activity has nevertheless been performed.

As used herein, "detectable and/or measureable activity" means a statistically significant activity that is not zero.

As used herein, "essentially unchanged" means little or no change in a particular parameter, particularly relative to another parameter which changes much more. In certain embodiments, a parameter is essentially unchanged when it changes less than 5%. In certain embodiments, a parameter is essentially unchanged if it changes less than two-fold while another parameter changes at least ten-fold. For example, in certain embodiments, an antisense activity is a change in the amount of a target nucleic acid. In certain such embodiments, the amount of a non-target nucleic acid is essentially unchanged if it changes much less than the target nucleic acid does, but the change need not be zero.

As used herein, "expression" means the process by which a gene ultimately results in a protein. Expression includes, but is not limited to, transcription, post-transcriptional modification (e.g., splicing, polyadenlyation, addition of 5'-cap), and translation.

As used herein, "target nucleic acid" means a nucleic acid molecule to which an antisense compound is intended to hybridize to result in a desired antisense activity. Antisense oligonucleotides have sufficient complementarity to their target nucleic acids to allow hybridization under physiological conditions.

As used herein, "nucleobase complementarity" or "complementarity" when in reference to nucleobases means a nucleobase that is capable of base pairing with another nucleobase. For example, in DNA, adenine

2026201390 25 Feb 2026

(A) is complementary to thymine (T). For example, in RNA, adenine (A) is complementary to uracil (U). In certain embodiments, complementary nucleobase means a nucleobase of an antisense compound that is capable of base pairing with a nucleobase of its target nucleic acid. For example, if a nucleobase at a certain position of an antisense compound is capable of hydrogen bonding with a nucleobase at a certain position of a target nucleic acid, then the position of hydrogen bonding between the oligonucleotide and the target nucleic acid is considered to be complementary at that nucleobase pair. Nucleobases comprising certain modifications may maintain the ability to pair with a counterpart nucleobase and thus, are still capable of nucleobase complementarity.

As used herein, “non-complementary” in reference to nucleobases means a pair of nucleobases that do not form hydrogen bonds with one another.

As used herein, “complementary” in reference to oligomeric compounds (e.g., linked nucleosides, oligonucleotides, or nucleic acids) means the capacity of such oligomeric compounds or regions thereof to hybridize to another oligomeric compound or region thereof through nucleobase complementarity. Complementary oligomeric compounds need not have nucleobase complementarity at each nucleoside. Rather, some mismatches are tolerated. In certain embodiments, complementary oligomeric compounds or regions are complementary at 70% of the nucleobases (70% complementary). In certain embodiments, complementary oligomeric compounds or regions are 80% complementary. In certain embodiments, complementary oligomeric compounds or regions are 90% complementary. In certain embodiments, complementary oligomeric compounds or regions are 95% complementary. In certain embodiments, complementary oligomeric compounds or regions are 100% complementary.

As used herein, “mismatch” means a nucleobase of a first oligomeric compound that is not capable of pairing with a nucleobase at a corresponding position of a second oligomeric compound, when the first and second oligomeric compound are aligned. Either or both of the first and second oligomeric compounds may be oligonucleotides.

As used herein, "hybridization" means the pairing of complementary oligomeric compounds (e.g., an antisense compound and its target nucleic acid). While not limited to a particular mechanism, the most common mechanism of pairing involves hydrogen bonding, which may be Watson-Crick, Hoogsteen or reversed Hoogsteen hydrogen bonding, between complementary nucleobases.

As used herein, “specifically hybridizes” means the ability of an oligomeric compound to hybridize to one nucleic acid site with greater affinity than it hybridizes to another nucleic acid site.

As used herein, “fully complementary” in reference to an oligonucleotide or portion thereof means that each nucleobase of the oligonucleotide or portion thereof is capable of pairing with a nucleobase of a complementary nucleic acid or contiguous portion thereof. Thus, a fully complementary region comprises no mismatches or unhybridized nucleobases in either strand.

As used herein, “percent complementarity” means the percentage of nucleobases of an oligomeric compound that are complementary to an equal-length portion of a target nucleic acid. Percent complementarity

2026201390 25 Feb 2026

is calculated by dividing the number of nucleobases of the oligomeric compound that are complementary to nucleobases at corresponding positions in the target nucleic acid by the total length of the oligomeric compound.

As used herein, "percent identity" means the number of nucleobases in a first nucleic acid that are the same type (independent of chemical modification) as nucleobases at corresponding positions in a second nucleic acid, divided by the total number of nucleobases in the first nucleic acid.

As used herein, "modulation" means a change of amount or quality of a molecule, function, or activity when compared to the amount or quality of a molecule, function, or activity prior to modulation. For example, modulation includes the change, either an increase (stimulation or induction) or a decrease (inhibition or reduction) in gene expression. As a further example, modulation of expression can include a change in splice site selection of pre-mRNA processing, resulting in a change in the absolute or relative amount of a particular splice-variant compared to the amount in the absence of modulation.

As used herein, "chemical motif" means a pattern of chemical modifications in an oligonucleotide or a region thereof. Motifs may be defined by modifications at certain nucleosides and/or at certain linking groups of an oligonucleotide.

As used herein, "nucleoside motif" means a pattern of nucleoside modifications in an oligonucleotide or a region thereof. The linkages of such an oligonucleotide may be modified or unmodified. Unless otherwise indicated, motifs herein describing only nucleosides are intended to be nucleoside motifs. Thus, in such instances, the linkages are not limited.

As used herein, "sugar motif" means a pattern of sugar modifications in an oligonucleotide or a region thereof.

As used herein, "linkage motif" means a pattern of linkage modifications in an oligonucleotide or region thereof. The nucleosides of such an oligonucleotide may be modified or unmodified. Unless otherwise indicated, motifs herein describing only linkages are intended to be linkage motifs. Thus, in such instances, the nucleosides are not limited.

As used herein, "nucleobase modification motif" means a pattern of modifications to nucleobases along an oligonucleotide. Unless otherwise indicated, a nucleobase modification motif is independent of the nucleobase sequence.

As used herein, "sequence motif" means a pattern of nucleobases arranged along an oligonucleotide or portion thereof. Unless otherwise indicated, a sequence motif is independent of chemical modifications and thus may have any combination of chemical modifications, including no chemical modifications.

As used herein, "type of modification" in reference to a nucleoside or a nucleoside of a "type" means the chemical modification of a nucleoside and includes modified and unmodified nucleosides. Accordingly, unless otherwise indicated, a "nucleoside having a modification of a first type" may be an unmodified nucleoside.

As used herein, "differently modified" mean chemical modifications or chemical substituents that are

2026201390 25 Feb 2026

different from one another, including absence of modifications. Thus, for example, a MOE nucleoside and an unmodified DNA nucleoside are "differently modified," even though the DNA nucleoside is unmodified. Likewise, DNA and RNA are "differently modified," even though both are naturally-occurring unmodified nucleosides. Nucleosides that are the same but for comprising different nucleobases are not differently modified. For example, a nucleoside comprising a 2'-OMe modified sugar and an unmodified adenine nucleobase and a nucleoside comprising a 2'-OMe modified sugar and an unmodified thymine nucleobase are not differently modified.

As used herein, "the same type of modifications" refers to modifications that are the same as one another, including absence of modifications. Thus, for example, two unmodified DNA nucleosides have "the same type of modification," even though the DNA nucleoside is unmodified. Such nucleosides having the same type modification may comprise different nucleobases.

As used herein, "separate regions" means portions of an oligonucleotide wherein the chemical modifications or the motif of chemical modifications of any neighboring portions include at least one difference to allow the separate regions to be distinguished from one another.

As used herein, "pharmaceutically acceptable carrier or diluent" means any substance suitable for use in administering to an animal. In certain embodiments, a pharmaceutically acceptable carrier or diluent is sterile saline. In certain embodiments, such sterile saline is pharmaceutical grade saline.

As used herein the term "metabolic disorder" means a disease or condition principally characterized by dysregulation of metabolism – the complex set of chemical reactions associated with breakdown of food to produce energy.

As used herein, the term "cardiovascular disorder" means a disease or condition principally characterized by impaired function of the heart or blood vessels.

As used herein the term "mono or polycyclic ring system" is meant to include all ring systems selected from single or polycyclic radical ring systems wherein the rings are fused or linked and is meant to be inclusive of single and mixed ring systems individually selected from aliphatic, alicyclic, aryl, heteroaryl, aralkyl, arylalkyl, heterocyclic, heteroaryl, heteroaromatic and heteroarylalkyl. Such mono and poly cyclic structures can contain rings that each have the same level of saturation or each, independently, have varying degrees of saturation including fully saturated, partially saturated or fully unsaturated. Each ring can comprise ring atoms selected from C, N, O and S to give rise to heterocyclic rings as well as rings comprising only C ring atoms which can be present in a mixed motif such as for example benzimidazole wherein one ring has only carbon ring atoms and the fused ring has two nitrogen atoms. The mono or polycyclic ring system can be further substituted with substituent groups such as for example phthalimide which has two =O groups attached to one of the rings. Mono or polycyclic ring systems can be attached to parent molecules using various strategies such as directly through a ring atom, fused through multiple ring atoms, through a substituent group or through a bifunctional linking moiety.

2026201390 25 Feb 2026

As used herein, “prodrug” means an inactive or less active form of a compound which, when administered to a subject, is metabolized to form the active, or more active, compound (e.g., drug).

As used herein, "substituent" and "substituent group," means an atom or group that replaces the atom or group of a named parent compound. For example a substituent of a modified nucleoside is any atom or group that differs from the atom or group found in a naturally occurring nucleoside (e.g., a modified 2’-substuent is any atom or group at the 2’-position of a nucleoside other than H or OH). Substituent groups can be protected or unprotected. In certain embodiments, compounds of the present disclosure have substituents at one or at more than one position of the parent compound. Substituents may also be further substituted with other substituent groups and may be attached directly or via a linking group such as an alkyl or hydrocarbyl group to a parent compound.

Likewise, as used herein, “substituent” in reference to a chemical functional group means an atom or group of atoms that differs from the atom or a group of atoms normally present in the named functional group. In certain embodiments, a substituent replaces a hydrogen atom of the functional group (e.g., in certain embodiments, the substituent of a substituted methyl group is an atom or group other than hydrogen which replaces one of the hydrogen atoms of an unsubstituted methyl group). Unless otherwise indicated, groups amenable for use as substituents include without limitation, halogen, hydroxyl, alkyl, alkenyl, alkynyl, acyl (-$C(O)R_{aa}$), carboxyl (-$C(O)O$-R_{aa}), aliphatic groups, alicyclic groups, alkoxy, substituted oxy (-O-R_{aa}), aryl, aralkyl, heterocyclic radical, heteroaryl, heteroarylalkyl, amino (-$N(R_{bb})(R_{cc})$), imino(=NR_{bb}), amido (-$C(O)N$-$(R_{bb})(R_{cc})$ or -$N(R_{bb})C(O)R_{aa}$), azido (-N_3), nitro (-NO_2), cyano (-CN), carbamido (-$OC(O)N(R_{bb})(R_{cc})$ or -$N(R_{bb})C(O)OR_{aa}$), ureido (-$N(R_{bb})C(O)N(R_{bb})(R_{cc})$), thioureido (-$N(R_{bb})C(S)N(R_{bb})(R_{cc})$), guanidinyl (-$N(R_{bb})C(=NR_{bb})N(R_{bb})(R_{cc})$), amidinyl (-$C(=NR_{bb})N(R_{bb})(R_{cc})$ or -$N(R_{bb})C(=NR_{bb})(R_{aa})$), thiol (-$SR_{bb}$), sulfinyl (-$S(O)R_{bb}$), sulfonyl (-$S(O)_2R_{bb}$) and sulfonamidyl (-$S(O)_2N(R_{bb})(R_{cc})$ or -$N(R_{bb})S(O)_2R_{bb}$). Wherein each R_{aa}, R_{bb} and R_{cc} is, independently, H, an optionally linked chemical functional group or a further substituent group with a preferred list including without limitation, alkyl, alkenyl, alkynyl, aliphatic, alkoxy, acyl, aryl, aralkyl, heteroaryl, alicyclic, heterocyclic and heteroarylalkyl. Selected substituents within the compounds described herein are present to a recursive degree.

As used herein, "alkyl," as used herein, means a saturated straight or branched hydrocarbon radical containing up to twenty four carbon atoms. Examples of alkyl groups include without limitation, methyl, ethyl, propyl, butyl, isopropyl, n-hexyl, octyl, decyl, dodecyl and the like. Alkyl groups typically include from 1 to about 24 carbon atoms, more typically from 1 to about 12 carbon atoms (C_1-C_{12} alkyl) with from 1 to about 6 carbon atoms being more preferred.

As used herein, "alkenyl," means a straight or branched hydrocarbon chain radical containing up to twenty four carbon atoms and having at least one carbon-carbon double bond. Examples of alkenyl groups include without limitation, ethenyl, propenyl, butenyl, 1-methyl-2-buten-1-yl, dienes such as 1,3-butadiene and the like. Alkenyl groups typically include from 2 to about 24 carbon atoms, more typically from 2 to about 12

2026201390 25 Feb 2026

carbon atoms with from 2 to about 6 carbon atoms being more preferred. Alkenyl groups as used herein may optionally include one or more further substituent groups.

As used herein, "alkynyl," means a straight or branched hydrocarbon radical containing up to twenty four carbon atoms and having at least one carbon-carbon triple bond. Examples of alkynyl groups include, without limitation, ethynyl, 1-propynyl, 1-butynyl, and the like. Alkynyl groups typically include from 2 to about 24 carbon atoms, more typically from 2 to about 12 carbon atoms with from 2 to about 6 carbon atoms being more preferred. Alkynyl groups as used herein may optionally include one or more further substituent groups.

As used herein, "acyl," means a radical formed by removal of a hydroxyl group from an organic acid and has the general Formula -C(O)-X where X is typically aliphatic, alicyclic or aromatic. Examples include aliphatic carbonyls, aromatic carbonyls, aliphatic sulfonyls, aromatic sulfinyls, aliphatic sulfinyls, aromatic phosphates, aliphatic phosphates and the like. Acyl groups as used herein may optionally include further substituent groups.

As used herein, "alicyclic" means a cyclic ring system wherein the ring is aliphatic. The ring system can comprise one or more rings wherein at least one ring is aliphatic. Preferred alicyclics include rings having from about 5 to about 9 carbon atoms in the ring. Alicyclic as used herein may optionally include further substituent groups.

As used herein, "aliphatic" means a straight or branched hydrocarbon radical containing up to twenty four carbon atoms wherein the saturation between any two carbon atoms is a single, double or triple bond. An aliphatic group preferably contains from 1 to about 24 carbon atoms, more typically from 1 to about 12 carbon atoms with from 1 to about 6 carbon atoms being more preferred. The straight or branched chain of an aliphatic group may be interrupted with one or more heteroatoms that include nitrogen, oxygen, sulfur and phosphorus. Such aliphatic groups interrupted by heteroatoms include without limitation, polyalkoxys, such as polyalkylene glycols, polyamines, and polyimines. Aliphatic groups as used herein may optionally include further substituent groups.

As used herein, "alkoxy" means a radical formed between an alkyl group and an oxygen atom wherein the oxygen atom is used to attach the alkoxy group to a parent molecule. Examples of alkoxy groups include without limitation, methoxy, ethoxy, propoxy, isopropoxy, *n*-butoxy, sec-butoxy, *tert*-butoxy, n-pentoxy, neopentoxy, n-hexoxy and the like. Alkoxy groups as used herein may optionally include further substituent groups.

As used herein, "aminoalkyl" means an amino substituted C_1-C_{12} alkyl radical. The alkyl portion of the radical forms a covalent bond with a parent molecule. The amino group can be located at any position and the aminoalkyl group can be substituted with a further substituent group at the alkyl and/or amino portions.

As used herein, "aralkyl" and "arylalkyl" mean an aromatic group that is covalently linked to a C_1-C_{12} alkyl radical. The alkyl radical portion of the resulting aralkyl (or arylalkyl) group forms a covalent bond with a parent molecule. Examples include without limitation, benzyl, phenethyl and the like. Aralkyl groups as

2026201390 25 Feb 2026

used herein may optionally include further substituent groups attached to the alkyl, the aryl or both groups that form the radical group.

As used herein, "aryl" and "aromatic" mean a mono- or polycyclic carbocyclic ring system radicals having one or more aromatic rings. Examples of aryl groups include without limitation, phenyl, naphthyl, tetrahydronaphthyl, indanyl, idenyl and the like. Preferred aryl ring systems have from about 5 to about 20 carbon atoms in one or more rings. Aryl groups as used herein may optionally include further substituent groups.

As used herein, "halo" and "halogen," mean an atom selected from fluorine, chlorine, bromine and iodine.

As used herein, "heteroaryl," and "heteroaromatic," mean a radical comprising a mono- or poly-cyclic aromatic ring, ring system or fused ring system wherein at least one of the rings is aromatic and includes one or more heteroatoms. Heteroaryl is also meant to include fused ring systems including systems where one or more of the fused rings contain no heteroatoms. Heteroaryl groups typically include one ring atom selected from sulfur, nitrogen or oxygen. Examples of heteroaryl groups include without limitation, pyridinyl, pyrazinyl, pyrimidinyl, pyrrolyl, pyrazolyl, imidazolyl, thiazolyl, oxazolyl, isooxazolyl, thiadiazolyl, oxadiazolyl, thiophenyl, furanyl, quinolinyl, isoquinolinyl, benzimidazolyl, benzooxazolyl, quinoxalinyl and the like. Heteroaryl radicals can be attached to a parent molecule directly or through a linking moiety such as an aliphatic group or hetero atom. Heteroaryl groups as used herein may optionally include further substituent groups.

As used herein, “conjugate compound” means any atoms, group of atoms, or group of linked atoms suitable for use as a conjugate group. In certain embodiments, conjugate compounds may possess or impart one or more properties, including, but not limited to pharmacodynamic, pharmacokinetic, binding, absorption, cellular distribution, cellular uptake, charge and/or clearance properties.

As used herein, unless otherwise indicated or modified, the term “double-stranded” refers to two separate oligomeric compounds that are hybridized to one another. Such double stranded compounds may have one or more or non-hybridizing nucleosides at one or both ends of one or both strands (overhangs) and/or one or more internal non-hybridizing nucleosides (mismatches) provided there is sufficient complementarity to maintain hybridization under physiologically relevant conditions.

B. Certain Compounds

In certain embodiments, the invention provides conjugated antisense compounds comprising antisense oligonucleoitdes and a conjugate.

a. Certain Antisense Oligonucleotides

In certain embodiments, the invention provides antisense oligonucleotides. Such antisense oligonucleotides comprise linked nucleosides, each nucleoside comprising a sugar moiety and a nucleobase.

2026201390 25 Feb 2026

The structure of such antisense oligonucleotides may be considered in terms of chemical features (e.g., modifications and patterns of modifications) and nucleobase sequence (e.g., sequence of antisense oligonucleotide, idenity and sequence of target nucleic acid).

i. **Certain Chemistry Features**

In certain embodiments, antisense oligonucleotide comprise one or more modification. In certain such embodiments, antisense oligonucleotides comprise one or more modified nucleosides and/or modified internucleoside linkages. In certain embodiments, modified nucleosides comprise a modifed sugar moirty and/or modifed nucleobase.

1. **Certain Sugar Moieties**

In certain embodiments, compounds of the disclosure comprise one or more modifed nucleosides comprising a modifed sugar moiety. Such compounds comprising one or more sugar-modified nucleosides may have desirable properties, such as enhanced nuclease stability or increased binding affinity with a target nucleic acid relative to an oligonucleotide comprising only nucleosides comprising naturally occurring sugar moieties. In certain embodiments, modified sugar moieties are substitued sugar moieties. In certain embodiments, modified sugar moieties are sugar surrogates. Such sugar surrogates may comprise one or more substitutions corresponding to those of substituted sugar moieties.

In certain embodiments, modified sugar moieties are substituted sugar moieties comprising one or more non-bridging sugar substituent, including but not limited to substituents at the 2' and/or 5' positions. Examples of sugar substituents suitable for the 2'-position, include, but are not limited to: 2'-F, 2'-OCH_3 ("OMe" or "O-methyl"), and 2'-$O(CH_2)_2OCH_3$ ("MOE"). In certain embodiments, sugar substituents at the 2' position is selected from allyl, amino, azido, thio, O-allyl, O-C_1-C_{10} alkyl, O-C_1-C_{10} substituted alkyl; OCF_3, $O(CH_2)_2SCH_3$, $O(CH_2)_2$-O-N(Rm)(Rn), and O-CH_2-C(=O)-N(Rm)(Rn), where each Rm and Rn is, independently, H or substituted or unsubstituted C_1-C_{10} alkyl. Examples of sugar substituents at the 5'-position, include, but are not limited to:, 5'-methyl (R or S); 5'-vinyl, and 5'-methoxy. In certain embodiments, substituted sugars comprise more than one non-bridging sugar substituent, for example, 2'-F-5'-methyl sugar moieties (*see*,e.g., PCT International Application WO 2008/101157, for additional 5', 2'-bis substituted sugar moieties and nucleosides).

Nucleosides comprising 2'-substituted sugar moieties are referred to as 2'-substituted nucleosides. In certain embodiments, a 2'- substituted nucleoside comprises a 2'-substituent group selected from halo, allyl, amino, azido, SH, CN, OCN, CF_3, OCF_3, O, S, or N(R_m)-alkyl; O, S, or N(R_m)-alkenyl; O, S or N(R_m)-alkynyl; O-alkylenyl-O-alkyl, alkynyl, alkaryl, aralkyl, O-alkaryl, O-aralkyl, $O(CH_2)_2SCH_3$, O-$(CH_2)_2$-O-N(R_m)(R_n) or O-CH_2-C(=O)-N(R_m)(R_n), where each R_m and R_n is, independently, H, an amino protecting group or substituted or unsubstituted C_1-C_{10} alkyl. These 2'-substituent groups can be further substituted with one or more substituent groups independently selected from hydroxyl, amino, alkoxy, carboxy, benzyl, phenyl, nitro (NO_2), thiol, thioalkoxy (S-alkyl), halogen, alkyl, aryl, alkenyl and alkynyl.

25 Feb 2026
2026201390

In certain embodiments, a 2'- substituted nucleoside comprises a 2'-substituent group selected from F, NH_2, N_3, OCF_3, O-CH_3, $O(CH_2)_3NH_2$, CH_2-CH=CH_2, O-CH_2-CH=CH_2, $OCH_2CH_2OCH_3$, $O(CH_2)_2SCH_3$, O-$(CH_2)_2$-O-N(R_m)(R_n), $O(CH_2)_2O(CH_2)_2N(CH_3)_2$, and N-substituted acetamide (O-CH_2-C(=O)-N(R_m)(R_n) where each R_m and R_n is, independently, H, an amino protecting group or substituted or unsubstituted C_1-C_{10} alkyl.

In certain embodiments, a 2'- substituted nucleoside comprises a sugar moiety comprising a 2'-substituent group selected from F, OCF_3, O-CH_3, $OCH_2CH_2OCH_3$, $O(CH_2)_2SCH_3$, O-$(CH_2)_2$-O-$N(CH_3)_2$, -$O(CH_2)_2O(CH_2)_2N(CH_3)_2$, and O-$CH_2$-C(=O)-N(H)$CH_3$.

In certain embodiments, a 2'- substituted nucleoside comprises a sugar moiety comprising a 2'-substituent group selected from F, O-CH_3, and $OCH_2CH_2OCH_3$.

Certain modifed sugar moieties comprise a bridging sugar substituent that forms a second ring resulting in a bicyclic sugar moiety. In certain such embodiments, the bicyclic sugar moiety comprises a bridge between the 4' and the 2' furanose ring atoms. Examples of such 4' to 2' sugar substituents, include, but are not limited to: -[C(R_a)(R_b)]$_n$-, -[C(R_a)(R_b)]$_n$-O-, -C($R_a$$R_b$)-N(R)-O- or, –C($R_a$$R_b$)-O-N(R)-; 4'-$CH_2$-2', 4'-$(CH_2)_2$-2', 4'-$(CH_2)_3$-2',. 4'-$(CH_2)$-O-2' (LNA); 4'-$(CH_2)$-S-2'; 4'-$(CH_2)_2$-O-2' (ENA); 4'-CH($CH_3$)-O-2' (cEt) and 4'-CH($CH_2OCH_3$)-O-2',and analogs thereof (*see, e.g.,* U.S. Patent 7,399,845, issued on July 15, 2008); 4'-C(CH_3)(CH_3)-O-2'and analogs thereof, (*see, e.g.,* WO2009/006478, published January 8, 2009); 4'-CH_2-N(OCH_3)-2' and analogs thereof (*see, e.g.,* WO2008/150729, published December 11, 2008); 4'-CH_2-O-N(CH_3)-2' (*see, e.g.,* US2004/0171570, published September 2, 2004); 4'-CH_2-O-N(R)-2', and 4'-CH_2-N(R)-O-2'-, wherein each R is, independently, H, a protecting group, or C_1-C_{12} alkyl; 4'-CH_2-N(R)-O-2', wherein R is H, C_1-C_{12} alkyl, or a protecting group (*see,* U.S. Patent 7,427,672, issued on September 23, 2008); 4'-CH_2-C(H)(CH_3)-2' (*see, e.g.,* Chattopadhyaya, *et al., J. Org. Chem.*,2009, *74*, 118-134); and 4'-CH_2-C(=CH_2)-2' and analogs thereof (*see,* published PCT International Application WO 2008/154401, published on December 8, 2008).

In certain embodiments, such 4' to 2' bridges independently comprise from 1 to 4 linked groups independently selected from -[C(R_a)(R_b)]$_n$-, -C(R_a)=C(R_b)-, -C(R_a)=N-, -C(=NR_a)-, -C(=O)-, -C(=S)-, -O-, -Si(R_a)$_2$-, -S(=O)$_x$-, and -N(R_a)-;

wherein:

x is 0, 1, or 2;

n is 1, 2, 3, or 4;


each R_a and R_b is, independently, H, a protecting group, hydroxyl, C_1-C_{12} alkyl, substituted C_1-C_{12} alkyl, C_2-C_{12} alkenyl, substituted C_2-C_{12} alkenyl, C_2-C_{12} alkynyl, substituted C_2-C_{12} alkynyl, C_5-C_{20} aryl, substituted C_5-C_{20} aryl, heterocycle radical, substituted heterocycle radical, heteroaryl, substituted heteroaryl, C_5-C_7 alicyclic radical, substituted C_5-C_7 alicyclic radical, halogen, OJ_1, NJ_1J_2, SJ_1, N_3, $COOJ_1$, acyl (C(=O)-H), substituted acyl, CN, sulfonyl (S(=O)$_2$-J_1), or sulfoxyl (S(=O)-J_1); and

each J_1 and J_2 is, independently, H, C_1-C_{12} alkyl, substituted C_1-C_{12} alkyl, C_2-C_{12} alkenyl, substituted

25 Feb 2026
2026201390

C_2-C_{12} alkenyl, C_2-C_{12} alkynyl, substituted C_2-C_{12} alkynyl, C_5-C_{20} aryl, substituted C_5-C_{20} aryl, acyl (C(=O)-H), substituted acyl, a heterocycle radical, a substituted heterocycle radical, C_1-C_{12} aminoalkyl, substituted C_1-C_{12} aminoalkyl, or a protecting group.

Nucleosides comprising bicyclic sugar moieties are referred to as bicyclic nucleosides or BNAs. Bicyclic nucleosides include, but are not limited to, (A) α-L-Methyleneoxy (4'-CH_2-O-2') BNA , (B) β-D-Methyleneoxy (4'-CH_2-O-2') BNA (also referred to as locked nucleic acid or LNA) , (C) Ethyleneoxy (4'-$(CH_2)_2$-O-2') BNA , (D) Aminooxy (4'-CH_2-O-N(R)-2') BNA, (E) Oxyamino (4'-CH_2-N(R)-O-2') BNA, (F) Methyl(methyleneoxy) (4'-$CH(CH_3)$-O-2') BNA (also referred to as constrained ethyl or cEt), (G) methylene-thio (4'-CH_2-S-2') BNA, (H) methylene-amino (4'-CH2-N(R)-2') BNA, (I) methyl carbocyclic (4'-CH_2-$CH(CH_3)$-2') BNA, and (J) propylene carbocyclic (4'-$(CH_2)_3$-2') BNA as depicted below.



wherein Bx is a nucleobase moiety and R is, independently, H, a protecting group, or C_1-C_{12} alkyl.

Additional bicyclic sugar moieties are known in the art, for example: Singh et al., *Chem. Commun.*, 1998, *4*, 455-456; Koshkin et al., *Tetrahedron*, 1998, *54*, 3607-3630; Wahlestedt et al., *Proc. Natl. Acad. Sci. U. S. A.*, 2000, *97*, 5633-5638; Kumar et al., *Bioorg. Med. Chem. Lett*., 1998, *8*, 2219-2222; Singh et al., *J. Org. Chem*., 1998, *63*, 10035-10039; Srivastava et al., *J. Am. Chem. Soc*., *129(26)* 8362-8379 (Jul. 4, 2007); Elayadi *et al., Curr. Opinion Invens. Drugs*, 2001, *2*, 558-561; Braasch *et al., Chem. Biol.*, 2001, *8*, 1-7; Orum

2026201390 25 Feb 2026


et al., Curr. Opinion Mol. Ther., 2001, *3*, 239-243; U.S. Patent Nos. 7,053,207, 6,268,490, 6,770,748, 6,794,499, 7,034,133, 6,525,191, 6,670,461, and 7,399,845; WO 2004/106356, WO 1994/14226, WO 2005/021570, and WO 2007/134181; U.S. Patent Publication Nos. US2004/0171570, US2007/0287831, and US2008/0039618; U.S. Patent Serial Nos. 12/129,154, 60/989,574, 61/026,995, 61/026,998, 61/056,564, 61/086,231, 61/097,787, and 61/099,844; and PCT International Applications Nos. PCT/US2008/064591, PCT/US2008/066154, and PCT/US2008/068922.

In certain embodiments, bicyclic sugar moieties and nucleosides incorporating such bicyclic sugar moieties are further defined by isomeric configuration. For example, a nucleoside comprising a 4'-2' methylene-oxy bridge, may be in the α-L configuration or in the β-D configuration. Previously, α-L-methyleneoxy (4'-CH_2-O-2') bicyclic nucleosides have been incorporated into antisense oligonucleotides that showed antisense activity (Frieden *et al., Nucleic Acids Research,* 2003, *21*, 6365-6372).

In certain embodiments, substituted sugar moieties comprise one or more non-bridging sugar substituent and one or more bridging sugar substituent (e.g., 5'-substituted and 4'-2' bridged sugars). (*see*, PCT International Application WO 2007/134181, published on 11/22/07, wherein LNA is substituted with, for example, a 5'-methyl or a 5'-vinyl group).

In certain embodiments, modified sugar moieties are sugar surrogates. In certain such embodiments, the oxygen atom of the naturally occuring sugar is substituted, e.g., with a sulfer, carbon or nitrogen atom. In certain such embodiments, such modified sugar moiety also comprises bridging and/or non-bridging substituents as described above. For example, certain sugar surrogates comprise a 4'-sulfer atom and a substitution at the 2'-position (*see*,e.g., published U.S. Patent Application US2005/0130923, published on June 16, 2005) and/or the 5' position. By way of additional example, carbocyclic bicyclic nucleosides having a 4'-2' bridge have been described (*see, e.g.,* Freier *et al., Nucleic Acids Research*, 1997, *25*(*22*), 4429-4443 and Albaek *et al., J. Org. Chem.*, 2006, *71*, 7731-7740).

In certain embodiments, sugar surrogates comprise rings having other than 5-atoms. For example, in certain embodiments, a sugar surrogate comprises a morphlino. Morpholino compounds and their use in oligomeric compounds has been reported in numerous patents and published articles (see for example: Braasch *et al., Biochemistry*, 2002, *41*, 4503-4510; and U.S. Patents 5,698,685; 5,166,315; 5,185,444; and 5,034,506). As used here, the term "morpholino" means a sugar surrogate having the following structure:




.

2026201390 25 Feb 2026

In certain embodiments, morpholinos may be modified, for example by adding or altering various substituent groups from the above morpholino structure. Such sugar surrogates are refered to herein as "modifed morpholinos."

For another example, in certain embodiments, a sugar surrogate comprises a six-membered tetrahydropyran. Such tetrahydropyrans may be further modified or substituted. Nucleosides comprising such modified tetrahydropyrans include, but are not limited to, hexitol nucleic acid (HNA), anitol nucleic acid (ANA), manitol nucleic acid (MNA) (*see* Leumann, CJ. *Bioorg. & Med. Chem.* (2002) **10**:841-854), fluoro HNA (F-HNA), and those compounds having Formula VI:



VI

wherein independently for each of said at least one tetrahydropyran nucleoside analog of Formula VI:

Bx is a nucleobase moiety;

T_3 and T_4 are each, independently, an internucleoside linking group linking the tetrahydropyran nucleoside analog to the antisense compound or one of T_3 and T_4 is an internucleoside linking group linking the tetrahydropyran nucleoside analog to the antisense compound and the other of T_3 and T_4 is H, a hydroxyl protecting group, a linked conjugate group, or a 5' or 3'-terminal group;

q_1, q_2, q_3, q_4, q_5, q_6 and q_7 are each, independently, H, C_1-C_6 alkyl, substituted C_1-C_6 alkyl, C_2-C_6 alkenyl, substituted C_2-C_6 alkenyl, C_2-C_6 alkynyl, or substituted C_2-C_6 alkynyl; and

each of R_1 and R_2 is independently selected from among: hydrogen, halogen, substituted or unsubstituted alkoxy, NJ_1J_2, SJ_1, N_3, $OC(=X)J_1$, $OC(=X)NJ_1J_2$, $NJ_3C(=X)NJ_1J_2$, and CN, wherein X is O, S or NJ_1, and each J_1, J_2, and J_3 is, independently, H or C_1-C_6 alkyl.

In certain embodiments, the modified THP nucleosides of Formula VI are provided wherein q_1, q_2, q_3, q_4, q_5, q_6 and q_7 are each H. In certain embodiments, at least one of q_1, q_2, q_3, q_4, q_5, q_6 and q_7 is other than H. In certain embodiments, at least one of q_1, q_2, q_3, q_4, q_5, q_6 and q_7 is methyl. In certain embodiments, THP nucleosides of Formula VI are provided wherein one of R_1 and R_2 is F. In certain embodiments, R_1 is fluoro and R_2 is H, R_1 is methoxy and R_2 is H, and R_1 is methoxyethoxy and R_2 is H.

Many other bicyclo and tricyclo sugar surrogate ring systems are also known in the art that can be used to modify nucleosides for incorporation into antisense compounds (*see, e.g.*, review article: Leumann, J. C, *Bioorganic & Medicinal Chemistry*, **2002**, *10*, 841-854).

Combinations of modifications are also provided without limitation, such as 2'-F-5'-methyl substituted nucleosides (see PCT International Application WO 2008/101157 Published on 8/21/08 for other disclosed 5',

25 Feb 2026
2026201390

2'-bis substituted nucleosides) and replacement of the ribosyl ring oxygen atom with S and further substitution at the 2'-position (see published U.S. Patent Application US2005-0130923, published on June 16, 2005) or alternatively 5'-substitution of a bicyclic nucleic acid (see PCT International Application WO 2007/134181, published on 11/22/07 wherein a 4'-CH_2-O-2' bicyclic nucleoside is further substituted at the 5' position with a 5'-methyl or a 5'-vinyl group). The synthesis and preparation of carbocyclic bicyclic nucleosides along with their oligomerization and biochemical studies have also been described (*see, e.g.,* Srivastava *et al., J. Am. Chem. Soc.* 2007, *129(26)*, 8362-8379).

In certain embodiments, the present disclosure provides oligonucleotides comprising modified nucleosides. Those modified nucleotides may include modified sugars, modified nucleobases, and/or modified linkages. The specific modifications are selected such that the resulting oligonucleotides possess desireable characteristics. In certain embodmiments, oligonucleotides comprise one or more RNA-like nucleosides. In certain embodiments, oligonucleotides comprise one or more DNA-like nucleotides.

2. **Certain Nucleobase Modifications**

In certain embodiments, nucleosides of the present disclosure comprise one or more unmodified nucleobases. In certain embodiments, nucleosides of the present disclosure comprise one or more modifed nucleobases.

In certain embodiments, modified nucleobases are selected from: universal bases, hydrophobic bases, promiscuous bases, size-expanded bases, and fluorinated bases as defined herein. 5-substituted pyrimidines, 6-azapyrimidines and N-2, N-6 and O-6 substituted purines, including 2-aminopropyladenine, 5-propynyluracil; 5-propynylcytosine; 5-hydroxymethyl cytosine, xanthine, hypoxanthine, 2-aminoadenine, 6-methyl and other alkyl derivatives of adenine and guanine, 2-propyl and other alkyl derivatives of adenine and guanine, 2-thiouracil, 2-thiothymine and 2-thiocytosine, 5-halouracil and cytosine, 5-propynyl (-C≡C-CH_3) uracil and cytosine and other alkynyl derivatives of pyrimidine bases, 6-azo uracil, cytosine and thymine, 5-uracil (pseudouracil), 4-thiouracil, 8-halo, 8-amino, 8-thiol, 8-thioalkyl, 8-hydroxyl and other 8-substituted adenines and guanines, 5-halo particularly 5-bromo, 5-trifluoromethyl and other 5-substituted uracils and cytosines, 7-methylguanine and 7-methyladenine, 2-F-adenine, 2-amino-adenine, 8-azaguanine and 8-azaadenine, 7-deazaguanine and 7-deazaadenine, 3-deazaguanine and 3-deazaadenine, universal bases, hydrophobic bases, promiscuous bases, size-expanded bases, and fluorinated bases as defined herein. Further modified nucleobases include tricyclic pyrimidines such as phenoxazine cytidine([5,4-b][1,4]benzoxazin-2(3H)-one), phenothiazine cytidine (1H-pyrimido[5,4-b][1,4]benzothiazin-2(3H)-one), G-clamps such as a substituted phenoxazine cytidine (e.g. 9-(2-aminoethoxy)-H-pyrimido[5,4-b][1,4]benzoxazin-2(3H)-one), carbazole cytidine (2H-pyrimido[4,5-b]indol-2-one), pyridoindole cytidine (H-pyrido[3',2':4,5]pyrrolo[2,3-d]pyrimidin-2-one). Modified nucleobases may also include those in which the purine or pyrimidine base is replaced with other heterocycles, for example 7-deaza-adenine, 7-deazaguanosine, 2-aminopyridine and 2-pyridone. Further nucleobases include those disclosed in United States Patent No. 3,687,808, those disclosed in *The Concise Encyclopedia Of Polymer Science And Engineering,* Kroschwitz, J.I., Ed., John Wiley & Sons, 1990, 858-859;

2026201390 25 Feb 2026

those disclosed by Englisch *et al.*, *Angewandte Chemie*, International Edition, 1991, *30*, 613; and those disclosed by Sanghvi, Y.S., Chapter 15, *Antisense Research and Applications*, Crooke, S.T. and Lebleu, B., Eds., CRC Press, 1993, 273-288.

Representative United States patents that teach the preparation of certain of the above noted modified nucleobases as well as other modified nucleobases include without limitation, U.S. 3,687,808; 4,845,205; 5,130,302; 5,134,066; 5,175,273; 5,367,066; 5,432,272; 5,457,187; 5,459,255; 5,484,908; 5,502,177; 5,525,711; 5,552,540; 5,587,469; 5,594,121; 5,596,091; 5,614,617; 5,645,985; 5,681,941; 5,750,692; 5,763,588; 5,830,653 and 6,005,096, certain of which are commonly owned with the instant application, and each of which is herein incorporated by reference in its entirety.

3. **Certain Internucleoside Linkages**

In certain embodiments, the present disclosure provides oligonucleotides comprising linked nucleosides. In such embodiments, nucleosides may be linked together using any internucleoside linkage. The two main classes of internucleoside linking groups are defined by the presence or absence of a phosphorus atom. Representative phosphorus containing internucleoside linkages include, but are not limited to, phosphodiesters (PO), phosphotriesters, methylphosphonates, phosphoramidate, and phosphorothioates (PS). Representative non-phosphorus containing internucleoside linking groups include, but are not limited to, methylenemethylimino (-CH_2-N(CH_3)-O-CH_2-), thiodiester (-O-C(O)-S-), thionocarbamate (-O-C(O)(NH)-S-); siloxane (-O-Si($H)_2$-O-); and N,N'-dimethylhydrazine (-CH_2-N(CH_3)-N(CH_3)-). Modified linkages, compared to natural phosphodiester linkages, can be used to alter, typically increase, nuclease resistance of the oligonucleotide. In certain embodiments, internucleoside linkages having a chiral atom can be prepared as a racemic mixture, or as separate enantiomers. Representative chiral linkages include, but are not limited to, alkylphosphonates and phosphorothioates. Methods of preparation of phosphorous-containing and non-phosphorous-containing internucleoside linkages are well known to those skilled in the art.

The oligonucleotides described herein contain one or more asymmetric centers and thus give rise to enantiomers, diastereomers, and other stereoisomeric configurations that may be defined, in terms of absolute stereochemistry, as (R) or (S), α or β such as for sugar anomers, or as (D) or (L) such as for amino acids etc. Included in the antisense compounds provided herein are all such possible isomers, as well as their racemic and optically pure forms.

Neutral internucleoside linkages include without limitation, phosphotriesters, methylphosphonates, MMI (3'-CH_2-N(CH_3)-O-5'), amide-3 (3'-CH_2-C(=O)-N(H)-5'), amide-4 (3'-CH_2-N(H)-C(=O)-5'), formacetal (3'-O-CH_2-O-5'), and thioformacetal (3'-S-CH_2-O-5'). Further neutral internucleoside linkages include nonionic linkages comprising siloxane (dialkylsiloxane), carboxylate ester, carboxamide, sulfide, sulfonate ester and amides (See for example: *Carbohydrate Modifications in Antisense Research*; Y.S. Sanghvi and P.D. Cook, Eds., ACS Symposium Series 580; Chapters 3 and 4, 40-65). Further neutral internucleoside linkages include nonionic linkages comprising mixed N, O, S and CH_2 component parts.

4. Certain Motifs

2026201390 25 Feb 2026

In certain embodiments, antisense oligonucleotides comprise one or more modified nucleoside (e.g., nucleoside comprising a modified sugar and/or modified nucleobase) and/or one or more modified internucleoside linkage. The pattern of such modifications on an oligonucleotide is referred to herein as a motif. In certain embodiments, sugar, nucleobase, and linkage motifs are independent of one another.

a. **Certain sugar motifs**

In certain embodiments, oligonucleotides comprise one or more type of modified sugar moieties and/or naturally occurring sugar moieties arranged along an oligonucleotide or region thereof in a defined pattern or sugar modification motif. Such motifs may include any of the sugar modifications discussed herein and/or other known sugar modifications.

In certain embodiments, the oligonucleotides comprise or consist of a region having a gapmer sugar motif, which comprises two external regions or "wings" and a central or internal region or "gap." The three regions of a gapmer sugar motif (the 5'-wing, the gap, and the 3'-wing) form a contiguous sequence of nucleosides wherein at least some of the sugar moieties of the nucleosides of each of the wings differ from at least some of the sugar moieties of the nucleosides of the gap. Specifically, at least the sugar moieties of the nucleosides of each wing that are closest to the gap (the 3'-most nucleoside of the 5'-wing and the 5'-most nucleoside of the 3'-wing) differ from the sugar moiety of the neighboring gap nucleosides, thus defining the boundary between the wings and the gap. In certain embodiments, the sugar moieties within the gap are the same as one another. In certain embodiments, the gap includes one or more nucleoside having a sugar moiety that differs from the sugar moiety of one or more other nucleosides of the gap. In certain embodiments, the sugar motifs of the two wings are the same as one another (symmetric sugar gapmer). In certain embodiments, the sugar motifs of the 5'-wing differs from the sugar motif of the 3'-wing (asymmetric sugar gapmer).

i. **Certain 5'-wings**

In certain embodiments, the 5'- wing of a gapmer consists of 1 to 8 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 1 to 7 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 1 to 6 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 1 to 5 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 2 to 5 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 3 to 5 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 4 or 5 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 1 to 4 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 1 to 3 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 1 or 2 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 2 to 4 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 2 or 3 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 3 or 4 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 1 nucleoside. In certain embodiments, the 5'- wing of a gapmer consists of 2 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 3

2026201390 25 Feb 2026

linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 4 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 5 linked nucleosides. In certain embodiments, the 5'- wing of a gapmer consists of 6 linked nucleosides.

In certain embodiments, the 5'- wing of a gapmer comprises at least one bicyclic nucleoside. In certain embodiments, the 5'- wing of a gapmer comprises at least two bicyclic nucleosides. In certain embodiments, the 5'- wing of a gapmer comprises at least three bicyclic nucleosides. In certain embodiments, the 5'- wing of a gapmer comprises at least four bicyclic nucleosides. In certain embodiments, the 5'- wing of a gapmer comprises at least one constrained ethyl nucleoside. In certain embodiments, the 5'- wing of a gapmer comprises at least one LNA nucleoside. In certain embodiments, each nucleoside of the 5'- wing of a gapmer is a bicyclic nucleoside. In certain embodiments, each nucleoside of the 5'- wing of a gapmer is a constrained ethyl nucleoside. In certain embodiments, each nucleoside of the 5'- wing of a gapmer is a LNA nucleoside.

In certain embodiments, the 5'- wing of a gapmer comprises at least one non-bicyclic modified nucleoside. In certain embodiments, the 5'- wing of a gapmer comprises at least one 2'-substituted nucleoside. In certain embodiments, the 5'- wing of a gapmer comprises at least one 2'-MOE nucleoside. In certain embodiments, the 5'- wing of a gapmer comprises at least one 2'-OMe nucleoside. In certain embodiments, each nucleoside of the 5'- wing of a gapmer is a non-bicyclic modified nucleoside. In certain embodiments, each nucleoside of the 5'- wing of a gapmer is a 2'-substituted nucleoside. In certain embodiments, each nucleoside of the 5'- wing of a gapmer is a 2'-MOE nucleoside. In certain embodiments, each nucleoside of the 5'- wing of a gapmer is a 2'-OMe nucleoside.

In certain embodiments, the 5'- wing of a gapmer comprises at least one 2'-deoxynucleoside. In certain embodiments, each nucleoside of the 5'- wing of a gapmer is a 2'-deoxynucleoside. In a certain embodiments, the 5'- wing of a gapmer comprises at least one ribonucleoside. In certain embodiments, each nucleoside of the 5'- wing of a gapmer is a ribonucleoside. In certain embodiments, one, more than one, or each of the nucleosides of the 5'- wing is an RNA-like nucleoside.

In certain embodiments, the 5'-wing of a gapmer comprises at least one bicyclic nucleoside and at least one non-bicyclic modified nucleoside. In certain embodiments, the 5'-wing of a gapmer comprises at least one bicyclic nucleoside and at least one 2'-substituted nucleoside. In certain embodiments, the 5'-wing of a gapmer comprises at least one bicyclic nucleoside and at least one 2'-MOE nucleoside. In certain embodiments, the 5'-wing of a gapmer comprises at least one bicyclic nucleoside and at least one 2'-OMe nucleoside. In certain embodiments, the 5'-wing of a gapmer comprises at least one bicyclic nucleoside and at least one 2'-deoxynucleoside.

In certain embodiments, the 5'-wing of a gapmer comprises at least one constrained ethyl nucleoside and at least one non-bicyclic modified nucleoside. In certain embodiments, the 5'-wing of a gapmer comprises at least one constrained ethyl nucleoside and at least one 2'-substituted nucleoside. In certain embodiments, the 5'-wing of a gapmer comprises at least one constrained ethyl nucleoside and at least one

2026201390 25 Feb 2026

2’-MOE nucleoside. In certain embodiments, the 5’-wing of a gapmer comprises at least one constrained ethyl nucleoside and at least one 2’-OMe nucleoside. In certain embodiments, the 5’-wing of a gapmer comprises at least one constrained ethyl nucleoside and at least one 2’-deoxynucleoside.

ii. **Certain 3’-wings**

In certain embodiments, the 3’- wing of a gapmer consists of 1 to 8 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 1 to 7 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 1 to 6 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 1 to 5 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 2 to 5 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 3 to 5 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 4 or 5 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 1 to 4 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 1 to 3 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 1 or 2 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 2 to 4 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 2 or 3 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 3 or 4 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 1 nucleoside. In certain embodiments, the 3’- wing of a gapmer consists of 2 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 3linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 4 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 5 linked nucleosides. In certain embodiments, the 3’- wing of a gapmer consists of 6 linked nucleosides.

In certain embodiments, the 3’- wing of a gapmer comprises at least one bicyclic nucleoside. In certain embodiments, the 3’- wing of a gapmer comprises at least one constrained ethyl nucleoside. In certain embodiments, the 3’- wing of a gapmer comprises at least one LNA nucleoside. In certain embodiments, each nucleoside of the 3’- wing of a gapmer is a bicyclic nucleoside. In certain embodiments, each nucleoside of the 3’- wing of a gapmer is a constrained ethyl nucleoside. In certain embodiments, each nucleoside of the 3’- wing of a gapmer is a LNA nucleoside.

In certain embodiments, the 3’- wing of a gapmer comprises at least one non-bicyclic modified nucleoside. In certain embodiments, the 3’- wing of a gapmer comprises at least two non-bicyclic modified nucleosides. In certain embodiments, the 3’- wing of a gapmer comprises at least three non-bicyclic modified nucleosides. In certain embodiments, the 3’- wing of a gapmer comprises at least four non-bicyclic modified nucleosides. In certain embodiments, the 3’- wing of a gapmer comprises at least one 2’-substituted nucleoside. In certain embodiments, the 3’- wing of a gapmer comprises at least one 2’-MOE nucleoside. In certain embodiments, the 3’- wing of a gapmer comprises at least one 2’-OMe nucleoside. In certain embodiments, each nucleoside of the 3’- wing of a gapmer is a non-bicyclic modified nucleoside. In certain embodiments, each nucleoside of the 3’- wing of a gapmer is a 2’-substituted nucleoside. In certain

2026201390 25 Feb 2026

embodiments, each nucleoside of the 3'- wing of a gapmer is a 2'-MOE nucleoside. In certain embodiments, each nucleoside of the 3'- wing of a gapmer is a 2'-OMe nucleoside.

In certain embodiments, the 3'- wing of a gapmer comprises at least one 2'-deoxynucleoside. In certain embodiments, each nucleoside of the 3'- wing of a gapmer is a 2'-deoxynucleoside. In a certain embodiments, the 3'- wing of a gapmer comprises at least one ribonucleoside. In certain embodiments, each nucleoside of the 3'- wing of a gapmer is a ribonucleoside. In certain embodiments, one, more than one, or each of the nucleosides of the 5'- wing is an RNA-like nucleoside.

In certain embodiments, the 3'-wing of a gapmer comprises at least one bicyclic nucleoside and at least one non-bicyclic modified nucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one bicyclic nucleoside and at least one 2'-substituted nucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one bicyclic nucleoside and at least one 2'-MOE nucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one bicyclic nucleoside and at least one 2'-OMe nucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one bicyclic nucleoside and at least one 2'-deoxynucleoside.

In certain embodiments, the 3'-wing of a gapmer comprises at least one constrained ethyl nucleoside and at least one non-bicyclic modified nucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one constrained ethyl nucleoside and at least one 2'-substituted nucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one constrained ethyl nucleoside and at least one 2'-MOE nucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one constrained ethyl nucleoside and at least one 2'-OMe nucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one constrained ethyl nucleoside and at least one 2'-deoxynucleoside.

In certain embodiments, the 3'-wing of a gapmer comprises at least one LNA nucleoside and at least one non-bicyclic modified nucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one LNA nucleoside and at least one 2'-substituted nucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one LNA nucleoside and at least one 2'-MOE nucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one LNA nucleoside and at least one 2'-OMe nucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one LNA nucleoside and at least one 2'-deoxynucleoside.

In certain embodiments, the 3'-wing of a gapmer comprises at least one bicyclic nucleoside, at least one non-bicyclic modified nucleoside, and at least one 2'-deoxynucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one constrained ethyl nucleoside, at least one non-bicyclic modified nucleoside, and at least one 2'-deoxynucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one LNA nucleoside, at least one non-bicyclic modified nucleoside, and at least one 2'-deoxynucleoside.

In certain embodiments, the 3'-wing of a gapmer comprises at least one bicyclic nucleoside, at least one 2'-substituted nucleoside, and at least one 2'-deoxynucleoside. In certain embodiments, the 3'-wing of a

2026201390 25 Feb 2026

gapmer comprises at least one constrained ethyl nucleoside, at least one 2'-substituted nucleoside, and at least one 2'-deoxynucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one LNA nucleoside, at least one 2'-substituted nucleoside, and at least one 2'-deoxynucleoside.

In certain embodiments, the 3'-wing of a gapmer comprises at least one bicyclic nucleoside, at least one 2'-MOE nucleoside, and at least one 2'-deoxynucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one constrained ethyl nucleoside, at least one 2'-MOE nucleoside, and at least one 2'-deoxynucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one LNA nucleoside, at least one 2'-MOE nucleoside, and at least one 2'-deoxynucleoside.

In certain embodiments, the 3'-wing of a gapmer comprises at least one bicyclic nucleoside, at least one 2'-OMe nucleoside, and at least one 2'-deoxynucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one constrained ethyl nucleoside, at least one 2'-OMe nucleoside, and at least one 2'-deoxynucleoside. In certain embodiments, the 3'-wing of a gapmer comprises at least one LNA nucleoside, at least one 2'-OMe nucleoside, and at least one 2'-deoxynucleoside.

iii. **Certain Central Regions (gaps)**

In certain embodiments, the gap of a gapmer consists of 6 to 20 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 6 to 15 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 6 to 12 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 6 to 10 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 6 to 9 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 6 to 8 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 6 or 7 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 7 to 10 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 7 to 9 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 7 or 8 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 8 to 10 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 8 or 9 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 6 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 7 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 8 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 9 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 10 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 11 linked nucleosides. In certain embodiments, the gap of a gapmer consists of 12 linked nucleosides.

In certain embodiments, each nucleoside of the gap of a gapmer is a 2'-deoxynucleoside. In certain embodiments, the gap comprises one or more modified nucleosides. In certain embodiments, each nucleoside of the gap of a gapmer is a 2'-deoxynucleoside or is a modified nucleoside that is "DNA-like." In such embodiments, "DNA-like" means that the nucleoside has similar characteristics to DNA, such that a duplex comprising the gapmer and an RNA molecule is capable of activating RNase H. For example, under certain conditions, 2'-(ara)-F have been shown to support RNase H activation, and thus is DNA-like. In certain embodiments, one or more nucleosides of the gap of a gapmer is not a 2'-deoxynucleoside and is not DNA-

2026201390 25 Feb 2026

like. In certain such embodiments, the gapmer nonetheless supports RNase H activation (e.g., by virtue of the number or placement of the non-DNA nucleosides).

In certain embodiments, gaps comprise a stretch of unmodified 2'-deoxynucleoside interrupted by one or more modified nucleosides, thus resulting in three sub-regions (two stretches of one or more 2'-deoxynucleosides and a stretch of one or more interrupting modified nucleosides). In certain embodiments, no stretch of unmodified 2'-deoxynucleosides is longer than 5, 6, or 7 nucleosides. In certain embodiments, such short stretches is achieved by using short gap regions. In certain embodiments, short stretches are achieved by interrupting a longer gap region.

In certain embodiments, the gap comprises one or more modified nucleosides. In certain embodiments, the gap comprises one or more modified nucleosides selected from among cEt, FHNA, LNA, and 2-thio-thymidine. In certain embodiments, the gap comprises one modified nucleoside. In certain embodiments, the gap comprises a 5'-substituted sugar moiety selected from among 5'-Me, and 5'-*(R)*-Me. In certain embodiments, the gap comprises two modified nucleosides. In certain embodiments, the gap comprises three modified nucleosides. In certain embodiments, the gap comprises four modified nucleosides. In certain embodiments, the gap comprises two or more modified nucleosides and each modified nucleoside is the same. In certain embodiments, the gap comprises two or more modified nucleosides and each modified nucleoside is different.

In certain embodiments, the gap comprises one or more modified linkages. In certain embodiments, the gap comprises one or more methyl phosphonate linkages. In certain embodiments the gap comprises two or more modified linkages. In certain embodiments, the gap comprises one or more modified linkages and one or more modified nucleosides. In certain embodiments, the gap comprises one modified linkage and one modified nucleoside. In certain embodiments, the gap comprises two modified linkages and two or more modified nucleosides.

b. <u>Certain Internucleoside Linkage Motifs</u>

In certain embodiments, oligonucleotides comprise modified internucleoside linkages arranged along the oligonucleotide or region thereof in a defined pattern or modified internucleoside linkage motif. In certain embodiments, oligonucleotides comprise a region having an alternating internucleoside linkage motif. In certain embodiments, oligonucleotides of the present disclosure comprise a region of uniformly modified internucleoside linkages. In certain such embodiments, the oligonucleotide comprises a region that is uniformly linked by phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide is uniformly linked by phosphorothioate internucleoside linkages. In certain embodiments, each internucleoside linkage of the oligonucleotide is selected from phosphodiester and phosphorothioate. In certain embodiments, each internucleoside linkage of the oligonucleotide is selected from phosphodiester and phosphorothioate and at least one internucleoside linkage is phosphorothioate.

2026201390 25 Feb 2026

In certain embodiments, the oligonucleotide comprises at least 6 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least 7 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least 8 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least 9 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least 10 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least 11 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least 12 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least 13 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least 14 phosphorothioate internucleoside linkages.

In certain embodiments, the oligonucleotide comprises at least one block of at least 6 consecutive phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least one block of at least 7 consecutive phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least one block of at least 8 consecutive phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least one block of at least 9 consecutive phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least one block of at least 10 consecutive phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises at least block of at least one 12 consecutive phosphorothioate internucleoside linkages. In certain such embodiments, at least one such block is located at the 3' end of the oligonucleotide. In certain such embodiments, at least one such block is located within 3 nucleosides of the 3' end of the oligonucleotide. In certain embodiments, the oligonucleotide comprises less than 15 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises less than 14 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises less than 13 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises less than 12 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises less than 11 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises less than 10 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises less than 9 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises less than 8 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises less than 7 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises less than 6 phosphorothioate internucleoside linkages. In certain embodiments, the oligonucleotide comprises less than 5 phosphorothioate internucleoside linkages.

c. Certain Nucleobase Modification Motifs

In certain embodiments, oligonucleotides comprise chemical modifications to nucleobases arranged along the oligonucleotide or region thereof in a defined pattern or nucleobases modification motif. In certain such embodiments, nucleobase modifications are arranged in a gapped motif. In certain embodiments,

2026201390 25 Feb 2026

nucleobase modifications are arranged in an alternating motif. In certain embodiments, each nucleobase is modified. In certain embodiments, none of the nucleobases is chemically modified.

In certain embodiments, oligonucleotides comprise a block of modified nucleobases. In certain such embodiments, the block is at the 3'-end of the oligonucleotide. In certain embodiments the block is within 3 nucleotides of the 3'-end of the oligonucleotide. In certain such embodiments, the block is at the 5'-end of the oligonucleotide. In certain embodiments the block is within 3 nucleotides of the 5'-end of the oligonucleotide.

In certain embodiments, nucleobase modifications are a function of the natural base at a particular position of an oligonucleotide. For example, in certain embodiments each purine or each pyrimidine in an oligonucleotide is modified. In certain embodiments, each adenine is modified. In certain embodiments, each guanine is modified. In certain embodiments, each thymine is modified. In certain embodiments, each cytosine is modified. In certain embodiments, each uracil is modified.

In certain embodiments, some, all, or none of the cytosine moieties in an oligonucleotide are 5-methyl cytosine moieties. Herein, 5-methyl cytosine is not a "modified nucleobase." Accordingly, unless otherwise indicated, unmodified nucleobases include both cytosine residues having a 5-methyl and those lacking a 5 methyl. In certain embodiments, the methylation state of all or some cytosine nucleobases is specified.

In certain embodiments, chemical modifications to nucleobases comprise attachment of certain conjugate groups to nucleobases. In certain embodiments, each purine or each pyrimidine in an oligonucleotide may be optionally modified to comprise a conjugate group.

d. **Certain Overall Lengths**

In certain embodiments, the present disclosure provides oligonucleotides of any of a variety of ranges of lengths. In certain embodiments, oligonucleotides consist of X to Y linked nucleosides, where X represents the fewest number of nucleosides in the range and Y represents the largest number of nucleosides in the range. In certain such embodiments, X and Y are each independently selected from 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, and 50; provided that $X \leq Y$. For example, in certain embodiments, the oligonucleotide may consist of 8 to 9, 8 to 10, 8 to 11, 8 to 12, 8 to 13, 8 to 14, 8 to 15, 8 to 16, 8 to 17, 8 to 18, 8 to 19, 8 to 20, 8 to 21, 8 to 22, 8 to 23, 8 to 24, 8 to 25, 8 to 26, 8 to 27, 8 to 28, 8 to 29, 8 to 30, 9 to 10, 9 to 11, 9 to 12, 9 to 13, 9 to 14, 9 to 15, 9 to 16, 9 to 17, 9 to 18, 9 to 19, 9 to 20, 9 to 21, 9 to 22, 9 to 23, 9 to 24, 9 to 25, 9 to 26, 9 to 27, 9 to 28, 9 to 29, 9 to 30, 10 to 11, 10 to 12, 10 to 13, 10 to 14, 10 to 15, 10 to 16, 10 to 17, 10 to 18, 10 to 19, 10 to 20, 10 to 21, 10 to 22, 10 to 23, 10 to 24, 10 to 25, 10 to 26, 10 to 27, 10 to 28, 10 to 29, 10 to 30, 11 to 12, 11 to 13, 11 to 14, 11 to 15, 11 to 16, 11 to 17, 11 to 18, 11 to 19, 11 to 20, 11 to 21, 11 to 22, 11 to 23, 11 to 24, 11 to 25, 11 to 26, 11 to 27, 11 to 28, 11 to 29, 11 to 30, 12 to 13, 12 to 14, 12 to 15, 12 to 16, 12 to 17, 12 to 18, 12 to 19, 12 to 20, 12 to 21, 12 to 22, 12 to 23, 12 to 24, 12 to 25, 12 to 26, 12 to 27, 12 to 28, 12 to 29, 12 to 30, 13 to 14, 13 to 15, 13 to 16, 13 to 17, 13 to 18, 13 to 19, 13 to 20, 13 to 21, 13 to 22, 13 to 23, 13 to 24, 13 to 25, 13 to 26, 13 to 27, 13 to 28, 13 to 29, 13 to 30, 14 to 15, 14 to 16, 14 to 17, 14 to 18, 14 to 19, 14 to 20, 14 to 21, 14 to 22, 14 to 23, 14 to 24, 14 to 25, 14 to 26,

2026201390 25 Feb 2026

14 to 27, 14 to 28, 14 to 29, 14 to 30, 15 to 16, 15 to 17, 15 to 18, 15 to 19, 15 to 20, 15 to 21, 15 to 22, 15 to 23, 15 to 24, 15 to 25, 15 to 26, 15 to 27, 15 to 28, 15 to 29, 15 to 30, 16 to 17, 16 to 18, 16 to 19, 16 to 20, 16 to 21, 16 to 22, 16 to 23, 16 to 24, 16 to 25, 16 to 26, 16 to 27, 16 to 28, 16 to 29, 16 to 30, 17 to 18, 17 to 19, 17 to 20, 17 to 21, 17 to 22, 17 to 23, 17 to 24, 17 to 25, 17 to 26, 17 to 27, 17 to 28, 17 to 29, 17 to 30, 18 to 19, 18 to 20, 18 to 21, 18 to 22, 18 to 23, 18 to 24, 18 to 25, 18 to 26, 18 to 27, 18 to 28, 18 to 29, 18 to 30, 19 to 20, 19 to 21, 19 to 22, 19 to 23, 19 to 24, 19 to 25, 19 to 26, 19 to 29, 19 to 28, 19 to 29, 19 to 30, 20 to 21, 20 to 22, 20 to 23, 20 to 24, 20 to 25, 20 to 26, 20 to 27, 20 to 28, 20 to 29, 20 to 30, 21 to 22, 21 to 23, 21 to 24, 21 to 25, 21 to 26, 21 to 27, 21 to 28, 21 to 29, 21 to 30, 22 to 23, 22 to 24, 22 to 25, 22 to 26, 22 to 27, 22 to 28, 22 to 29, 22 to 30, 23 to 24, 23 to 25, 23 to 26, 23 to 27, 23 to 28, 23 to 29, 23 to 30, 24 to 25, 24 to 26, 24 to 27, 24 to 28, 24 to 29, 24 to 30, 25 to 26, 25 to 27, 25 to 28, 25 to 29, 25 to 30, 26 to 27, 26 to 28, 26 to 29, 26 to 30, 27 to 28, 27 to 29, 27 to 30, 28 to 29, 28 to 30, or 29 to 30 linked nucleosides. In embodiments where the number of nucleosides of an oligonucleotide of a compound is limited, whether to a range or to a specific number, the compound may, nonetheless further comprise additional other substituents. For example, an oligonucleotide comprising 8-30 nucleosides excludes oligonucleotides having 31 nucleosides, but, unless otherwise indicated, such an oligonucleotide may further comprise, for example one or more conjugate groups, terminal groups, or other substituents.

Further, where an oligonucleotide is described by an overall length range and by regions having specified lengths, and where the sum of specified lengths of the regions is less than the upper limit of the overall length range, the oligonucleotide may have additional nucleosides, beyond those of the specified regions, provided that the total number of nucleosides does not exceed the upper limit of the overall length range.

5. Certain Antisense Oligonucleotide Chemistry Motifs

In certain embodiments, the chemical structural features of antisense oligonucleotides are characterized by their sugar motif, internucleoside linkage motif, nucleobase modification motif and overall length. In certain embodiments, such parameters are each independent of one another. Thus, each internucleoside linkage of an oligonucleotide having a gapmer sugar motif may be modified or unmodified and may or may not follow the gapmer modification pattern of the sugar modifications. Thus, the internucleoside linkages within the wing regions of a sugar-gapmer may be the same or different from one another and may be the same or different from the internucleoside linkages of the gap region. Likewise, such sugar-gapmer oligonucleotides may comprise one or more modified nucleobase independent of the gapmer pattern of the sugar modifications. One of skill in the art will appreciate that such motifs may be combined to create a variety of oligonucleotides.

In certain embodiments, the selection of internucleoside linkage and nucleoside modification are not independent of one another.

2026201390 25 Feb 2026

i. **Certain Sequences and Targets**

In certain embodiments, the invention provides antisense oligonucleotides having a sequence complementary to a target nucleic acid. Such antisense compounds are capable of hybridizing to a target nucleic acid, resulting in at least one antisense activity. In certain embodiments, antisense compounds specifically hybridize to one or more target nucleic acid. In certain embodiments, a specifically hybridizing antisense compound has a nucleobase sequence comprising a region having sufficient complementarity to a target nucleic acid to allow hybridization and result in antisense activity and insufficient complementarity to any non-target so as to avoid or reduce non-specific hybridization to non-target nucleic acid sequences under conditions in which specific hybridization is desired (e.g., under physiological conditions for *in vivo* or therapeutic uses, and under conditions in which assays are performed in the case of *in vitro* assays). In certain embodiments, oligonucleotides are selective between a target and non-target, even though both target and non-target comprise the target sequence. In such embodiments, selectivity may result from relative accessibility of the target region of one nucleic acid molecule compared to the other.

In certain embodiments, the present disclosure provides antisense compounds comprising oligonucleotides that are fully complementary to the target nucleic acid over the entire length of the oligonucleotide. In certain embodiments, oligonucleotides are 99% complementary to the target nucleic acid. In certain embodiments, oligonucleotides are 95% complementary to the target nucleic acid. In certain embodiments, such oligonucleotides are 90% complementary to the target nucleic acid.

In certain embodiments, such oligonucleotides are 85% complementary to the target nucleic acid. In certain embodiments, such oligonucleotides are 80% complementary to the target nucleic acid. In certain embodiments, an antisense compound comprises a region that is fully complementary to a target nucleic acid and is at least 80% complementary to the target nucleic acid over the entire length of the oligonucleotide. In certain such embodiments, the region of full complementarity is from 6 to 14 nucleobases in length.

In certain embodiments, oligonucleotides comprise a hybridizing region and a terminal region. In certain such embodiments, the hybridizing region consists of 12-30 linked nucleosides and is fully complementary to the target nucleic acid. In certain embodiments, the hybridizing region includes one mismatch relative to the target nucleic acid. In certain embodiments, the hybridizing region includes two mismatches relative to the target nucleic acid. In certain embodiments, the hybridizing region includes three mismatches relative to the target nucleic acid. In certain embodiments, the terminal region consists of 1-4 terminal nucleosides. In certain embodiments, the terminal nucleosides are at the 3' end. In certain embodiments, one or more of the terminal nucleosides are not complementary to the target nucleic acid.

Antisense mechanisms include any mechanism involving the hybridization of an oligonucleotide with target nucleic acid, wherein the hybridization results in a biological effect. In certain embodiments, such hybridization results in either target nucleic acid degradation or occupancy with concomitant inhibition or stimulation of the cellular machinery involving, for example, translation, transcription, or splicing of the target nucleic acid.

2026201390 25 Feb 2026

One type of antisense mechanism involving degradation of target RNA is RNase H mediated antisense. RNase H is a cellular endonuclease which cleaves the RNA strand of an RNA:DNA duplex. It is known in the art that single-stranded antisense compounds which are "DNA-like" elicit RNase H activity in mammalian cells. Activation of RNase H, therefore, results in cleavage of the RNA target, thereby greatly enhancing the efficiency of DNA-like oligonucleotide-mediated inhibition of gene expression.

In certain embodiments, a conjugate group comprises a cleavable moiety. In certain embodiments, a conjugate group comprises one or more cleavable bond. In certain embodiments, a conjugate group comprises a linker. In certain embodiments, a linker comprises a protein binding moiety. In certain embodiments, a conjugate group comprises a cell-targeting moiety (also referred to as a cell-targeting group). In certain embodiments a cell-targeting moiety comprises a branching group. In certain embodiments, a cell-targeting moiety comprises one or more tethers. In certain embodiments, a cell-targeting moiety comprises a carbohydrate or carbohydrate cluster.

ii. Certain Cleavable Moieties


In certain embodiments, a cleavable moiety is a cleavable bond. In certain embodiments, a cleavable moiety comprises a cleavable bond. In certain embodiments, the conjugate group comprises a cleavable moiety. In certain such embodiments, the cleavable moiety attaches to the antisense oligonucleotide. In certain such embodiments, the cleavable moiety attaches directly to the cell-targeting moiety. In certain such embodiments, the cleavable moiety attaches to the conjugate linker. In certain embodiments, the cleavable moiety comprises a phosphate or phosphodiester. In certain embodiments, the cleavable moiety is a cleavable nucleoside or nucleoside analog. In certain embodiments, the nucleoside or nucleoside analog comprises an optionally protected heterocyclic base selected from a purine, substituted purine, pyrimidine or substituted pyrimidine. In certain embodiments, the cleavable moiety is a nucleoside comprising an optionally protected heterocyclic base selected from uracil, thymine, cytosine, 4-N-benzoylcytosine, 5-methylcytosine, 4-N-benzoyl-5-methylcytosine, adenine, 6-N-benzoyladenine, guanine and 2-N-isobutyrylguanine. In certain embodiments, the cleavable moiety is 2'-deoxy nucleoside that is attached to the 3' position of the antisense oligonucleotide by a phosphodiester linkage and is attached to the linker by a phosphodiester or phosphorothioate linkage. In certain embodiments, the cleavable moiety is 2'-deoxy adenosine that is attached to the 3' position of the antisense oligonucleotide by a phosphodiester linkage and is attached to the linker by a phosphodiester or phosphorothioate linkage. In certain embodiments, the cleavable moiety is 2'-deoxy adenosine that is attached to the 3' position of the antisense oligonucleotide by a phosphodiester linkage and is attached to the linker by a phosphodiester linkage.

In certain embodiments, the cleavable moiety is attached to the 3' position of the antisense oligonucleotide. In certain embodiments, the cleavable moiety is attached to the 5' position of the antisense oligonucleotide. In certain embodiments, the cleavable moiety is attached to a 2' position of the antisense oligonucleotide. In certain embodiments, the cleavable moiety is attached to the antisense oligonucleotide by a phosphodiester linkage. In certain embodiments, the cleavable moiety is attached to the linker by either a


2026201390 25 Feb 2026

phosphodiester or a phosphorothioate linkage. In certain embodiments, the cleavable moiety is attached to the linker by a phosphodiester linkage. In certain embodiments, the conjugate group does not include a cleavable moiety.

In certain embodiments, the cleavable moiety is cleaved after the complex has been administered to an animal only after being internalized by a targeted cell. Inside the cell the cleavable moiety is cleaved thereby releasing the active antisense oligonucleotide. While not wanting to be bound by theory it is believed that the cleavable moiety is cleaved by one or more nucleases within the cell. In certain embodiments, the one or more nucleases cleave the phosphodiester linkage between the cleavable moiety and the linker. In certain embodiments, the cleavable moiety has a structure selected from among the following:



wherein each of Bx, Bx_1, Bx_2, and Bx_3 is independently a heterocyclic base moiety. In certain embodiments, the cleavable moiety has a structure selected from among the following:



2026201390 25 Feb 2026

iii. Certain Linkers

In certain embodiments, the conjugate groups comprise a linker. In certain such embodiments, the linker is covalently bound to the cleavable moiety. In certain such embodiments, the linker is covalently bound to the antisense oligonucleotide. In certain embodiments, the linker is covalently bound to a cell-targeting moiety. In certain embodiments, the linker further comprises a covalent attachment to a solid support. In certain embodiments, the linker further comprises a covalent attachment to a protein binding moiety. In certain embodiments, the linker further comprises a covalent attachment to a solid support and further comprises a covalent attachment to a protein binding moiety. In certain embodiments, the linker includes multiple positions for attachment of tethered ligands. In certain embodiments, the linker includes multiple positions for attachment of tethered ligands and is not attached to a branching group. In certain embodiments, the linker further comprises one or more cleavable bond. In certain embodiments, the conjugate group does not include a linker.

In certain embodiments, the linker includes at least a linear group comprising groups selected from alkyl, amide, disulfide, polyethylene glycol, ether, thioether (-S-) and hydroxylamino (-O-N(H)-) groups. In certain embodiments, the linear group comprises groups selected from alkyl, amide and ether groups. In certain embodiments, the linear group comprises groups selected from alkyl and ether groups. In certain embodiments, the linear group comprises at least one phosphorus linking group. In certain embodiments, the linear group comprises at least one phosphodiester group. In certain embodiments, the linear group includes at least one neutral linking group. In certain embodiments, the linear group is covalently attached to the cell-targeting moiety and the cleavable moiety. In certain embodiments, the linear group is covalently attached to the cell-targeting moiety and the antisense oligonucleotide. In certain embodiments, the linear group is covalently attached to the cell-targeting moiety, the cleavable moiety and a solid support. In certain embodiments, the linear group is covalently attached to the cell-targeting moiety, the cleavable moiety, a solid support and a protein binding moiety. In certain embodiments, the linear group includes one or more cleavable bond.


In certain embodiments, the linker includes the linear group covalently attached to a scaffold group. In certain embodiments, the scaffold includes a branched aliphatic group comprising groups selected from alkyl, amide, disulfide, polyethylene glycol, ether, thioether and hydroxylamino groups. In certain embodiments, the scaffold includes a branched aliphatic group comprising groups selected from alkyl, amide and ether groups. In certain embodiments, the scaffold includes at least one mono or polycyclic ring system. In certain embodiments, the scaffold includes at least two mono or polycyclic ring systems. In certain embodiments, the linear group is covalently attached to the scaffold group and the scaffold group is covalently attached to the cleavable moiety and the linker. In certain embodiments, the linear group is covalently attached to the scaffold group and the scaffold group is covalently attached to the cleavable moiety, the linker and a solid support. In certain embodiments, the linear group is covalently attached to the scaffold group and the scaffold group is covalently attached to the cleavable moiety, the linker and a protein

2026201390 25 Feb 2026

binding moiety. In certain embodiments, the linear group is covalently attached to the scaffold group and the scaffold group is covalently attached to the cleavable moiety, the linker, a protein binding moiety and a solid support. In certain embodiments, the scaffold group includes one or more cleavable bond.

In certain embodiments, the linker includes a protein binding moiety. In certain embodiments, the protein binding moiety is a lipid such as for example including but not limited to cholesterol, cholic acid, adamantane acetic acid, 1-pyrene butyric acid, dihydrotestosterone, 1,3-Bis-O(hexadecyl)glycerol, geranyloxyhexyl group, hexadecylglycerol, borneol, menthol, 1,3-propanediol, heptadecyl group, palmitic acid, myristic acid, O3-(oleoyl)lithocholic acid, O3-(oleoyl)cholenic acid, dimethoxytrityl, or phenoxazine), a vitamin (e.g., folate, vitamin A, vitamin E, biotin, pyridoxal), a peptide, a carbohydrate (e.g., monosaccharide, disaccharide, trisaccharide, tetrasaccharide, oligosaccharide, polysaccharide), an endosomolytic component, a steroid (e.g., uvaol, hecigenin, diosgenin), a terpene (e.g., triterpene, e.g., sarsasapogenin, friedelin, epifriedelanol derivatized lithocholic acid), or a cationic lipid. In certain embodiments, the protein binding moiety is a C16 to C22 long chain saturated or unsaturated fatty acid, cholesterol, cholic acid, vitamin E, adamantane or 1-pentafluoropropyl.


In certain embodiments, a linker has a structure selected from among:





wherein each n is, independently, from 1 to 20; and p is from 1 to 6.


2026201390 25 Feb 2026


In certain embodiments, a linker has a structure selected from among:



;



;



;



;


;


;





;






; and








wherein each n is, independently, from 1 to 20.



In certain embodiments, a linker has a structure selected from among:



;

;

;


;

;

;

;



;

;

;


;

;


;

;



;

; and




wherein n is from 1 to 20.


In certain embodiments, a linker has a structure selected from among:





wherein each L is, independently, a phosphorus linking group or a neutral linking group; and each n is, independently, from 1 to 20.

In certain embodiments, a linker has a structure selected from among:






;



; and



.


In certain embodiments, a linker has a structure selected from among:



;



;



;



;



;



;



;



;



;


;



;


;


; and


.

In certain embodiments, a linker has a structure selected from among:




and

.

25 Feb 2026


2026201390

In certain embodiments, a linker has a structure selected from among:




wherein n is from 1 to 20.


In certain embodiments, a linker has a structure selected from among:




In certain embodiments, a linker has a structure selected from among:




In certain embodiments, a linker has a structure selected from among:





In certain embodiments, the conjugate linker has the structure:





In certain embodiments, the conjugate linker has the structure:



In certain embodiments, a linker has a structure selected from among:


and

.

In certain embodiments, a linker has a structure selected from among:


and

;

wherein each n is independently, 0, 1, 2, 3, 4, 5, 6, or 7.











iv. Certain Cell-Targeting Moieties






In certain embodiments, conjugate groups comprise cell-targeting moieties. Certain such cell-targeting moieties increase cellular uptake of antisense compounds. In certain embodiments, cell-targeting moieties comprise a branching group, one or more tether, and one or more ligand. In certain embodiments, cell-targeting moieties comprise a branching group, one or more tether, one or more ligand and one or more cleavable bond.

1. **Certain Branching Groups**

In certain embodiments, the conjugate groups comprise a targeting moiety comprising a branching group and at least two tethered ligands. In certain embodiments, the branching group attaches the conjugate linker. In certain embodiments, the branching group attaches the cleavable moiety. In certain embodiments, the branching group attaches the antisense oligonucleotide. In certain embodiments, the branching group is covalently attached to the linker and each of the tethered ligands. In certain embodiments, the branching group comprises a branched aliphatic group comprising groups selected from alkyl, amide, disulfide, polyethylene glycol, ether, thioether and hydroxylamino groups. In certain embodiments, the branching group comprises groups selected from alkyl, amide and ether groups. In certain embodiments, the branching group comprises groups selected from alkyl and ether groups. In certain embodiments, the branching group comprises a mono or polycyclic ring system. In certain embodiments, the branching group comprises one or more cleavable bond. In certain embodiments, the conjugate group does not include a branching group.

In certain embodiments, a branching group has a structure selected from among:


;

;

;

;

;

;

;

;

;

;








wherein each n is, independently, from 1 to 20;

j is from 1 to 3; and

m is from 2 to 6.

In certain embodiments, a branching group has a structure selected from among:









; and

wherein each n is, independently, from 1 to 20; and



m is from 2 to 6.

In certain embodiments, a branching group has a structure selected from among:




;

;

;

; and

.




In certain embodiments, a branching group has a structure selected from among:


and


wherein each A_1 is independently, O, S, C=O or NH; and

each n is, independently, from 1 to 20.


In certain embodiments, a branching group has a structure selected from among:


;

and


wherein each A_1 is independently, O, S, C=O or NH; and

each n is, independently, from 1 to 20.


In certain embodiments, a branching group has a structure selected from among:



wherein A_1 is O, S, C=O or NH; and


each n is, independently, from 1 to 20.

In certain embodiments, a branching group has a structure selected from among:




.

In certain embodiments, a branching group has a structure selected from among:



.

In certain embodiments, a branching group has a structure selected from among:



.

2026201390 25 Feb 2026


2. Certain Tethers

In certain embodiments, conjugate groups comprise one or more tethers covalently attached to the branching group. In certain embodiments, conjugate groups comprise one or more tethers covalently attached to the linking group. In certain embodiments, each tether is a linear aliphatic group comprising one or more groups selected from alkyl, ether, thioether, disulfide, amide and polyethylene glycol groups in any combination. In certain embodiments, each tether is a linear aliphatic group comprising one or more groups selected from alkyl, substituted alkyl, ether, thioether, disulfide, amide, phosphodiester and polyethylene glycol groups in any combination. In certain embodiments, each tether is a linear aliphatic group comprising one or more groups selected from alkyl, ether and amide groups in any combination. In certain embodiments, each tether is a linear aliphatic group comprising one or more groups selected from alkyl, substituted alkyl, phosphodiester, ether and amide groups in any combination. In certain embodiments, each tether is a linear aliphatic group comprising one or more groups selected from alkyl and phosphodiester in any combination. In certain embodiments, each tether comprises at least one phosphorus linking group or neutral linking group.

In certain embodiments, the tether includes one or more cleavable bond. In certain embodiments, the tether is attached to the branching group through either an amide or an ether group. In certain embodiments, the tether is attached to the branching group through a phosphodiester group. In certain embodiments, the tether is attached to the branching group through a phosphorus linking group or neutral linking group. In certain embodiments, the tether is attached to the branching group through an ether group. In certain embodiments, the tether is attached to the ligand through either an amide or an ether group. In certain embodiments, the tether is attached to the ligand through an ether group. In certain embodiments, the tether is attached to the ligand through either an amide or an ether group. In certain embodiments, the tether is attached to the ligand through an ether group.

In certain embodiments, each tether comprises from about 8 to about 20 atoms in chain length between the ligand and the branching group. In certain embodiments, each tether group comprises from about 10 to about 18 atoms in chain length between the ligand and the branching group. In certain embodiments, each tether group comprises about 13 atoms in chain length.


In certain embodiments, a tether has a structure selected from among:




wherein each n is, independently, from 1 to 20; and

each p is from 1 to about 6.

In certain embodiments, a tether has a structure selected from among:




In certain embodiments, a tether has a structure selected from among:



wherein each n is, independently, from 1 to 20.

In certain embodiments, a tether has a structure selected from among:



wherein L is either a phosphorus linking group or a neutral linking group;


Z_1 is C(=O)O-R_2;

Z_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky;


R_2 is H, C_1-C_6 alkyl or substituted C_1-C_6 alky; and

each m_1 is, independently, from 0 to 20 wherein at least one m_1 is greater than 0 for each tether.

In certain embodiments, a tether has a structure selected from among:

 .



In certain embodiments, a tether has a structure selected from among:



wherein Z_2 is H or CH_3; and

each m_1 is, independently, from 0 to 20 wherein at least one m_1 is greater than 0 for each tether.

In certain embodiments, a tether has a structure selected from among:

 , or  ; wherein each n is independently, 0, 1, 2, 3, 4, 5, 6, or 7.

In certain embodiments, a tether comprises a phosphorus linking group. In certain embodiments, a tether does not comprise any amide bonds. In certain embodiments, a tether comprises a phosphorus linking group and does not comprise any amide bonds.

2026201390 25 Feb 2026

3. Certain Ligands


In certain embodiments, the present disclosure provides ligands wherein each ligand is covalently attached to a tether. In certain embodiments, each ligand is selected to have an affinity for at least one type of receptor on a target cell. In certain embodiments, ligands are selected that have an affinity for at least one type of receptor on the surface of a mammalian liver cell. In certain embodiments, ligands are selected that have an affinity for the hepatic asialoglycoprotein receptor (ASGP-R). In certain embodiments, each ligand is a carbohydrate. In certain embodiments, each ligand is, independently selected from galactose, N-acetyl galactoseamine, mannose, glucose, glucosamone and fucose. In certain embodiments, each ligand is N-acetyl galactoseamine (GalNAc). In certain embodiments, the targeting moiety comprises 2 to 6 ligands. In certain embodiments, the targeting moiety comprises 3 ligands. In certain embodiments, the targeting moiety comprises 3 N-acetyl galactoseamine ligands.

In certain embodiments, the ligand is a carbohydrate, carbohydrate derivative, modified carbohydrate, multivalent carbohydrate cluster, polysaccharide, modified polysaccharide, or polysaccharide derivative. In certain embodiments, the ligand is an amino sugar or a thio sugar. For example, amino sugars may be selected from any number of compounds known in the art, for example glucosamine, sialic acid, α-D-galactosamine, N-Acetylgalactosamine, 2-acetamido-2-deoxy-D-galactopyranose (GalNAc), 2-Amino-3-*O*-[(*R*)-1-carboxyethyl]-2-deoxy-β-D-glucopyranose (β-muramic acid), 2-Deoxy-2-methylamino-L-glucopyranose, 4,6-Dideoxy-4-formamido-2,3-di-*O*-methyl-D-mannopyranose, 2-Deoxy-2-sulfoamino-D-glucopyranose and *N*-sulfo-D-glucosamine, and *N*-Glycoloyl-α-neuraminic acid. For example, thio sugars may be selected from the group consisting of 5-Thio-β-D-glucopyranose, Methyl 2,3,4-tri-*O*-acetyl-1-thio-6-*O*-trityl-α-D-glucopyranoside, 4-Thio-β-D-galactopyranose, and ethyl 3,4,6,7-tetra-*O*-acetyl-2-deoxy-1,5-dithio-α-D-*gluco*-heptopyranoside.


In certain embodiments, "GalNac" or "Gal-NAc" refers to 2-(Acetylamino)-2-deoxy-D-galactopyranose, commonly referred to in the literature as N-acetyl galactosamine. In certain embodiments, "N-acetyl galactosamine" refers to 2-(Acetylamino)-2-deoxy-D-galactopyranose. In certain embodiments, "GalNac" or "Gal-NAc" refers to 2-(Acetylamino)-2-deoxy-D-galactopyranose. In certain embodiments, "GalNac" or "Gal-NAc" refers to 2-(Acetylamino)-2-deoxy-D-galactopyranose, which includes both the β-form: 2-(Acetylamino)-2-deoxy-β-D-galactopyranose and α-form: 2-(Acetylamino)-2-deoxy-D-galactopyranose. In certain embodiments, both the β-form: 2-(Acetylamino)-2-deoxy-β-D-galactopyranose and α-form: 2-(Acetylamino)-2-deoxy-D-galactopyranose may be used interchangeably. Accordingly, in structures in which one form is depicted, these structures are intended to include the other form as well. For example, where the structure for an α-form: 2-(Acetylamino)-2-deoxy-D-galactopyranose is shown, this structure is intended to include the other form as well. In certain embodiments, In certain preferred embodiments, the β-form 2-(Acetylamino)-2-deoxy-D-galactopyranose is the preferred embodiment.

25 Feb 2026


2026201390



2-(Acetylamino)-2-deoxy-D-galactopyranose




2-(Acetylamino)-2-deoxy-β-D-galactopyranose




2-(Acetylamino)-2-deoxy-α-D-galactopyranose

In certain embodiments one or more ligand has a structure selected from among:



and











wherein each R_1 is selected from OH and NHCOOH.


25 Feb 2026

2026201390


In certain embodiments one or more ligand has a structure selected from among:


;

;

;

;

;

;

; and

.

In certain embodiments one or more ligand has a structure selected from among:


.


In certain embodiments one or more ligand has a structure selected from among:


.

2026201390 25 Feb 2026


i. Certain Conjugates

In certain embodiments, conjugate groups comprise the structural features above. In certain such embodiments, conjugate groups have the following structure:




wherein each n is, independently, from 1 to 20.

In certain such embodiments, conjugate groups have the following structure:



In certain such embodiments, conjugate groups have the following structure:



wherein each n is, independently, from 1 to 20;


Z is H or a linked solid support;

Q is an antisense compound;

X is O or S; and


Bx is a heterocyclic base moiety.

In certain such embodiments, conjugate groups have the following structure:




2026201390 25 Feb 2026

In certain such embodiments, conjugate groups have the following structure:




In certain such embodiments, conjugate groups have the following structure:




In certain such embodiments, conjugate groups have the following structure:

2026201390 25 Feb 2026




In certain such embodiments, conjugate groups have the following structure:




In certain such embodiments, conjugate groups have the following structure:

2026201390 25 Feb 2026




In certain such embodiments, conjugate groups have the following structure:



2026201390 25 Feb 2026


In certain such embodiments, conjugate groups have the following structure:



.

In certain embodiments, conjugates do not comprise a pyrrolidine.


In certain such embodiments, conjugate groups have the following structure:




.

2026201390 25 Feb 2026


In certain such embodiments, conjugate groups have the following structure:



In certain such embodiments, conjugate groups have the following structure:




In certain such embodiments, conjugate groups have the following structure:




In certain such embodiments, conjugate groups have the following structure:

2026201390 25 Feb 2026




.

In certain such embodiments, conjugate groups have the following structure:




.

In certain such embodiments, conjugate groups have the following structure:




.

In certain such embodiments, conjugate groups have the following structure:




.

In certain such embodiments, conjugate groups have the following structure:



.


In certain such embodiments, conjugate groups have the following structure:




.

In certain such embodiments, conjugate groups have the following structure:


2026201390 25 Feb 2026




In certain such embodiments, the conjugate groups have the following structure:



In certain such embodiments, the conjugate groups have the following structure:




In certain embodiments, the cell-targeting moiety of the conjugate group has the following structure:



wherein X is a substituted or unsubstituted tether of six to eleven consecutively bonded atoms.


In certain embodiments, the cell-targeting moiety of the conjugate group has the following structure:



wherein X is a substituted or unsubstituted tether of ten consecutively bonded atoms.


2026201390 25 Feb 2026

In certain embodiments, the cell-targeting moiety of the conjugate group has the following structure:




wherein X is a substituted or unsubstituted tether of four to eleven consecutively bonded atoms and wherein the tether comprises exactly one amide bond.

In certain embodiments, the cell-targeting moiety of the conjugate group has the following structure:




wherein Y and Z are independently selected from a C_1-C_{12} substituted or unsubstituted alkyl, alkenyl, or alkynyl group, or a group comprising an ether, a ketone, an amide, an ester, a carbamate, an amine, a piperidine, a phosphate, a phosphodiester, a phosphorothioate, a triazole, a pyrrolidine, a disulfide, or a thioether.

In certain such embodiments, the cell-targeting moiety of the conjugate group has the following structure:




wherein Y and Z are independently selected from a C_1-C_{12} substituted or unsubstituted alkyl group, or a group comprising exactly one ether or exactly two ethers, an amide, an amine, a piperidine, a phosphate, a phosphodiester, or a phosphorothioate.

In certain such embodiments, the cell-targeting moiety of the conjugate group has the following structure:



wherein Y and Z are independently selected from a C_1-C_{12} substituted or unsubstituted alkyl group.


In certain such embodiments, the cell-targeting moiety of the conjugate group has the following structure:



wherein m and n are independently selected from 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12.


In certain such embodiments, the cell-targeting moiety of the conjugate group has the following structure:

2026201390 25 Feb 2026




wherein m is 4, 5, 6, 7, or 8, and n is 1, 2, 3, or 4.

In certain embodiments, the cell-targeting moiety of the conjugate group has the following structure:




wherein X is a substituted or unsubstituted tether of four to thirteen consecutively bonded atoms, and wherein X does not comprise an ether group.

In certain embodiments, the cell-targeting moiety of the conjugate group has the following structure:




wherein X is a substituted or unsubstituted tether of eight consecutively bonded atoms, and wherein X does not comprise an ether group.

In certain embodiments, the cell-targeting moiety of the conjugate group has the following structure:




wherein X is a substituted or unsubstituted tether of four to thirteen consecutively bonded atoms, and wherein the tether comprises exactly one amide bond, and wherein X does not comprise an ether group.

In certain embodiments, the cell-targeting moiety of the conjugate group has the following structure:



wherein X is a substituted or unsubstituted tether of four to thirteen consecutively bonded atoms and wherein the tether consists of an amide bond and a substituted or unsubstituted C_2-C_{11} alkyl group.


In certain embodiments, the cell-targeting moiety of the conjugate group has the following structure:



wherein Y is selected from a C_1-C_{12} substituted or unsubstituted alkyl, alkenyl, or alkynyl group, or a group comprising an ether, a ketone, an amide, an ester, a carbamate, an amine, a piperidine, a phosphate, a phosphodiester, a phosphorothioate, a triazole, a pyrrolidine, a disulfide, or a thioether.


In certain such embodiments, the cell-targeting moiety of the conjugate group has the following structure:

2026201390 25 Feb 2026




wherein Y is selected from a C_1-C_{12} substituted or unsubstituted alkyl group, or a group comprising an ether, an amine, a piperidine, a phosphate, a phosphodiester, or a phosphorothioate.

In certain such embodiments, the cell-targeting moiety of the conjugate group has the following structure:



wherein Y is selected from a C_1-C_{12} substituted or unsubstituted alkyl group.


In certain such embodiments, the cell-targeting moiety of the conjugate group has the following structure:



Wherein n is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, or 12.

In certain such embodiments, the cell-targeting moiety of the conjugate group has the following structure:


2026201390 25 Feb 2026



wherein n is 4, 5, 6, 7, or 8.

b.<u>Certain conjugated antisense compounds</u>

In certain embodiments, the conjugates are bound to a nucleoside of the antisense oligonucleotide at the 2', 3', of 5' position of the nucleoside. In certain embodiments, a conjugated antisense compound has the following structure:



wherein

A is the antisense oligonucleotide;

B is the cleavable moiety

C is the conjugate linker


D is the branching group

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

In certain embodiments, a conjugated antisense compound has the following structure:



wherein

A is the antisense oligonucleotide;

C is the conjugate linker

25 Feb 2026

2026201390

D is the branching group

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.


In certain such embodiments, the conjugate linker comprises at least one cleavable bond.

In certain such embodiments, the branching group comprises at least one cleavable bond.

In certain embodiments each tether comprises at least one cleavable bond.

In certain embodiments, the conjugates are bound to a nucleoside of the antisense oligonucleotide at the 2', 3', of 5' position of the nucleoside.

In certain embodiments, a conjugated antisense compound has the following structure:



wherein

A is the antisense oligonucleotide;

B is the cleavable moiety


C is the conjugate linker

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

In certain embodiments, the conjugates are bound to a nucleoside of the antisense oligonucleotide at the 2', 3', of 5' position of the nucleoside. In certain embodiments, a conjugated antisense compound has the following structure:



wherein

A is the antisense oligonucleotide;

C is the conjugate linker

each E is a tether;


each F is a ligand; and

25 Feb 2026

2026201390

q is an integer between 1 and 5.

In certain embodiments, a conjugated antisense compound has the following structure:



wherein

A is the antisense oligonucleotide;

B is the cleavable moiety


D is the branching group

each E is a tether;

each F is a ligand; and

q is an integer between 1 and 5.

In certain embodiments, a conjugated antisense compound has the following structure:



wherein

A is the antisense oligonucleotide;

D is the branching group

each E is a tether;

each F is a ligand; and


q is an integer between 1 and 5.

In certain such embodiments, the conjugate linker comprises at least one cleavable bond.

In certain embodiments each tether comprises at least one cleavable bond.


In certain embodiments, a conjugated antisense compound has a structure selected from among the following:

2026201390 25 Feb 2026



.


In certain embodiments, a conjugated antisense compound has a structure selected from among the following:



.


In certain embodiments, a conjugated antisense compound has a structure selected from among the following:

2026201390 25 Feb 2026



.

In certain embodiments, the conjugated antisense compound has the following structure:



Representative United States patents, United States patent application publications, and international patent application publications that teach the preparation of certain of the above noted conjugates, conjugated antisense compounds, tethers, linkers, branching groups, ligands, cleavable moieties as well as other modifications include without limitation, US 5,994,517, US 6,300,319, US 6,660,720, US 6,906,182, US 7,262,177, US 7,491,805, US 8,106,022, US 7,723,509, US 2006/0148740, US 2011/0123520, WO 2013/033230, WO 2012/037254, WO 2021/026150, WO 2019/051402 and WO 2022/098841, each of which is incorporated by reference herein in its entirety.

2026201390 25 Feb 2026

Representative publications that teach the preparation of certain of the above noted conjugates, conjugated antisense compounds, tethers, linkers, branching groups, ligands, cleavable moieties as well as other modifications include without limitation, BIESSEN et al., "The Cholesterol Derivative of a Triantennary Galactoside with High Affinity for the Hepatic Asialoglycoprotein Receptor: a Potent Cholesterol Lowering Agent" J. Med. Chem. (1995) 38:1846-1852, BIESSEN et al., "Synthesis of Cluster Galactosides with High Affinity for the Hepatic Asialoglycoprotein Receptor" J. Med. Chem. (1995) 38:1538-1546, LEE et al., "New and more efficient multivalent glyco-ligands for asialoglycoprotein receptor of mammalian hepatocytes" Bioorganic & Medicinal Chemistry (2011) 19:2494-2500, RENSEN et al., "Determination of the Upper Size Limit for Uptake and Processing of Ligands by the Asialoglycoprotein Receptor on Hepatocytes in Vitro and in Vivo" J. Biol. Chem. (2001) 276(40):37577-37584, RENSEN et al., "Design and Synthesis of Novel N-Acetylgalactosamine-Terminated Glycolipids for Targeting of Lipoproteins to the Hepatic Asialoglycoprotein Receptor" J. Med. Chem. (2004) 47:5798-5808, SLIEDREGT et al., "Design and Synthesis of Novel Amphiphilic Dendritic Galactosides for Selective Targeting of Liposomes to the Hepatic Asialoglycoprotein Receptor" J. Med. Chem. (1999) 42:609-618, and Valentijn *et al.*, "Solid-phase synthesis of lysine-based cluster galactosides with high affinity for the Asialoglycoprotein Receptor" *Tetrahedron*, 1997, *53(2)*, 759-770, each of which is incorporated by reference herein in its entirety.

In certain embodiments, conjugated antisense compounds comprise an RNase H based oligonucleotide (such as a gapmer) or a splice modulating oligonucleotide (such as a fully modified oligonucleotide) and any conjugate group comprising at least one, two, or three GalNAc groups. In certain embodiments a conjugated antisense compound comprises any conjugate group found in any of the following references: Lee, *Carbohydr Res*, 1978, 67, 509-514; Connolly et al., *J Biol Chem*, 1982, 257, 939-945; Pavia et al., *Int J Pep Protein Res*, 1983, 22, 539-548; Lee et al., *Biochem*, 1984, 23, 4255-4261; Lee et al., *Glycoconjugate J*, 1987, 4, 317-328; Toyokuni et al., *Tetrahedron Lett*, 1990, 31, 2673-2676; Biessen et al., *J Med Chem*, 1995, 38, 1538-1546; Valentijn et al., *Tetrahedron*, 1997, 53, 759-770; Kim et al., *Tetrahedron Lett*, 1997, 38, 3487-3490; Lee et al., *Bioconjug Chem*, 1997, 8, 762-765; Kato et al., *Glycobiol*, 2001, 11, 821-829; Rensen et al., *J Biol Chem*, 2001, 276, 37577-37584; Lee et al., *Methods Enzymol*, 2003, 362, 38-43; Westerlind et al., *Glycoconj J*, 2004, 21, 227-241; Lee et al., *Bioorg Med Chem Lett*, 2006, 16(19), 5132-5135; Maierhofer et al., *Bioorg Med Chem*, 2007, 15, 7661-7676; Khorev et al., *Bioorg Med Chem*, 2008, 16, 5216-5231; Lee et al., *Bioorg Med Chem*, 2011, 19, 2494-2500; Kornilova et al., Analyt Biochem, 2012, 425, 43-46; Pujol et al., *Angew Chemie Int Ed Engl*, 2012, 51, 7445-7448; Biessen et al., *J Med Chem*, 1995, 38, 1846-1852; Sliedregt et al., *J Med Chem*, 1999, 42, 609-618; Rensen et al., *J Med Chem*, 2004, 47, 5798-5808; Rensen et al., *Arterioscler Thromb Vasc Biol*, 2006, 26, 169-175; van Rossenberg et al., *Gene Ther*, 2004, 11, 457-464; Sato et al., *J Am Chem Soc*, 2004, 126, 14013-14022; Lee et al., *J Org Chem*, 2012, 77, 7564-7571; Biessen et al., *FASEB J*, 2000, 14, 1784-1792; Rajur et al., *Bioconjug Chem*, 1997, 8, 935-940; Duff et al., *Methods Enzymol*, 2000, 313, 297-321; Maier et al., *Bioconjug Chem*, 2003, 14, 18-29; Jayaprakash et al., *Org Lett*, 2010, 12, 5410-5413;

2026201390 25 Feb 2026

Manoharan, *Antisense Nucleic Acid Drug Dev*, 2002, 12, 103-128; Merwin et al., *Bioconjug Chem*, 1994, 5, 612-620; Tomiya et al., Bioorg Med Chem, 2013, 21, 5275-5281; International applications WO1998/013381; WO2011/038356; WO1997/046098; WO2008/098788; WO2004/101619; WO2012/037254; WO2011/120053; WO2011/100131; WO2011/163121; WO2012/177947; WO2013/033230; WO2013/075035; WO2012/083185; WO2012/083046; WO2009/082607; WO2009/134487; WO2010/144740; WO2010/148013; WO1997/020563; WO2010/088537; WO2002/043771; WO2010/129709; WO2012/068187; WO2009/126933; WO2004/024757; WO2010/054406; WO2012/089352; WO2012/089602; WO2013/166121; WO2013/165816; WO 2021/026150; WO 2019/051402; and WO 2022/098841; U.S. Patents 4,751,219; 8,552,163; 6,908,903; 7,262,177; 5,994,517; 6,300,319; 8,106,022; 7,491,805; 7,491,805; 7,582,744; 8,137,695; 6,383,812; 6,525,031; 6,660,720; 7,723,509; 8,541,548; 8,344,125; 8,313,772; 8,349,308; 8,450,467; 8,501,930; 8,158,601; 7,262,177; 6,906,182; 6,620,916; 8,435,491; 8,404,862; 7,851,615; Published U.S. Patent Application Publications US2011/0097264; US2011/0097265; US2013/0004427; US2005/0164235; US2006/0148740; US2008/0281044; US2010/0240730; US2003/0119724; US2006/0183886; US2008/0206869; US2011/0269814; US2009/0286973; US2011/0207799; US2012/0136042; US2012/0165393; US2008/0281041; US2009/0203135; US2012/0035115; US2012/0095075; US2012/0101148; US2012/0128760; US2012/0157509; US2012/0230938; US2013/0109817; US2013/0121954; US2013/0178512; US2013/0236968; US2011/0123520; US2003/0077829; US2008/0108801; and US2009/0203132; each of which is incorporated by reference in its entirety.

C. <u>Certain Uses and Features</u>

In certain embodiments, conjugated antisense compounds exhibit potent target RNA reduction *in vivo*. In certain embodiments, unconjugated antisense compounds accumulate in the kidney. In certain embodiments, conjugated antisense compounds accumulate in the liver. In certain embodiments, conjugated antisense compounds are well tolerated. Such properties render conjugated antisense compounds particularly useful for inhibition of many target RNAs, including, but not limited to those involved in metabolic, cardiovascular and other diseases, disorders or conditions. Thus, provided herein are methods of treating such diseases, disorders or conditions by contacting liver tissues with the conjugated antisense compounds targeted to RNAs associated with such diseases, disorders or conditions. Thus, also provided are methods for ameliorating any of a variety of metabolic, cardiovascular and other diseases, disorders or conditions with the conjugated antisense compounds of the present invention.

In certain embodiments, conjugated antisense compounds are more potent than unconjugated counterpart at a particular tissue concentration. Without wishing to be bound by any theory or mechanism, in certain embodiments, the conjugate may allow the conjugated antisense compound to enter the cell more efficiently or to enter the cell more productively. For example, in certain embodiments conjugated antisense compounds may exhibit greater target reduction as compared to its unconjugated counterpart wherein both

2026201390 25 Feb 2026

the conjugated antisense compound and its unconjugated counterpart are present in the tissue at the same concentrations. For example, in certain embodiments conjugated antisense compounds may exhibit greater target reduction as compared to its unconjugated counterpart wherein both the conjugated antisense compound and its unconjugated counterpart are present in the liver at the same concentrations.

Productive and non-productive uptake of oligonucleotides has been discussed previously (*See* e.g. Geary, R. S., E. Wancewicz, et al. (2009). "Effect of Dose and Plasma Concentration on Liver Uptake and Pharmacologic Activity of a 2'-Methoxyethyl Modified Chimeric Antisense Oligonucleotide Targeting PTEN." Biochem. Pharmacol. 78(3): 284-91; & Koller, E., T. M. Vincent, et al. (2011). "Mechanisms of single-stranded phosphorothioate modified antisense oligonucleotide accumulation in hepatocytes." Nucleic Acids Res. 39(11): 4795-807). Conjugate groups described herein may improve productive uptake.

In certain embodiments, the conjugate groups described herein may further improve potency by increasing the affinity of the conjugated antisense compound for a particular type of cell or tissue. In certain embodiments, the conjugate groups described herein may further improve potency by increasing recognition of the conjugated antisense compound by one or more cell-surface receptors. . In certain embodiments, the conjugate groups described herein may further improve potency by facilitating endocytosis of the conjugated antisense compound.

In certain embodiments, the cleavable moiety may further improve potency by allowing the conjugate to be cleaved from the antisense oligonucleotide after the conjugated antisense compound has entered the cell. Accordingly, in certain embodiments, conjugated antisense compounds can be administered at doses lower than would be necessary for unconjugated antisense oligonucleotides.

Phosphorothioate linkages have been incorporated into antisense oligonucleotides previously. Such phosphorothioate linkages are resistant to nucleases and so improve stability of the oligonucleotide. Further, phosphorothioate linkages also bind certain proteins, which results in accumulation of antisense oligonucleotide in the liver. Oligonucleotides with fewer phosphorothioate linkages accumulate less in the liver and more in the kidney (see, for example, Geary, R., "Pharmacokinetic Properties of 2'-O-(2-Methoxyethyl)-Modified Oligonucleotide Analogs in Rats," *Journal of Pharmacology and Experimental Therapeutics*, Vol. 296, No. 3, 890-897; & *Pharmacological Properties of 2'-O-Methoxyethyl Modified Oligonucleotides* in Antisense a Drug Technology, Chapter 10, Crooke, S.T., ed., 2008) In certain embodiments, oligonucleotides with fewer phosphorothioate internucleoside linkages and more phosphodiester internucleoside linkages accumulate less in the liver and more in the kidney. When treating diseases in the liver, this is undesirable for several reasons (1) less drug is getting to the site of desired action (liver); (2) drug is escaping into the urine; and (3) the kidney is exposed to relatively high concentration of

25 Feb 2026
2026201390

drug which can result in toxicities in the kidney. Thus, for liver diseases, phosphorothioate linkages provide important benefits.

In certain embodiments, however, administration of oligonucleotides uniformly linked by phosphorothioate internucleoside linkages induces one or more proinflammatory reactions. (see for example: ***J Lab Clin Med***. 1996 Sep;**128**(**3**):**329**-38. "Amplification of antibody production by phosphorothioate oligodeoxynucleotides". Branda et al.; and see also for example: *Toxicologic Properties* in Antisense a Drug Technology, Chapter 12, pages 342-351, Crooke, S.T., ed., 2008). In certain embodiments, administration of oligonucleotides wherein most of the internucleoside linkages comprise phosphorothioate internucleoside linkages induces one or more proinflammatory reactions.

In certain embodiments, the degree of proinflammatory effect may depend on several variables (e.g. backbone modification, off-target effects, nucleobase modifications, and/or nucleoside modifications) see for example: *Toxicologic Properties* in Antisense a Drug Technology, Chapter 12, pages 342-351, Crooke, S.T., ed., 2008). In certain embodiments, the degree of proinflammatory effect may be mitigated by adjusting one or more variables. For example the degree of proinflammatory effect of a given oligonucleotide may be mitigated by replacing any number of phosphorothioate internucleoside linkages with phosphodiester internucleoside linkages and thereby reducing the total number of phosphorothioate internucleoside linkages.

In certain embodiments, it would be desirable to reduce the number of phosphorothioate linkages, if doing so could be done without losing stability and without shifting the distribution from liver to kidney. For example, in certain embodiments, the number of phosphorothioate linkages may be reduced by replacing phosphorothioate linkages with phosphodiester linkages. In such an embodiment, the antisense compound having fewer phosphorothioate linkages and more phosphodiester linkages may induce less proinflammatory reactions or no proinflammatory reaction. Although the antisense compound having fewer phosphorothioate linkages and more phosphodiester linkages may induce fewer proinflammatory reactions, the antisense compound having fewer phosphorothioate linkages and more phosphodiester linkages may not accumulate in the liver and may be less efficacious at the same or similar dose as compared to an antisense compound having more phosphorothioate linkages. In certain embodiments, it is therefore desirable to design an antisense compound that has a plurality of phosphodiester bonds and a plurality of phosphorothioate bonds but which also possesses stability and good distribution to the liver.

In certain embodiments, conjugated antisense compounds accumulate more in the liver and less in the kidney than unconjugated counterparts, even when some of the phosphorothioate linkages are replaced with less proinflammatory phosphodiester internucleoside linkages. In certain embodiments, conjugated antisense compounds accumulate more in the liver and are not excreted as much in the urine compared to its unconjugated counterparts, even when some of the phosphorothioate linkages are replaced with less proinflammatory phosphodiester internucleoside linkages. In certain embodiments, the use of a conjugate allows one to design more potent and better tolerated antisense drugs. Indeed, in certain embodiments,

25 Feb 2026
2026201390

conjugated antisense compounds have larger therapeutic indexes than unconjugated counterparts. This allows the conjugated antisense compound to be administered at a higher absolute dose, because there is less risk of proinflammatory response and less risk of kidney toxicity. This higher dose, allows one to dose less frequently, since the clearance (metabolism) is expected to be similar. Further, because the compound is more potent, as described above, one can allow the concentration to go lower before the next dose without losing therapeutic activity, allowing for even longer periods between dosing.

In certain embodiments, the inclusion of some phosphorothioate linkages remains desirable. For example, the terminal linkages are vulnerable to exonucleases and so in certain embodiments, those linkages are phosphorothioate or other modified linkage. Internucleoside linkages linking two deoxynucleosides are vulnerable to endonucleases and so in certain embodiments those linkages are phosphorothioate or other modified linkage. Internucleoside linkages between a modified nucleoside and a deoxynucleoside where the deoxynucleoside is on the 5' side of the linkage deoxynucleosides are vulnerable to endonucleases and so in certain embodiments those linkages are phosphorothioate or other modified linkage. Internucleoside linkages between two modified nucleosides of certain types and between a deoxynucleoside and a modified nucleoside of certain type where the modified nucleoside is at the 5' side of the linkage are sufficiently resistant to nuclease digestion, that the linkage can be phosphodiester.

In certain embodiments, the antisense oligonucleotide of a conjugated antisense compound comprises fewer than 16 phosphorothioate linkages. In certain embodiments, the antisense oligonucleotide of a conjugated antisense compound comprises fewer than 15 phosphorothioate linkages. In certain embodiments, the antisense oligonucleotide of a conjugated antisense compound comprises fewer than 14 phosphorothioate linkages. In certain embodiments, the antisense oligonucleotide of a conjugated antisense compound comprises fewer than 13 phosphorothioate linkages. In certain embodiments, the antisense oligonucleotide of a conjugated antisense compound comprises fewer than 12 phosphorothioate linkages. In certain embodiments, the antisense oligonucleotide of a conjugated antisense compound comprises fewer than 11 phosphorothioate linkages. In certain embodiments, the antisense oligonucleotide of a conjugated antisense compound comprises fewer than 10 phosphorothioate linkages. In certain embodiments, the antisense oligonucleotide of a conjugated antisense compound comprises fewer than 9 phosphorothioate linkages. In certain embodiments, the antisense oligonucleotide of a conjugated antisense compound comprises fewer than 8 phosphorothioate linkages.

In certain embodiments, antisense compounds comprising one or more conjugate group described herein has increased activity and/or potency and/or tolerability compared to a parent antisense compound lacking such one or more conjugate group. Accordingly, in certain embodiments, attachment of such conjugate groups to an oligonucleotide is desirable. Such conjugate groups may be attached at the 5'-, and/or 3'- end of an oligonucleotide. In certain instances, attachment at the 5'-end is synthetically desirable.

2026201390 25 Feb 2026

Typically, oligonucleotides are synthesized by attachment of the 3' terminal nucleoside to a solid support and sequential coupling of nucleosides from 3' to 5' using techniques that are well known in the art. Accordingly if a conjugate group is desired at the 3'-terminus, one may (1) attach the conjugate group to the 3'-terminal nucleoside and attach that conjugated nucleoside to the solid support for subsequent preparation of the oligonucleotide or (2) attach the conjugate group to the 3'-terminal nucleoside of a completed oligonucleotide after synthesis. Neither of these approaches is very efficient and thus both are costly. In particular, attachment of the conjugated nucleoside to the solid support, while demonstrated in the Examples herein, is an inefficient process. In certain embodiments, attaching a conjugate group to the 5'-terminal nucleoside is synthetically easier than attachment at the 3'-end. One may attach a non-conjugated 3' terminal nucleoside to the solid support and prepare the oligonucleotide using standard and well characterized reactions. One then needs only to attach a 5'nucleoside having a conjugate group at the final coupling step. In certain embodiments, this is more efficient than attaching a conjugated nucleoside directly to the solid support as is typically done to prepare a 3'-conjugated oligonucleotide. The Examples herein demonstrate attachment at the 5'-end. In addition, certain conjugate groups have synthetic advantages. For Example, certain conjugate groups comprising phosphorus linkage groups are synthetically simpler and more efficiently prepared than other conjugate groups, including conjugate groups reported previously (e.g., WO/2012/037254).

In certain embodiments, conjugated antisense compounds are administered to a subject. In such embodiments, antisense compounds comprising one or more conjugate group described herein has increased activity and/or potency and/or tolerability compared to a parent antisense compound lacking such one or more conjugate group. Without being bound by mechanism, it is believed that the conjugate group helps with distribution, delivery, and/or uptake into a target cell or tissue. In certain embodiments, once inside the target cell or tissue, it is desirable that all or part of the conjugate group to be cleaved to release the active oligonucleotide. In certain embodiments, it is not necessary that the entire conjugate group be cleaved from the oligonucleotide. For example, in Example 20 a conjugated oligonucleotide was administered to mice and a number of different chemical species, each comprising a different portion of the conjugate group remaining on the oligonucleotide, were detected (Table 23a). This conjugated antisense compound demonstrated good potency (Table 23). Thus, in certain embodiments, such metabolite profile of multiple partial cleavage of the conjugate group does not interfere with activity/potency. Nevertheless, in certain embodiments it is desirable that a prodrug (conjugated oligonucleotide) yield a single active compound. In certain instances, if multiple forms of the active compound are found, it may be necessary to determine relative amounts and activities for each one. In certain embodiments where regulatory review is required (e.g., USFDA or counterpart) it is desirable to have a single (or predominantly single) active species. In certain such embodiments, it is desirable that such single active species be the antisense oligonucleotide lacking any portion of the conjugate group. In certain embodiments, conjugate groups at the 5'-end are more likely to result in complete metabolism of the conjugate group. Without being bound by mechanism it may be that endogenous enzymes

25 Feb 2026
2026201390

responsible for metabolism at the 5' end (e.g., 5' nucleases) are more active/efficient than the 3' counterparts. In certain embodiments, the specific conjugate groups are more amenable to metabolism to a single active species. In certain embodiments, certain conjugate groups are more amenable to metabolism to the oligonucleotide.

D. Antisense

In certain embodiments, oligomeric compounds of the present invention are antisense compounds. In such embodiments, the oligomeric compound is complementary to a target nucleic acid. In certain embodiments, a target nucleic acid is an RNA. In certain embodiments, a target nucleic acid is a non-coding RNA. In certain embodiments, a target nucleic acid encodes a protein. In certain embodiments, a target nucleic acid is selected from a mRNA, a pre-mRNA, a microRNA, a non-coding RNA, including small non-coding RNA, and a promoter-directed RNA. In certain embodiments, oligomeric compounds are at least partially complementary to more than one target nucleic acid. For example, oligomeric compounds of the present invention may be microRNA mimics, which typically bind to multiple targets.

In certain embodiments, antisense compounds comprise a portion having a nucleobase sequence at least 70% complementary to the nucleobase sequence of a target nucleic acid. In certain embodiments, antisense compounds comprise a portion having a nucleobase sequence at least 80% complementary to the nucleobase sequence of a target nucleic acid. In certain embodiments, antisense compounds comprise a portion having a nucleobase sequence at least 90% complementary to the nucleobase sequence of a target nucleic acid. In certain embodiments, antisense compounds comprise a portion having a nucleobase sequence at least 95% complementary to the nucleobase sequence of a target nucleic acid. In certain embodiments, antisense compounds comprise a portion having a nucleobase sequence at least 98% complementary to the nucleobase sequence of a target nucleic acid. In certain embodiments, antisense compounds comprise a portion having a nucleobase sequence that is 100% complementary to the nucleobase sequence of a target nucleic acid. In certain embodiments, antisense compounds are at least 70%, 80%, 90%, 95%, 98%, or 100% complementary to the nucleobase sequence of a target nucleic acid over the entire length of the antisense compound.

Antisense mechanisms include any mechanism involving the hybridization of an oligomeric compound with target nucleic acid, wherein the hybridization results in a biological effect. In certain embodiments, such hybridization results in either target nucleic acid degradation or occupancy with concomitant inhibition or stimulation of the cellular machinery involving, for example, translation, transcription, or polyadenylation of the target nucleic acid or of a nucleic acid with which the target nucleic acid may otherwise interact.

25 Feb 2026
2026201390

One type of antisense mechanism involving degradation of target RNA is RNase H mediated antisense. RNase H is a cellular endonuclease which cleaves the RNA strand of an RNA:DNA duplex. It is known in the art that single-stranded antisense compounds which are "DNA-like" elicit RNase H activity in mammalian cells. Activation of RNase H, therefore, results in cleavage of the RNA target, thereby greatly enhancing the efficiency of DNA-like oligonucleotide-mediated inhibition of gene expression.

Antisense mechanisms also include, without limitation RNAi mechanisms, which utilize the RISC pathway. Such RNAi mechanisms include, without limitation siRNA, ssRNA and microRNA mechanisms. Such mechanisms include creation of a microRNA mimic and/or an anti-microRNA.

Antisense mechanisms also include, without limitation, mechanisms that hybridize or mimic non-coding RNA other than microRNA or mRNA. Such non-coding RNA includes, but is not limited to promoter-directed RNA and short and long RNA that effects transcription or translation of one or more nucleic acids.

In certain embodiments, oligonucleotides comprising conjugates described herein are RNAi compounds. In certain embodiments, oligomeric oligonucleotides comprising conjugates described herein are ssRNA compounds. In certain embodiments, oligonucleotides comprising conjugates described herein are paired with a second oligomeric compound to form an siRNA. In certain such embodiments, the second oligomeric compound also comprises a conjugate. In certain embodiments, the second oligomeric compound is any modified or unmodified nucleic acid. In certain embodiments, the oligonucleotides comprising conjugates described herein is the antisense strand in an siRNA compound. In certain embodiments, the oligonucleotides comprising conjugates described herein is the sense strand in an siRNA compound. In embodiments in which the conjugated oligomeric compound is double-stranded siRNA, the conjugate may be on the sense strand, the antisense strand or both the sense strand and the antisense strand.

D. **Target Nucleic Acids, Regions and Segments**

In certain embodiments, conjugated antisense compounds target any nucleic acid. In certain embodiments, the target nucleic acid encodes a target protein that is clinically relevant. In such embodiments, modulation of the target nucleic acid results in clinical benefit. Certain target nucleic acids include, but are not limited to, the target nucleic acids illustrated in Table 1.

Table 1: Certain Target Nucleic Acids

2026201390 25 Feb 2026

Target	Species	GENBANK® Accession Number	SEQ ID NO
Androgen Receptor (AR)	Human	NT_011669.17 truncated from nucleobases 5079000 to 5270000	1
Apolipoprotein (a) (Apo(a))	Human	NM_005577.2	2
Apolipoprotein B (ApoB)	Human	NM_000384.1	3
Apolipoprotein C-III (ApoCIII)	Human	NT_033899.8 truncated from nucleobases 20262640 to 20266603	4
Apolipoprotein C-III (ApoCIII)	Human	NM_000040.1	5
C-Reactive Protein (CRP)	Human	M11725.1	6
eIF4E	Human	M15353.1	7
Factor VII	Human	NT_027140.6 truncated from nucleobases 1255000 to 1273000	8
Factor XI	Human	NM_000128.3	9
Glucocorticoid Receptor (GCCR)	Human	the complement NT_029289.10 truncated from nucleobases 3818000 to 3980000	10
Glucagon Receptor (GCGR)	Human	NW_926918.1 truncated from nucleobases 16865000 to 16885000	11
HBV	Human	U95551.1	12
Protein Tyrosine Phosphatase 1B (PTP1B)	Human	NM_002827.2	13
Protein Tyrosine Phosphatase 1B (PTP1B)	Human	NT_011362.9 truncated from nucleobases 14178000 to 14256000	14
STAT3	Human	NM_139276.2	15
Transthyretin (TTR)	Human	NM_000371.3	16

The targeting process usually includes determination of at least one target region, segment, or site within the target nucleic acid for the antisense interaction to occur such that the desired effect will result.

In certain embodiments, a target region is a structurally defined region of the nucleic acid. For example, in certain such embodiments, a target region may encompass a 3' UTR, a 5' UTR, an exon, an intron, a coding region, a translation initiation region, translation termination region, or other defined nucleic acid region or target segment.

In certain embodiments, a target segment is at least about an 8-nucleobase portion of a target region to which a conjugated antisense compound is targeted. Target segments can include DNA or RNA sequences that comprise at least 8 consecutive nucleobases from the 5'-terminus of one of the target segments (the remaining nucleobases being a consecutive stretch of the same DNA or RNA beginning immediately upstream of the 5'-terminus of the target segment and continuing until the DNA or RNA comprises about 8 to

25 Feb 2026
2026201390

about 30 nucleobases). Target segments are also represented by DNA or RNA sequences that comprise at least 8 consecutive nucleobases from the 3'-terminus of one of the target segments (the remaining nucleobases being a consecutive stretch of the same DNA or RNA beginning immediately downstream of the 3'-terminus of the target segment and continuing until the DNA or RNA comprises about 8 to about 30 nucleobases). Target segments can also be represented by DNA or RNA sequences that comprise at least 8 consecutive nucleobases from an internal portion of the sequence of a target segment, and may extend in either or both directions until the conjugated antisense compound comprises about 8 to about 30 nucleobases.

In certain embodiments, antisense compounds targeted to the nucleic acids listed in Table 1 can be modified as described herein. In certain embodiments, the antisense compounds can have a modified sugar moiety, an unmodified sugar moiety or a mixture of modified and unmodified sugar moieties as described herein. In certain embodiments, the antisense compounds can have a modified internucleoside linkage, an unmodified internucleoside linkage or a mixture of modified and unmodified internucleoside linkages as described herein. In certain embodiments, the antisense compounds can have a modified nucleobase, an unmodified nucleobase or a mixture of modified and unmodified nucleobases as described herein. In certain embodiments, the antisense compounds can have a motif as described herein.

In certain embodiments, antisense compounds targeted to the nucleic acids listed in Table 1 can be conjugated as described herein.

1. Androgen Receptor (AR)

AR is a transcription factor implicated as a driver of prostate cancer. AR is activated by binding to its hormone ligands: androgen, testosterone, and/or DHT. Androgen deprivation therapy, also known as "chemical castration," is a first-line treatment strategy against hormone-sensitive, androgen-dependent prostate cancer that reduces circulating androgen levels and thereby inhibits AR activity. However, androgen deprivation therapy frequently leads to the emergence and growth of "castration-resistant" advanced prostate cancer, in which AR signaling is reactivated independent of ligand binding. The mechanisms underlying castration resistance in advanced prostate cancer remain unclear.

Certain Conjugated Antisense Compounds Targeted to an AR Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to an AR nucleic acid having the sequence of GENBANK® Accession No. NT_011669.17 nucleobases 5079000 to 5270000, incorporated herein as SEQ ID NO: 1. In certain such embodiments, a conjugated antisense compound is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 1.

25 Feb 2026

2026201390

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 1 comprises an at least 8 consecutive nucleobase sequence selected from the nucleobase sequence of any of SEQ ID NOs: 17-24. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 1 comprises a nucleobase sequence selected from the nucleobase sequence of any of SEQ ID NOs: 17-24. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 2: Antisense Compounds Targeted to AR SEQ ID NO: 1

ISIS No	Target Start Site	Sequence	Motif	SEQ ID NO
560131	58721 58751	TTGATTTAATGGTTGC	kkkddddddddddkkke	17
569213	58720 58750	TGATTTAATGGTTGCA	kkkddddddddddkkke	18
569216	58720 58750	TGATTTAATGGTTGCA	ekkkddddddddkkke	18
569221	58720 58750	TGATTTAATGGTTGCA	eekkkddddddddkkk	18
569236	58720 58750	TGATTTAATGGTTGCA	ekkkddddddddkkkee	18
579671	58721 58751	TTGATTTAATGGTTGC	ekkekkddddddddkkk	17
586124	58719	GATTTAATGGTTGCAA	kkkddddddddddkkk	19
583918	5052	AGTCGCGACTCTGGTA	kkkddddddddddkkk	20
584149	8638	GTCAATATCAAAGCAC	kkkddddddddddkkk	21
584163	11197	GAACATTATTAGGCTA	kkkddddddddddkkk	22
584269	40615	CCTTATGGATGCTGCT	kkkddddddddddkkk	23
584468	115272	CATTGTACTATGCCAG	kkkddddddddddkkk	24

AR Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an AR nucleic acid for modulating the expression of AR in a subject. In certain embodiments, the expression of AR is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an AR nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has prostate cancer, such as castration-resistant prostate cancer. In certain embodiments, the subject has prostate cancer resistant to a diarylhydantoin Androgen Receptor (AR) inhibitor, such as MDV3100, which is also known as Enzalutamide. MDV3100 or Enzalutamide is an

2026201390 25 Feb 2026

experimental androgen receptor antagonist drug developed by Medivation for the treatment of castration-resistant prostate cancer. In certain embodiments, the subject has breast cancer. In certain aspects, the subject's breast cancer can have one or more of the following characteristics: Androgen Receptor positive, dependent on androgen for growth, Estrogen Receptor (ER) negative, independent of estrogen for growth, Progesterone Receptor (PR) negative, independent of progesterone for growth, or Her2/neu negative. In certain aspects, the breast cancer or breast cancer cell is apocrine.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an AR nucleic acid in the preparation of a medicament.

2. Apolipoprotein (a) (Apo(a))

One Apo(a) protein is linked via a disulfide bond to a single ApoB protein to form a lipoprotein(a) (Lp(a)) particle. The Apo(a) protein shares a high degree of homology with plasminogen particularly within the kringle IV type 2 repetitive domain. It is thought that the kringle repeat domain in Apo(a) may be responsible for its pro-thrombotic and anti-fibrinolytic properties, potentially enhancing atherosclerotic progression. Apo(a) is transcriptionally regulated by IL-6 and in studies in rheumatoid arthritis patients treated with an IL-6 inhibitor (tocilizumab), plasma levels were reduced by 30% after 3 month treatment. Apo(a) has been shown to preferentially bind oxidized phospholipids and potentiate vascular inflammation. Further, studies suggest that the Lp(a) particle may also stimulate endothelial permeability, induce plasminogen activator inhibitor type-1 expression and activate macrophage interleukin-8 secretion. Importantly, recent genetic association studies revealed that Lp(a) was an independent risk factor for myocardial infarction, stroke, peripheral vascular disease and abdominal aortic aneurysm. Further, in the Precocious Coronary Artery Disease (PROCARDIS) study, Clarke *et al.* described robust and independent associations between coronary heart disease and plasma Lp(a) concentrations. Additionally, Solfrizzi et al., suggested that increased serum Lp(a) may be linked to an increased risk for Alzheimer's Disease (AD). Antisense compounds targeting Apo(a) have been previously disclosed in WO2005/000201 and US 61/651,539, herein incorporated by reference in its entirety. An antisense oligonucleotide targeting Apo(a), ISIS-APOA$_{Rx}$, is currently in a Phase I clinical trial to study its safety profile.

Certain Conjugated Antisense Compounds Targeted to an Apo(a) Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to an Apo(a) nucleic acid having the sequence of GENBANK® Accession No. NM_005577.2, incorporated herein as SEQ ID NO: 2.

2026201390 25 Feb 2026

In certain such embodiments, a conjugated antisense compound is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 2.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 2 comprises an at least 8 consecutive nucleobase sequence selected from the nucleobase sequence of any of SEQ ID NOs: 25-30. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 2 comprises a nucleobase sequence selected from the nucleobase sequence of any of SEQ ID NOs: 25-30. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 3: Antisense Compounds targeted to Apo(a) SEQ ID NO: 2

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO
494372	3901	TGCTCCGTTGGTGCTTGTTC	eeeeeddddddddddeeeee	25
494283	584	TCTTCCTGTGACAGTGGTGG	eeeeeddddddddddeeeee	26
	926			
	1610			
	1952			
	2294			
	3320			
494284	585	TTCTTCCTGTGACAGTGGTG	eeeeeddddddddddeeeee	27
	927			
	1611			
	1953			
	2295			
	3321			
494286	587	GGTTCTTCCTGTGACAGTGG	eeeeeddddddddddeeeee	28
	929			
	1613			
	1955			
	2297			
494301	628	CGACTATGCGAGTGTGGTGT	eeeeeddddddddddeeeee	29
	970			
	1312			
	1654			
	1996			
	2338			
	2680			
	3022			
494302	629	CCGACTATGCGAGTGTGGTG	eeeeeddddddddddeeeee	30
	971			
	1313			
	1655			

25 Feb 2026
2026201390

	1997			
	2339			
	2681			
	3023			

Apo(a) Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an Apo(a) nucleic acid for modulating the expression of Apo(a) in a subject. In certain embodiments, the expression of Apo(a) is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an Apo(a) nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has a cardiovascular and/or metabolic disease, disorder or condition. In certain embodiments, the subject has hypercholesterolemia, non-familial hypercholesterolemia, familial hypercholesterolemia, heterozygous familial hypercholesterolemia, homozygous familial hypercholesterolemia, mixed dyslipidemia, atherosclerosis, a risk of developing atherosclerosis, coronary heart disease, a history of coronary heart disease, early onset coronary heart disease, one or more risk factors for coronary heart disease, type II diabetes, type II diabetes with dyslipidemia, dyslipidemia, hypertriglyceridemia, hyperlipidemia, hyperfattyacidemia, hepatic steatosis, non-alcoholic steatohepatitis, and/or non-alcoholic fatty liver disease.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an Apo(a) nucleic acid in the preparation of a medicament.

3. Apolipoprotein B (ApoB)

ApoB (also known as apolipoprotein B-100; ApoB-100, apolipoprotein B-48; ApoB-48 and Ag(x) antigen), is a large glycoprotein that serves an indispensable role in the assembly and secretion of lipids and in the transport and receptor-mediated uptake and delivery of distinct classes of lipoproteins. ApoB performs a variety of activities, from the absorption and processing of dietary lipids to the regulation of circulating lipoprotein levels (Davidson and Shelness, *Annu. Rev. Nutr.*, 2000, *20*, 169-193). This latter property underlies its relevance in terms of atherosclerosis susceptibility, which is highly correlated with the ambient concentration of ApoB-containing lipoproteins (Davidson and Shelness, Annu. Rev. Nutr., 2000, 20, 169-193). ApoB-100 is the major protein component of LDL-C and contains the domain required for interaction of this lipoprotein species with the LDL receptor. Elevated levels of LDL-C are a risk factor for cardiovascular disease, including atherosclerosis. Antisense compounds targeting ApoB have been previously disclosed in WO2004/044181, herein incorporated by reference in its entirety. An antisense oligonucleotide

25 Feb 2026
2026201390

targeting ApoB, KYNAMRO™, has been approved by the U.S. Food and Drug Administration (FDA) as an adjunct treatment to lipid-lowering medications and diet to reduce low density lipoprotein-cholesterol (LDL-C), ApoB, total cholesterol (TC), and non-high density lipoprotein-cholesterol (non HDL-C) in patients with homozygous familial hypercholesterolemia (HoFH). However, there is still a need to provide patients with additional and more potent treatment options.

Certain Conjugated Antisense Compounds Targeted to an ApoB Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to an ApoB nucleic acid having the sequence of GENBANK® Accession No. NM_000384.1, incorporated herein as SEQ ID NO: 3. In certain such embodiments, a conjugated antisense compound is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 3.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 3 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NO: 31. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 3 comprises a nucleobase sequence of SEQ ID NO: 31. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 4: Antisense Compounds targeted to ApoB SEQ ID NO: 3

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO
301012	3249	GCCTCAGTCTGCTTCGCACC	eeeeeddddddddddeeeee	31

ApoB Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an ApoB nucleic acid for modulating the expression of ApoB in a subject. In certain embodiments, the expression of ApoB is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an ApoB nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has a cardiovascular and/or metabolic disease, disorder or condition. In certain embodiments, the subject has hypercholesterolemia, non-familial hypercholesterolemia, familial hypercholesterolemia, heterozygous familial hypercholesterolemia, homozygous familial hypercholesterolemia, mixed dyslipidemia, atherosclerosis, a risk of developing atherosclerosis, coronary heart disease, a history of coronary heart disease, early onset coronary heart disease, one or more risk factors for coronary heart disease, type II diabetes, type II diabetes with dyslipidemia, dyslipidemia,

25 Feb 2026
2026201390

hypertriglyceridemia, hyperlipidemia, hyperfattyacidemia, hepatic steatosis, non-alcoholic steatohepatitis, and/or non-alcoholic fatty liver disease.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an ApoB nucleic acid in the preparation of a medicament.

4. Apolipoprotein C-III (ApoCIII)

ApoCIII is a constituent of HDL and of triglyceride (TG)-rich lipoproteins. Elevated ApoCIII levels are associated with elevated TG levels and diseases such as cardiovascular disease, metabolic syndrome, obesity and diabetes. Elevated TG levels are associated with pancreatitis. ApoCIII slows clearance of TG-rich lipoproteins by inhibiting lipolysis through inhibition of lipoprotein lipase (LPL) and through interfering with lipoprotein binding to cell-surface glycosaminoglycan matrix. Antisense compounds targeting ApoCIII have been previously disclosed in WO2004/093783 and WO2012/149495, each herein incorporated by reference in its entirety. Currently, an antisense oligonucleotide targeting ApoCIII, ISIS-APOCIII$_{Rx}$, is in Phase II clinical trials to assess its effectiveness in the treatment of diabetes or hypertriglyceridemia. However, there is still a need to provide patients with additional and more potent treatment options.

Certain Conjugated Antisense Compounds Targeted to an ApoCIII Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to an ApoCIII nucleic acid having the sequence of GENBANK® Accession No. NT_033899.8 truncated from nucleobases 20262640 to 20266603, incorporated herein as SEQ ID NO: 4. In certain such embodiments, a conjugated antisense compound is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 4. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

In certain embodiments, conjugated antisense compounds are targeted to an ApoCIII nucleic acid having the sequence of GENBANK® Accession No. NM_000040.1, incorporated herein as SEQ ID NO: 5. In certain such embodiments, a conjugated antisense compound is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 5. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 5 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NO: 32. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 5 comprises a nucleobase sequence of SEQ ID NO: 32. In certain

2026201390 25 Feb 2026

embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 5: Antisense Compounds targeted to ApoCIII SEQ ID NO: 5

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO
304801	508	AGCTTCTTGTCCAGCTTTAT	eeeeddddddddddeeeee	32
647535	508	AGCTTCTTGTCCAGCTTTAT	eeeeddddddddddeeeeeod	32
616468	508	AGCTTCTTGTCCAGCTTTAT	eeeeddddddddddeeeee	32
647536	508	AGCTTCTTGTCCAGCTTTAT	eeoeoeoeodddddddddddeoeoeeeod	32

ApoCIII Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an ApoCIII nucleic acid for modulating the expression of ApoCIII in a subject. In certain embodiments, the expression of ApoCIII is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an ApoCIII nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has a cardiovascular and/or metabolic disease, disorder or condition. In certain embodiments, the subject has hypertriglyceridemia, non-familial hypertriglyceridemia, familial hypertriglyceridemia, heterozygous familial hypertriglyceridemia, homozygous familial hypertriglyceridemia, mixed dyslipidemia, atherosclerosis, a risk of developing atherosclerosis, coronary heart disease, a history of coronary heart disease, early onset coronary heart disease, one or more risk factors for coronary heart disease, type II diabetes, type II diabetes with dyslipidemia, dyslipidemia, hyperlipidemia, hypercholesterolemia, hyperfattyacidemia, hepatic steatosis, non-alcoholic steatohepatitis, pancreatitis and/or non-alcoholic fatty liver disease.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an ApoCIII nucleic acid in the preparation of a medicament.

5. C-Reactive Protein (CRP)

CRP (also known as PTX1) is an essential human acute-phase reactant produced in the liver in response to a variety of inflammatory cytokines. The protein, first identified in 1930, is highly conserved and considered to be an early indicator of infectious or inflammatory conditions. Plasma CRP levels increase 1,000-fold in response to infection, ischemia, trauma, burns, and inflammatory conditions. In clinical trials

2026201390 25 Feb 2026

where patients receive lipid-lowering therapy, such as statin therapy, it has been demonstrated that patients having reductions in both LDL-C and CRP have a reduced risk of future coronary events relative to patients experiencing only reductions in LDL-C. Antisense compounds targeting CRP have been previously disclosed in WO2003/010284 and WO2005/005599, each herein incorporated by reference in its entirety. An antisense oligonucleotide targeting CRP, ISIS-CRP_{Rx}, is currently in Phase 2 clinical trials to study its effectiveness in treating subjects with rheumatoid arthritis and paroxysmal atrial fibrillation. However, there is still a need to provide patients with additional and more potent treatment options.

Certain Conjugated Antisense Compounds Targeted to a CRP Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to a CRP nucleic acid having the sequence of GENBANK® Accession No. M11725.1, incorporated herein as SEQ ID NO: 6. In certain such embodiments, a conjugated antisense compound is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 6.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 6 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NO: 33. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 6 comprises a nucleobase sequence of SEQ ID NO: 33. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 6: Antisense Compounds targeted to CRP SEQ ID NO: 6

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO
329993	1378	AGCATAGTTAACGAGCTCCC	eeeeeddddddddddeeeee	33

CRP Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a CRP nucleic acid for modulating the expression of CRP in a subject. In certain embodiments, the expression of CRP is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a CRP nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has a cardiovascular and/or metabolic disease, disorder or condition. In certain embodiments, the subject has hypercholesterolemia, non-familial hypercholesterolemia, familial hypercholesterolemia, heterozygous familial hypercholesterolemia, homozygous familial

2026201390 25 Feb 2026

hypercholesterolemia, mixed dyslipidemia, atherosclerosis, a risk of developing atherosclerosis, coronary heart disease, a history of coronary heart disease, early onset coronary heart disease, one or more risk factors for coronary heart disease. In certain embodiments, the individual has paroxysmal atrial fibrillation, acute coronary syndrome, vascular injury, arterial occlusion, unstable angina, post peripheral vascular disease, post myocardial infarction (MI), thrombosis, deep vein thrombus, end-stage renal disease (ESRD), chronic renal failure, complement activation, congestive heart failure, or systemic vasculitis. In certain embodiments, the individual has had a stroke. In certain embodiments, the individual has undergone a procedure selected from elective stent placement, angioplasty, post percutaneous transluminal angioplasty (PTCA), cardiac transplantation, renal dialysis or cardiopulmonary bypass. In certain embodiments, the individual has an inflammatory disease. In certain such embodiments, the inflammatory disease is selected from inflammatory bowel disease, ulcerative colitis, rheumatoid arthritis, or osteoarthritis.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a CRP nucleic acid in the preparation of a medicament.

6. eIF4E

Overexpression of eIF4E has been reported in many human cancers and cancer-derived cell lines and also leads to oncogenic transformation of cells and invasive/metastatic phenotype in animal models. Unlike non-transformed, cultured cells, transformed cell lines express eIF4E independently of the presence of serum growth factors (Rosenwald, Cancer Lett., 1995, 98, 77-82). Excess eIF4E leads to aberrant growth and neoplastic morphology in HeLa cells and also causes tumorigenic transformation in NIH 3T3 and Rat2 fibroblasts, as judged by anchorage-independent growth, formation of transformed foci in culture and tumor formation in nude mice (De Benedetti et al., Proc. Natl. Acad. Sci. U S A, 1990, 87, 8212-8216; and Lazaris-Karatzas et al., Nature, 1990, 345, 544-547).

eIF4E is found elevated in several human cancers, including but not limited to non-Hodgkin's lymphomas, colon adenomas and carcinomas and larynx, head and neck, prostate, breast and bladder cancers (Crew et al., Br. J. Cancer, 2000, 82, 161-166; Graff et al., Clin. Exp. Metastasis, 2003, 20, 265-273; Haydon et al., Cancer, 2000, 88, 2803-2810; Kerekatte et al., Int. J. Cancer, 1995, 64, 27-31; Rosenwald et al., Oncogene, 1999, 18, 2507-2517; Wang et al., Am. J. Pathol., 1999, 155, 247-255). Upregulation of eIF4E is an early event in colon carcinogenesis, and is frequently accompanied by an increase in cyclin D1 levels (Rosenwald et al., Oncogene, 1999, 18, 2507-2517). Antisense compounds targeting eIF4E have been previously disclosed in WO2005/028628, herein incorporated by reference in its entirety. An antisense oligonucleotide targeting eIF4E, ISIS-eIF4E$_{Rx}$, is currently in Phase 1/2 clinical trials to study its effectiveness in treating subjects with cancer.

2026201390 25 Feb 2026

Certain Conjugated Antisense Compounds Targeted to an eIF4E Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to an eIF4E nucleic acid having the sequence of GENBANK® Accession No. M15353.1, incorporated herein as SEQ ID NO: 7. In certain such embodiments, a conjugated antisense compound is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 7.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 7 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NO: 34. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 7 comprises a nucleobase sequence of SEQ ID NO: 34. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 7: Antisense Compounds targeted to eIF4E SEQ ID NO: 7

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO
183750	1285	TGTCATATTCCTGGATCCTT	eeeeeddddddddddeeeee	34

eIF4E Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an eIF4E nucleic acid for modulating the expression of eIF4E in a subject. In certain embodiments, the expression of eIF4E is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an eIF4E nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has cancer. In certain aspects, the cancer is prostate cancer.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to an eIF4E nucleic acid in the preparation of a medicament.

7. Factor VII

Coagulation Factor VII (also known as serum prothrombin conversion accelerator) is a key component of the tissue factor coagulation pathway. Clinicians have linked elevated levels of Factor VII activity with poor prognosis in several thrombotic diseases, such as heart attacks, and with cancer-associated thrombosis, which

2026201390 25 Feb 2026

is the second leading cause of death in cancer patients. In preclinical studies, antisense inhibition of Factor VII rapidly reduced Factor VII activity by more than 90 percent in three days with no observed increase in bleeding, which is a common side effect of currently available anti-thrombotic drugs. Antisense compounds targeting Factor VII have been previously disclosed in WO2009/061851, WO2012/174154, and PCT Application no. PCT/US2013/025381, each herein incorporated by reference in its entirety. Clinical studies are planned to assess ISIS-FVII$_{Rx}$ in acute clinical settings, such as following surgery, to prevent patients from developing harmful blood clots. However, there is still a need to provide patients with additional and more potent treatment options.

Certain Conjugated Antisense Compounds Targeted to a Factor VII Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to a Factor VII nucleic acid having the sequence of GENBANK® Accession No. NT_027140.6 truncated from nucleobases 1255000 to 1273000), incorporated herein as SEQ ID NO: 8. In certain such embodiments, a conjugated antisense compound targeted to SEQ ID NO: 8 is at least 90%, at least 95% or 100% complementary to SEQ ID NO: 8.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 8 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NOs: 35-43. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 8 comprises a nucleobase sequence of SEQ ID NOs: 35-43. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 8: Antisense Compounds targeted to Factor VII SEQ ID NO: 8

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO
540175	2592	GGACACCCACGCCCCC	eekddddddddddkke	35
	2626			
	2660			
	2796			
	2966			
	3000			
	3034			
	3068			
	3153			
	3170			
	3272			
	3374			
	3578			
	3851			
	3953			
	4124			
	4260			

2026201390 25 Feb 2026

	4311			
	4447			
	4532			
490279	1387	CCCTCCTGTGCCTGGATGCT	eeeeeddddddddddeeeee	36
473589	15128	GCTAAACAACCGCCTT	kdkdkddddddddddee	37
407935	15191	ATGCATGGTGATGCTTCTGA	eeeeeddddddddddeeeee	38
529804	15192	CATGGTGATGCTTCTG	kddddddddddkekee	39
534796	15131	AGAGCTAAACAACCGC	Ekkddddddddddkke	40
	2565			
	2633			
	2667			
	2735			
	2803			
	2837			
	2905			
	3007			
	3041			
	3075			
	3092			
	3279			
540162	3381	ACTCCCGGGACACCCA	eekddddddddddkke	41
	3483			
	3603			
	3722			
	3756			
	3858			
	3892			
	3960			
	4046			
	4131			
	4165			
	4318			
	4454			
	2692			
	2760			
	2862			
	2930			
	3117			
	3338			
	3440			
	3508			
540182	3542	ACACCCTCGCCTCCGG	eekddddddddddkke	42
	3628			
	3662			
	3781			
	3815			
	3917			
	4190			
	4224			
	4377			
	4411			

2026201390 25 Feb 2026

540191	3109	GCCTCCGGAACACCCA	eekddddddddddkke	43
	3194			
	3330			
	3432			
	3500			
	3534			
	3620			
	3654			
	3773			
	4182			
	4216			
	4369			
	4403			

Factor VII Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a Factor VII nucleic acid for modulating the expression of Factor VII in a subject. In certain embodiments, the expression of Factor VII is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a Factor VII nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has or is at risk of developing a thromboembolic condition, such as, heart attack, stroke, deep vein thrombosis, or pulmonary embolism. In certain embodiments, the subject is at risk of developing a thromboemoblic condition and/or otherwise in need of anticoagulant therapy. Examples of such subjects include those undergoing major orthopedic surgery and patients in need of chronic anticoagulant treatment. In certain embodiments, the subject has or is at risk of developing an inflammatory disease, disorder or condition. In certain embodiments, the subject has or is at risk of developing allergic diseases (e.g., allergic rhinitis, chronic rhinosinusitis), autimmune diseases (e.g, multiple sclerosis, arthritis, scleroderma, psoriasis, celiac disease), cardiovascular diseases, colitis, diabetes (e.g., type 1 insulin-dependent diabetes mellitus), hypersensitivities (e.g., Type1, 2, 3 or 4 hypersensitivity), infectious diseases (e.g., viral infection, mycobacterial infection, helminth infection), posterior uveitis, airway hyperresponsiveness, asthma, atopic dermatitis, colitis, endometriosis, thyroid disease (e.g., Graves' disease) and pancreatitis.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a Factor VII nucleic acid in the preparation of a medicament.

2026201390 25 Feb 2026

8. Factor XI

Coagulation factor XI (also known as plasma thromboplastin antecedent) is an important member of the coagulation pathway. High levels of Factor XI increase the risk of thrombosis, a process involving aberrant blood clot formation responsible for most heart attacks and strokes. Elevated levels of Factor XI also increase the risk of venous thrombosis, a common problem after surgery, particularly major orthopedic procedures, such as knee or hip replacement. People who are deficient in Factor XI have a lower incidence of thromboembolic events with minimal increase in bleeding risk. Antisense compounds targeting Factor XI have been previously disclosed in WO2010/045509 and WO2010/121074, each herein incorporated by reference in its entirety. Currently, an antisense oligonucleotide targeting Factor XI, ISIS-FXI_{Rx}, is in Phase 2 clinical studies to assess the effectiveness of ISIS-FXI_{Rx} in reducing the number of thrombotic events in patients following total knee arthroplasty without increasing bleeding. However, there is still a need to provide patients with additional and more potent treatment options.

Certain Conjugated Antisense Compounds Targeted to a Factor XI Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to a Factor XI nucleic acid having the sequence of GENBANK® Accession No. NM_000128.3, incorporated herein as SEQ ID NO: 9. In certain such embodiments, a conjugated antisense compound is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 9.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 9 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NOs: 44-48. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 9 comprises a nucleobase sequence of SEQ ID NOs: 44-48. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 9: Antisense Compounds targeted to Factor XI SEQ ID NO: 9

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO
416858	1288	ACGGCATTGGTGCACAGTTT	eeeeeddddddddddeeeee	44
416838	1022	GCAACCGGGATGATGAGTGC	eeeeeddddddddddeeeee	45
416850	1278	TGCACAGTTTCTGGCAGGCC	eeeeeddddddddddeeeee	46
416864	1296	GGCAGCGGACGGCATTGGTG	eeeeeddddddddddeeeee	47
417002	1280	GGTGCACAGTTTCTGGCAGG	eedddddddddddddeeeee	48

2026201390 25 Feb 2026

Factor XI Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a Factor XI nucleic acid for modulating the expression of Factor XI in a subject. In certain embodiments, the expression of Factor XI is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a Factor XI nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has or is at risk of developing a thromboembolic condition, such as, heart attack, stroke, deep vein thrombosis, or pulmonary embolism. In certain embodiments, the subject is at risk of developing a thromboemoblic condition and/or otherwise in need of anticoagulant therapy. Examples of such subjects include those undergoing major orthopedic surgery and patients in need of chronic anticoagulant treatment. In certain embodiments, the subject has or is at risk of developing an inflammatory disease, disorder or condition. In certain embodiments, the subject has or is at risk of developing allergic diseases (e.g., allergic rhinitis, chronic rhinosinusitis), autimmune diseases (e.g, multiple sclerosis, arthritis, scleroderma, psoriasis, celiac disease), cardiovascular diseases, colitis, diabetes (e.g., type 1 insulin-dependent diabetes mellitus), hypersensitivities (e.g., Type1, 2, 3 or 4 hypersensitivity), infectious diseases (e.g., viral infection, mycobacterial infection, helminth infection), posterior uveitis, airway hyperresponsiveness, asthma, atopic dermatitis, colitis, endometriosis, thyroid disease (e.g., Graves' disease) and pancreatitis.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a Factor XI nucleic acid in the preparation of a medicament.

9. Glucocorticoid Receptor (GCCR)

Complementary DNA clones encoding the human glucocorticoid receptor (also known as nuclear receptor subfamily 3, group C, member 1; NR3C1; GCCR; GCR; GRL; Glucocorticoid receptor, lymphocyte) were first isolated in 1985 (Hollenberg et al., *Nature,* **1985**, *318*, 635-641; Weinberger et al., *Science,* **1985**, *228,* 740-742). The gene is located on human chromosome 5q11-q13 and consists of 9 exons (Encio and Detera-Wadleigh, *J Biol Chem,* **1991**, *266*, 7182-7188; Gehring et al., *Proc Natl Acad Sci U S A,* **1985**, *82*, 3751-3755).

The human glucocorticoid receptor is comprised of three major domains, the N-terminal activation domain, the central DNA-binding domain and the C-terminal ligand-binding domain (Giguere et al., *Cell,*

25 Feb 2026
2026201390

1986, *46*, 645-652). In the absence of ligand, the glucocorticoid receptor forms a large heteromeric complex with several other proteins, from which it dissociates upon ligand binding.

In the liver, glucocorticoid agonists increase hepatic glucose production by activating the glucocorticoid receptor, which subsequently leads to increased expression of the gluconeogenic enzymes phosphoenolpyruvate carboxykinase (PEPCK) and glucose-6-phosphatase. Through gluconeogenesis, glucose is formed through non-hexose precursors, such as lactate, pyruvate and alanine (Link, Curr Opin Investig Drugs, 2003, 4, 421-429).

Antisense compounds targeting GCCR have been previously disclosed in WO2007/035759, WO2005/071080, and PCT application no. PCT/US2012/061984, each herein incorporated by reference in its entirety. An antisense oligonucleotide targeting GCCR, ISIS-GCCR$_{Rx}$, recently completed a Phase I clinical study with positive results. However, there is still a need to provide patients with additional and more potent treatment options.

Certain Conjugated Antisense Compounds Targeted to a GCCR Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to a GCCR nucleic acid having the sequence of the complement of GENBANK Accession No. NT_029289.10 truncated from nucleobases 3818000 to 3980000, incorporated herein as SEQ ID NO: 10. In certain such embodiments, a conjugated antisense compound targeted to SEQ ID NO: 10 is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 10.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 10 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NOs: 49-59. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 10 comprises a nucleobase sequence of SEQ ID NOs: 49-59. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 10: Antisense Compounds targeted to GCCR SEQ ID NO: 10

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO
426115	65940	GCAGCCATGGTGATCAGGAG	eeeeeddddddddddeeeee	49
420470	57825	GGTAGAAATATAGTTGTTCC	eeeeeddddddddddeeeee	50
420476	59956	TTCATGTGTCTGCATCATGT	eeeeeddddddddddeeeee	51
426130	63677	GCATCCAGCGAGCACCAAAG	eeeeeddddddddddeeeee	52
426183	65938	AGCCATGGTGATCAGGAGGC	eeeddddddddddddddeee	53

2026201390 25 Feb 2026

426261	65938	AGCCATGGTGATCAGGAGGC	eedddddddddddddeeeee	53
426262	65939	CAGCCATGGTGATCAGGAGG	eedddddddddddddeeeee	54
426168	76224	GTCTGGATTACAGCATAAAC	eeeeeddddddddddeeeee	55
426246	76225	GGTCTGGATTACAGCATAAA	eeeddddddddddddddeee	56
426172	76229	CCTTGGTCTGGATTACAGCA	eeeeeddddddddddeeeee	57
426325	76229	CCTTGGTCTGGATTACAGCA	eedddddddddddddeeeee	58
426267	95513	GTGCTTGTCCAGGATGATGC	eedddddddddddddeeeee	59

GCCR Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a GCCR nucleic acid for modulating the expression of GCCR in a subject. In certain embodiments, the expression of GCCR is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a GCCR nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has metabolic related diseases, including metabolic syndrome, diabetes mellitus, insulin resistance, diabetic dyslipidemia, hypertriglyceridemia, obesity and weight gain.

Diabetes mellitus is characterized by numerous physical and physiological symptoms. Any symptom known to one of skill in the art to be associated with Type 2 diabetes can be ameliorated or otherwise modulated as set forth above in the methods described above. In certain embodiments, the symptom is a physical symptom selected from the group consisting of increased glucose levels, increased weight gain, frequent urination, unusual thirst, extreme hunger, extreme fatigue, blurred vision, frequent infections, tingling or numbness at the extremities, dry and itchy skin, weight loss, slow-healing sores, and swollen gums. In certain embodiments, the symptom is a physiological symptom selected from the group consisting of increased insulin resistance, increased glucose levels, increased fat mass, decreased metabolic rate, decreased glucose clearance, decreased glucose tolerance, decreased insulin sensitivity, decreased hepatic insulin sensitivity, increased adipose tissue size and weight, increased body fat, and increased body weight.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a GCCR nucleic acid in the preparation of a medicament.

10. Glucagon Receptor (GCGR)

Diabetes is a chronic metabolic disorder characterized by impaired insulin secretion and/or action. In type 2 diabetes (T2DM), insulin resistance leads to an inability of insulin to control the activity of

2026201390 25 Feb 2026

gluconeogenic enzymes, and many subjects also exhibit inappropriate levels of circulating glucagon in the fasting and postprandial state. Glucagon is secreted from the α-cells of the pancreatic islets and regulates glucose homeostasis through modulation of hepatic glucose production (Quesada et al., J. Endocrinol. 2008. 199: 5-19).Glucagon exerts its action on target tissues via the activation of its receptor, GCGR. The glucagon receptor is a 62 kDa protein that is a member of the class B G-protein coupled family of receptors (Brubaker et al., Recept. Channels. 2002. 8: 179-88). GCGR activation leads to signal transduction by G proteins ($G_s\alpha$ and G_q), whereby $G_s\alpha$ activates adenylate cyclase, which causes cAMP production, resulting in an increase in levels of protein kinase A. GCGR signaling in the liver results in increased hepatic glucose production by induction of glycogenolysis and gluconeogenesis along with inhibition of glycogenesis (Jiang and Zhang. Am. J. Physiol. Endocrinol. Metab. 2003. 284: E671-E678). GCGR is also expressed in extrahepatic tissues, which includes heart, intestinal smooth muscle, kidney, brain, and adipose tissue (Hansen et al., Peptides. 1995. 16: 1163-1166).

Antisense compounds targeting GCGR have been previously disclosed in WO2004/096996, WO2004/096016, WO2007/035771, and WO2013/043817, each herein incorporated by reference in its entirety. An antisense oligonucleotide targeting GCGR, ISIS-$GCGR_{Rx}$, recently completed a Phase I clinical study with positive results. However, there is still a need to provide patients with additional and more potent treatment options.

Certain Conjugated Antisense Compounds Targeted to a GCGR Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to a GCGR nucleic acid having the sequence of GENBANK® Accession No NW_926918.1 truncated from nucleobases 16865000 to 16885000, incorporated herein as SEQ ID NO: 11. In certain such embodiments, a conjugated antisense compound targeted to SEQ ID NO: 11 is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 11.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 11 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NOs: 60-67. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 11 comprises a nucleobase sequence of SEQ ID NOs: 60-67. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 11: Antisense Compounds targeted to GCGR SEQ ID NO: 11

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO

2026201390 25 Feb 2026

449884	7270	GGTTCCCGAGGTGCCCA	eeeddddddddddeeee	60
	7295			
	7319			
	7344			
	7368			
	7392			
	7416			
	7440			
398471	8133	TCCACAGGCCACAGGTGGGC	eeeeeddddddddddeeeee	61
436140	15743	CTCTTTATTGTTGGAGGACA	eeeeeddddddddddeeeee	62
448766	9804	GCAAGGCTCGGTTGGGCTTC	eeeeeddddddddddeeeee	63
459014	10718	GGGCAATGCAGTCCTGG	eeeddddddddddeeee	64
459032	7783	GAAGGTGACACCAGCCT	eeeddddddddddeeee	65
459040	8144	GCTCAGCATCCACAGGC	eeeddddddddddeeee	66
459157	7267	GGGTTCCCGAGGTGCCCAATG	eeeeeddddddddddeeeeee	67
	7292			
	7316			
	7341			
	7365			
	7389			
	7437			

GCGR Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a GCGR nucleic acid for modulating the expression of GCGR in a subject. In certain embodiments, the expression of GCGR is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a GCGR nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has metabolic related diseases, including metabolic syndrome, diabetes mellitus, insulin resistance, diabetic dyslipidemia, hypertriglyceridemia, obesity and weight gain.

Diabetes mellitus is characterized by numerous physical and physiological signs and/or symptoms. Any symptom known to one of skill in the art to be associated with Type 2 diabetes can be ameliorated or otherwise modulated as set forth above in the methods described above. In certain embodiments, the symptom or sign is a physical symptom or sign ssuch as increased glucose levels, increased weight gain,

25 Feb 2026
2026201390

frequent urination, unusual thirst, extreme hunger, extreme fatigue, blurred vision, frequent infections, tingling or numbness at the extremities, dry and itchy skin, weight loss, slow-healing sores, and swollen gums. In certain embodiments, the symptom or sign is a physiological symptom or sign selected from the group consisting of increased insulin resistance, increased glucose levels, increased fat mass, decreased metabolic rate, decreased glucose clearance, decreased glucose tolerance, decreased insulin sensitivity, decreased hepatic insulin sensitivity, increased adipose tissue size and weight, increased body fat, and increased body weight.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a GCGR nucleic acid in the preparation of a medicament.

11. Hepatitis B (HBV)

Hepatitis B is a viral disease transmitted parenterally by contaminated material such as blood and blood products, contaminated needles, sexually and vertically from infected or carrier mothers to their offspring. It is estimated by the World Health Organization that more than 2 billion people have been infected worldwide, with about 4 million acute cases per year, 1 million deaths per year, and 350-400 million chronic carriers (World Health Organization: Geographic Prevalence of Hepatitis B Prevalence, 2004. http://www.who.int/vaccines-surveillance/graphics/htmls/hepbprev.htm).

The virus, HBV, is a double-stranded hepatotropic virus which infects only humans and non-human primates. Viral replication takes place predominantly in the liver and, to a lesser extent, in the kidneys, pancreas, bone marrow and spleen (Hepatitis B virus biology. Microbiol Mol Biol Rev. 64: 2000; 51-68.). Viral and immune markers are detectable in blood and characteristic antigen-antibody patterns evolve over time. The first detectable viral marker is HBsAg, followed by hepatitis B e antigen (HBeAg) and HBV DNA. Titers may be high during the incubation period, but HBV DNA and HBeAg levels begin to fall at the onset of illness and may be undetectable at the time of peak clinical illness (Hepatitis B virus infection—natural history and clinical consequences. N Engl J Med.. 350: 2004; 1118-1129). HBeAg is a viral marker detectable in blood and correlates with active viral replication, and therefore high viral load and infectivity (Hepatitis B e antigen—the dangerous end game of hepatitis B. N Engl J Med. 347: 2002; 208-210). The presence of anti-HBsAb and anti-HBcAb (IgG) indicates recovery and immunity in a previously infected individual.

Currently the recommended therapies for chronic HBV infection by the American Association for the Study of Liver Diseases (AASLD) and the European Association for the Study of the Liver (EASL) include interferon alpha (INFα), pegylated interferon alpha-2a (Peg-IFN2a), entecavir, and tenofovir. The nucleoside and nucleobase therapies, entecavir and tenofovir, are successful at reducing viral load, but the rates of HBeAg

2026201390 25 Feb 2026

seroconversion and HBsAg loss are even lower than those obtained using IFNα therapy. Other similar therapies, including lamivudine (3TC), telbivudine (LdT), and adefovir are also used, but for nucleoside/nucleobase therapies in general, the emergence of resistance limits therapeutic efficacy.

Thus, there is a need in the art to discover and develop new anti-viral therapies. Additionally, there is a need for new anti-HBV therapies capable of increasing HBeAg and HBsAg seroconversion rates. Recent clinical research has found a correlation between seroconversion and reductions in HBeAg (Fried et al (2008) Hepatology 47:428) and reductions in HBsAg (Moucari et al (2009) Hepatology 49:1151). Reductions in antigen levels may have allowed immunological control of HBV infection because high levels of antigens are thought to induce immunological tolerance. Current nucleoside therapies for HBV are capable of dramatic reductions in serum levels of HBV but have little impact on HBeAg and HBsAg levels.

Antisense compounds targeting HBV have been previously disclosed in WO2011/047312, WO2012/145674, and WO2012/145697, each herein incorporated by reference in its entirety. Clinical studies are planned to assess the effect of antisense compounds targeting HBV in patients. However, there is still a need to provide patients with additional and more potent treatment options.

Certain Conjugated Antisense Compounds Targeted to a HBV Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to a HBV nucleic acid having the sequence of GENBANK® Accession No. U95551.1, incorporated herein as SEQ ID NO: 12. In certain such embodiments, a conjugated antisense compound targeted to SEQ ID NO: 12 is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 12.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 12 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NO: 68. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 12 comprises a nucleobase sequence of SEQ ID NO: 68. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 12: Antisense Compounds targeted to HBV SEQ ID NO: 12

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO
505358	1583	GCAGAGGTGAAGCGAAGTGC	eeeeeddddddddddeeeee	68

HBV Therapeutic Indications

2026201390 25 Feb 2026

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a HBV nucleic acid for modulating the expression of HBV in a subject. In certain embodiments, the expression of HBV is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a HBV nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has a HBV-related condition. In certain embodiments, the HBV-related condition includes, but is not limited to, chronic HBV infection, inflammation, fibrosis, cirrhosis, liver cancer, serum hepatitis, jaundice, liver cancer, liver inflammation, liver fibrosis, liver cirrhosis, liver failure, diffuse hepatocellular inflammatory disease, hemophagocytic syndrome, serum hepatitis, and HBV viremia. In certain embodiments, the HBV-related condition may have which may include any or all of the following: flu-like illness, weakness, aches, headache, fever, loss of appetite, diarrhea, jaundice, nausea and vomiting, pain over the liver area of the body, clay- or grey-colored stool, itching all over, and dark-colored urine, when coupled with a positive test for presence of a hepatitis B virus, a hepatitis B viral antigen, or a positive test for the presence of an antibody specific for a hepatitis B viral antigen. In certain embodiments, the subject is at risk for an HBV-related condition. This includes subjects having one or more risk factors for developing an HBV-related condition, including sexual exposure to an individual infected with Hepatitis B virus, living in the same house as an individual with a lifelong hepatitis B virus infection, exposure to human blood infected with the hepatitis B virus, injection of illicit drugs, being a person who has hemophilia, and visiting an area where hepatitis B is common. In certain embodiments, the subject has been identified as in need of treatment for an HBV-related condition.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a HBV nucleic acid in the preparation of a medicament.

12. Protein tyrosine phosphatase 1B (PTP1B)

PTP1B is a member of a family of PTPs (Barford, et al., Science 1994. 263: 1397-1404) and is a cytosolic enzyme (Neel and Tonks, Curr. Opin. Cell Biol. 1997. 9: 193-204). PTP1B is expressed ubiquitously including tissues that are key regulators of insulin metabolism such as liver, muscle and fat (Goldstein, Receptor 1993. 3: 1-15), where it is the main PTP enzyme.

PTP1B is considered to be a negative regulator of insulin signaling. PTP1B interacts with and dephosphorylates the insulin receptor, thus attenuating and potentially terminating the insulin signalling transduction (Goldstein et al., J. Biol. Chem. 2000. 275: 4383-4389). The physiological role of PTP1B in insulin signalling has been demonstrated in knockout mice models. Mice lacking the PTP1B gene were protected against insulin resistance and obesity (Elchebly et al., Science 1999. 283: 1544-1548). PTP1B-

2026201390 25 Feb 2026

deficient mice had low adiposity, increased basal metabolic rate as well as total energy expenditure and were protected from diet-induced obesity. Insulin-stimulated glucose uptake was elevated in skeletal muscle, whereas adipose tissue was unaffected providing evidence that increased insulin sensitivity in PTP1B-deficient mice was tissue-specific (Klaman et al., Mol. Cell. Biol. 2000. 20: 5479-5489). These mice were phenotypically normal and were also resistant to diet-induced obesity, insulin resistance and had significantly lower triglyceride levels on a high-fat diet. Therefore, inhibition of PTP1B in patients suffering from Type II diabetes, metabolic syndrome, diabetic dyslipidemia, or related metabolic diseases would be beneficial.

Antisense compounds targeting PTP1B have been previously disclosed in WO2001/053528, WO2002/092772, WO2004/071407, WO2006/044531, WO2012/142458, WO2006/044531, and WO2012/142458, each herein incorporated by reference in its entirety. An antisense oligonucleotide targeting PTP1B, ISIS-PTP1B$_{Rx}$, recently completed a Phase I clinical study with positive results. However, there is still a need to provide patients with additional and more potent treatment options.

Certain Conjugated Antisense Compounds Targeted to a PTP1B Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to a PTP1B nucleic acid having the sequence of GENBANK® Accession No. NM_002827.2, incorporated herein as SEQ ID NO: 13 or GENBANK Accession NT_011362.9 truncated from nucleobases 14178000 to 14256000, incorporated herein as SEQ ID NO: 14. In certain such embodiments, a conjugated antisense compound targeted to SEQ ID NO: 13 is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 13.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 13 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NOs: 69-72. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 13 comprises a nucleobase sequence of SEQ ID NOs: 69-72. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 13: Conjugated Antisense Compounds targeted to PTP1B SEQ ID NO: 13

ISIS No	Target Start Site on mRNA	Sequence (5'-3')	Chemistry	SEQ ID NO
404173	3290	AATGGTTTATTCCATGGCCA	eeeeeddddddddddeeeee	69
409826	3287	GGTTTATTCCATGGCCATTG	eeeeeddddddddddeeeee	70
142082	3291	AAATGGTTTATTCCATGGCC	eeeeeddddddddddeeeee	71
446431	3292	AATGGTTTATTCCATGGC	eeeeddddddddddeeee	72

2026201390 25 Feb 2026

PTP1B Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a PTP1B nucleic acid for modulating the expression of PTP1B in a subject. In certain embodiments, the expression of PTP1B is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a PTP1B nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has metabolic related diseases, including metabolic syndrome, diabetes mellitus, insulin resistance, diabetic dyslipidemia, hypertriglyceridemia, obesity and weight gain.

Diabetes mellitus is characterized by numerous physical and physiological symptoms. Any symptom known to one of skill in the art to be associated with Type 2 diabetes can be ameliorated or otherwise modulated as set forth above in the methods described above. In certain embodiments, the symptom is a physical symptom selected from the group consisting of increased glucose levels, increased weight gain, frequent urination, unusual thirst, extreme hunger, extreme fatigue, blurred vision, frequent infections, tingling or numbness at the extremities, dry and itchy skin, weight loss, slow-healing sores, and swollen gums. In certain embodiments, the symptom is a physiological symptom selected from the group consisting of increased insulin resistance, increased fat mass, decreased metabolic rate, decreased glucose clearance, decreased glucose tolerance, decreased insulin sensitivity, decreased hepatic insulin sensitivity, increased adipose tissue size and weight, increased body fat, and increased body weight.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a PTP1B nucleic acid in the preparation of a medicament.

13. STAT3

The STAT (signal transducers and activators of transcription) family of proteins comprises DNA-binding proteins that play a dual role in signal transduction and activation of transcription. Presently, there are six distinct members of the STAT family (STAT1, STAT2, STAT3, STAT4, STAT5, and STAT6) and several isoforms (STAT1α, STAT1β, STAT3 α and STAT3β). The activities of the STATs are modulated by various cytokines and mitogenic stimuli. Binding of a cytokine to its receptor results in the activation of Janus protein tyrosine kinases (JAKs) associated with these receptors. This phosphorylates STAT, resulting in translocation to the nucleus and transcriptional activation of STAT responsive genes. Phosphorylation on a specific tyrosine residue on the STATs results in their activation, resulting in the formation of homodimers and/or heterodimers of STAT which bind to specific gene promoter sequences. Events mediated by cytokines through STAT activation include cell proliferation and differentiation and prevention of apoptosis.

2026201390 25 Feb 2026

The specificity of STAT activation is due to specific cytokines, i.e., each STAT is responsive to a small number of specific cytokines. Other non-cytokine signaling molecules, such as growth factors, have also been found to activate STATs. Binding of these factors to a cell surface receptor associated with protein tyrosine kinase also results in phosphorylation of STAT.

STAT3 (also acute phase response factor (APRF)), in particular, has been found to be responsive to interleukin-6 (IL-6) as well as epidermal growth factor (EGF) (Darnell, Jr., J.E., et al., Science, 1994, 264, 1415-1421). In addition, STAT3 has been found to have an important role in signal transduction by interferons (Yang, C.-H., et al., Proc. Natl. Acad. Sci. USA, 1998, 95, 5568-5572). Evidence exists suggesting that STAT3 may be regulated by the MAPK pathway. ERK2 induces serine phosphorylation and also associates with STAT3 (Jain, N., et al., Oncogene, 1998, 17, 3157-3167).

STAT3 is expressed in most cell types (Zhong, Z., et al., Proc. Natl. Acad. Sci. USA, 1994, 91, 4806-4810). It induces the expression of genes involved in response to tissue injury and inflammation. STAT3 has also been shown to prevent apoptosis through the expression of bcl-2 (Fukada, T., et al., Immunity, 1996, 5, 449-460).

Recently, STAT3 was detected in the mitochondria of transformed cells, and was shown to facilitate glycolytic and oxidative phosphorylation activities similar to that of cancer cells (Gough, D.J., et al., Science, 2009, 324, 1713-1716). The inhibition of STAT3 in the mitochondria impaired malignant transformation by activated Ras. The data confirms a Ras-mediated transformation function for STAT3 in the mitochondria in addition to its nuclear roles.

Aberrant expression of or constitutive expression of STAT3 is associated with a number of disease processes.

Antisense compounds targeting STAT3 have been previously disclosed in WO2012/135736 and WO2005/083124, each herein incorporated by reference in its entirety. An antisense oligonucleotide targeting STAT3, ISIS-STAT3$_{Rx}$, is currently in Phase 1/2 clinical trials to study its effectiveness in treating subjects with cancer. However, there is still a need to provide patients with additional and more potent treatment options.

Certain Conjugated Antisense Compounds Targeted to a STAT3 Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to a STAT3 nucleic acid having the sequence of GENBANK® Accession No. NM_139276.2, incorporated herein as SEQ ID NO: 15.

25 Feb 2026
2026201390

In certain such embodiments, a conjugated antisense compound targeted to SEQ ID NO: 15 is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 15.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 15 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NO: 73. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 15 comprises a nucleobase sequence of SEQ ID NO: 73. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 14: Antisense Compounds targeted to STAT3 SEQ ID NO: 15

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO
481464	3016	CTATTTGGATGTCAGC	kkkddddddddddkkk	73

STAT3 Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a STAT3 nucleic acid for modulating the expression of STAT3 in a subject. In certain embodiments, the expression of STAT3 is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a STAT3 nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has a hyperproliferative disease, disorder or condition. In certain embodiments such hyperproliferative disease, disorder, and condition include cancer as well as associated malignancies and metastases. In certain embodiments, such cancers include lung cancer, including non small cell lung cancer (NSCLC), pancreatic cancer, colorectal cancer, multiple myeloma, hepatocellular carcinoma (HCC), glioblastoma, ovarian cancer, osteosarcoma, head and neck cancer, breast cancer, epidermoid carcinomas, intestinal adenomas, prostate cancer, and gastric cancer.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a STAT3 nucleic acid in the preparation of a medicament.

14. Transthyretin (TTR)

TTR (also known as prealbumin, hyperthytoxinemia, dysprealbuminemic, thyroxine; senile systemic amyloidosis, amyloid polyneuropathy, amyloidosis I, PALB; dystransthyretinemic, HST2651; TBPA; dysprealbuminemic euthyroidal hyperthyroxinemia) is a serum/plasma and cerebrospinal fluid protein responsible for the transport of thyroxine and retinol (Sakaki et al, Mol Biol Med. 1989, 6:161-8).

2026201390 25 Feb 2026

Structurally, TTR is a homotetramer; point mutations and misfolding of the protein leads to deposition of amyloid fibrils and is associated with disorders, such as senile systemic amyloidosis (SSA), familial amyloid polyneuropathy (FAP), and familial amyloid cardiopathy (FAC).

TTR is synthesized primarily by the liver and the choroid plexus of the brain and, to a lesser degree, by the retina in humans (Palha, *Clin Chem Lab Med*, 2002, *40*, 1292-1300). Transthyretin that is synthesized in the liver is secreted into the blood, whereas transthyretin originating in the choroid plexus is destined for the CSF. In the choroid plexus, transthyretin synthesis represents about 20% of total local protein synthesis and as much as 25% of the total CSF protein (Dickson et al., *J Biol Chem*, 1986, *261*, 3475-3478).

With the availability of genetic and immunohistochemical diagnostic tests, patients with TTR amyloidosis have been found in many nations worldwide. Recent studies indicate that TTR amyloidosis is not a rare endemic disease as previously thought, and may affect as much as 25% of the elderly population (Tanskanen et al, Ann Med. 2008;40(3):232-9).

At the biochemical level, TTR was identified as the major protein component in the amyloid deposits of FAP patients (Costa et al, *Proc. Natl. Acad. Sci. USA* 1978, **75**:4499–4503) and later, a substitution of methionine for valine at position 30 of the protein was found to be the most common molecular defect causing the disease (Saraiva et al, *J. Clin. Invest.* 1984, **74**: 104–119). In FAP, widespread systemic extracellular deposition of TTR aggregates and amyloid fibrils occurs throughout the connective tissue, particularly in the peripheral nervous system (Sousa and Saraiva, *Prog. Neurobiol.* 2003, **71**: 385–400). Following TTR deposition, axonal degeneration occurs, starting in the unmyelinated and myelinated fibers of low diameter, and ultimately leading to neuronal loss at ganglionic sites.

Antisense compounds targeting TTR have been previously disclosed in US2005/0244869, WO2010/017509, and WO2011/139917, each herein incorporated by reference in its entirety. An antisense oligonucleotide targeting TTR, ISIS-TTR$_{Rx}$, is currently in Phase 2/3 clinical trials to study its effectiveness in treating subjects with Familial Amyloid Polyneuropathy. However, there is still a need to provide patients with additional and more potent treatment options.

Certain Conjugated Antisense Compounds Targeted to a TTR Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to a TTR nucleic acid having the sequence of GENBANK® Accession No. NM_000371.3, incorporated herein as SEQ ID NO: 16. In certain such embodiments, a conjugated antisense compound targeted to SEQ ID NO: 16 is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 16.

25 Feb 2026

2026201390

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 16 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NOs: 74-81. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 16 comprises a nucleobase sequence of SEQ ID NO: 74-81. In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 15: Antisense Compounds targeted to TTR SEQ ID NO: 16

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO
420915	508	TCTTGGTTACATGAAATCCC	eeeeeddddddddddeeeee	74
304299	507	CTTGGTTACATGAAATCCCA	eeeeeddddddddddeeeee	75
420921	515	GGAATACTCTTGGTTACATG	eeeeeddddddddddeeeee	76
420922	516	TGGAATACTCTTGGTTACAT	eeeeeddddddddddeeeee	77
420950	580	TTTTATTGTCTCTGCCTGGA	eeeeeddddddddddeeeee	78
420955	585	GAATGTTTTATTGTCTCTGC	eeeeeddddddddddeeeee	79
420957	587	AGGAATGTTTTATTGTCTCT	eeeeeddddddddddeeeee	80
420959	589	ACAGGAATGTTTTATTGTCT	eeeeeddddddddddeeeee	81

TTR Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a TTR nucleic acid for modulating the expression of TTR in a subject. In certain embodiments, the expression of TTR is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a TTR nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has a transthyretin related disease, disorder or condition, or symptom thereof. In certain embodiments, the transthyretin related disease, disorder or condition is transthyretin amyloidosis. "Transthyretin-related amyloidosis" or "transthyretin amyloidosis" or "Transthyretin amyloid disease", as used herein, is any pathology or disease associated with dysfunction or dysregulation of transthyretin that result in formation of transthyretin-containing amyloid fibrils. Transthyretin amyloidosis includes, but is not limited to, hereditary TTR amyloidosis, leptomeningeal amyloidosis, familial amyloid polyneuropathy (FAP), familial amyloid cardiomyopathy, familial oculoleptomeningeal amyloidosis, senile cardiac amyloidosis, or senile systemic amyloidosis.

2026201390 25 Feb 2026

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a TTR nucleic acid in the preparation of a medicament.

15. PCSK9

PCSK9 (also known as Proprotein convertase subtilisin kexin 9) is a member of the subtilisin serine protease family. The other eight mammalian subtilisin proteases, PCSK1-PCSK8 (also called PC1/3, PC2, furin, PC4, PC5/6, PACE4, PC7, and S1P/SKI-1) are proprotein convertases that process a wide variety of proteins in the secretory pathway and play roles in diverse biological processes (Bergeron, F. (2000) J. Mol. Endocrinol. 24, 1-22, Gensberg, K., (1998) Semin. Cell Dev. Biol. 9, 11-17, Seidah, N. G. (1999) Brain Res. 848, 45-62, Taylor, N. A., (2003) FASEB J. 17, 1215-1227, and Zhou, A., (1999) J. Biol. Chem. 274, 20745-20748). PCSK9 has been proposed to play a role in cholesterol metabolism. PCSK9 mRNA expression is down-regulated by dietary cholesterol feeding in mice (Maxwell, K. N., (2003) J. Lipid Res. 44, 2109-2119), up-regulated by statins in HepG2 cells (Dubuc, G., (2004) Arterioscler. Thromb. Vasc. Biol. 24, 1454-1459), and up-regulated in sterol regulatory element binding protein (SREBP) transgenic mice (Horton, J. D., (2003) Proc. Natl. Acad. Sci. USA 100, 12027-12032), similar to the cholesterol biosynthetic enzymes and the low-density lipoprotein receptor (LDLR). Furthermore, PCSK9 missense mutations have been found to be associated with a form of autosomal dominant hypercholesterolemia (Hchola3) (Abifadel, M., et al. (2003) Nat. Genet. 34, 154-156, Timms, K. M., (2004) Hum. Genet. 114, 349-353, Leren, T. P. (2004) Clin. Genet. 65, 419-422). PCSK9 may also play a role in determining LDL cholesterol levels in the general population, because single-nucleotide polymorphisms (SNPs) have been associated with cholesterol levels in a Japanese population (Shioji, K., (2004) J. Hum. Genet. 49, 109-114).

Antisense compounds targeting PCSK9 have been previously disclosed in U.S. Patents 8,084,437; 8,093,222; 8,664,190; and International applications WO 2008/066776 and WO 2009/148605. However, there is still a need to provide patients with additional and more potent treatment options.

Certain Conjugated Antisense Compounds Targeted to a PCSK9 Nucleic Acid

In certain embodiments, conjugated antisense compounds are targeted to a PCSK9 nucleic acid having the sequence of GENBANK® Accession, incorporated herein as SEQ ID NO: 160. In certain such embodiments, a conjugated antisense compound targeted to SEQ ID NO: 160 is at least 90%, at least 95%, or 100% complementary to SEQ ID NO: 160.

In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 160 comprises an at least 8 consecutive nucleobase sequence of SEQ ID NOs: 156-159. In certain embodiments, a conjugated antisense compound targeted to SEQ ID NO: 160 comprises a nucleobase sequence of SEQ ID NO: 156-159.

2026201390 25 Feb 2026

In certain embodiments, such conjugated antisense compounds comprise a conjugate comprising 1-3 GalNAc ligands. In certain embodments, such antisense compounds comprise a conjugate disclosed herein.

Table 15: Antisense Compounds targeted to PCSK9 SEQ ID NO: 156

ISIS No	Target Start Site	Sequence (5'-3')	Motif	SEQ ID NO
405879	1073	CCTTGGCCACGCCGGCATCC	eeeeeddddddddddeeeee	156
431131	1015	GTCACACTTGCTGGCCTGTC	eeeeeddddddddddeeeee	157
405995	2001	TGGCAGTGGACACGGGTCCC	eeeeeddddddddddeeeee	158
480604	3381	ACTCACCGAGCTTCCTGGTC	eeeeeddddddddddeeeee	159

PCSK9 Therapeutic Indications

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a PCSK9 nucleic acid for modulating the expression of PCSK9 in a subject. In certain embodiments, the expression of PCSK9 is reduced.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a PCSK9 nucleic acid in a pharmaceutical composition for treating a subject. In certain embodiments, the subject has a PCSK9 related disease, disorder or condition, or symptom thereof. In certain embodiments, the PCSK9 related disease, disorder or condition is a metabolic or cardiovascular disease.

In certain embodiments, the invention provides methods for using a conjugated antisense compound targeted to a PCSK9 nucleic acid in the preparation of a medicament.

E. **Certain Nucleic Acid GalNAc Conjugates**

In certain embodiments, conjugated antisense compounds comprise antisense compounds having the nucleobase sequence of the antisense compounds in Table 16 below attached to a GalNAc conjugate. In certain embodiments, conjugated antisense compounds comprise antisense compounds having the nucleobase sequence and chemical modifications of the antisense compounds in Table 16 below attached to a GalNAc conjugate. All internucleoside linkages are phosphorothioate internucleoside linkages unless otherwise indicated. A subscript "l" indicates an LNA bicyclic nucleoside. A subscript "d" indicates a 2'-deoxy nucleoside. A subscript "e" indicates a 2'-MOE modified nucleoside. A subscript "v" indicates a 2-amino-2'-deoxyadenosine.

2026201390 25 Feb 2026

Table 16

Sequence 5' to 3'	Target	Motif	Chemistry	Internucleoside Linkages	SEQ ID NO.
$T_lG_lG_lC_dA_dA_dG_dC_dA_dT_dC_dC_dT_lG_lT_lA_d$	HIF-1α	3-9-3-1	LNA/deoxy	phosphorothioate	82
$C_lT_lC_lA_lA_dT_dC_dC_dA_dT_dG_dG_dC_lA_lG_lC_d$	Survivin	4-8-3-1	LNA/deoxy	phosphorothioate	83
$A_lC_lC_lA_dA_dG_dT_dT_dT_dC_dT_dT_dC_dA_lG_lC_l$	Androgen Receptor	3-10-3	LNA/deoxy	phosphorothioate	84
$G_lC_lA_dT_dT_dG_dG_dT_dA_dT_dT_lC_lA_l$	ApoB	2-8-3	LNA/deoxy	phosphorothioate	85
$T_lT_lC_lA_lG_lC_dA_dT_dT_dG_dG_dT_dA_dT_dT_dC_lA_lG_lT_lG_l$	ApoB	5-10-5	LNA/deoxy	phosphorothioate	86
$C_lA_lG_lC_dA_dT_dT_dG_dG_dT_dA_dT_dT_lC_lA_lG_d$	ApoB	3-10-3	LNA/deoxy	phosphorothioate	87
$C_lA_lG_lC_dA_dT_dT_dG_dG_dT_dA_dT_dT_lC_lA_l$	ApoB	3-9-3	LNA/deoxy	phosphorothioate	88
$A_lG_lC_lA_dT_dT_dG_dG_dT_dA_dT_dT_lC_lA_l$	ApoB	3-8-3	LNA/deoxy	phosphorothioate	89
$G_lC_lA_dT_dT_dG_dG_dT_dA_dT_dT_lC_l$	ApoB	2-8-2	LNA/deoxy	phosphorothioate	90
$T_lG_lC_lT_dA_dC_dA_dA_dA_dA_dC_dC_lC_lA_l$	PCSK9	3-8-3	LNA/deoxy	phosphorothioate	135
$C_lcC_dA_lT_dT_dG_lT_lC_dA_dC_lA_dC_lT_dC_lC_l$	miR-122		LNA/deoxy	phosphorothioate	136
CGGCATGTCTATTTTGTA	TGF-β2			phosphorothioate	91
GGCTAAATCGCTCCACCAAG	RRM2			phosphorothioate	92
CTCTAGCGTCTTAAAGCCGA	RRM1			phosphorothioate	93
GCTGCATGATCTCCTTGGCG	AKT-1			phosphorothioate	94
ACGTTGAGGGGCATCGTCGC	c-Myc			Morpholino	95
CGGTTAGAAGACTCATCTTT	Influenza PB1-AUG			Morpholino	137
CTCCAACATCAAGGAAGATG GCATTTCTAG	dystrophin			Morpholino	138
GAATATTAACANACTGACAA GTC	Marburg virus NP			Morpholino	139
CGTTGATANTTCTGCCATNCT	Marburg virus VP24			Morpholino	140
GCCATGGTTTTTTCTCAGG	Ebola virus VP24			Morpholino	141
CCTGCCCTTTGTTCTAGTTG	Ebola virus VP35			Morpholino	142
$GGGTCTGCA_vGCGGGA_vTGGT$	CCR3 & CSF2RB			phosphorothioate	96
$GTTA_vCTA_vCTTCCA_vCCTGCC$ TG	CCR3 & CSF2RB			phosphorothioate	97
TATCCGGAGGGCTCGCCATG CTGCT	IRS-1			phosphorothioate	98
GTCGCCCCTTCTCCCCGCAGC	Smad7			phosphorothioate	143
GGACCCTCCTCCGGAGCC	IGF-1R			phosphorothioate	144
ACCAGGCGTCTCGTGGGGCA CAT	Ki-67			phosphorothioate	145
TCTCCCAGCGTGCGCCAT	BCL-2			phosphorothioate	146
GTGCTCCATTGATGC	c-Raf			phosphate	147
$T_eC_eC_eC_eG_eC_eCTGTGACAT_eG_eC_e$ $A_eT_eT_e$	c-Raf	6-8-6	MOE/deoxy		99

2026201390 25 Feb 2026

$C_eA_eG_eC_eAGCAGAGTCTTCAT_eC_eA_eT_e$	Clusterin	4-13-4	MOE/deoxy		100
$G_eG_eG_eA_eC_dG_dC_dG_dG_dC_dG_dC_dT_dC_dG_dG_dT_eC_eA_eT_e$	HSPB1	4-12-4	MOE/deoxy		101
$C_eC_eA_eC_eA_eA_dG_dC_dT_dG_dT_dC_dC_dA_dG_dT_eC_eT_eA_eA_e$	CTGF	5-10-5	MOE/deoxy		102
$C_eC_eG_eC_dA_dG_dC_dC_dA_dT_dG_dC_dG_eC_eT_eC_eT_eT_eG_eG_e$	CD49d / VLA-4	3-9-8	MOE/deoxy		103
$T_eC_eA_eG_eG_eG_dC_dA_dT_dT_dC_dT_dT_dT_dC_dC_eA_eT_eT_eC_e$	GHR	5-10-5	MOE/deoxy		148
$C_eG_eA_eA_eG_eG_dA_dA_dA_dC_dA_dA_dT_dA_dC_dT_eC_eC_eG_eA_e$	IGF-1R	5-10-5	MOE/deoxy		149
$G_eA_eC_eA_eG_eC_dA_dG_dC_dC_dG_dC_dA_dG_dC_dA_eG_eA_eA_eA_e$	hepcidin	5-10-5	MOE/deoxy		150
$T_eG_eG_eA_eA_eA_dG_dG_dC_dT_dT_dA_dT_dA_dC_dC_eC_eC_eT_eC_e$	IL-4Rα1	5-10-5	MOE/deoxy		151
TCAAGGAAGATGGCATTTCT	dystrophin		2’-O-Methyl	phosphorothioate	152
GUGGCUAACAGAAGCU	dystrophin		2’-O-Methyl	phosphorothioate	153
UUUGCCGCUGCCCAAUGCCAUCCUG	dystrophin		2’-O-Methyl	phosphorothioate	154
$G_mC_mG_mU_mG_dC_dC_dT_dC_dC_dT_dC_dA_dC_dU_mG_mG_mC_m$	Protein kinase A	4-10-4	2’-O-Methyl/deoxy	phosphorothioate	155

Additional Sequences and Oligonucleotides suitable for conjugation with any conjugate herein

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to eukaryotic Initiation Factor 4E (eIF4E) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to dIF4E are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to dIF4E are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to eIF4E suitable for conjugation include but are not limited to those disclosed in US 7,425,544, which is incorporated by reference in its entirety herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs: 18-122 disclosed in US 7,425,544 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense strand having a nucleobase sequence of any of SEQ ID NOs: 212-459 disclosed in US 7,425,544 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to Signal Transducer and Activator of Transcription 3 (STAT3) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to STAT3 are RNAi (siRNA or ssRNA)

2026201390 25 Feb 2026

compounds. In certain embodiments, antisense oligonucleotides targeted to STAT3 are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to STAT3 suitable for conjugation include but are not limited to those disclosed in WO 2012/135736, WO 2005/083124, and US 6,727,064; which are incorporated by reference in their entireties herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs: 9-426, 430-442, 445-464, 471-498, 500-1034, 1036-1512, and 1541-2757 disclosed in WO 2012/135736 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs: 2-81, 108-150, and 159-381 disclosed in WO 2005/083124 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs: 2-81 and 108-150 disclosed in US 6,727,064 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to glucocorticoid receptor (GCCR) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to GCCR are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to GCCR are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to GCCR suitable for conjugation include but are not limited to those disclosed in WO 2005/071080, WO 2007/035759, and WO 2007/136988; which are incorporated by reference in their entireties herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs: 30-216, and 306-310 disclosed in WO 2005/071080 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs: 26-113 disclosed in WO 2007/035759 and a conjugate group disclosed herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs: 413-485 disclosed in WO 2007/136988 and a conjugate group disclosed herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to glucagon receptor (GCGR) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to GCGR are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to GCGR are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to GCGR suitable for conjugation include but are not limited to those disclosed in US 7,750,142; US 7,399,853; WO 2007/035771; and WO 2007/134014; which are incorporated by reference in their entireties herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs: 20-399 disclosed in US 7,750,142 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense

25 Feb 2026

2026201390

oligonucleotide having a nucleobase sequence of any of SEQ ID NOs: 20-399 disclosed in US 7,399,853 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of SEQ ID NO: 2 disclosed in WO 2007/035771 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs: 486-680 disclosed in WO 2007/134014 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to Protein Tyrosine Phosphatase 1B (PTP1B) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to PTP1B are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to PT1B are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to PTP1B suitable for conjugation include but are not limited to those disclosed in US 7,563,884 and WO 2007/131237, which are incorporated by reference in their entireties herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 17-96 and 244-389 disclosed in US 7,563,884 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 886-1552 disclosed in WO 2007/131237 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to Fibroblast Growth Factor Receptor 4 (FGFR4) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to FGFR4 are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to FGFR4 are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to FGFR4 suitable for conjugation include but are not limited to those disclosed in WO 2009/046141, which is incorporated by reference in its entirety herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 21-24, 28, 29, 36, 38, 39, 43, 48, 51, 54-56, 58-60, 64-66, and 92-166 disclosed in WO 2009/046141 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to alpha-1-antitrypsin (A1AT) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to A1AT are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to A1AT are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to A1AT suitable for conjugation include but are not limited

2026201390 25 Feb 2026

to those disclosed in WO 2013/142514, which is incorporated by reference in its entirety herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 20-41 disclosed in WO 2013/142514 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to Factor VII known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to Factor VII are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to Factor VII are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to Factor VII suitable for conjugation include but are not limited to those disclosed in WO 2013/119979 and WO 2009/061851, which are incorporated by reference in their entireties herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 21-659 disclosed in WO 2013/119979 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 4-159 and 168-611 disclosed in WO 2009/061851 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to Factor XI known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to Factor XI are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to Factor XI are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to Factor XI suitable for conjugation include but are not limited to those disclosed in WO 2010/045509 and WO 2010/121074, which are incorporated by reference in their entireties herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 15-270 disclosed in WO 2010/045509 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 15-270 disclosed in WO 2010/121074 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to Hepatitis B Virus (HBV) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to HBV are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to HBV are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to HBV suitable for conjugation include but are not limited to those disclosed in WO 2012/145697 and WO 2012/145697, which are incorporated by reference in their entireties herein. In

2026201390 25 Feb 2026

certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 5-310, 321-802, 804-1272, 1288-1350, 1364-1372, 1375, 1376, and 1379 disclosed in WO 2012/145697 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 14-22 disclosed in WO 2011/047312 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to transthyretin (TTR) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to TTR are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to TTR are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to TTR suitable for conjugation include but are not limited to those disclosed in WO 2011/139917 and US 8,101,743, which are incorporated by reference in their entireties herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 8-160, 170-177 disclosed in WO 2011/139917 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 12-89 disclosed in US 8,101,743 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence complementary to a preferred target segment of any of SEQ ID NOs 90-133 disclosed in US 8,101,743 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to apolipoprotein(a) (apo(a)) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to apo(a) are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to apo(a) are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to apo(a) suitable for conjugation include but are not limited to those disclosed in WO 2013/177468; US 8,673,632; US 7,259,150; and US Patent Application Publication No. US 2004/0242516; which are incorporated by reference in their entireties herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 12-130, 133, 134 disclosed in WO 2013/177468 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 11-45 and 85-96 disclosed in US 8,673,632 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 11-45 disclosed in US 7,259,150 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 7-41 disclosed in US Patent Application Publication No. US 2004/0242516 and a conjugate

2026201390 25 Feb 2026

group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to Apolipoprotein B (ApoB) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to ApoB are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to ApoB are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to ApoB suitable for conjugation include but are not limited to those disclosed in US Patent Application Publication Nos. US 2010/0331390, US 2009/0306180, and US 2005/0009088; which are incorporated by reference in their entireties herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of SEQ ID NO: 20 disclosed in US 2010/0331390 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 16-213 disclosed in US 2009/0306180 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 17-70, 124-317, 319-333, 335-502, 504-804, and 864-887 disclosed in US 2005/0009088 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to Apolipoprotein C-III (ApoC-III) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to ApoC-III are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to ApoC-III are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to ApoC-III suitable for conjugation include but are not limited to those disclosed in US Patent Application Publication No. US 2013/0317085, which is incorporated by reference in its entirety herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 19-96 and 209-221 disclosed in US 2013/0317085 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of CACTGAGAATACTGTCCCTT, disclosed as SEQ ID NO 79 in US 2013/0317085, and a conjugate group described herein. For conformity with the present specification, the nucleobase sequence CACTGAGAATACTGTCCCTT is designated SEQ ID NO: 161 herein. As discussed below, references to T can also be references to U. Therefore, in certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of CACUGAGAAUACUGUCCCUU, and a conjugate group described herein. In some embodiments, a compound comprises an antisense oligonucleotide comprising at least 18 contiguous nucleobases of CACTGAGAATACTGTCCCTT or CACUGAGAAUACUGUCCCUU. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein. As would be understood by

2026201390 25 Feb 2026

the skilled person, reference to a (double-stranded) DNA sequence that is defined in the sequence listing by the (5'-3') sense strand also includes reference to the corresponding reverse complement, and *vice versa*. In certain embodiments, a conjugated oligonucleotide is a double-stranded siRNA compound comprising an antisense strand and a sense strand. In certain embodiments, a compound comprises a sense strand having a nucleobase sequence of ACGGGACAGTATTCTCAGTIA (SEQ ID NO: 162) (I = inosine), and a conjugate group described herein. For conformity with the present specification, the nucleobase sequence ACGGGACAGTATTCTCAGTIA is designated SEQ ID NO: 162 herein. In certain embodiments a compound comprises a sense strand having a nucleobase sequence of ACGGGACAGTATTCTCAGTIA (SEQ ID NO: 162) (I = inosine) or ACGGGACAGUAUUCUCAGUIA (I = inosine), disclosed as SEQ ID NO 18 in WO 2019/051402 which is incorporated by reference in its entirety herein. In certain embodiments, a compound comprises an antisense strand having a nucleobase sequence of TCACTGAGAATACTGTCCCGT (SEQ ID NO: 164) or UCACUGAGAAUACUGUCCCGU, disclosed as SEQ ID NO: 5 in WO 2019/051402. For conformity with the present specification, the nucleobase sequence TCACTGAGAATACTGTCCCGT is designated SEQ ID NO: 164 herein. In certain embodiments, a compound comprises a sense strand having a nucleobase sequence of CAGCCCCTTATTGTTATACGA (SEQ ID NO: 163), and a conjugate group described herein. For conformity with the present specification, the nucleobase sequence CAGCCCCTTATTGTTATACGA is designated SEQ ID NO: 163 herein. In certain embodiments a compound comprises a sense strand having a nucleobase sequence of CAGCCCCTTATTGTTATACGA (SEQ ID NO: 163) or CAGCCCCUUAUUGUUAUACGA, disclosed as SEQ ID NO 3 in WO 2022/098841, which is incorporated by reference in its entirety herein. In certain embodiments, a compound comprises an antisense strand having a nucleobase sequence of TCGTATAACAATAAGGGGCTG (SEQ ID NO: 165) or UCGUAUAACAAUAAGGGGCUG, disclosed as SEQ ID NO: 4 in WO 2022/098841. For conformity with the present specification, the nucleobase sequence TCGTATAACAATAAGGGGCTG is designated SEQ ID NO: 165 herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to proprotein convertase subtilisin/kexin type 9 (PCSK9) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to PCSK9 are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to PCSK9 are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to PCSK9 suitable for conjugation include but are not limited to those disclosed in US 8,143,230 and US 8,664,190; which are incorporated by reference in their entireties herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 329-403 disclosed in US 8,143,230 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 4-455 and 458-461 disclosed in US

2026201390 25 Feb 2026

8,664,190 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

In certain embodiments, a compound comprises an antisense oligonucleotide targeted to C-reactive protein (CRP) known in the art and a conjugate group described herein. In certain embodiments, antisense oligonucleotides targeted to CRP are RNAi (siRNA or ssRNA) compounds. In certain embodiments, antisense oligonucleotides targeted to CRP are RNase H based antisense compounds. Examples of antisense oligonucleotides targeted to CRP suitable for conjugation include but are not limited to those disclosed in WO 2003/010284, WO 2005/005599, and WO 2007/143317; which are incorporated by reference in their entireties herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 10-63 disclosed in WO 2003/010284 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 19-72, 76-259, and 598-613 disclosed in WO 2005/005599 and a conjugate group described herein. In certain embodiments, a compound comprises an antisense oligonucleotide having a nucleobase sequence of any of SEQ ID NOs 409-412 disclosed in WO 2007/143317 and a conjugate group described herein. The nucleobase sequences of all of the aforementioned referenced SEQ ID NOs are incorporated by reference herein.

F. Certain Pharmaceutical Compositions

In certain embodiments, the present disclosure provides pharmaceutical compositions comprising one or more antisense compound. In certain embodiments, such pharmaceutical composition comprises a suitable pharmaceutically acceptable diluent or carrier. In certain embodiments, a pharmaceutical composition comprises a sterile saline solution and one or more antisense compound. In certain embodiments, such pharmaceutical composition consists of a sterile saline solution and one or more antisense compound. In certain embodiments, the sterile saline is pharmaceutical grade saline. In certain embodiments, a pharmaceutical composition comprises one or more antisense compound and sterile water. In certain embodiments, a pharmaceutical composition consists of one or more antisense compound and sterile water. In certain embodiments, the sterile saline is pharmaceutical grade water. In certain embodiments, a pharmaceutical composition comprises one or more antisense compound and phosphate-buffered saline (PBS). In certain embodiments, a pharmaceutical composition consists of one or more antisense compound and sterile phosphate-buffered saline (PBS). In certain embodiments, the sterile saline is pharmaceutical grade PBS.

In certain embodiments, antisense compounds may be admixed with pharmaceutically acceptable active and/or inert substances for the preparation of pharmaceutical compositions or formulations. Compositions and methods for the formulation of pharmaceutical compositions depend on a number of criteria, including, but not limited to, route of administration, extent of disease, or dose to be administered.

Pharmaceutical compositions comprising antisense compounds encompass any pharmaceutically acceptable salts, esters, or salts of such esters. In certain embodiments, pharmaceutical compositions

2026201390 25 Feb 2026

comprising antisense compounds comprise one or more oligonucleotide which, upon administration to an animal, including a human, is capable of providing (directly or indirectly) the biologically active metabolite or residue thereof. Accordingly, for example, the disclosure is also drawn to pharmaceutically acceptable salts of antisense compounds, prodrugs, pharmaceutically acceptable salts of such prodrugs, and other bioequivalents. Suitable pharmaceutically acceptable salts include, but are not limited to, sodium and potassium salts.

A prodrug can include the incorporation of additional nucleosides at one or both ends of an oligonucleotide which are cleaved by endogenous nucleases within the body, to form the active antisense oligonucleotide.

Lipid moieties have been used in nucleic acid therapies in a variety of methods. In certain such methods, the nucleic acid is introduced into preformed liposomes or lipoplexes made of mixtures of cationic lipids and neutral lipids. In certain methods, DNA complexes with mono- or poly-cationic lipids are formed without the presence of a neutral lipid. In certain embodiments, a lipid moiety is selected to increase distribution of a pharmaceutical agent to a particular cell or tissue. In certain embodiments, a lipid moiety is selected to increase distribution of a pharmaceutical agent to fat tissue. In certain embodiments, a lipid moiety is selected to increase distribution of a pharmaceutical agent to muscle tissue.

In certain embodiments, pharmaceutical compositions provided herein comprise one or more modified oligonucleotides and one or more excipients. In certain such embodiments, excipients are selected from water, salt solutions, alcohol, polyethylene glycols, gelatin, lactose, amylase, magnesium stearate, talc, silicic acid, viscous paraffin, hydroxymethylcellulose and polyvinylpyrrolidone.

In certain embodiments, a pharmaceutical composition provided herein comprises a delivery system. Examples of delivery systems include, but are not limited to, liposomes and emulsions. Certain delivery systems are useful for preparing certain pharmaceutical compositions including those comprising hydrophobic compounds. In certain embodiments, certain organic solvents such as dimethylsulfoxide are used.

In certain embodiments, a pharmaceutical composition provided herein comprises one or more tissue-specific delivery molecules designed to deliver the one or more pharmaceutical agents of the present disclosure to specific tissues or cell types. For example, in certain embodiments, pharmaceutical compositions include liposomes coated with a tissue-specific antibody.

In certain embodiments, a pharmaceutical composition provided herein comprises a co-solvent system. Certain of such co-solvent systems comprise, for example, benzyl alcohol, a nonpolar surfactant, a water-miscible organic polymer, and an aqueous phase. In certain embodiments, such co-solvent systems are used for hydrophobic compounds. A non-limiting example of such a co-solvent system is the VPD co-solvent system, which is a solution of absolute ethanol comprising 3% w/v benzyl alcohol, 8% w/v of the nonpolar surfactant Polysorbate 80™ and 65% w/v polyethylene glycol 300. The proportions of such co-solvent systems may be varied considerably without significantly altering their solubility and toxicity characteristics. Furthermore, the identity of co-solvent components may be varied: for example, other surfactants may be used instead of Polysorbate 80™; the fraction size of polyethylene glycol may be varied; other biocompatible polymers may

2026201390 25 Feb 2026

replace polyethylene glycol, e.g., polyvinyl pyrrolidone; and other sugars or polysaccharides may substitute for dextrose.

In certain embodiments, a pharmaceutical composition provided herein is prepared for oral administration. In certain embodiments, pharmaceutical compositions are prepared for buccal administration.

In certain embodiments, a pharmaceutical composition is prepared for administration by injection (e.g., intravenous, subcutaneous, intramuscular, etc.). In certain of such embodiments, a pharmaceutical composition comprises a carrier and is formulated in aqueous solution, such as water or physiologically compatible buffers such as Hanks's solution, Ringer's solution, or physiological saline buffer. In certain embodiments, other ingredients are included (e.g., ingredients that aid in solubility or serve as preservatives). In certain embodiments, injectable suspensions are prepared using appropriate liquid carriers, suspending agents and the like. Certain pharmaceutical compositions for injection are presented in unit dosage form, e.g., in ampoules or in multi-dose containers. Certain pharmaceutical compositions for injection are suspensions, solutions or emulsions in oily or aqueous vehicles, and may contain formulatory agents such as suspending, stabilizing and/or dispersing agents. Certain solvents suitable for use in pharmaceutical compositions for injection include, but are not limited to, lipophilic solvents and fatty oils, such as sesame oil, synthetic fatty acid esters, such as ethyl oleate or triglycerides, and liposomes. Aqueous injection suspensions may contain substances that increase the viscosity of the suspension, such as sodium carboxymethyl cellulose, sorbitol, or dextran. Optionally, such suspensions may also contain suitable stabilizers or agents that increase the solubility of the pharmaceutical agents to allow for the preparation of highly concentrated solutions.

In certain embodiments, a pharmaceutical composition is prepared for transmucosal administration. In certain of such embodiments penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art.

In certain embodiments, a pharmaceutical composition provided herein comprises an oligonucleotide in a therapeutically effective amount. In certain embodiments, the therapeutically effective amount is sufficient to prevent, alleviate or ameliorate symptoms of a disease or to prolong the survival of the subject being treated. Determination of a therapeutically effective amount is well within the capability of those skilled in the art.

In certain embodiments, one or more modified oligonucleotide provided herein is formulated as a prodrug. In certain embodiments, upon *in vivo* administration, a prodrug is chemically converted to the biologically, pharmaceutically or therapeutically more active form of an oligonucleotide. In certain embodiments, prodrugs are useful because they are easier to administer than the corresponding active form. For example, in certain instances, a prodrug may be more bioavailable (e.g., through oral administration) than is the corresponding active form. In certain instances, a prodrug may have improved solubility compared to the corresponding active form. In certain embodiments, prodrugs are less water soluble than the corresponding active form. In certain instances, such prodrugs possess superior transmittal across cell membranes, where water solubility is detrimental to mobility. In certain embodiments, a prodrug is an ester. In certain such embodiments, the ester is metabolically hydrolyzed to carboxylic acid upon administration. In certain instances

2026201390 25 Feb 2026

the carboxylic acid containing compound is the corresponding active form. In certain embodiments, a prodrug comprises a short peptide (polyaminoacid) bound to an acid group. In certain of such embodiments, the peptide is cleaved upon administration to form the corresponding active form.

In certain embodiments, the present disclosure provides compositions and methods for reducing the amount or activity of a target nucleic acid in a cell. In certain embodiments, the cell is in an animal. In certain embodiments, the animal is a mammal. In certain embodiments, the animal is a rodent. In certain embodiments, the animal is a primate. In certain embodiments, the animal is a non-human primate. In certain embodiments, the animal is a human.

In certain embodiments, the present disclosure provides methods of administering a pharmaceutical composition comprising an oligonucleotide of the present disclosure to an animal. Suitable administration routes include, but are not limited to, oral, rectal, transmucosal, intestinal, enteral, topical, suppository, through inhalation, intrathecal, intracerebroventricular, intraperitoneal, intranasal, intraocular, intratumoral, and parenteral (e.g., intravenous, intramuscular, intramedullary, and subcutaneous). In certain embodiments, pharmaceutical intrathecals are administered to achieve local rather than systemic exposures. For example, pharmaceutical compositions may be injected directly in the area of desired effect (e.g., into the liver).

Nonlimiting disclosure and incorporation by reference

While certain compounds, compositions and methods described herein have been described with specificity in accordance with certain embodiments, the following examples serve only to illustrate the compounds described herein and are not intended to limit the same. Each of the references, GenBank accession numbers, and the like recited in the present application is incorporated herein by reference in its entirety.

Certain compounds, compositions, and methods herein are described as "comprising exactly" or "comprises exactly" a particular number of a particular element or feature. Such descriptions are used to indicate that while the compound, composition, or method may comprise additional other elements, the number of the particular element or feature is the identified number. For example, "a conjugate comprising exactly one GalNAc" is a conjugate that contains one and only one GalNAc, though it may contain other elements in addition to the one GalNAc.

Although the sequence listing accompanying this filing identifies each sequence as either "RNA" or "DNA" as required, in reality, those sequences may be modified with any combination of chemical modifications. One of skill in the art will readily appreciate that such designation as "RNA" or "DNA" to describe modified oligonucleotides is, in certain instances, arbitrary. For example, an oligonucleotide comprising a nucleoside comprising a 2'-OH sugar moiety and a thymine base could be described as a DNA having a modified sugar (2'-OH for the natural 2'-H of DNA) or as an RNA having a modified base (thymine (methylated uracil) for natural uracil of RNA).

Accordingly, nucleic acid sequences provided herein, including, but not limited to those in the sequence listing, are intended to encompass nucleic acids containing any combination of natural or modified RNA and/or

25 Feb 2026
2026201390

DNA, including, but not limited to such nucleic acids having modified nucleobases. By way of further example and without limitation, an oligonucleotide having the nucleobase sequence "ATCGATCG" encompasses any oligonucleotides having such nucleobase sequence, whether modified or unmodified, including, but not limited to, such compounds comprising RNA bases, such as those having sequence "AUCGAUCG" and those having some DNA bases and some RNA bases such as "AUCGATCG" and oligonucleotides having other modified bases, such as "AT^{me}CGAUCG," wherein ^{me}C indicates a cytosine base comprising a methyl group at the 5-position.

EXAMPLES

The following examples illustrate certain embodiments of the present disclosure and are not limiting. Moreover, where specific embodiments are provided, the inventors have contemplated generic application of those specific embodiments. For example, disclosure of an oligonucleotide having a particular motif provides reasonable support for additional oligonucleotides having the same or similar motif. And, for example, where a particular high-affinity modification appears at a particular position, other high-affinity modifications at the same position are considered suitable, unless otherwise indicated.


EXAMPLES

The following examples illustrate certain embodiments of the present disclosure and are not limiting. Moreover, where specific embodiments are provided, the inventors have contemplated generic application of those specific embodiments. For example, disclosure of an oligonucleotide having a particular motif provides reasonable support for additional oligonucleotides having the same or similar motif. And, for example, where a particular high-affinity modification appears at a particular position, other high-affinity modifications at the same position are considered suitable, unless otherwise indicated.


25 Feb 2026

2026201390


Example 1: General Method for the Preparation of Phosphoramidites, Compounds 1, 1a and 2



1



1a




2

Bx is a heterocyclic base;

Compounds 1, 1a and 2 were prepared as per the procedures well known in the art as described in the specification herein (see Seth et al., Bioorg. Med. Chem., 2011, 21(4), 1122-1125, J. Org. Chem., 2010, 75(5), 1569-1581, Nucleic Acids Symposium Series, 2008, 52(1), 553-554); and also see published PCT International Applications (WO 2011/115818, WO 2010/077578, WO2010/036698, WO2009/143369, WO 2009/006478, and WO 2007/090071), and US patent 7,569,686).

Example 2: Preparation of Compound 7




Compounds 3 (2-acetamido-1,3,4,6-tetra-*O*-acetyl-2-deoxy-β-Dgalactopyranose or galactosamine pentaacetate) is commercially available. Compound 5 was prepared according to published procedures (Weber *et al., J. Med. Chem*., 1991, *34*, 2692).

25 Feb 2026


2026201390

Example 3: Preparation of Compound 11



Compounds 8 and 9 are commercially available.

Example 4: Preparation of Compound 18




25 Feb 2026

2026201390

Compound 11 was prepared as per the procedures illustrated in Example 3. Compound 14 is commercially available. Compound 17 was prepared using similar procedures reported by Rensen *et al., J. Med. Chem.,* 2004, *47,* 5798-5808.


Example 5: Preparation of Compound 23



Compounds 19 and 21 are commercially available.

25 Feb 2026
2026201390


Example 6: Preparation of Compound 24



Compounds 18 and 23 were prepared as per the procedures illustrated in Examples 4 and 5.

2026201390 25 Feb 2026


Example 7: Preparation of Compound 25




Compound 24 was prepared as per the procedures illustrated in Example 6.

25 Feb 2026
2026201390

Example 8: Preparation of Compound 26




Phosphitylation




Compound 24 is prepared as per the procedures illustrated in Example 6.

2026201390 25 Feb 2026


Example 9: General preparation of conjugated ASOs comprising GalNAc$_3$-1 at the 3' terminus, Compound 29



2026201390 25 Feb 2026




Wherein the protected **GalNAc$_3$-1** has the structure:



The GalNAc$_3$ cluster portion of the conjugate group GalNAc$_3$-1 (GalNAc$_3$-1$_a$) can be combined with any cleavable moiety to provide a variety of conjugate groups. Wherein GalNAc$_3$-1$_a$ has the formula:


2026201390 25 Feb 2026




The solid support bound protected **GalNAc$_3$-1**, Compound 25, was prepared as per the procedures illustrated in Example 7. Oligomeric Compound 29 comprising **GalNAc$_3$-1** at the 3' terminus was prepared using standard procedures in automated DNA/RNA synthesis (see Dupouy *et al., Angew. Chem. Int. Ed.,* 2006, *45*, 3623-3627). Phosphoramidite building blocks, Compounds 1 and 1a were prepared as per the procedures illustrated in Example 1. The phosphoramidites illustrated are meant to be representative and not intended to be limiting as other phosphoramidite building blocks can be used to prepare oligomeric compounds having a predetermined sequence and composition. The order and quantity of phosphoramidites added to the solid support can be adjusted to prepare gapped oligomeric compounds as described herein. Such gapped oligomeric compounds can have predetermined composition and base sequence as dictated by any given target.

2026201390 25 Feb 2026

Example 10: General preparation conjugated ASOs comprising GalNAc$_3$-1 at the 5' terminus, Compound 34




2026201390 25 Feb 2026



34

The Unylinker™ 30 is commercially available. Oligomeric Compound 34 comprising a **GalNAc$_3$-1** cluster at the 5' terminus is prepared using standard procedures in automated DNA/RNA synthesis (see Dupouy *et al., Angew. Chem. Int. Ed.*, 2006, *45*, 3623-3627). Phosphoramidite building blocks, Compounds 1 and 1a were prepared as per the procedures illustrated in Example 1. The phosphoramidites illustrated are meant to be representative and not intended to be limiting as other phosphoramidite building blocks can be used to prepare an oligomeric compound having a predetermined sequence and composition. The order and quantity of phosphoramidites added to the solid support can be adjusted to prepare gapped oligomeric compounds as described herein. Such gapped oligomeric compounds can have predetermined composition and base sequence as dictated by any given target.


Example 11: Preparation of Compound 39


1.
35
TMSOTf, DCE
2. H2/Pd, MeOH
4
36
HBTU, DMF, EtN(iPr)2
Compound 13
1. H2, Pd/C, MeOH
2. HBTU, DIEA, DMF
Compound 23
37
38
Phosphitylation
39

2026201390 25 Feb 2026

Compounds 4, 13 and 23 were prepared as per the procedures illustrated in Examples 2, 4, and 5. Compound 35 is prepared using similar procedures published in Rouchaud *et al., Eur. J. Org. Chem.*, 2011, *12*, 2346-2353.


Example 12: Preparation of Compound 40




Compound 38 is prepared as per the procedures illustrated in Example 11.

2026201390 25 Feb 2026


Example 13: Preparation of Compound 44




2026201390 25 Feb 2026



42



43




44

Compounds 23 and 36 are prepared as per the procedures illustrated in Examples 5 and 11. Compound 41 is prepared using similar procedures published in WO 2009082607.


2026201390 25 Feb 2026

Example 14: Preparation of Compound 45



Compound 43 is prepared as per the procedures illustrated in Example 13.


Example 15: Preparation of Compound 47



Compound 46 is commercially available.

2026201390 25 Feb 2026


Example 16: Preparation of Compound 53



Compounds 48 and 49 are commercially available. Compounds 17 and 47 are prepared as per the procedures illustrated in Examples 4 and 15.

2026201390 25 Feb 2026


Example 17: Preparation of Compound 54



Compound 53 is prepared as per the procedures illustrated in Example 16.

2026201390 25 Feb 2026

Example 18: Preparation of Compound 55



Compound 53 is prepared as per the procedures illustrated in Example 16.

Example 19: General method for the preparation of conjugated ASOs comprising GalNAc$_3$-1 at the 3' position via solid phase techniques (preparation of ISIS 647535, 647536 and 651900)

Unless otherwise stated, all reagents and solutions used for the synthesis of oligomeric compounds are purchased from commercial sources. Standard phosphoramidite building blocks and solid support are used for incorporation nucleoside residues which include for example T, A, G, and ^{m}C residues. A 0.1 M solution of phosphoramidite in anhydrous acetonitrile was used for β-D-2'-deoxyribonucleoside and 2'-MOE.

The ASO syntheses were performed on ABI 394 synthesizer (1-2 µmol scale) or on GE Healthcare Bioscience ÄKTA oligopilot synthesizer (40-200 µmol scale) by the phosphoramidite coupling method on an **GalNAc$_3$-1** loaded VIMAD solid support (110 µmol/g, Guzaev *et al.*, 2003) packed in the column. For the coupling step, the phosphoramidites were delivered 4 fold excess over the loading on the solid support and

2026201390 25 Feb 2026

phosphoramidite condensation was carried out for 10 min. All other steps followed standard protocols supplied by the manufacturer. A solution of 6% dichloroacetic acid in toluene was used for removing dimethoxytrityl (DMT) group from 5'-hydroxyl group of the nucleotide. 4,5-Dicyanoimidazole (0.7 M) in anhydrous CH_3CN was used as activator during coupling step. Phosphorothioate linkages were introduced by sulfurization with 0.1 M solution of xanthane hydride in 1:1 pyridine/CH_3CN for a contact time of 3 minutes. A solution of 20% *tert*-butylhydroperoxide in CH_3CN containing 6% water was used as an oxidizing agent to provide phosphodiester internucleoside linkages with a contact time of 12 minutes.

After the desired sequence was assembled, the cyanoethyl phosphate protecting groups were deprotected using a 1:1 (v/v) mixture of triethylamine and acetonitrile with a contact time of 45 minutes. The solid-support bound ASOs were suspended in aqueous ammonia (28-30 wt %) and heated at 55 ^oC for 6 h.

The unbound ASOs were then filtered and the ammonia was boiled off. The residue was purified by high pressure liquid chromatography on a strong anion exchange column (GE Healthcare Bioscience, Source 30Q, 30 µm, 2.54 x 8 cm, A = 100 mM ammonium acetate in 30% aqueous CH_3CN, B = 1.5 M NaBr in A, 0-40% of B in 60 min, flow 14 mL min-1, λ = 260 nm). The residue was desalted by HPLC on a reverse phase column to yield the desired ASOs in an isolated yield of 15-30% based on the initial loading on the solid support. The ASOs were characterized by ion-pair-HPLC coupled MS analysis with Agilent 1100 MSD system.

Antisense oligonucleotides not comprising a conjugate were synthesized using standard oligonucleotide synthesis procedures well known in the art.

Using these methods, three separate antisense compounds targeting ApoC III were prepared. As summarized in Table 17, below, each of the three antisense compounds targeting ApoC III had the same nucleobase sequence; ISIS 304801 is a 5-10-5 MOE gapmer having all phosphorothioate linkages; ISIS 647535 is the same as ISIS 304801, except that it had a **GalNAc$_3$-1** conjugated at its 3'end; and ISIS 647536 is the same as ISIS 647535 except that certain internucleoside linkages of that compound are phosphodiester linkages. As further summarized in Table 17, two separate antisense compounds targeting SRB-1 were synthesized. ISIS 440762 was a 2-10-2 cEt gapmer with all phosphorothioate internucleoside linkages; ISIS 651900 is the same as ISIS 440762, except that it included a **GalNAc$_3$-1** at its 3'-end.

Table 17

Modified ASO targeting ApoC III and SRB-1

ASO	Sequence (5' to 3')	Target	CalCd Mass	Observed Mass	SEQ ID No.
ISIS 304801	$A_{es}G_{es}{}^mC_{es}T_{es}T_{es}{}^mC_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^mC_{ds}{}^mC_{ds}A_{ds}G_{ds}{}^mC_{ds}\ T_{es}T_{es}T_{es}A_{es}T_e$	ApoC III	7165.4	7164.4	32
ISIS 647535	$A_{es}G_{es}{}^mC_{es}T_{es}T_{es}{}^mC_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^mC_{ds}{}^mC_{ds}A_{ds}G_{ds}{}^mC_{ds}T_{es}T_{es}T_{es}A_{es}T_{eo}\mathbf{A_{do'}}$-**GalNAc$_3-1_a$**	ApoC III	9239.5	9237.8	111
ISIS 647536	$A_{es}G_{eo}{}^mC_{eo}T_{eo}T_{eo}{}^mC_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^mC_{ds}{}^mC_{ds}A_{ds}G_{ds}{}^mC_{ds}T_{eo}T_{eo}T_{es}A_{es}T_{eo}\mathbf{A_{do'}}$-**GalNAc$_3-1_a$**	ApoC III	9142.9	9140.8	111

2026201390 25 Feb 2026

ISIS 440762	$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$	SRB-1	4647.0	4646.4	104
ISIS 651900	$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$**$A_{do}$-GalNAc$_3-1_a$**	SRB-1	6721.1	6719.4	112

Subscripts: "e" indicates 2'-MOE modified nucleoside; "d" indicates β-D-2'-deoxyribonucleoside; "k" indicates 6'-*(S)*-CH_3 bicyclic nucleoside (e.g. cEt); "s" indicates phosphorothioate internucleoside linkages (PS); "o" indicates phosphodiester internucleoside linkages (PO); and "o'" indicates -O-P(=O)(OH)-. Superscript "m" indicates 5-methylcytosines. "**GalNAc$_3$-1**" indicates a conjugate group having the structure shown previously in Example 9. Note that **GalNAc$_3$-1** comprises a cleavable adenosine which links the ASO to remainder of the conjugate, which is designated "**GalNAc$_3$-1$_a$.**" This nomenclature is used in the above table to show the full nucleobase sequence, including the adenosine, which is part of the conjugate. Thus, in the above table, the sequences could also be listed as ending with "**GalNAc$_3$-1**" with the "**A$_{do}$**" omitted. This convention of using the subscript "a" to indicate the portion of a conjugate group lacking a cleavable nucleoside or cleavable moiety is used throughout these Examples. This portion of a conjugate group lacking the cleavable moiety is referred to herein as a "cluster" or "conjugate cluster" or "GalNAc$_3$ cluster." In certain instances it is convenient to describe a conjugate group by separately providing its cluster and its cleavable moiety.

Example 20: Dose-dependent antisense inhibition of human ApoC III in huApoC III transgenic mice

ISIS 304801 and ISIS 647535, each targeting human ApoC III and described above, were separately tested and evaluated in a dose-dependent study for their ability to inhibit human ApoC III in human ApoC III transgenic mice.

Treatment

Human ApoCIII transgenic mice were maintained on a 12-hour light/dark cycle and fed *ad libitum* Teklad lab chow. Animals were acclimated for at least 7 days in the research facility before initiation of the experiment. ASOs were prepared in PBS and sterilized by filtering through a 0.2 micron filter. ASOs were dissolved in 0.9% PBS for injection.

Human ApoC III transgenic mice were injected intraperitoneally once a week for two weeks with ISIS 304801 or 647535 at 0.08, 0.25. 0.75, 2.25 or 6.75 μmol/kg or with PBS as a control. Each treatment group consisted of 4 animals. Forty-eight hours after the administration of the last dose, blood was drawn from each mouse and the mice were sacrificed and tissues were collected.

ApoC III mRNA Analysis

ApoC III mRNA levels in the mice's livers were determined using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. ApoC III mRNA levels were determined relative to total RNA (using Ribogreen), prior to normalization to PBS-treated control. The results below are presented as the average percent of ApoC III

25 Feb 2026
2026201390

mRNA levels for each treatment group, normalized to PBS-treated control and are denoted as "% PBS". The half maximal effective dosage (ED_{50}) of each ASO is also presented in Table 18, below.

As illustrated, both antisense compounds reduced ApoC III RNA relative to the PBS control. Further, the antisense compound conjugated to **GalNAc$_3$-1** (ISIS 647535) was substantially more potent than the antisense compound lacking the **GalNAc$_3$-1** conjugate (ISIS 304801).

Table 18

Effect of ASO treatment on ApoC III mRNA levels in human ApoC III transgenic mice

ASO	Dose (µmol/kg)	% PBS	ED_{50} (µmol/kg)	3' Conjugate	Internucleoside linkage/Length	SEQ ID No.
PBS	0	100	--	-	--	
ISIS 304801	0.08	95	0.77	None	PS/20	32
	0.75	42				
	2.25	32				
	6.75	19				
ISIS 647535	0.08	50	0.074	**GalNAc$_3$-1**	PS/20	111
	0.75	15				
	2.25	17				
	6.75	8				

ApoC III Protein Analysis (Turbidometric Assay)

Plasma ApoC III protein analysis was determined using procedures reported by Graham *et al, Circulation Research,* published online before print March 29, 2013.

Approximately 100 µl of plasma isolated from mice was analyzed without dilution using an Olympus Clinical Analyzer and a commercially available turbidometric ApoC III assay (Kamiya, Cat# KAI-006, Kamiya Biomedical, Seattle, WA). The assay protocol was performed as described by the vendor.

As shown in the Table 19 below, both antisense compounds reduced ApoC III protein relative to the PBS control. Further, the antisense compound conjugated to **GalNAc$_3$-1** (ISIS 647535) was substantially more potent than the antisense compound lacking the **GalNAc$_3$-1** conjugate (ISIS 304801).

Table 19

Effect of ASO treatment on ApoC III plasma protein levels in human ApoC III transgenic mice

ASO	Dose (µmol/kg)	% PBS	ED_{50} (µmol/kg)	3' Conjugate	Internucleoside Linkage/Length	SEQ ID No.
PBS	0	100	--	--	--	
ISIS 304801	0.08	86	0.73	None	PS/20	32
	0.75	51				

2026201390 25 Feb 2026

	2.25	23				
	6.75	13				
ISIS 647535	0.08	72	0.19	**GalNAc$_3$-1**	PS/20	111
	0.75	14				
	2.25	12				
	6.75	11				

Plasma triglycerides and cholesterol were extracted by the method of Bligh and Dyer (Bligh, E.G. and Dyer, W.J. Can. J. Biochem. Physiol. 37: 911-917, 1959)(Bligh, E and Dyer, W, *Can J Biochem Physiol*, 37, 911-917, 1959)(Bligh, E and Dyer, W, *Can J Biochem Physiol*, 37, 911-917, 1959) and measured by using a Beckmann Coulter clinical analyzer and commercially available reagents.

The triglyceride levels were measured relative to PBS injected mice and are denoted as "% PBS". Results are presented in Table 20. As illustrated, both antisense compounds lowered triglyceride levels. Further, the antisense compound conjugated to **GalNAc$_3$-1** (ISIS 647535) was substantially more potent than the antisense compound lacking the **GalNAc$_3$-1** conjugate (ISIS 304801).

Table 20

Effect of ASO treatment on triglyceride levels in transgenic mice

ASO	Dose (µmol/kg)	% PBS	ED_{50} (µmol/kg)	3' Conjugate	Internucleoside Linkage/Length	SEQ ID No.
PBS	0	100	--	--	--	
ISIS 304801	0.08	87	0.63	None	PS/20	32
	0.75	46				
	2.25	21				
	6.75	12				
ISIS 647535	0.08	65	0.13	**GalNAc$_3$-1**	PS/20	111
	0.75	9				
	2.25	8				
	6.75	9				

Plasma samples were analyzed by HPLC to determine the amount of total cholesterol and of different fractions of cholesterol (HDL and LDL). Results are presented in Tables 21 and 22. As illustrated, both antisense compounds lowered total cholesterol levels; both lowered LDL; and both raised HDL. Further, the antisense compound conjugated to **GalNAc$_3$-1** (ISIS 647535) was substantially more potent than the antisense compound lacking the **GalNAc$_3$-1** conjugate (ISIS 304801). An increase in HDL and a decrease in LDL levels is a cardiovascular beneficial effect of antisense inhibition of ApoC III.

2026201390 25 Feb 2026

Table 21

Effect of ASO treatment on total cholesterol levels in transgenic mice

ASO	Dose (μmol/kg)	Total Cholesterol (mg/dL)	3' Conjugate	Internucleoside Linkage/Length	SEQ ID No.
PBS	0	257	--	--	
ISIS 304801	0.08	226	None	PS/20	32
	0.75	164			
	2.25	110			
	6.75	82			
ISIS 647535	0.08	230	**GalNAc$_3$-1**	PS/20	111
	0.75	82			
	2.25	86			
	6.75	99			

Table 22

Effect of ASO treatment on HDL and LDL cholesterol levels in transgenic mice

ASO	Dose (μmol/kg)	HDL (mg/dL)	LDL (mg/dL)	3' Conjugate	Internucleoside Linkage/Length	SEQ ID No.
PBS	0	17	28	--	--	
ISIS 304801	0.08	17	23	None	PS/20	32
	0.75	27	12			
	2.25	50	4			
	6.75	45	2			
ISIS 647535	0.08	21	21	**GalNAc$_3$-1**	PS/20	111
	0.75	44	2			
	2.25	50	2			
	6.75	58	2			

Pharmacokinetics Analysis (PK)

The PK of the ASOs was also evaluated. Liver and kidney samples were minced and extracted using standard protocols. Samples were analyzed on MSD1 utilizing IP-HPLC-MS. The tissue level (μg/g) of full-length ISIS 304801 and 647535 was measured and the results are provided in Table 23. As illustrated, liver concentrations of total full-length antisense compounds were similar for the two antisense compounds. Thus, even though the **GalNAc$_3$-1** -conjugated antisense compound is more active in the liver (as demonstrated by the RNA and protein data above), it is not present at substantially higher concentration in the liver. Indeed, the calculated EC_{50} (provided in Table 23) confirms that the observed increase in potency of the conjugated compound cannot be entirely attributed to increased accumulation. This result suggests that the conjugate

2026201390 25 Feb 2026

improved potency by a mechanism other than liver accumulation alone, possibly by improving the productive uptake of the antisense compound into cells.

The results also show that the concentration of **GalNAc$_3$-1** conjugated antisense compound in the kidney is lower than that of antisense compound lacking the GalNAc conjugate. This has several beneficial therapeutic implications. For therapeutic indications where activity in the kidney is not sought, exposure to kidney risks kidney toxicity without corresponding benefit. Moreover, high concentration in kidney typically results in loss of compound to the urine resulting in faster clearance. Accordingly, for non-kidney targets, kidney accumulation is undesired. These data suggest that **GalNAc$_3$-1** conjugation reduces kidney accumulation.

Table 23

PK analysis of ASO treatment in transgenic mice

ASO	Dose (µmol/kg)	Liver (µg/g)	Kidney (µg/g)	Liver EC_{50} (µg/g)	3' Conjugate	Internucleoside Linkage/Length	SEQ ID No.
ISIS 304801	0.1	5.2	2.1	53	None	PS/20	32
	0.8	62.8	119.6				
	2.3	142.3	191.5				
	6.8	202.3	337.7				
ISIS 647535	0.1	3.8	0.7	3.8	**GalNAc$_3$-1**	PS/20	111
	0.8	72.7	34.3				
	2.3	106.8	111.4				
	6.8	237.2	179.3				

Metabolites of ISIS 647535 were also identified and their masses were confirmed by high resolution mass spectrometry analysis. The cleavage sites and structures of the observed metabolites are shown below. The relative % of full length ASO was calculated using standard procedures and the results are presented in Table 23a. The major metabolite of ISIS 647535 was full-length ASO lacking the entire conjugate (i.e. ISIS 304801), which results from cleavage at cleavage site A, shown below. Further, additional metabolites resulting from other cleavage sites were also observed. These results suggest that introducing other cleabable bonds such as esters, peptides, disulfides, phosphoramidates or acyl-hydrazones between the **GalNAc$_3$-1** sugar and the ASO, which can be cleaved by enzymes inside the cell, or which may cleave in the reductive environment of the cytosol, or which are labile to the acidic pH inside endosomes and lyzosomes, can also be useful.

Table 23a

Observed full length metabolites of ISIS 647535


Metabolite	ASO	Cleavage site	Relative %
1	ISIS 304801	A	36.1

25 Feb 2026


2026201390

2	ISIS 304801 + dA	B	10.5
3	ISIS 647535 minus [3 GalNAc]	C	16.1
4	ISIS 647535 minus [3 GalNAc + 1 5-hydroxy-pentanoic acid tether]	D	17.6
5	ISIS 647535 minus [2 GalNAc + 2 5-hydroxy-pentanoic acid tether]	D	9.9
6	ISIS 647535 minus [3 GalNAc + 3 5-hydroxy-pentanoic acid tether]	D	9.8


Cleavage Sites



Metabolite 1




Metabolite 2




2026201390 25 Feb 2026


Metabolite 3




Metabolite 4



Metabolite 5



Metabolite 6



25 Feb 2026
2026201390

Example 21: Antisense inhibition of human ApoC III in human ApoC III transgenic mice in single administration study

ISIS 304801, 647535 and 647536 each targeting human ApoC III and described in Table 17, were further evaluated in a single administration study for their ability to inhibit human ApoC III in human ApoC III transgenic mice.

Treatment

Human ApoCIII transgenic mice were maintained on a 12-hour light/dark cycle and fed *ad libitum* Teklad lab chow. Animals were acclimated for at least 7 days in the research facility before initiation of the experiment. ASOs were prepared in PBS and sterilized by filtering through a 0.2 micron filter. ASOs were dissolved in 0.9% PBS for injection.

Human ApoC III transgenic mice were injected intraperitoneally once at the dosage shown below with ISIS 304801, 647535 or 647536 (described above) or with PBS treated control. The treatment group consisted of 3 animals and the control group consisted of 4 animals. Prior to the treatment as well as after the last dose, blood was drawn from each mouse and plasma samples were analyzed. The mice were sacrificed 72 hours following the last administration .

Samples were collected and analyzed to determine the ApoC III mRNA and protein levels in the liver; plasma triglycerides; and cholesterol, including HDL and LDL fractions were assessed as described above (Example 20). Data from those analyses are presented in Tables 24-28, below. Liver transaminase levels, alanine aminotransferase (ALT) and aspartate aminotransferase (AST), in serum were measured relative to saline injected mice using standard protocols. The ALT and AST levels showed that the antisense compounds were well tolerated at all administered doses.

These results show improvement in potency for antisense compounds comprising a **GalNAc$_3$-1** conjugate at the 3' terminus (ISIS 647535 and 647536) compared to the antisense compound lacking a **GalNAc$_3$-1** conjugate (ISIS 304801). Further, ISIS 647536, which comprises a **GalNAc$_3$-1** conjugate and some phosphodiester linkages was as potent as ISIS 647535, which comprises the same conjugate and all internucleoside linkages within the ASO are phosphorothioate.

Table 24

Effect of ASO treatment on ApoC III mRNA levels in human ApoC III transgenic mice

ASO	Dose (mg/kg)	% PBS	ED_{50} (mg/kg)	3' Conjugate	Internucleoside linkage/Length	SEQ ID No.
PBS	0	99	--	-	--	
ISIS 304801	1	104	13.2	None	PS/20	32
	3	92				
	10	71				
	30	40				
	0.3	98	1.9	**GalNAc$_3$-1**	PS/20	111

25 Feb 2026
2026201390

ISIS 647535	1	70				
	3	33				
	10	20				
ISIS 647536	0.3	103	1.7	**GalNAc$_3$-1**	PS/PO/20	111
	1	60				
	3	31				
	10	21				

Table 25

Effect of ASO treatment on ApoC III plasma protein levels in human ApoC III transgenic mice

ASO	Dose (mg/kg)	% PBS	ED_{50} (mg/kg)	3' Conjugate	Internucleoside Linkage/Length	SEQ ID No.
PBS	0	99	--	--	--	
ISIS 304801	1	104	23.2	None	PS/20	32
	3	92				
	10	71				
	30	40				
ISIS 647535	0.3	98	2.1	**GalNAc$_3$-1**	PS/20	111
	1	70				
	3	33				
	10	20				
ISIS 647536	0.3	103	1.8	**GalNAc$_3$-1**	PS/PO/20	111
	1	60				
	3	31				
	10	21				

Table 26

Effect of ASO treatment on triglyceride levels in transgenic mice

ASO	Dose (mg/kg)	% PBS	ED_{50} (mg/kg)	3' Conjugate	Internucleoside Linkage/Length	SEQ ID No.
PBS	0	98	--	--	--	
ISIS 304801	1	80	29.1	None	PS/20	32
	3	92				
	10	70				
	30	47				
ISIS 647535	0.3	100	2.2	**GalNAc$_3$-1**	PS/20	111
	1	70				
	3	34				
	10	23				
	0.3	95	1.9	**GalNAc$_3$-1**	PS/PO/20	111

2026201390 25 Feb 2026

ISIS 647536	1	66				
	3	31				
	10	23				

Table 27

Effect of ASO treatment on total cholesterol levels in transgenic mice

ASO	Dose (mg/kg)	% PBS	3' Conjugate	Internucleoside Linkage/Length	SEQ ID No.
PBS	0	96	--	--	
ISIS 304801	1	104	None	PS/20	32
	3	96			
	10	86			
	30	72			
ISIS 647535	0.3	93	**GalNAc$_3$-1**	PS/20	111
	1	85			
	3	61			
	10	53			
ISIS 647536	0.3	115	**GalNAc$_3$-1**	PS/PO/20	111
	1	79			
	3	51			
	10	54			

Table 28

Effect of ASO treatment on HDL and LDL cholesterol levels in transgenic mice

ASO	Dose (mg/kg)	HDL % PBS	LDL % PBS	3' Conjugate	Internucleoside Linkage/Length	SEQ ID No.
PBS	0	131	90	--	--	
ISIS 304801	1	130	72	None	PS/20	32
	3	186	79			
	10	226	63			
	30	240	46			
ISIS 647535	0.3	98	86	**GalNAc$_3$-1**	PS/20	111
	1	214	67			
	3	212	39			
	10	218	35			
ISIS 647536	0.3	143	89	**GalNAc$_3$-1**	PS/PO/20	111
	1	187	56			
	3	213	33			
	10	221	34			

2026201390 25 Feb 2026

These results confirm that the **GalNAc$_3$-1** conjugate improves potency of an antisense compound. The results also show equal potency of a **GalNAc$_3$-1** conjugated antisense compounds where the antisense oligonucleotides have mixed linkages (ISIS 647536 which has six phosphodiester linkages) and a full phosphorothioate version of the same antisense compound (ISIS 647535).

Phosphorothioate linkages provide several properties to antisense compounds. For example, they resist nuclease digestion and they bind proteins resulting in accumulation of compound in the liver, rather than in the kidney/urine. These are desirable properties, particularly when treating an indication in the liver. However, phosphorothioate linkages have also been associated with an inflammatory response. Accordingly, reducing the number of phosphorothioate linkages in a compound is expected to reduce the risk of inflammation, but also lower concentration of the compound in liver, increase concentration in the kidney and urine, decrease stability in the presence of nucleases, and lower overall potency. The present results show that a **GalNAc$_3$-1** conjugated antisense compound where certain phosphorothioate linkages have been replaced with phosphodiester linkages is as potent against a target in the liver as a counterpart having full phosphorothioate linkages. Such compounds are expected to be less proinflammatory (See Example 24 describing an experiment showing reduction of PS results in reduced inflammatory effect).

Example 22: Effect of GalNAc$_3$-1 conjugated modified ASO targeting SRB-1 *in vivo*

ISIS 440762 and 651900, each targeting SRB-1 and described in Table 17, were evaluated in a dose-dependent study for their ability to inhibit SRB-1 in Balb/c mice.

Treatment

Six week old male Balb/c mice (Jackson Laboratory, Bar Harbor, ME) were injected subcutaneously once at the dosage shown below with ISIS 440762, 651900 or with PBS treated control. Each treatment group consisted of 4 animals. The mice were sacrificed 48 hours following the final administration to determine the SRB-1 mRNA levels in liver using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. SRB-1 mRNA levels were determined relative to total RNA (using Ribogreen), prior to normalization to PBS-treated control. The results below are presented as the average percent of SRB-1 mRNA levels for each treatment group, normalized to PBS-treated control and is denoted as "% PBS".

As illustrated in Table 29, both antisense compounds lowered SRB-1 mRNA levels. Further, the antisense compound comprising the **GalNAc$_3$-1** conjugate (ISIS 651900) was substantially more potent than the antisense compound lacking the **GalNAc$_3$-1** conjugate (ISIS 440762). These results demonstrate that the potency benefit of **GalNAc$_3$-1** conjugates are observed using antisense oligonucleotides complementary to a different target and having different chemically modified nucleosides, in this instance modified nucleosides comprise constrained ethyl sugar moieties (a bicyclic sugar moiety).

2026201390 25 Feb 2026

Table 29

Effect of ASO treatment on SRB-1 mRNA levels in Balb/c mice

ASO	Dose (mg/kg)	Liver % PBS	ED_{50} (mg/kg)	3' Conjugate		Internucleoside linkage/Length	SEQ ID No.
PBS	0	100		-		--	
ISIS 440762	0.7	85	2.2	None		PS/14	104
	2	55					
	7	12					
	20	3					
ISIS 651900	0.07	98	0.3	**$GalNAc_3$-1**		PS/14	112
	0.2	63					
	0.7	20					
	2	6					
	7	5					

Example 23: Human Peripheral Blood Mononuclear Cells (hPBMC) Assay Protocol

The hPBMC assay was performed using BD Vautainer CPT tube method. A sample of whole blood from volunteered donors with informed consent at US HealthWorks clinic (Faraday & El Camino Real, Carlsbad) was obtained and collected in 4-15 BD Vacutainer CPT 8 ml tubes (VWR Cat.# BD362753). The approximate starting total whole blood volume in the CPT tubes for each donor was recorded using the PBMC assay data sheet.

The blood sample was remixed immediately prior to centrifugation by gently inverting tubes 8-10 times. CPT tubes were centrifuged at rt (18-25 ^oC) in a horizontal (swing-out) rotor for 30 min. at 1500-1800 RCF with brake off (2700 RPM Beckman Allegra 6R). The cells were retrieved from the buffy coat interface (between Ficoll and polymer gel layers); transferred to a sterile 50 ml conical tube and pooled up to 5 CPT tubes/50 ml conical tube/donor. The cells were then washed twice with PBS (Ca^{++}, Mg^{++} free; GIBCO). The tubes were topped up to 50 ml and mixed by inverting several times. The sample was then centrifuged at 330 x g for 15 minutes at rt (1215 RPM in Beckman Allegra 6R) and aspirated as much supernatant as possible without disturbing pellet. The cell pellet was dislodged by gently swirling tube and resuspended cells in RPMI+10% FBS+pen/strep (~1 ml / 10 ml starting whole blood volume). A 60 µl sample was pipette into a sample vial (Beckman Coulter) with 600 µl VersaLyse reagent (Beckman Coulter Cat# A09777) and was gently vortexed for 10-15 sec. The sample was allowed to incubate for 10 min. at rt and being mixed again before counting. The cell suspension was counted on Vicell XR cell viability analyzer (Beckman Coulter) using PBMC cell type (dilution factor of 1:11 was stored with other parameters). The live cell/ml and viability were recorded. The cell suspension was diluted to 1 x 10^7 live PBMC/ml in RPMI+ 10% FBS+pen/strep.

The cells were plated at 5 x 10^5 in 50 µl/well of 96-well tissue culture plate (Falcon Microtest). 50

25 Feb 2026
2026201390

µl/well of 2x concentration oligos/controls diluted in RPMI+10% FBS+pen/strep. was added according to experiment template (100 µl/well total). Plates were placed on the shaker and allowed to mix for approx. 1 min. After being incubated for 24 hrs at 37 °C; 5% CO_2, the plates were centrifuged at 400 x g for 10 minutes before removing the supernatant for MSD cytokine assay (i.e. human IL-6, IL-10, IL-8 and MCP-1).

Example 24: Evaluation of Proinflammatory Effects in hPBMC Assay for GalNAc$_3$-1 conjugated ASOs

The antisense oligonucleotides (ASOs) listed in Table 30 were evaluated for proinflammatory effect in hPBMC assay using the protocol described in Example 23. ISIS 353512 is an internal standard known to be a high responder for IL-6 release in the assay. The hPBMCs were isolated from fresh, volunteered donors and were treated with ASOs at 0, 0.0128, 0.064, 0.32, 1.6, 8, 40 and 200 µM concentrations. After a 24 hr treatment, the cytokine levels were measured.

The levels of IL-6 were used as the primary readout. The EC_{50} and E_{max} was calculated using standard procedures. Results are expressed as the average ratio of E_{max}/EC_{50} from two donors and is denoted as "E_{max}/EC_{50}." The lower ratio indicates a relative decrease in the proinflammatory response and the higher ratio indicates a relative increase in the proinflammatory response.

With regard to the test compounds, the least proinflammatory compound was the PS/PO linked ASO (ISIS 616468). The **GalNAc$_3$-1** conjugated ASO, ISIS 647535 was slightly less proinflammatory than its non-conjugated counterpart ISIS 304801. These results indicate that incorporation of some PO linkages reduces proinflammatory reaction and addition of a **GalNAc$_3$-1** conjugate does not make a compound more proinflammatory and may reduce proinflammatory response. Accordingly, one would expect that an antisense compound comprising both mixed PS/PO linkages and a **GalNAc$_3$-1** conjugate would produce lower proinflammatory responses relative to full PS linked antisense compound with or without a **GalNAc$_3$-1** conjugate. These results show that **GalNAc$_3$-1** conjugated antisense compounds, particularly those having reduced PS content are less proinflammatory.

Together, these results suggest that a **GalNAc$_3$-1** conjugated compound, particularly one with reduced PS content, can be administered at a higher dose than a counterpart full PS antisense compound lacking a **GalNAc$_3$-1** conjugate. Since half-life is not expected to be substantially different for these compounds, such higher administration would result in less frequent dosing. Indeed such administration could be even less frequent, because the **GalNAc$_3$-1** conjugated compounds are more potent (See Examples 20-22) and re-dosing is necessary once the concentration of a compound has dropped below a desired level, where such desired level is based on potency.

2026201390 25 Feb 2026

Table 30

Modified ASOs

ASO	Sequence (5' to 3')	Target	SEQ ID No.
ISIS 104838	$G_{es}{}^{m}C_{es}T_{es}G_{es}A_{es}T_{ds}T_{ds}A_{ds}G_{ds}A_{ds}G_{ds}$ $A_{ds}G_{ds}A_{ds}G_{ds}G_{es}T_{es}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e}$	TNFα	105
ISIS 353512	$T_{es}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{ds}A_{ds}T_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{ds}G_{ds}$ $G_{ds}A_{ds}G_{ds}A_{ds}{}^{m}C_{ds}{}^{m}C_{ds}T_{es}G_{es}G_{e}$	CRP	106
ISIS 304801	$A_{es}G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}$ $^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}\ T_{es}T_{es}T_{es}A_{es}T_{e}$	ApoC III	32
ISIS 647535	$A_{es}G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}$ $^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}T_{es}T_{es}T_{es}A_{es}T_{eo}$**$A_{do'}$-GalNAc$_3-1_a$**	ApoC III	111
ISIS 616468	$A_{es}G_{eo}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}$ $^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}T_{eo}T_{eo}T_{es}A_{es}T_{e}$	ApoC III	32

Subscripts: "e" indicates 2'-MOE modified nucleoside; "d" indicates β-D-2'-deoxyribonucleoside; "k" indicates 6'-*(S)*-CH_3 bicyclic nucleoside (e.g. cEt); "s" indicates phosphorothioate internucleoside linkages (PS); "o" indicates phosphodiester internucleoside linkages (PO); and "o'" indicates -O-P(=O)(OH)-. Superscript "m" indicates 5-methylcytosines. "**$A_{do'}$-GalNAc$_3$-1$_a$**" indicates a conjugate having the structure **GalNAc$_3$-**1 shown in Example 9 attached to the 3'-end of the antisense oligonucleotide, as indicated.

Table 31

Proinflammatory Effect of ASOs targeting ApoC III in hPBMC assay

ASO	EC_{50} (μM)	E_{max} (μM)	E_{max}/EC_{50}	3' Conjugate	Internucleoside Linkage/Length	SEQ ID No.
ISIS 353512 (high responder)	0.01	265.9	26,590	None	PS/20	106
ISIS 304801	0.07	106.55	1,522	None	PS/20	32
ISIS 647535	0.12	138	1,150	**GalNAc$_3$-1**	PS/20	111
ISIS 616468	0.32	71.52	224	None	PS/PO/20	32

Example 25: Effect of GalNAc$_3$-1 conjugated modified ASO targeting human ApoC III *in vitro*

ISIS 304801 and 647535 described above were tested *in vitro.* Primary hepatocyte cells from transgenic mice at a density of 25,000 cells per well were treated with 0.03,0.08, 0.24, 0.74, 2.22, 6.67 and 20 μM concentrations of modified oligonucleotides. After a treatment period of approximately 16 hours, RNA

25 Feb 2026
2026201390

was isolated from the cells and mRNA levels were measured by quantitative real-time PCR and the hApoC III mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN.

The IC_{50} was calculated using the standard methods and the results are presented in Table 32. As illustrated, comparable potency was observed in cells treated with ISIS 647535 as compared to the control, ISIS 304801.

Table 32

Modified ASO targeting human ApoC III in primary hepatocytes

ASO	IC_{50} (μM)	3' Conjugate	Internucleoside linkage/Length	SEQ ID No.
ISIS 304801	0.44	None	PS/20	32
ISIS 647535	0.31	**$GalNAc_3$-1**	PS/20	111

In this experiment, the large potency benefits of **$GalNAc_3$-1** conjugation that are observed *in vivo* were not observed *in vitro*. Subsequent free uptake experiments in primary hepatocytes *in vitro* did show increased potency of oligonucleotides comprising various GalNAc conjugates relative to oligonucleotides that lacking the GalNAc conjugate.(see Examples 60, 82, and 92)

Example 26: Effect of PO/PS linkages on ApoC III ASO Activity

Human ApoC III transgenic mice were injected intraperitoneally once at 25 mg/kg of ISIS 304801, or ISIS 616468 (both described above) or with PBS treated control once per week for two weeks. The treatment group consisted of 3 animals and the control group consisted of 4 animals. Prior to the treatment as well as after the last dose, blood was drawn from each mouse and plasma samples were analyzed. The mice were sacrificed 72 hours following the last administration.

Samples were collected and analyzed to determine the ApoC III protein levels in the liver as described above (Example 20). Data from those analyses are presented in Table 33, below.

These results show reduction in potency for antisense compounds with PO/PS (ISIS 616468) in the wings relative to full PS (ISIS 304801).

Table 33


Effect of ASO treatment on ApoC III protein levels in human ApoC III transgenic mice

ASO	Dose (mg/kg)	% PBS	3' Conjugate	Internucleoside linkage/Length	SEQ ID No.
PBS	0	99	-	--	

25 Feb 2026
2026201390

ISIS 304801	25 mg/kg/wk for 2 wks	24	None	Full PS	32
ISIS 616468	25 mg/kg/wk for 2 wks	40	None	14 PS/6 PO	32


Example 27: Compound 56



56

Compound 56 is commercially available from Glen Research or may be prepared according to published procedures reported by Shchepinov *et al., Nucleic Acids Research,* 1997, *25(22),* 4447-4454.


Example 28: Preparation of Compound 60



Compound 4 was prepared as per the procedures illustrated in Example 2. Compound 57 is commercially available. Compound 60 was confirmed by structural analysis.

Compound 57 is meant to be representative and not intended to be limiting as other monoprotected substituted or unsubstituted alkyl diols including but not limited to those presented in the specification herein can be used to prepare phosphoramidites having a predetermined composition.


Example 29: Preparation of Compound 63



2026201390 25 Feb 2026


Compounds 61 and 62 are prepared using procedures similar to those reported by Tober *et al., Eur. J. Org. Chem.,* 2013, *3,* 566-577; and Jiang *et al., Tetrahedron,* 2007, *63(19),* 3982-3988.

Alternatively, Compound 63 is prepared using procedures similar to those reported in scientific and patent literature by Kim *et al., Synlett,* 2003, *12,* 1838-1840; and Kim *et al.,* published PCT International Application, WO 2004063208.**Example 30: Preparation of Compound 63b**




Compound 63a is prepared using procedures similar to those reported by Hanessian *et al., Canadian Journal of Chemistry,* 1996, *74(9),* 1731-1737.

Example 31: Preparation of Compound 63d



Compound 63c is prepared using procedures similar to those reported by Chen *et al., Chinese Chemical Letters,* 1998, *9(5),* 451-453.

Example 32: Preparation of Compound 67




Compound 64 was prepared as per the procedures illustrated in Example 2. Compound 65 is prepared using procedures similar to those reported by Or *et al.,* published PCT International Application, WO 2009003009. The protecting groups used for Compound 65 are meant to be representative and not intended to

25 Feb 2026

2026201390


be limiting as other protecting groups including but not limited to those presented in the specification herein can be used.

Example 33: Preparation of Compound 70



Compound 64 was prepared as per the procedures illustrated in Example 2. Compound 68 is commercially available. The protecting group used for Compound 68 is meant to be representative and not intended to be limiting as other protecting groups including but not limited to those presented in the specification herein can be used.


Example 34: Preparation of Compound 75a



Compound 75 is prepared according to published procedures reported by Shchepinov *et al.*, *Nucleic Acids Research,* 1997, *25(22),* 4447-4454.

2026201390 25 Feb 2026

Example 35: Preparation of Compound 79




Compound 76 was prepared according to published procedures reported by Shchepinov *et al.*, *Nucleic Acids Research,* 1997, *25(22),* 4447-4454.

25 Feb 2026

2026201390

Example 36: Preparation of Compound 79a




77 79a


Compound 77 is prepared as per the procedures illustrated in Example 35.

2026201390 25 Feb 2026

Example 37: General method for the preparation of conjugated oligomeric compound 82 comprising a phosphodiester linked GalNAc$_3$-2 conjugate at 5' terminus *via* solid support (Method I)




2026201390 25 Feb 2026




82

wherein $GalNAc_3$-2 has the structure:



The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-2 ($GalNAc_3$-2_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. Wherein $GalNAc_3$-2_a has the formula:




2026201390 25 Feb 2026

The VIMAD-bound oligomeric compound 79b was prepared using standard procedures for automated DNA/RNA synthesis (see Dupouy *et al., Angew. Chem. Int. Ed.,* 2006, *45,* 3623-3627). The phosphoramidite Compounds 56 and 60 were prepared as per the procedures illustrated in Examples 27 and 28, respectively. The phosphoramidites illustrated are meant to be representative and not intended to be limiting as other phosphoramidite building blocks including but not limited those presented in the specification herein can be used to prepare an oligomeric compound having a phosphodiester linked conjugate group at the 5' terminus. The order and quantity of phosphoramidites added to the solid support can be adjusted to prepare the oligomeric compounds as described herein having any predetermined sequence and composition.

2026201390 25 Feb 2026

Example 38: Alternative method for the preparation of oligomeric compound 82 comprising a phosphodiester linked GalNAc$_3$-2 conjugate at 5' terminus (Method II)



Oligomeric Compound 82


The VIMAD-bound oligomeric compound 79b was prepared using standard procedures for automated DNA/RNA synthesis (see Dupouy *et al., Angew. Chem. Int. Ed.,* 2006, *45,* 3623-3627). The GalNAc$_3$-2 cluster phosphoramidite, Compound 79 was prepared as per the procedures illustrated in Example 35. This alternative method allows a one-step installation of the phosphodiester linked GalNAc$_3$-2 conjugate to the oligomeric compound at the final step of the synthesis. The phosphoramidites illustrated are meant to be representative

2026201390 25 Feb 2026


and not intended to be limiting, as other phosphoramidite building blocks including but not limited to those presented in the specification herein can be used to prepare oligomeric compounds having a phosphodiester conjugate at the 5’ terminus. The order and quantity of phosphoramidites added to the solid support can be adjusted to prepare the oligomeric compounds as described herein having any predetermined sequence and composition.

2026201390 25 Feb 2026

Example 39: General method for the preparation of oligomeric compound 83h comprising a GalNAc$_3$-3 Conjugate at the 5' Terminus (GalNAc$_3$-1 modified for 5' end attachment) *via* Solid Support




2026201390 25 Feb 2026




Compound 18 was prepared as per the procedures illustrated in Example 4. Compounds 83a and 83b are commercially available. Oligomeric Compound 83e comprising a phosphodiester linked hexylamine was prepared using standard oligonucleotide synthesis procedures. Treatment of the protected oligomeric compound with aqueous ammonia provided the 5'-GalNAc$_3$-3 conjugated oligomeric compound (83h).

Wherein GalNAc$_3$-3 has the structure:



The GalNAc$_3$ cluster portion of the conjugate group GalNAc$_3$-3 (GalNAc$_3$-3$_a$) can be combined with any cleavable moiety to provide a variety of conjugate groups. Wherein GalNAc$_3$-3$_a$ has the formula:


2026201390 25 Feb 2026




.

25 Feb 2026
2026201390

Example 40: General method for the preparation of oligomeric compound 89 comprising a phosphodiester linked GalNAc$_3$-4 conjugate at the 3' terminus *via* solid support




2026201390 25 Feb 2026




2026201390 25 Feb 2026

Wherein GalNAc$_3$-4 has the structure:




Wherein CM is a cleavable moiety. In certain embodiments, cleavable moiety is:



The GalNAc$_3$ cluster portion of the conjugate group GalNAc$_3$-4 (GalNAc$_3$-4$_a$) can be combined with any cleavable moiety to provide a variety of conjugate groups. Wherein GalNAc$_3$-4$_a$ has the formula:

2026201390 25 Feb 2026



The protected Unylinker functionalized solid support Compound 30 is commercially available. Compound 84 is prepared using procedures similar to those reported in the literature (*see* Shchepinov *et al.*, *Nucleic Acids Research,* 1997, *25(22),* 4447-4454; Shchepinov *et al.*, *Nucleic Acids Research,* 1999, *27*, 3035-3041; and Hornet *et al.*, *Nucleic Acids Research,* 1997, *25*, 4842-4849).

The phosphoramidite building blocks, Compounds 60 and 79a are prepared as per the procedures illustrated in Examples 28 and 36. The phosphoramidites illustrated are meant to be representative and not intended to be limiting as other phosphoramidite building blocks can be used to prepare an oligomeric compound having a phosphodiester linked conjugate at the 3' terminus with a predetermined sequence and composition. The order and quantity of phosphoramidites added to the solid support can be adjusted to prepare the oligomeric compounds as described herein having any predetermined sequence and composition.

Example 41: General method for the preparation of ASOs comprising a phosphodiester linked GalNAc$_3$-2 (see Example 37, Bx is adenine) conjugate at the 5' position *via* solid phase techniques (preparation of ISIS 661134)

Unless otherwise stated, all reagents and solutions used for the synthesis of oligomeric compounds are purchased from commercial sources. Standard phosphoramidite building blocks and solid support are used for incorporation nucleoside residues which include for example T, A, G, and ^{m}C residues. Phosphoramidite compounds 56 and 60 were used to synthesize the phosphodiester linked GalNAc$_3$-2 conjugate at the 5'

2026201390 25 Feb 2026

terminus. A 0.1 M solution of phosphoramidite in anhydrous acetonitrile was used for β-D-2'-deoxyribonucleoside and 2'-MOE.

The ASO syntheses were performed on ABI 394 synthesizer (1-2 µmol scale) or on GE Healthcare Bioscience ÄKTA oligopilot synthesizer (40-200 µmol scale) by the phosphoramidite coupling method on VIMAD solid support (110 µmol/g, Guzaev *et al.*, 2003) packed in the column. For the coupling step, the phosphoramidites were delivered at a 4 fold excess over the initial loading of the solid support and phosphoramidite coupling was carried out for 10 min. All other steps followed standard protocols supplied by the manufacturer. A solution of 6% dichloroacetic acid in toluene was used for removing the dimethoxytrityl (DMT) groups from 5'-hydroxyl groups of the nucleotide. 4,5-Dicyanoimidazole (0.7 M) in anhydrous CH_3CN was used as activator during the coupling step. Phosphorothioate linkages were introduced by sulfurization with 0.1 M solution of xanthane hydride in 1:1 pyridine/CH_3CN for a contact time of 3 minutes. A solution of 20% *tert*-butylhydroperoxide in CH_3CN containing 6% water was used as an oxidizing agent to provide phosphodiester internucleoside linkages with a contact time of 12 minutes.

After the desired sequence was assembled, the cyanoethyl phosphate protecting groups were deprotected using a 20% diethylamine in toluene (v/v) with a contact time of 45 minutes. The solid-support bound ASOs were suspended in aqueous ammonia (28-30 wt %) and heated at 55 ºC for 6 h.

The unbound ASOs were then filtered and the ammonia was boiled off. The residue was purified by high pressure liquid chromatography on a strong anion exchange column (GE Healthcare Bioscience, Source 30Q, 30 µm, 2.54 x 8 cm, A = 100 mM ammonium acetate in 30% aqueous CH_3CN, B = 1.5 M NaBr in A, 0-40% of B in 60 min, flow 14 mL min-1, λ = 260 nm). The residue was desalted by HPLC on a reverse phase column to yield the desired ASOs in an isolated yield of 15-30% based on the initial loading on the solid support. The ASOs were characterized by ion-pair-HPLC coupled MS analysis with Agilent 1100 MSD system.

Table 34

ASO comprising a phosphodiester linked $GalNAc_3$-2 conjugate at the 5' position targeting SRB-1

ISIS No.	Sequence (5' to 3')	CalCd Mass	Observed Mass	SEQ ID No.
661134	**$GalNAc_3$-2_{a}-$_{o'}$$A_{do}$**$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}$ $G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$	6482.2	6481.6	114

Subscripts: "e" indicates 2'-MOE modified nucleoside; "d" indicates β-D-2'-deoxyribonucleoside; "k" indicates 6'-*(S)*-CH_3 bicyclic nucleoside (e.g. cEt); "s" indicates phosphorothioate internucleoside linkages (PS); "o" indicates phosphodiester internucleoside linkages (PO); and "o'" indicates -O-P(=O)(OH)-. Superscript "m" indicates 5-methylcytosines. The structure of $GalNAc_3$-2_a is shown in Example 37.

25 Feb 2026
2026201390

Example 42: General method for the preparation of ASOs comprising a GalNAc$_3$-3 conjugate at the 5' position *via* solid phase techniques (preparation of ISIS 661166)

The synthesis for ISIS 661166 was performed using similar procedures as illustrated in Examples 39 and 41.

ISIS 661166 is a 5-10-5 MOE gapmer, wherein the 5' position comprises a GalNAc$_3$-3 conjugate. The ASO was characterized by ion-pair-HPLC coupled MS analysis with Agilent 1100 MSD system.

Table 34a
ASO comprising a GalNAc$_3$-3 conjugate at the 5' position via a hexylamino phosphodiester linkage targeting Malat-1

ISIS No.	Sequence (5' to 3')	Conjugate	Calcd Mass	Observed Mass	SEQ ID No.
661166	5'-**GalNAc$_3$-3$_{a\text{-}o}$**-$^{m}C_{es}G_{es}G_{es}T_{es}G_{es}$ $^{m}C_{ds}A_{ds}A_{ds}G_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{ds}A_{ds}G_{ds}$ $G_{es}A_{es}A_{es}T_{es}T_{e}$	**5'-GalNAc$_3$-3**	8992.16	8990.51	107

Subscripts: "e" indicates 2'-MOE modified nucleoside; "d" indicates β-D-2'-deoxyribonucleoside; "s" indicates phosphorothioate internucleoside linkages (PS); "o" indicates phosphodiester internucleoside linkages (PO); and "o'" indicates -O-P(=O)(OH)-. Superscript "m" indicates 5-methylcytosines. The structure of "5'-GalNAc$_3$-3a" is shown in Example 39.

Example 43: Dose-dependent study of phosphodiester linked GalNAc$_3$-2 (see examples 37 and 41, Bx is adenine) at the 5' terminus targeting SRB-1 *in vivo*

ISIS 661134 (see Example 41) comprising a phosphodiester linked GalNAc$_3$-2 conjugate at the 5' terminus was tested in a dose-dependent study for antisense inhibition of SRB-1 in mice. Unconjugated ISIS 440762 and 651900 (GalNAc$_3$-1 conjugate at 3' terminus, see Example 9) were included in the study for comparison and are described previously in Table 17.

Treatment

Six week old male Balb/c mice (Jackson Laboratory, Bar Harbor, ME) were injected subcutaneously once at the dosage shown below with ISIS 440762, 651900, 661134 or with PBS treated control. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration to determine the liver SRB-1 mRNA levels using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. SRB-1 mRNA levels were determined relative to total RNA (using Ribogreen), prior to normalization to PBS-treated control. The results below are presented as the average percent of SRB-1 mRNA levels for each treatment group, normalized to

2026201390 25 Feb 2026

PBS-treated control and is denoted as "% PBS". The ED_{50}s were measured using similar methods as described previously and are presented below.

As illustrated in Table 35, treatment with antisense oligonucleotides lowered SRB-1 mRNA levels in a dose-dependent manner. Indeed, the antisense oligonucleotides comprising the phosphodiester linked $GalNAc_3$-2 conjugate at the 5' terminus (ISIS 661134) or the $GalNAc_3$-1 conjugate linked at the 3' terminus (ISIS 651900) showed substantial improvement in potency compared to the unconjugated antisense oligonucleotide (ISIS 440762). Further, ISIS 661134, which comprises the phosphodiester linked $GalNAc_3$-2 conjugate at the 5' terminus was equipotent compared to ISIS 651900, which comprises the $GalNAc_3$-1 conjugate at the 3' terminus.

Table 35

ASOs containing $GalNAc_3$-1 or $GalNAc_3$-2 targeting SRB-1

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA levels (% PBS)	ED_{50} (mg/kg)	Conjugate	SEQ ID No.
PBS	0	100	--	--	
440762	0.2	116	2.58	No conjugate	104
	0.7	91			
	2	69			
	7	22			
	20	5			
651900	0.07	95	0.26	**3' $GalNAc_3$-1**	112
	0.2	77			
	0.7	28			
	2	11			
	7	8			
661134	0.07	107	0.25	**5' $GalNAc_3$-2**	114
	0.2	86			
	0.7	28			
	2	10			
	7	6			

Structures for 3' $GalNAc_3$-1 and 5' $GalNAc_3$-2 were described previously in Examples 9 and 37.

Pharmacokinetics Analysis (PK)

The PK of the ASOs from the high dose group (7 mg/kg) was examined and evaluated in the same manner as illustrated in Example 20. Liver sample was minced and extracted using standard protocols. The full length metabolites of 661134 (5' $GalNAc_3$-2) and ISIS 651900 (3' $GalNAc_3$-1) were identified and their masses were confirmed by high resolution mass spectrometry analysis. The results showed that the major metabolite detected for the ASO comprising a phosphodiester linked $GalNAc_3$-2 conjugate at the 5' terminus (ISIS 661134) was ISIS 440762 (data not shown). No additional metabolites, at a detectable level, were observed. Unlike its counterpart, additional metabolites similar to those reported previously in Table 23a were

2026201390 25 Feb 2026

observed for the ASO having the GalNAc$_3$-1 conjugate at the 3' terminus (ISIS 651900). These results suggest that having the phosphodiester linked GalNAc$_3$-1 or GalNAc$_3$-2 conjugate may improve the PK profile of ASOs without compromising their potency.

Example 44: Effect of PO/PS linkages on antisense inhibition of ASOs comprising GalNAc$_3$-1 conjugate (see Example 9) at the 3' terminus targeting SRB-1

ISIS 655861 and 655862 comprising a GalNAc$_3$-1 conjugate at the 3' terminus each targeting SRB-1 were tested in a single administration study for their ability to inhibit SRB-1 in mice. The parent unconjugated compound, ISIS 353382 was included in the study for comparison.

The ASOs are 5-10-5 MOE gapmers, wherein the gap region comprises ten 2'-deoxyribonucleosides and each wing region comprises five 2'-MOE modified nucleosides. The ASOs were prepared using similar methods as illustrated previously in Example 19 and are described Table 36, below.

Table 36

Modified ASOs comprising GalNAc$_3$-1 conjugate at the 3' terminus targeting SRB-1

ISIS No.	Sequence (5' to 3')	Chemistry	SEQ ID No.
353382 (parent)	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	Full PS no conjugate	108
655861	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{eo}\mathbf{A_{do'}\text{-}GalNAc_3\text{-}1_a}$	Full PS with **GalNAc$_3$-1** conjugate	110
655862	$G_{es}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{eo}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{eo}{}^{m}C_{eo}{}^{m}C_{es}T_{es}T_{eo}\mathbf{A_{do'}\text{-}GalNAc_3\text{-}1_a}$	Mixed PS/PO with **GalNAc$_3$-1** conjugate	110

Subscripts: "e" indicates 2'-MOE modified nucleoside; "d" indicates β-D-2'-deoxyribonucleoside; "s" indicates phosphorothioate internucleoside linkages (PS); "o" indicates phosphodiester internucleoside linkages (PO); and "o'" indicates -O-P(=O)(OH)-. Superscript "m" indicates 5-methylcytosines. The structure of "GalNAc$_3$-1" is shown in Example 9.

Treatment

Six week old male Balb/c mice (Jackson Laboratory, Bar Harbor, ME) were injected subcutaneously once at the dosage shown below with ISIS 353382, 655861, 655862 or with PBS treated control. Each treatment group consisted of 4 animals. Prior to the treatment as well as after the last dose, blood was drawn from each mouse and plasma samples were analyzed. The mice were sacrificed 72 hours following the final administration to determine the liver SRB-1 mRNA levels using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. SRB-1 mRNA levels were determined relative to total RNA (using Ribogreen), prior to normalization to PBS-treated control. The results below are presented as the average percent of SRB-1 mRNA levels for each treatment group,

25 Feb 2026
2026201390

normalized to PBS-treated control and is denoted as "% PBS". The ED_{50}s were measured using similar methods as described previously and are reported below.

As illustrated in Table 37, treatment with antisense oligonucleotides lowered SRB-1 mRNA levels in a dose-dependent manner compared to PBS treated control. Indeed, the antisense oligonucleotides comprising the $GalNAc_3$-1 conjugate at the 3' terminus (ISIS 655861 and 655862) showed substantial improvement in potency comparing to the unconjugated antisense oligonucleotide (ISIS 353382). Further, ISIS 655862 with mixed PS/PO linkages showed an improvement in potency relative to full PS (ISIS 655861).

Table 37
Effect of PO/PS linkages on antisense inhibition of ASOs comprising $GalNAc_3$-1 conjugate at 3' terminus targeting SRB-1

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA levels (% PBS)	ED_{50} (mg/kg)	Chemistry	SEQ ID No.
PBS	0	100	--	--	
353382 (parent)	3	76.65	10.4	Full PS without conjugate	108
	10	52.40			
	30	24.95			
655861	0.5	81.22	2.2	Full PS with $GalNAc_3$-1 conjugate	110
	1.5	63.51			
	5	24.61			
	15	14.80			
655862	0.5	69.57	1.3	Mixed PS/PO with $GalNAc_3$-1 conjugate	110
	1.5	45.78			
	5	19.70			
	15	12.90			

Liver transaminase levels, alanine aminotransferase (ALT) and aspartate aminotransferase (AST), in serum were measured relative to saline injected mice using standard protocols. Organ weights were also evaluated. The results demonstrated that no elevation in transaminase levels (Table 38) or organ weights (data not shown) were observed in mice treated with ASOs compared to PBS control. Further, the ASO with mixed PS/PO linkages (ISIS 655862) showed similar transaminase levels compared to full PS (ISIS 655861).

Table 38
Effect of PO/PS linkages on transaminase levels of ASOs comprising $GalNAc_3$-1 conjugate at 3' terminus targeting SRB-1

ISIS No.	Dosage (mg/kg)	ALT (U/L)	AST (U/L)	Chemistry	SEQ ID No.
PBS	0	28.5	65	--	
353382 (parent)	3	50.25	89	Full PS without conjugate	108
	10	27.5	79.3		
	30	27.3	97		
655861	0.5	28	55.7	Full PS with **$GalNAc_3$-1**	110
	1.5	30	78		


2026201390 25 Feb 2026

	5	29	63.5		
	15	28.8	67.8		
655862	0.5	50	75.5	Mixed PS/PO with **GalNAc$_3$-1**	110
	1.5	21.7	58.5		
	5	29.3	69		
	15	22	61		


25 Feb 2026

2026201390

Example 45: Preparation of PFP Ester, Compound 110a



2026201390 25 Feb 2026



Compound 4 (9.5g, 28.8 mmoles) was treated with compound 103a or 103b (38 mmoles), individually, and TMSOTf (0.5 eq.) and molecular sieves in dichloromethane (200 mL), and stirred for 16 hours at room temperature. At that time, the organic layer was filtered thru celite, then washed with sodium bicarbonate, water and brine. The organic layer was then separated and dried over sodium sulfate, filtered and reduced under reduced pressure. The resultant oil was purified by silica gel chromatography (2%-->10% methanol/dichloromethane) to give compounds 104a and 104b in >80% yield. LCMS and proton NMR was consistent with the structure.

Compounds 104a and 104b were treated to the same conditions as for compounds 100a-d (Example 47), to give compounds 105a and 105b in >90% yield. LCMS and proton NMR was consistent with the structure.

Compounds 105a and 105b were treated, individually, with compound 90 under the same conditions as for compounds 901a-d, to give compounds 106a (80%) and 106b (20%). LCMS and proton NMR was consistent with the structure.

25 Feb 2026
2026201390

Compounds 106a and 106b were treated to the same conditions as for compounds 96a-d (Example 47), to give 107a (60%) and 107b (20%). LCMS and proton NMR was consistent with the structure.


Compounds 107a and 107b were treated to the same conditions as for compounds 97a-d (Example 47), to give compounds 108a and 108b in 40-60% yield. LCMS and proton NMR was consistent with the structure.

Compounds 108a (60%) and 108b (40%) were treated to the same conditions as for compounds 100a-d (Example 47), to give compounds 109a and 109b in >80% yields. LCMS and proton NMR was consistent with the structure.

Compound 109a was treated to the same conditions as for compounds 101a-d (Example 47), to give Compound 110a in 30-60% yield. LCMS and proton NMR was consistent with the structure. Alternatively, Compound 110b can be prepared in a similar manner starting with Compound 109b.

Example 46: General Procedure for Conjugation with PFP Esters (Oligonucleotide 111); Preparation of ISIS 666881 (GalNAc$_3$-10)


A 5'-hexylamino modified oligonucleotide was synthesized and purified using standard solid-phase oligonucleotide procedures. The 5'-hexylamino modified oligonucleotide was dissolved in 0.1 M sodium tetraborate, pH 8.5 (200 µL) and 3 equivalents of a selected PFP esterified GalNAc$_3$ cluster dissolved in DMSO (50 µL) was added. If the PFP ester precipitated upon addition to the ASO solution DMSO was added until all PFP ester was in solution. The reaction was complete after about 16 h of mixing at room temperature. The resulting solution was diluted with water to 12 mL and then spun down at 3000 rpm in a spin filter with a mass cut off of 3000 Da. This process was repeated twice to remove small molecule impurities. The solution was then lyophilized to dryness and redissolved in concentrated aqueous ammonia and mixed at room temperature for 2.5 h followed by concentration *in vacuo* to remove most of the ammonia. The conjugated oligonucleotide was purified and desalted by RP-HPLC and lyophilized to provide the GalNAc$_3$ conjugated oligonucleotide.



111

2026201390 25 Feb 2026

Oligonucleotide 111 is conjugated with GalNAc$_3$-10. The GalNAc$_3$ cluster portion of the conjugate group GalNAc$_3$-10 (GalNAc$_3$-10$_a$) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A$_d$-P(=O)(OH)- as shown in the oligonucleotide (ISIS 666881) synthesized with GalNAc$_3$-10 below. The structure of GalNAc$_3$-10 (GalNAc$_3$-10$_a$-CM-) is shown below:



Following this general procedure ISIS 666881 was prepared. 5'-hexylamino modified oligonucleotide, ISIS 660254, was synthesized and purified using standard solid-phase oligonucleotide procedures. ISIS 660254 (40 mg, 5.2 µmol) was dissolved in 0.1 M sodium tetraborate, pH 8.5 (200 µL) and 3 equivalents PFP ester (Compound 110a) dissolved in DMSO (50 µL) was added. The PFP ester precipitated upon addition to the ASO solution requiring additional DMSO (600 µL) to fully dissolve the PFP ester. The reaction was complete after 16 h of mixing at room temperature. The solution was diluted with water to 12 mL total volume and spun down at 3000 rpm in a spin filter with a mass cut off of 3000 Da. This process was repeated twice to remove small molecule impurities. The solution was lyophilized to dryness and redissolved in concentrated aqueous ammonia with mixing at room temperature for 2.5 h followed by concentration *in vacuo* to remove most of the ammonia. The conjugated oligonucleotide was purified and desalted by RP-HPLC and lyophilized to give ISIS 666881 in 90% yield by weight (42 mg, 4.7 µmol).

GalNAc$_3$-10 conjugated oligonucleotide


ASO	Sequence (5' to 3')	5' group	SEQ ID No.
ISIS 660254	$NH_2(CH_2)_{6\text{-}o}A_{do}G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}$ $^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	Hexylamine	109
ISIS 666881	**GalNAc$_3$-10$_{a\text{-}o}$A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}$ $^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	**GalNAc$_3$-10**	109


Capital letters indicate the nucleobase for each nucleoside and ^{m}C indicates a 5-methyl cytosine. Subscripts: "e" indicates a 2'-MOE modified nucleoside; "d" indicates a β-D-2'-deoxyribonucleoside; "s"

2026201390 25 Feb 2026

indicates a phosphorothioate internucleoside linkage (PS); "o" indicates a phosphodiester internucleoside linkage (PO); and "o'" indicates -O-P(=O)(OH)-. Conjugate groups are in bold.


Example 47: Preparation of Oligonucleotide 102 Comprising GalNAc$_3$-8






97a; n=1, m=1
97b; n=1, m=2
97c; n=2, m=1
97d; n=2, m=2

HBTU, DIEA, DMF




23



98a; n=1, m=1
98b; n=1, m=2
98c; n=2, m=1
98d; n=2, m=2

2026201390 25 Feb 2026



The triacid 90 (4 g, 14.43 mmol) was dissolved in DMF (120 mL) and *N*,*N*-Diisopropylethylamine (12.35 mL, 72 mmoles). Pentafluorophenyl trifluoroacetate (8.9 mL, 52 mmoles) was added dropwise, under argon, and the reaction was allowed to stir at room temperature for 30 minutes. Boc-diamine 91a or 91b (68.87 mmol) was added, along with *N*,*N*-Diisopropylethylamine (12.35 mL, 72 mmoles), and the reaction was allowed to stir at room temperature for 16 hours. At that time, the DMF was reduced by >75% under reduced pressure, and then the mixture was dissolved in dichloromethane. The organic layer was washed with sodium bicarbonate, water and brine. The organic layer was then separated and dried over sodium sulfate, filtered and reduced to an oil under reduced pressure. The resultant oil was purified by silica gel chromatography (2%--->10% methanol/dichloromethane) to give compounds 92a and 92b in an approximate 80% yield. LCMS and proton NMR were consistent with the structure.

Compound 92a or 92b (6.7 mmoles) was treated with 20 mL of dichloromethane and 20 mL of trifluoroacetic acid at room temperature for 16 hours. The resultant solution was evaporated and then dissolved

2026201390 25 Feb 2026

in methanol and treated with DOWEX-OH resin for 30 minutes. The resultant solution was filtered and reduced to an oil under reduced pressure to give 85-90% yield of compounds 93a and 93b.

Compounds 7 or 64 (9.6 mmoles) were treated with HBTU (3.7g, 9.6 mmoles) and *N*,*N*-Diisopropylethylamine (5 mL) in DMF (20 mL) for 15 minutes. To this was added either compounds 93a or 93b (3 mmoles), and allowed to stir at room temperature for 16 hours. At that time, the DMF was reduced by >75% under reduced pressure, and then the mixture was dissolved in dichloromethane. The organic layer was washed with sodium bicarbonate, water and brine. The organic layer was then separated and dried over sodium sulfate, filtered and reduced to an oil under reduced pressure. The resultant oil was purified by silica gel chromatography (5%-->20% methanol/dichloromethane) to give compounds 96a-d in 20-40% yield. LCMS and proton NMR was consistent with the structure.

Compounds 96a-d (0.75 mmoles), individually, were hydrogenated over Raney Nickel for 3 hours in Ethanol (75 mL). At that time, the catalyst was removed by filtration thru celite, and the ethanol removed under reduced pressure to give compounds 97a-d in 80-90% yield. LCMS and proton NMR were consistent with the structure.


Compound 23 (0.32g, 0.53 mmoles) was treated with HBTU (0.2g, 0.53 mmoles) and *N*,*N*-Diisopropylethylamine (0.19 mL, 1.14 mmoles) in DMF (30mL) for 15 minutes. To this was added compounds 97a-d (0.38 mmoles), individually, and allowed to stir at room temperature for 16 hours. At that time, the DMF was reduced by >75% under reduced pressure, and then the mixture was dissolved in dichloromethane. The organic layer was washed with sodium bicarbonate, water and brine. The organic layer was then separated and dried over sodium sulfate, filtered and reduced to an oil under reduced pressure. The resultant oil was purified by silica gel chromatography (2%-->20% methanol/dichloromethane) to give compounds 98a-d in 30-40% yield. LCMS and proton NMR was consistent with the structure.

Compound 99 (0.17g, 0.76 mmoles) was treated with HBTU (0.29 g, 0.76 mmoles) and *N*,*N*-Diisopropylethylamine (0.35 mL, 2.0 mmoles) in DMF (50mL) for 15 minutes. To this was added compounds 97a-d (0.51 mmoles), individually, and allowed to stir at room temperature for 16 hours. At that time, the DMF was reduced by >75% under reduced pressure, and then the mixture was dissolved in dichloromethane. The organic layer was washed with sodium bicarbonate, water and brine. The organic layer was then separated and dried over sodium sulfate, filtered and reduced to an oil under reduced pressure. The resultant oil was purified by silica gel chromatography (5%-->20% methanol/ dichloromethane) to give compounds 100a-d in 40-60% yield. LCMS and proton NMR was consistent with the structure.

Compounds 100a-d (0.16 mmoles), individually, were hydrogenated over 10% $Pd(OH)_2/C$ for 3 hours in methanol/ethyl acetate (1:1, 50 mL). At that time, the catalyst was removed by filtration thru celite, and the organics removed under reduced pressure to give compounds 101a-d in 80-90% yield. LCMS and proton NMR was consistent with the structure.


2026201390 25 Feb 2026

Compounds 101a-d (0.15 mmoles), individually, were dissolved in DMF (15 mL) and pyridine (0.016 mL, 0.2 mmoles). Pentafluorophenyl trifluoroacetate (0.034 mL, 0.2 mmoles) was added dropwise, under argon, and the reaction was allowed to stir at room temperature for 30 minutes. At that time, the DMF was reduced by >75% under reduced pressure, and then the mixture was dissolved in dichloromethane. The organic layer was washed with sodium bicarbonate, water and brine. The organic layer was then separated and dried over sodium sulfate, filtered and reduced to an oil under reduced pressure. The resultant oil was purified by silica gel chromatography (2%-->5% methanol/dichloromethane) to give compounds 102a-d in an approximate 80% yield. LCMS and proton NMR were consistent with the structure.



Oligomeric Compound 102, comprising a $GalNAc_3$-8 conjugate group, was prepared using the general procedures illustrated in Example 46. The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-8 ($GalNAc_3$-8_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In a preferred embodiment, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-.


The structure of $GalNAc_3$-8 ($GalNAc_3$-8_a-CM-) is shown below:




.

2026201390 25 Feb 2026

Example 48: Preparation of Oligonucleotide 119 Comprising GalNAc$_3$-7



2026201390 25 Feb 2026



Compound 112 was synthesized following the procedure described in the literature (*J. Med. Chem.* 2004, *47*, 5798-5808).

Compound 112 (5 g, 8.6 mmol) was dissolved in 1:1 methanol/ethyl acetate (22 mL/22 mL). Palladium hydroxide on carbon (0.5 g) was added. The reaction mixture was stirred at room temperature under hydrogen for 12 h. The reaction mixture was filtered through a pad of celite and washed the pad with 1:1 methanol/ethyl acetate. The filtrate and the washings were combined and concentrated to dryness to yield Compound 105a (quantitative). The structure was confirmed by LCMS.


Compound 113 (1.25 g, 2.7 mmol), HBTU (3.2 g, 8.4 mmol) and DIEA (2.8 mL, 16.2 mmol) were dissolved in anhydrous DMF (17 mL) and the reaction mixture was stirred at room temperature for 5 min. To this a solution of Compound 105a (3.77 g, 8.4 mmol) in anhydrous DMF (20 mL) was added. The reaction was stirred at room temperature for 6 h. Solvent was removed under reduced pressure to get an oil. The residue was dissolved in CH_2Cl_2 (100 mL) and washed with aqueous saturated $NaHCO_3$ solution (100 mL) and brine (100 mL). The organic phase was separated, dried (Na_2SO_4), filtered and evaporated. The residue was purified


2026201390 25 Feb 2026

by silica gel column chromatography and eluted with 10 to 20 % MeOH in dichloromethane to yield Compound 114 (1.45 g, 30%). The structure was confirmed by LCMS and ^{1}H NMR analysis.

Compound 114 (1.43 g, 0.8 mmol) was dissolved in 1:1 methanol/ethyl acetate (4 mL/4 mL). Palladium on carbon (wet, 0.14 g) was added. The reaction mixture was flushed with hydrogen and stirred at room temperature under hydrogen for 12 h. The reaction mixture was filtered through a pad of celite. The celite pad was washed with methanol/ethyl acetate (1:1). The filtrate and the washings were combined together and evaporated under reduced pressure to yield Compound 115 (quantitative). The structure was confirmed by LCMS and ^{1}H NMR analysis.

Compound 83a (0.17 g, 0.75 mmol), HBTU (0.31 g, 0.83 mmol) and DIEA (0.26 mL, 1.5 mmol) were dissolved in anhydrous DMF (5 mL) and the reaction mixture was stirred at room temperature for 5 min. To this a solution of Compound 115 (1.22 g, 0.75 mmol) in anhydrous DMF was added and the reaction was stirred at room temperature for 6 h. The solvent was removed under reduced pressure and the residue was dissolved in CH_2Cl_2. The organic layer was washed aqueous saturated $NaHCO_3$ solution and brine and dried over anhydrous Na_2SO_4 and filtered. The organic layer was concentrated to dryness and the residue obtained was purified by silica gel column chromatography and eluted with 3 to 15 % MeOH in dichloromethane to yield Compound 116 (0.84 g, 61%). The structure was confirmed by LC MS and ^{1}H NMR analysis.






2026201390 25 Feb 2026

Compound 116 (0.74 g, 0.4 mmol) was dissolved in 1:1 methanol/ethyl acetate (5 mL/5 mL). Palladium on carbon (wet, 0.074 g) was added. The reaction mixture was flushed with hydrogen and stirred at room temperature under hydrogen for 12 h. The reaction mixture was filtered through a pad of celite. The celite pad was washed with methanol/ethyl acetate (1:1). The filtrate and the washings were combined together and evaporated under reduced pressure to yield compound 117 (0.73 g, 98%). The structure was confirmed by LCMS and ^{1}H NMR analysis.


Compound 117 (0.63 g, 0.36 mmol) was dissolved in anhydrous DMF (3 mL). To this solution *N*,*N*-Diisopropylethylamine (70 µL, 0.4 mmol) and pentafluorophenyl trifluoroacetate (72 µL, 0.42 mmol) were added. The reaction mixture was stirred at room temperature for 12 h and poured into a aqueous saturated $NaHCO_3$ solution. The mixture was extracted with dichloromethane, washed with brine and dried over anhydrous Na_2SO_4. The dichloromethane solution was concentrated to dryness and purified with silica gel column chromatography and eluted with 5 to 10 % MeOH in dichloromethane to yield compound 118 (0.51 g, 79%). The structure was confirmed by LCMS and ^{1}H and ^{1}H and ^{19}F NMR.




Oligomeric Compound 119, comprising a $GalNAc_3$-7 conjugate group, was prepared using the general procedures illustrated in Example 46. The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-7 ($GalNAc_3$-7_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-.

The structure of $GalNAc_3$-7 ($GalNAc_3$-7_a-CM-) is shown below:

2026201390 25 Feb 2026



Example 49: Preparation of Oligonucleotide 132 Comprising GalNAc$_3$-5




Compound 120 (14.01 g, 40 mmol) and HBTU (14.06 g, 37 mmol) were dissolved in anhydrous DMF (80 mL). Triethylamine (11.2 mL, 80.35 mmol) was added and stirred for 5 min. The reaction mixture was cooled in an ice bath and a solution of compound 121 (10 g, mmol) in anhydrous DMF (20 mL) was added. Additional triethylamine (4.5 mL, 32.28 mmol) was added and the reaction mixture was stirred for 18 h under an argon atmosphere. The reaction was monitored by TLC (ethyl acetate:hexane; 1:1; Rf = 0.47). The solvent was removed under reduced pressure. The residue was taken up in EtOAc (300 mL) and washed with 1M $NaHSO_4$ (3 x 150 mL), aqueous saturated $NaHCO_3$ solution (3 x 150 mL) and brine (2 x 100 mL). Organic layer was dried with Na_2SO_4. Drying agent was removed by filtration and organic layer was concentrated by rotary evaporation. Crude mixture was purified by silica gel column chromatography and eluted by using 35 – 50% EtOAc in hexane to yield a compound 122 (15.50 g, 78.13%). The structure was confirmed by LCMS and ^{1}H NMR analysis. Mass *m/z* 589.3 $[M + H]^+$.

A solution of LiOH (92.15 mmol) in water (20 mL) and THF (10 mL) was added to a cooled solution of Compound 122 (7.75 g,13.16 mmol) dissolved in methanol (15 mL). The reaction mixture was stirred at

25 Feb 2026

202620139O


room temperature for 45 min. and monitored by TLC (EtOAc:hexane; 1:1). The reaction mixture was concentrated to half the volume under reduced pressure. The remaining solution was cooled an ice bath and neutralized by adding concentrated HCl. The reaction mixture was diluted, extracted with EtOAc (120 mL) and washed with brine (100 mL). An emulsion formed and cleared upon standing overnight. The organic layer was separated dried (Na_2SO_4), filtered and evaporated to yield Compound 123 (8.42 g). Residual salt is the likely cause of excess mass. LCMS is consistent with structure. Product was used without any further purification. M.W.cal:574.36; M.W.fd:575.3 $[M + H]^+$.




124 125 126


Compound 126 was synthesized following the procedure described in the literature (*J. Am. Chem. Soc.* 2011, *133*, 958-963).

2026201390 25 Feb 2026





2026201390 25 Feb 2026



Compound 123 (7.419 g, 12.91 mmol), HOBt (3.49 g, 25.82 mmol) and compound 126 (6.33 g, 16.14 mmol) were dissolved in and DMF (40 mL) and the resulting reaction mixture was cooled in an ice bath. To this *N*,*N*-Diisopropylethylamine (4.42 mL, 25.82 mmol), PyBop (8.7 g, 16.7 mmol) followed by Bop coupling reagent (1.17 g, 2.66 mmol) were added under an argon atmosphere. The ice bath was removed and the solution was allowed to warm to room temperature. The reaction was completed after 1 h as determined by TLC (DCM:MeOH:AA; 89:10:1). The reaction mixture was concentrated under reduced pressure. The residue was dissolved in EtOAc (200 mL) and washed with 1 M $NaHSO_4$ (3x100 mL), aqueous saturated $NaHCO_3$ (3x100 mL) and brine (2x100 mL). The organic phase separated dried (Na_2SO_4), filtered and concentrated. The residue was purified by silica gel column chromatography with a gradient of 50% hexanes/EtOAC to 100% EtOAc to yield Compound 127 (9.4 g) as a white foam. LCMS and ^1H NMR were consistent with structure. Mass *m/z*

25 Feb 2026

202620139O

778.4 $[M + H]^+$.


Trifluoroacetic acid (12 mL) was added to a solution of compound 127 (1.57 g, 2.02 mmol) in dichloromethane (12 mL) and stirred at room temperature for 1 h. The reaction mixture was co-evaporated with toluene (30 mL) under reduced pressure to dryness. The residue obtained was co-evaporated twice with acetonitrile (30 mL) and toluene (40 mL) to yield Compound 128 (1.67 g) as trifluoro acetate salt and used for next step without further purification. LCMS and ^{1}H NMR were consistent with structure. Mass *m/z* 478.2 $[M + H]^+$.

Compound 7 (0.43 g, 0.963 mmol), HATU (0.35 g, 0.91 mmol), and HOAt (0.035 g, 0.26 mmol) were combined together and dried for 4 h over P_2O_5 under reduced pressure in a round bottom flask and then dissolved in anhydrous DMF (1 mL) and stirred for 5 min. To this a solution of compound 128 (0.20 g, 0.26 mmol) in anhydrous DMF (0.2 mL) and *N*,*N*-Diisopropylethylamine (0.2 mL) was added. The reaction mixture was stirred at room temperature under an argon atmosphere. The reaction was complete after 30 min as determined by LCMS and TLC (7% MeOH/DCM). The reaction mixture was concentrated under reduced pressure. The residue was dissolved in DCM (30 mL) and washed with 1 M $NaHSO_4$ (3x20 mL), aqueous saturated $NaHCO_3$ (3 x 20 mL) and brine (3x20 mL). The organic phase was separated, dried over Na_2SO_4, filtered and concentrated. The residue was purified by silica gel column chromatography using 5-15% MeOH in dichloromethane to yield Compound 129 (96.6 mg). LC MS and ^{1}H NMR are consistent with structure. Mass *m/z* 883.4 $[M + 2H]^+$.

Compound 129 (0.09 g, 0.051 mmol) was dissolved in methanol (5 mL) in 20 mL scintillation vial. To this was added a small amount of 10% Pd/C (0.015 mg) and the reaction vessel was flushed with H_2 gas. The reaction mixture was stirred at room temperature under H_2 atmosphere for 18 h. The reaction mixture was filtered through a pad of Celite and the Celite pad was washed with methanol. The filtrate washings were pooled together and concentrated under reduced pressure to yield Compound 130 (0.08 g). LCMS and ^{1}H NMR were consistent with structure. The product was used without further purification. Mass *m/z* 838.3 $[M + 2H]^+$.


To a 10 mL pointed round bottom flask were added compound 130 (75.8 mg, 0.046 mmol), 0.37 M pyridine/DMF (200 µL) and a stir bar. To this solution was added 0.7 M pentafluorophenyl trifluoroacetate/DMF (100 µL) drop wise with stirring. The reaction was completed after 1 h as determined by LC MS. The solvent was removed under reduced pressure and the residue was dissolved in $CHCl_3$ (~ 10 mL). The organic layer was partitioned against $NaHSO_4$ (1 M, 10 mL) , aqueous saturated $NaHCO_3$ (10 mL) and brine (10 mL) three times each. The organic phase separated and dried over Na_2SO_4, filtered and concentrated to yield Compound 131 (77.7 mg). LCMS is consistent with structure. Used without further purification. Mass *m/z* 921.3 $[M + 2H]^+$.

2026201390 25 Feb 2026




Oligomeric Compound 132, comprising a $GalNAc_3$-5 conjugate group, was prepared using the general procedures illustrated in Example 46. The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-5 ($GalNAc_3$-5_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-.

The structure of $GalNAc_3$-5 ($GalNAc_3$-5_a-CM-) is shown below:




2026201390 25 Feb 2026

Example 50: Preparation of Oligonucleotide 144 Comprising GalNAc$_4$-11



2026201390 25 Feb 2026




142

Synthesis of Compound 134. To a Merrifield flask was added aminomethyl VIMAD resin (2.5 g, 450 µmol/g) that was washed with acetonitrile, dimethylformamide, dichloromethane and acetonitrile. The resin was swelled in acetonitrile (4 mL). Compound 133 was pre-activated in a 100 mL round bottom flask by adding 20 (1.0 mmol, 0.747 g), TBTU (1.0 mmol, 0.321 g), acetonitrile (5 mL) and DIEA (3.0 mmol, 0.5 mL). This solution was allowed to stir for 5 min and was then added to the Merrifield flask with shaking. The suspension was allowed to shake for 3 h. The reaction mixture was drained and the resin was washed with acetonitrile, DMF and DCM. New resin loading was quantitated by measuring the absorbance of the DMT cation at 500 nm (extinction coefficient = 76000) in DCM and determined to be 238 µmol/g. The resin was capped by suspending in an acetic anhydride solution for ten minutes three times.

The solid support bound compound 141 was synthesized using iterative Fmoc-based solid phase peptide synthesis methods. A small amount of solid support was withdrawn and suspended in aqueous ammonia (28-30 wt%) for 6 h. The cleaved compound was analyzed by LC-MS and the observed mass was consistent with structure. Mass *m/z* 1063.8 $[M + 2H]^+$.

The solid support bound compound 142 was synthesized using solid phase peptide synthesis methods.

2026201390 25 Feb 2026




The solid support bound compound 143 was synthesized using standard solid phase synthesis on a DNA synthesizer.

The solid support bound compound 143 was suspended in aqueous ammonia (28-30 wt%) and heated at 55 ºC for 16 h. The solution was cooled and the solid support was filtered. The filtrate was concentrated and the residue dissolved in water and purified by HPLC on a strong anion exchange column. The fractions containing full length compound 144 were pooled together and desalted. The resulting $GalNAc_4$-11 conjugated oligomeric compound was analyzed by LC-MS and the observed mass was consistent with structure.

2026201390 25 Feb 2026


The $GalNAc_4$ cluster portion of the conjugate group $GalNAc_4$-11 ($GalNAc_4$-11_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-.

The structure of $GalNAc_4$-11 ($GalNAc_4$-11_a-CM) is shown below:




.

Example 51: Preparation of Oligonucleotide 155 Comprising $GalNAc_3$-6



Compound 146 was synthesized as described in the literature (*Analytical Biochemistry* 1995, *229*, 54-60).

2026201390 25 Feb 2026



Compound 4 (15 g, 45.55 mmol) and compound 35b (14.3 grams, 57 mmol) were dissolved in CH_2Cl_2 (200 ml). Activated molecular sieves (4 Å. 2 g, powdered) were added, and the reaction was allowed to stir for 30 minutes under nitrogen atmosphere. TMS-OTf was added (4.1 ml, 22.77 mmol) and the reaction was allowed to stir at room temp overnight. Upon completion, the reaction was quenched by pouring into solution of saturated aqueous $NaHCO_3$ (500 ml) and crushed ice (~ 150 g). The organic layer was separated, washed with brine, dried over $MgSO_4$, filtered, and was concentrated to an orange oil under reduced pressure. The crude material was purified by silica gel column chromatography and eluted with 2-10 % MeOH in CH_2Cl_2 to yield Compound 112 (16.53 g, 63 %). LCMS and ^{1}H NMR were consistent with the expected compound.


Compound 112 (4.27 g, 7.35 mmol) was dissolved in 1:1 MeOH/EtOAc (40 ml). The reaction mixture was purged by bubbling a stream of argon through the solution for 15 minutes. Pearlman's catalyst (palladium hydroxide on carbon, 400 mg) was added, and hydrogen gas was bubbled through the solution for 30 minutes. Upon completion (TLC 10% MeOH in CH_2Cl_2, and LCMS), the catalyst was removed by filtration through a pad of celite. The filtrate was concentrated by rotary evaporation, and was dried briefly under high vacuum to yield Compound 105a (3.28 g). LCMS and 1H NMR were consistent with desired product.

Compound 147 (2.31 g, 11 mmol) was dissolved in anhydrous DMF (100 mL). *N*,*N*-Diisopropylethylamine (DIEA, 3.9 mL, 22 mmol) was added, followed by HBTU (4 g, 10.5 mmol). The reaction mixture was allowed to stir for ~ 15 minutes under nitrogen. To this a solution of compound 105a (3.3


2026201390 25 Feb 2026

g, 7.4 mmol) in dry DMF was added and stirred for 2 h under nitrogen atmosphere. The reaction was diluted with EtOAc and washed with saturated aqueous $NaHCO_3$ and brine. The organics phase was separated, dried ($MgSO_4$), filtered, and concentrated to an orange syrup. The crude material was purified by column chromatography 2-5 % MeOH in CH_2Cl_2 to yield Compound 148 (3.44 g, 73 %). LCMS and ^1H NMR were consistent with the expected product.

Compound 148 (3.3 g, 5.2 mmol) was dissolved in 1:1 MeOH/EtOAc (75 ml). The reaction mixture was purged by bubbling a stream of argon through the solution for 15 minutes. Pearlman's catalyst (palladium hydroxide on carbon) was added (350 mg). Hydrogen gas was bubbled through the solution for 30 minutes. Upon completion (TLC 10% MeOH in DCM, and LCMS), the catalyst was removed by filtration through a pad of celite. The filtrate was concentrated by rotary evaporation, and was dried briefly under high vacuum to yield Compound 149 **(**2.6 g). LCMS was consistent with desired product. The residue was dissolved in dry DMF (10 ml) was used immediately in the next step.



150



151

Compound 146 (0.68 g, 1.73 mmol) was dissolved in dry DMF (20 ml). To this DIEA (450 µL, 2.6 mmol, 1.5 eq.) and HBTU (1.96 g, 0.5.2 mmol) were added. The reaction mixture was allowed to stir for 15


25 Feb 2026
2026201390

minutes at room temperature under nitrogen. A solution of compound 149 (2.6 g) in anhydrous DMF (10 mL) was added. The pH of the reaction was adjusted to pH = 9-10 by addition of DIEA (if necessary). The reaction was allowed to stir at room temperature under nitrogen for 2 h. Upon completion the reaction was diluted with EtOAc (100 mL), and washed with aqueous saturated aqueous $NaHCO_3$, followed by brine. The organic phase was separated, dried over $MgSO_4$, filtered, and concentrated. The residue was purified by silica gel column chromatography and eluted with 2-10 % MeOH in CH_2Cl_2 to yield Compound 150 (0.62 g, 20 %). LCMS and ^1H NMR were consistent with the desired product.


Compound 150 (0.62 g) was dissolved in 1:1 MeOH/ EtOAc (5 L). The reaction mixture was purged by bubbling a stream of argon through the solution for 15 minutes. Pearlman's catalyst (palladium hydroxide on carbon) was added (60 mg). Hydrogen gas was bubbled through the solution for 30 minutes. Upon completion (TLC 10% MeOH in DCM, and LCMS), the catalyst was removed by filtration (syringe-tip Teflon filter, 0.45 µm). The filtrate was concentrated by rotary evaporation, and was dried briefly under high vacuum to yield Compound 151 (0.57 g). The LCMS was consistent with the desired product. The product was dissolved in 4 mL dry DMF and was used immediately in the next step.

25 Feb 2026


2026201390



152



153



154


Compound 83a (0.11 g, 0.33 mmol) was dissolved in anhydrous DMF (5 mL) and *N*,*N*-Diisopropylethylamine (75 µL, 1 mmol) and PFP-TFA (90 µL, 0.76 mmol) were added. The reaction mixture turned magenta upon contact, and gradually turned orange over the next 30 minutes. Progress of reaction was monitored by TLC and LCMS. Upon completion (formation of the PFP ester), a solution of compound 151 (0.57 g, 0.33 mmol) in DMF was added. The pH of the reaction was adjusted to pH = 9-10 by addition of *N*,*N*-Diisopropylethylamine (if necessary). The reaction mixture was stirred under nitrogen for ~ 30 min. Upon completion, the majority of the solvent was removed under reduced pressure. The residue was diluted with CH_2Cl_2 and washed with aqueous saturated $NaHCO_3$, followed by brine. The organic phase separated, dried over $MgSO_4$, filtered, and concentrated to an orange syrup. The residue was purified by silica gel column

2026201390 25 Feb 2026

chromatography (2-10 % MeOH in CH_2Cl_2) to yield Compound 152 (0.35 g, 55 %). LCMS and ^{1}H NMR were consistent with the desired product.

Compound 152 (0.35 g, 0.182 mmol) was dissolved in 1:1 MeOH/EtOAc (10 mL). The reaction mixture was purged by bubbling a stream of argon thru the solution for 15 minutes. Pearlman's catalyst (palladium hydroxide on carbon) was added (35 mg). Hydrogen gas was bubbled thru the solution for 30 minutes. Upon completion (TLC 10% MeOH in DCM, and LCMS), the catalyst was removed by filtration (syringe-tip Teflon filter, 0.45 µm). The filtrate was concentrated by rotary evaporation, and was dried briefly under high vacuum to yield Compound 153 (0.33 g, quantitative). The LCMS was consistent with desired product.


Compound 153 (0.33 g, 0.18 mmol) was dissolved in anhydrous DMF (5 mL) with stirring under nitrogen. To this *N*,*N*-Diisopropylethylamine (65 µL, 0.37 mmol) and PFP-TFA (35 µL, 0.28 mmol) were added. The reaction mixture was stirred under nitrogen for ~ 30 min. The reaction mixture turned magenta upon contact, and gradually turned orange. The pH of the reaction mixture was maintained at pH = 9-10 by adding more *N*,-Diisopropylethylamine. The progress of the reaction was monitored by TLC and LCMS. Upon completion, the majority of the solvent was removed under reduced pressure. The residue was diluted with CH_2Cl_2 (50 mL), and washed with saturated aqueous $NaHCO_3$, followed by brine. The organic layer was dried over $MgSO_4$, filtered, and concentrated to an orange syrup. The residue was purified by column chromatography and eluted with 2-10 % MeOH in CH_2Cl_2 to yield Compound 154 (0.29 g, 79 %). LCMS and ^{1}H NMR were consistent with the desired product.




Oligomeric Compound 155, comprising a $GalNAc_3$-6 conjugate group, was prepared using the general procedures illustrated in Example 46. The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-6 ($GalNAc_3$-6_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-.

The structure of $GalNAc_3$-6 ($GalNAc_3$-6_a-CM-) is shown below:

2026201390 25 Feb 2026



Example 52: Preparation of Oligonucleotide 160 Comprising GalNAc$_3$-9



Compound 156 was synthesized following the procedure described in the literature (*J. Med. Chem.* 2004, *47*, 5798-5808).

Compound 156, (18.60 g, 29.28 mmol) was dissolved in methanol (200 mL). Palladium on carbon (6.15 g, 10 wt%, loading (dry basis), matrix carbon powder, wet) was added. The reaction mixture was stirred at room temperature under hydrogen for 18 h. The reaction mixture was filtered through a pad of celite and


2026201390 25 Feb 2026

the celite pad was washed thoroughly with methanol. The combined filtrate was washed and concentrated to dryness. The residue was purified by silica gel column chromatography and eluted with 5-10 % methanol in dichloromethane to yield Compound 157 (14.26 g, 89%). Mass *m/z* 544.1 $[M-H]^-$.

Compound 157 (5 g, 9.17 mmol) was dissolved in anhydrous DMF (30 mL). HBTU (3.65 g, 9.61 mmol) and *N*,*N*-Diisopropylethylamine (13.73 mL, 78.81 mmol) were added and the reaction mixture was stirred at room temperature for 5 minutes. To this a solution of compound 47 (2.96 g, 7.04 mmol) was added. The reaction was stirred at room temperature for 8 h. The reaction mixture was poured into a saturated $NaHCO_3$ aqueous solution. The mixture was extracted with ethyl acetate and the organic layer was washed with brine and dried (Na_2SO_4), filtered and evaporated. The residue obtained was purified by silica gel column chromatography and eluted with 50% ethyl acetate in hexane to yield compound 158 (8.25g, 73.3%). The structure was confirmed by MS and ^1H NMR analysis.

Compound 158 (7.2 g, 7.61 mmol) was dried over P_2O_5 under reduced pressure. The dried compound was dissolved in anhydrous DMF (50 mL). To this 1H-tetrazole (0.43 g, 6.09 mmol) and *N*-methylimidazole (0.3 mL, 3.81 mmol) and 2-cyanoethyl-*N*,*N*,*N*',*N*'-tetraisopropyl phosphorodiamidite (3.65 mL, 11.50 mmol) were added. The reaction mixture was stirred t under an argon atmosphere for 4 h. The reaction mixture was diluted with ethyl acetate (200 mL). The reaction mixture was washed with saturated $NaHCO_3$ and brine. The organic phase was separated, dried (Na_2SO_4), filtered and evaporated. The residue was purified by silica gel column chromatography and eluted with 50-90 % ethyl acetate in hexane to yield Compound 159 (7.82 g, 80.5%). The structure was confirmed by LCMS and ^{31}P NMR analysis.


159 → 160



Oligomeric Compound 160, comprising a $GalNAc_3$-9 conjugate group, was prepared using standard oligonucleotide synthesis procedures. Three units of compound 159 were coupled to the solid support, followed by nucleotide phosphoramidites. Treatment of the protected oligomeric compound with aqueous ammonia yielded compound 160. The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-9 ($GalNAc_3$-9_a) can be

2026201390 25 Feb 2026


combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-. The structure of $GalNAc_3$-9 ($GalNAc_3$-9_a-CM) is shown below:



25 Feb 2026

2026201390


Example 53: Alternate procedure for preparation of Compound 18 (GalNAc$_3$-1a and GalNAc$_3$-3a)



Lactone 161 was reacted with diamino propane (3-5 eq) or Mono-Boc protected diamino propane (1 eq) to provide alcohol 162a or 162b. When unprotected propanediamine was used for the above reaction, the excess diamine was removed by evaporation under high vacuum and the free amino group in 162a was protected using CbzCl to provide 162b as a white solid after purification by column chromatography. Alcohol 162b was further reacted with compound 4 in the presence of TMSOTf to provide 163a which was converted to 163b by removal of the Cbz group using catalytic hydrogenation. The pentafluorophenyl (PFP) ester 164 was prepared by reacting triacid 113 (see Example 48) with PFPTFA (3.5 eq) and pyridine (3.5 eq) in DMF (0.1 to 0.5 M). The triester 164 was directly reacted with the amine 163b (3–4 eq) and DIPEA (3–4 eq) to provide Compound 18. The above method greatly facilitates purification of intermediates and minimizes the formation of byproducts which are formed using the procedure described in Example 4.

2026201390 25 Feb 2026

Example 54: Alternate procedure for preparation of Compound 18 (GalNAc$_3$-1a and GalNAc$_3$-3a)



The triPFP ester 164 was prepared from acid 113 using the procedure outlined in example 53 above and reacted with mono-Boc protected diamine to provide 165 in essentially quantitative yield. The Boc groups were removed with hydrochloric acid or trifluoroacetic acid to provide the triamine which was reacted with the PFP activated acid 166 in the presence of a suitable base such as DIPEA to provide Compound 18.

The PFP protected Gal-NAc acid 166 was prepared from the corresponding acid by treatment with PFPTFA (1-1.2 eq) and pyridine (1-1.2 eq) in DMF. The precursor acid in turn was prepared from the corresponding alcohol by oxidation using TEMPO (0.2 eq) and BAIB in acetonitrile and water. The precursor alcohol was prepared from sugar intermediate 4 by reaction with 1,6-hexanediol (or 1,5-pentanediol or other diol for other n values) (2-4 eq) and TMSOTf using conditions described previously in example 47.

2026201390 25 Feb 2026

Example 55: Dose-dependent study of oligonucleotides comprising either a 3' or 5'-conjugate group (comparison of GalNAc$_3$-1, 3, 8 and 9) targeting SRB-1 *in vivo*

The oligonucleotides listed below were tested in a dose-dependent study for antisense inhibition of SRB-1 in mice. Unconjugated ISIS 353382 was included as a standard. Each of the various GalNAc$_3$ conjugate groups was attached at either the 3' or 5' terminus of the respective oligonucleotide by a phosphodiester linked 2'-deoxyadenosine nucleoside (cleavable moiety).

Table 39

Modified ASO targeting SRB-1

ASO	Sequence (5' to 3')	Motif	Conjugate	SEQ ID No.
ISIS 353382 (parent)	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}$ $^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	none	108
ISIS 655861	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}$ $^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$**$A_{do}$'-GalNAc$_3-1_a$**	5/10/5	**GalNAc$_3$-1**	110
ISIS 664078	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}$ $^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$**$A_{do}$'-GalNAc$_3-9_a$**	5/10/5	**GalNAc$_3$-9**	110
ISIS 661161	**GalNAc$_3$-3$_{a-o}$'A_{do}** $G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}$ $^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-3**	109
ISIS 665001	**GalNAc$_3$-8$_{a-o}$'A_{do}** $G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}$ $^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-8**	109

Capital letters indicate the nucleobase for each nucleoside and ^{m}C indicates a 5-methyl cytosine. Subscripts: "e" indicates a 2'-MOE modified nucleoside; "d" indicates a β-D-2'-deoxyribonucleoside; "s" indicates a phosphorothioate internucleoside linkage (PS); "o" indicates a phosphodiester internucleoside linkage (PO); and "o'" indicates -O-P(=O)(OH)-. Conjugate groups are in bold.

The structure of GalNAc$_3$-1$_a$ was shown previously in Example 9. The structure of GalNAc$_3$-9 was shown previously in Example 52. The structure of GalNAc$_3$-3 was shown previously in Example 39. The structure of GalNAc$_3$-8 was shown previously in Example 47.

Treatment

Six week old male Balb/c mice (Jackson Laboratory, Bar Harbor, ME) were injected subcutaneously once at the dosage shown below with ISIS 353382, 655861, 664078, 661161, 665001 or with saline. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration to determine the liver SRB-1 mRNA levels using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. The results below are presented as the average percent of SRB-1 mRNA levels for each treatment group, normalized to the saline control.

2026201390 25 Feb 2026

As illustrated in Table 40, treatment with antisense oligonucleotides lowered SRB-1 mRNA levels in a dose-dependent manner. Indeed, the antisense oligonucleotides comprising the phosphodiester linked $GalNAc_3$-1 and $GalNAc_3$-9 conjugates at the 3' terminus (ISIS 655861 and ISIS 664078) and the $GalNAc_3$-3 and $GalNAc_3$-8 conjugates linked at the 5' terminus (ISIS 661161 and ISIS 665001) showed substantial improvement in potency compared to the unconjugated antisense oligonucleotide (ISIS 353382). Furthermore, ISIS 664078, comprising a $GalNAc_3$-9 conjugate at the 3' terminus was essentially equipotent compared to ISIS 655861, which comprises a $GalNAc_3$-1 conjugate at the 3' terminus. The 5' conjugated antisense oligonucleotides, ISIS 661161 and ISIS 665001, comprising a $GalNAc_3$-3 or $GalNAc_3$-9, respectively, had increased potency compared to the 3' conjugated antisense oligonucleotides (ISIS 655861 and ISIS 664078).

Table 40

ASOs containing $GalNAc_3$-1, 3, 8 or 9 targeting SRB-1

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA (% Saline)	Conjugate
Saline	n/a	100	
353382	3	88	none
	10	68	
	30	36	
655861	0.5	98	**$GalNac_3$ -1** (3')
	1.5	76	
	5	31	
	15	20	
664078	0.5	88	**$GalNac_3$-9** (3')
	1.5	85	
	5	46	
	15	20	
661161	0.5	92	**$GalNac_3$-3** (5')
	1.5	59	
	5	19	
	15	11	
665001	0.5	100	**$GalNac_3$-8** (5')
	1.5	73	
	5	29	
	15	13	

Liver transaminase levels, alanine aminotransferase (ALT) and aspartate aminotransferase (AST), in serum were measured relative to saline injected mice using standard protocols. Total bilirubin and BUN were also evaluated. The change in body weights was evaluated with no significant change from the saline group. ALTs, ASTs, total bilirubin and BUN values are shown in the table below.

Table 41

ISIS No.	Dosage mg/kg	ALT	AST	Total Bilirubin	BUN	Conjugate
Saline		24	59	0.1	37.52	

2026201390 25 Feb 2026

353382	3	21	66	0.2	34.65	none
	10	22	54	0.2	34.2	
	30	22	49	0.2	33.72	
655861	0.5	25	62	0.2	30.65	**GalNac$_3$-1** (3')
	1.5	23	48	0.2	30.97	
	5	28	49	0.1	32.92	
	15	40	97	0.1	31.62	
664078	0.5	40	74	0.1	35.3	**GalNac$_3$-9** (3')
	1.5	47	104	0.1	32.75	
	5	20	43	0.1	30.62	
	15	38	92	0.1	26.2	
661161	0.5	101	162	0.1	34.17	**GalNac$_3$-3** (5')
	1.5 g	42	100	0.1	33.37	
	5 g	23	99	0.1	34.97	
	15	53	83	0.1	34.8	
665001	0.5	28	54	0.1	31.32	**GalNac$_3$-8** (5')
	1.5	42	75	0.1	32.32	
	5	24	42	0.1	31.85	
	15	32	67	0.1	31.	

Example 56: Dose-dependent study of oligonucleotides comprising either a 3' or 5'-conjugate group (comparison of GalNAc$_3$-1, 2, 3, 5, 6, 7 and 10) targeting SRB-1 *in vivo*

The oligonucleotides listed below were tested in a dose-dependent study for antisense inhibition of SRB-1 in mice. Unconjugated ISIS 353382 was included as a standard. Each of the various GalNAc$_3$ conjugate groups was attached at the 5' terminus of the respective oligonucleotide by a phosphodiester linked 2'-deoxyadenosine nucleoside (cleavable moiety) except for ISIS 655861 which had the GalNAc$_3$ conjugate group attached at the 3' terminus.

Table 42

Modified ASO targeting SRB-1

ASO	Sequence (5' to 3')	Motif	**Conjugate**	SEQ ID No.
ISIS 353382 (parent)	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	no conjugate	108
ISIS 655861	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{eo}\mathbf{A_{do}}$**-GalNAc$_3-1_a$**	5/10/5	**GalNAc$_3$-1**	110
ISIS 664507	**GalNAc$_3$-2$_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-2**	109
ISIS 661161	**GalNAc$_3$-3$_{a\text{-}o}$,A_{do}** $G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-3**	109
ISIS 666224	**GalNAc$_3$-5$_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-5**	109
ISIS 666961	**GalNAc$_3$-6$_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-6**	109
ISIS 666981	**GalNAc$_3$-7$_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-7**	109

25 Feb 2026
2026201390

ISIS 666881	**GalNAc$_3$-10$_{a-o}$,A$_{do}$**G$_{es}$^{m}C$_{es}$T$_{es}$T$_{es}$^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$^{m}C$_{ds}$T$_{ds}$T$_{es}$^{m}C$_{es}$^{m}C$_{es}$T$_{es}$T$_{e}$	5/10/5	**GalNAc$_3$-10**	109

Capital letters indicate the nucleobase for each nucleoside and ^{m}C indicates a 5-methyl cytosine. Subscripts: "e" indicates a 2'-MOE modified nucleoside; "d" indicates a β-D-2'-deoxyribonucleoside; "s" indicates a phosphorothioate internucleoside linkage (PS); "o" indicates a phosphodiester internucleoside linkage (PO); and "o'" indicates -O-P(=O)(OH)-. Conjugate groups are in bold.

The structure of GalNAc$_3$-1$_a$ was shown previously in Example 9. The structure of GalNAc$_3$-2$_a$ was shown previously in Example 37. The structure of GalNAc$_3$-3$_a$ was shown previously in Example 39. The structure of GalNAc$_3$-5$_a$ was shown previously in Example 49. The structure of GalNAc$_3$-6$_a$ was shown previously in Example 51. The structure of GalNAc$_3$-7$_a$ was shown previously in Example 48. The structure of GalNAc$_3$-10$_a$ was shown previously in Example 46**.**

Treatment

Six week old male Balb/c mice (Jackson Laboratory, Bar Harbor, ME) were injected subcutaneously once at the dosage shown below with ISIS 353382, 655861, 664507, 661161, 666224, 666961, 666981, 666881 or with saline. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration to determine the liver SRB-1 mRNA levels using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. The results below are presented as the average percent of SRB-1 mRNA levels for each treatment group, normalized to the saline control.

As illustrated in Table 43, treatment with antisense oligonucleotides lowered SRB-1 mRNA levels in a dose-dependent manner. Indeed, the conjugated antisense oligonucleotides showed substantial improvement in potency compared to the unconjugated antisense oligonucleotide (ISIS 353382). The 5' conjugated antisense oligonucleotides showed a slight increase in potency compared to the 3' conjugated antisense oligonucleotide.

Table 43

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA (% Saline)	Conjugate
Saline	n/a	100.0	
353382	3	96.0	none
	10	73.1	
	30	36.1	
655861	0.5	99.4	**GalNac$_3$-1** (3')
	1.5	81.2	
	5	33.9	
	15	15.2	
664507	0.5	102.0	**GalNac$_3$-2** (5')
	1.5	73.2	
	5	31.3	

2026201390 25 Feb 2026

	15	10.8	
661161	0.5	90.7	**GalNac$_3$-3** (5')
	1.5	67.6	
	5	24.3	
	15	11.5	
666224	0.5	96.1	**GalNac$_3$-5** (5')
	1.5	61.6	
	5	25.6	
	15	11.7	
666961	0.5	85.5	**GalNAc$_3$-6** (5')
	1.5	56.3	
	5	34.2	
	15	13.1	
666981	0.5	84.7	**GalNAc$_3$-7** (5')
	1.5	59.9	
	5	24.9	
	15	8.5	
666881	0.5	100.0	**GalNAc$_3$-10** (5')
	1.5	65.8	
	5	26.0	
	15	13.0	

Liver transaminase levels, alanine aminotransferase (ALT) and aspartate aminotransferase (AST), in serum were measured relative to saline injected mice using standard protocols. Total bilirubin and BUN were also evaluated. The change in body weights was evaluated with no significant change from the saline group. ALTs, ASTs, total bilirubin and BUN values are shown in Table 44 below.

Table 44

ISIS No.	**Dosage mg/kg**	**ALT**	**AST**	**Total Bilirubin**	**BUN**	**Conjugate**
Saline		26	57	0.2	27	
353382	3	25	92	0.2	27	none
	10	23	40	0.2	25	
	30	29	54	0.1	28	
655861	0.5	25	71	0.2	34	**GalNac$_3$-1** (3')
	1.5	28	60	0.2	26	
	5	26	63	0.2	28	
	15	25	61	0.2	28	
664507	0.5	25	62	0.2	25	**GalNac$_3$-2** (5')
	1.5	24	49	0.2	26	
	5	21	50	0.2	26	
	15	59	84	0.1	22	
661161	0.5	20	42	0.2	29	**GalNac$_3$-3** (5')
	1.5 g	37	74	0.2	25	
	5 g	28	61	0.2	29	
	15	21	41	0.2	25	
666224	0.5	34	48	0.2	21	**GalNac$_3$-5** (5')
	1.5	23	46	0.2	26	

2026201390 25 Feb 2026

	5	24	47	0.2	23	
	15	32	49	0.1	26	
666961	0.5	17	63	0.2	26	**GalNAc$_3$-6** (5')
	1.5	23	68	0.2	26	
	5	25	66	0.2	26	
	15	29	107	0.2	28	
666981	0.5	24	48	0.2	26	**GalNAc$_3$-7** (5')
	1.5	30	55	0.2	24	
	5	46	74	0.1	24	
	15	29	58	0.1	26	
666881	0.5	20	65	0.2	27	**GalNAc$_3$-10** (5')
	1.5	23	59	0.2	24	
	5	45	70	0.2	26	
	15	21	57	0.2	24	

Example 57: Duration of action study of oligonucleotides comprising a 3'-conjugate group targeting ApoC III *in vivo*

Mice were injected once with the doses indicated below and monitored over the course of 42 days for ApoC-III and plasma triglycerides (Plasma TG) levels. The study was performed using 3 transgenic mice that express human APOC-III in each group.

Table 45

Modified ASO targeting ApoC III

ASO	Sequence (5’ to 3’)	Linkages	SEQ ID No.
ISIS 304801	$A_{es}G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}$ $^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}T_{es}T_{es}T_{es}A_{es}T_{e}$	PS	32
ISIS 647535	$A_{es}G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}$ $A_{ds}G_{ds}{}^{m}C_{ds}T_{es}T_{es}T_{es}A_{es}T_{eo}$**$A_{do}$’-GalNAc$_3-1_a$**	PS	111
ISIS 647536	$A_{es}G_{eo}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}$ $A_{ds}G_{ds}{}^{m}C_{ds}T_{eo}T_{eo}T_{es}A_{es}T_{eo}$**$A_{do}$’-GalNAc$_3-1_a$**	PO/PS	111

Capital letters indicate the nucleobase for each nucleoside and ^{m}C indicates a 5-methyl cytosine. Subscripts: “e” indicates a 2’-MOE modified nucleoside; “d” indicates a β-D-2’-deoxyribonucleoside; “s” indicates a phosphorothioate internucleoside linkage (PS); “o” indicates a phosphodiester internucleoside linkage (PO); and “o’” indicates -O-P(=O)(OH)-. Conjugate groups are in bold.

The structure of GalNAc$_3$-1$_a$ was shown previously in Example 9.

Table 46

ApoC III mRNA (% Saline on Day 1) and Plasma TG Levels (% Saline on Day 1)

ASO	Dose	Target	Day 3	Day 7	Day 14	Day 35	Day 42
Saline	0 mg/kg	ApoC-III	98	100	100	95	116
ISIS 304801	30 mg/kg	ApoC-III	28	30	41	65	74

25 Feb 2026
2026201390

ISIS 647535	10 mg/kg	ApoC-III	16	19	25	74	94
ISIS 647536	10 mg/kg	ApoC-III	18	16	17	35	51
Saline	0 mg/kg	Plasma TG	121	130	123	105	109
ISIS 304801	30 mg/kg	Plasma TG	34	37	50	69	69
ISIS 647535	10 mg/kg	Plasma TG	18	14	24	18	71
ISIS 647536	10 mg/kg	Plasma TG	21	19	15	32	35

As can be seen in the table above the duration of action increased with addition of the 3'-conjugate group compared to the unconjugated oligonucleotide. There was a further increase in the duration of action for the conjugated mixed PO/PS oligonucleotide 647536 as compared to the conjugated full PS oligonucleotide 647535.

Example 58: Dose-dependent study of oligonucleotides comprising a 3'-conjugate group (comparison of GalNAc$_3$-1 and GalNAc$_4$-11) targeting SRB-1 *in vivo*

The oligonucleotides listed below were tested in a dose-dependent study for antisense inhibition of SRB-1 in mice. Unconjugated ISIS 440762 was included as an unconjugated standard. Each of the conjugate groups were attached at the 3' terminus of the respective oligonucleotide by a phosphodiester linked 2'-deoxyadenosine nucleoside cleavable moiety.

The structure of GalNAc$_3$-1$_a$ was shown previously in Example 9. The structure of GalNAc$_3$-11$_a$ was shown previously in Example 50.

Treatment

Six week old male Balb/c mice (Jackson Laboratory, Bar Harbor, ME) were injected subcutaneously once at the dosage shown below with ISIS 440762, 651900, 663748 or with saline. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration to determine the liver SRB-1 mRNA levels using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. The results below are presented as the average percent of SRB-1 mRNA levels for each treatment group, normalized to the saline control.

As illustrated in Table 47, treatment with antisense oligonucleotides lowered SRB-1 mRNA levels in a dose-dependent manner. The antisense oligonucleotides comprising the phosphodiester linked GalNAc$_3$-1 and GalNAc$_4$-11 conjugates at the 3' terminus (ISIS 651900 and ISIS 663748) showed substantial improvement in potency compared to the unconjugated antisense oligonucleotide (ISIS 440762). The two conjugated oligonucleotides, GalNAc$_3$-1 and GalNAc$_4$-11, were equipotent.

Table 47

Modified ASO targeting SRB-1

2026201390 25 Feb 2026

ASO	Sequence (5' to 3')	Dose mg/kg	% Saline control	SEQ ID No.
Saline			100	
ISIS 440762	$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$	0.6	73.45	104
		2	59.66	
		6	23.50	
ISIS 651900	$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$**$_{o}A_{do'}$-GalNAc$_3-1_a$**	0.2	62.75	112
		0.6	29.14	
		2	8.61	
		6	5.62	
ISIS 663748	$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$**$_{o}A_{do'}$-GalNAc$_4-11_a$**	0.2	63.99	112
		0.6	33.53	
		2	7.58	
		6	5.52	

Capital letters indicate the nucleobase for each nucleoside and ^{m}C indicates a 5-methyl cytosine. Subscripts: "e" indicates a 2'-MOE modified nucleoside; "k" indicates 6'-*(S)*-CH_3 bicyclic nucleoside; "d" indicates a β-D-2'-deoxyribonucleoside; "s" indicates a phosphorothioate internucleoside linkage (PS); "o" indicates a phosphodiester internucleoside linkage (PO); and "o'" indicates -O-P(=O)(OH)-. Conjugate groups are in bold.

Liver transaminase levels, alanine aminotransferase (ALT) and aspartate aminotransferase (AST), in serum were measured relative to saline injected mice using standard protocols. Total bilirubin and BUN were also evaluated. The change in body weights was evaluated with no significant change from the saline group. ALTs, ASTs, total bilirubin and BUN values are shown in Table 48 below.

Table 48

ISIS No.	Dosage mg/kg	ALT	AST	Total Bilirubin	BUN	Conjugate
Saline		30	76	0.2	40	
440762	0.60	32	70	0.1	35	none
	2	26	57	0.1	35	
	6	31	48	0.1	39	
651900	0.2	32	115	0.2	39	**GalNac$_3$-1** (3')
	0.6	33	61	0.1	35	
	2	30	50	0.1	37	
	6	34	52	0.1	36	
663748	0.2	28	56	0.2	36	**GalNac$_4$-11** (3')
	0.6	34	60	0.1	35	
	2	44	62	0.1	36	
	6	38	71	0.1	33	

Example 59: Effects of GalNAc$_3$-1 conjugated ASOs targeting FXI *in vivo*

The oligonucleotides listed below were tested in a multiple dose study for antisense inhibition of FXI in mice. ISIS 404071 was included as an unconjugated standard. Each of the conjugate groups was attached

2026201390 25 Feb 2026

at the 3' terminus of the respective oligonucleotide by a phosphodiester linked 2'-deoxyadenosine nucleoside cleavable moiety.

Table 49

Modified ASOs targeting FXI

ASO	Sequence (5' to 3')	Linkages	SEQ ID No.
ISIS 404071	$T_{es}G_{es}G_{es}T_{es}A_{es}A_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}{}^{m}C_{ds}$ $T_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{es}G_{es}A_{es}G_{es}G_{e}$	PS	115
ISIS 656172	$T_{es}G_{es}G_{es}T_{es}A_{es}A_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}{}^{m}C_{ds}$ $T_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{es}G_{es}A_{es}G_{es}G_{eo}$**$A_{do'}$-GalNAc$_3-1_a$**	PS	113
ISIS 656173	$T_{es}G_{eo}G_{eo}T_{eo}A_{eo}A_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}{}^{m}C_{ds}$ $T_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{eo}G_{eo}A_{es}G_{es}G_{eo}$**$A_{do'}$-GalNAc$_3-1_a$**	PO/PS	113

Capital letters indicate the nucleobase for each nucleoside and ^{m}C indicates a 5-methyl cytosine. Subscripts: "e" indicates a 2'-MOE modified nucleoside; "d" indicates a β-D-2'-deoxyribonucleoside; "s" indicates a phosphorothioate internucleoside linkage (PS); "o" indicates a phosphodiester internucleoside linkage (PO); and "o'" indicates -O-P(=O)(OH)-. Conjugate groups are in bold.

The structure of GalNAc$_3$-1$_a$ was shown previously in Example 9.

Treatment

Six week old male Balb/c mice (Jackson Laboratory, Bar Harbor, ME) were injected subcutaneously twice a week for 3 weeks at the dosage shown below with ISIS 404071, 656172, 656173 or with PBS treated control. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration to determine the liver FXI mRNA levels using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. Plasma FXI protein levels were also measured using ELISA. FXI mRNA levels were determined relative to total RNA (using RIBOGREEN®), prior to normalization to PBS-treated control. The results below are presented as the average percent of FXI mRNA levels for each treatment group. The data was normalized to PBS-treated control and is denoted as "% PBS". The ED_{50}s were measured using similar methods as described previously and are presented below.

Table 50

Factor XI mRNA (% Saline)

ASO	Dose mg/kg	% Control	Conjugate	Linkages
Saline		100	none	
ISIS 404071	3	92	none	PS
	10	40		
	30	15		
ISIS 656172	0.7	74	**GalNAc$_3$-1**	PS
	2	33		

25 Feb 2026
2026201390

	6	9		
ISIS 656173	0.7	49	**GalNAc$_3$-1**	PO/PS
	2	22		
	6	1		

As illustrated in Table 50, treatment with antisense oligonucleotides lowered FXI mRNA levels in a dose-dependent manner. The oligonucleotides comprising a 3'-GalNAc$_3$-1 conjugate group showed substantial improvement in potency compared to the unconjugated antisense oligonucleotide (ISIS 404071). Between the two conjugated oligonucleotides an improvement in potency was further provided by substituting some of the PS linkages with PO (ISIS 656173).

As illustrated in Table 50a, treatment with antisense oligonucleotides lowered FXI protein levels in a dose-dependent manner. The oligonucleotides comprising a 3'-GalNAc$_3$-1 conjugate group showed substantial improvement in potency compared to the unconjugated antisense oligonucleotide (ISIS 404071). Between the two conjugated oligonucleotides an improvement in potency was further provided by substituting some of the PS linkages with PO (ISIS 656173).

Table 50a

Factor XI protein (% Saline)

ASO	Dose mg/kg	Protein (% Control)	Conjugate	Linkages
Saline		100	none	
ISIS 404071	3	127	none	PS
	10	32		
	30	3		
ISIS 656172	0.7	70	**GalNAc$_3$-1**	PS
	2	23		
	6	1		
ISIS 656173	0.7	45	**GalNAc$_3$-1**	PO/PS
	2	6		
	6	0		

Liver transaminase levels, alanine aminotransferase (ALT) and aspartate aminotransferase (AST), in serum were measured relative to saline injected mice using standard protocols. Total bilirubin, total albumin, CRE and BUN were also evaluated. The change in body weights was evaluated with no significant change from the saline group. ALTs, ASTs, total bilirubin and BUN values are shown in the table below.

Table 51

ISIS No.	Dosage mg/kg	ALT	AST	Total Albumin	Total Bilirubin	CRE	BUN	Conjugate
Saline		71.8	84.0	3.1	0.2	0.2	22.9	
404071	3	152.8	176.0	3.1	0.3	0.2	23.0	none

25 Feb 2026
2026201390

	10	73.3	121.5	3.0	0.2	0.2	21.4	
	30	82.5	92.3	3.0	0.2	0.2	23.0	
656172	0.7	62.5	111.5	3.1	0.2	0.2	23.8	**GalNac$_3$-1** (3')
	2	33.0	51.8	2.9	0.2	0.2	22.0	
	6	65.0	71.5	3.2	0.2	0.2	23.9	
656173	0.7	54.8	90.5	3.0	0.2	0.2	24.9	**GalNac$_3$-1** (3')
	2	85.8	71.5	3.2	0.2	0.2	21.0	
	6	114.0	101.8	3.3	0.2	0.2	22.7	

Example 60: Effects of conjugated ASOs targeting SRB-1 *in vitro*

The oligonucleotides listed below were tested in a multiple dose study for antisense inhibition of SRB-1 in primary mouse hepatocytes. ISIS 353382 was included as an unconjugated standard. Each of the conjugate groups were attached at the 3' or 5' terminus of the respective oligonucleotide by a phosphodiester linked 2'-deoxyadenosine nucleoside cleavable moiety.

Table 52

Modified ASO targeting SRB-1

ASO	Sequence (5' to 3')	Motif	Conjugate	SEQ ID No.
ISIS 353382	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	none	108
ISIS 655861	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{eo}$**$A_{do'}$-GalNAc$_3-1_a$**	5/10/5	**GalNAc$_3$-1**	110
ISIS 655862	$G_{es}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{eo}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{eo}{}^{m}C_{eo}{}^{m}C_{es}T_{es}T_{eo}$**$A_{do'}$-GalNAc$_3-1_a$**	5/10/5	**GalNAc$_3$-1**	110
ISIS 661161	**GalNAc$_3$-3$_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-3**	109
ISIS 665001	**GalNAc$_3$-8$_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-8**	109
ISIS 664078	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{eo}$**$A_{do'}$-GalNAc$_3-9_a$**	5/10/5	**GalNAc$_3$-9**	110
ISIS 666961	**GalNAc$_3$-6$_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-6**	109
ISIS 664507	**GalNAc$_3$-2$_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-2**	109
ISIS 666881	**GalNAc$_3$-10$_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-10**	109
ISIS 666224	**GalNAc$_3$-5$_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-5**	109
ISIS 666981	**GalNAc$_3$-7$_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	5/10/5	**GalNAc$_3$-7**	109

Capital letters indicate the nucleobase for each nucleoside and ^{m}C indicates a 5-methyl cytosine. Subscripts: "e" indicates a 2'-MOE modified nucleoside; "d" indicates a β-D-2'-deoxyribonucleoside; "s" indicates a phosphorothioate internucleoside linkage (PS); "o" indicates a phosphodiester internucleoside linkage (PO); and "o'" indicates -O-P(=O)(OH)-. Conjugate groups are in bold.

25 Feb 2026
2026201390

The structure of GalNAc$_3$-1$_a$ was shown previously in Example 9. The structure of GalNAc$_3$-3a was shown previously in Example 39. The structure of GalNAc$_3$-8a was shown previously in Example 47. The structure of GalNAc$_3$-9a was shown previously in Example 52. The structure of GalNAc$_3$-6a was shown previously in Example 51. The structure of GalNAc$_3$-2a was shown previously in Example 37. The structure of GalNAc$_3$-10a was shown previously in Example 46. The structure of GalNAc$_3$-5a was shown previously in Example 49. The structure of GalNAc$_3$-7a was shown previously in Example 48.

Treatment

The oligonucleotides listed above were tested *in vitro* in primary mouse hepatocyte cells plated at a density of 25,000 cells per well and treated with 0.03, 0.08, 0.24, 0.74, 2.22, 6.67 or 20 nM modified oligonucleotide. After a treatment period of approximately 16 hours, RNA was isolated from the cells and mRNA levels were measured by quantitative real-time PCR and the SRB-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®.


The IC_{50} was calculated using standard methods and the results are presented in Table 53. The results show that, under free uptake conditions in which no reagents or electroporation techniques are used to artificially promote entry of the oligonucleotides into cells, the oligonucleotides comprising a GalNAc conjugate were significantly more potent in hepatocytes than the parent oligonucleotide (ISIS 353382) that does not comprise a GalNAc conjugate.


Table 53

ASO	IC_{50} (nM)	Internucleoside linkages	Conjugate	SEQ ID No.
ISIS 353382	190[a]	PS	none	108
ISIS 655861	11[a]	PS	**GalNAc$_3$-1**	110
ISIS 655862	3	PO/PS	**GalNAc$_3$-1**	110
ISIS 661161	15[a]	PS	**GalNAc$_3$-3**	109
ISIS 665001	20	PS	**GalNAc$_3$-8**	109
ISIS 664078	55	PS	**GalNAc$_3$-9**	110
ISIS 666961	22[a]	PS	**GalNAc$_3$-6**	109
ISIS 664507	30	PS	**GalNAc$_3$-2**	109
ISIS 666881	30	PS	**GalNAc$_3$-10**	109
ISIS 666224	30[a]	PS	**GalNAc$_3$-5**	109
ISIS 666981	40	PS	**GalNAc$_3$-7**	109

[a]Average of multiple runs.

Example 61: Preparation of oligomeric compound 175 comprising GalNAc$_3$-12


166
91a
167
TFA
DCM
168
169
HBTU
DIEA
DMF
170
Pd(OH)2/C, H2
MeOH/EtOAc
171



172


25 Feb 2026

2026201390

72

$Pd(OH)_2$ / C , H_2


MeOH / EtOAc



173


PFP-TFA

DIEA DMF




174

2026201390 25 Feb 2026




Compound 169 is commercially available. Compound 172 was prepared by addition of benzyl (perfluorophenyl) glutarate to compound 171. The benzyl (perfluorophenyl) glutarate was prepared by adding PFP-TFA and DIEA to 5-(benzyloxy)-5-oxopentanoic acid in DMF. Oligomeric compound 175, comprising a $GalNAc_3$-12 conjugate group, was prepared from compound 174 using the general procedures illustrated in Example 46. The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-12 ($GalNAc_3$-12_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In a certain embodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-. The structure of $GalNAc_3$-12 ($GalNAc_3$-12_a-CM-) is shown below:

2026201390 25 Feb 2026




25 Feb 2026
2026201390


Example 62: Preparation of oligomeric compound 180 comprising GalNAc$_3$-13




2026201390 25 Feb 2026



179






180

Compound 176 was prepared using the general procedure shown in Example 2. Oligomeric compound 180, comprising a $GalNAc_3$-13 conjugate group, was prepared from compound 177 using the general procedures illustrated in Example 49. The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-13 ($GalNAc_3$-13_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In a


2026201390 25 Feb 2026

certainembodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-. The structure of $GalNAc_3$-13 ($GalNAc_3$-13_a-CM-) is shown below:




2026201390 25 Feb 2026


Example 63: Preparation of oligomeric compound 188 comprising $GalNAc_3$-14


HO
NHCBz
13
181
HBTU, DIEA
DMF
182
4
AcO
OAc
NHAc
183
Pd/C, H2
NH2
184
185
HBTU,
DIEA,
DMF
186
1. Pd/C, H2
2. PFP.TFA, pyr,
DMF
F
187


2026201390 25 Feb 2026




Compounds 181 and 185 are commercially available. Oligomeric compound 188, comprising a $GalNAc_3$-14 conjugate group, was prepared from compound 187 using the general procedures illustrated in Example 46. The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-14 ($GalNAc_3$-14_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-. The structure of $GalNAc_3$-14 ($GalNAc_3$-14_a-CM-) is shown below:



Example 64: Preparation of oligomeric compound 197 comprising $GalNAc_3$-15



AcO
OAc
AcO
AcHN
OH
O
7
OTBS
189
N
H
HBTU, DIEA
DMF
190
7 N NH3/MeOH
HO
OH
HO
AcHN
191
Bz2O, DMAP
BzO
OBz
BzO
AcHN
192
Et3N.HF
193
Phosphitylation
P
NC
194

2026201390 25 Feb 2026



Compound 189 is commercially available. Compound 195 was prepared using the general procedure shown in Example 31. Oligomeric compound 197, comprising a $GalNAc_3$-15 conjugate group, was prepared from compounds 194 and 195 using standard oligonucleotide synthesis procedures. The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-15 ($GalNAc_3$-15_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-. The structure of $GalNAc_3$-15 ($GalNAc_3$-15_a-CM-) is shown below:

2026201390 25 Feb 2026



Example 65: Dose-dependent study of oligonucleotides comprising a 5'-conjugate group (comparison of GalNAc$_3$-3, 12, 13, 14, and 15) targeting SRB-1 *in vivo*

The oligonucleotides listed below were tested in a dose-dependent study for antisense inhibition of SRB-1 in mice. Unconjugated ISIS 353382 was included as a standard. Each of the GalNAc$_3$ conjugate groups was attached at the 5' terminus of the respective oligonucleotide by a phosphodiester linked 2'-deoxyadenosine nucleoside (cleavable moiety).

Table 54

Modified ASOs targeting SRB-1

ISIS No.	Sequences (5' to 3')	Conjugate	SEQ ID No.
353382	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	none	108
661161	**GalNAc$_3$-3$_{a\text{-}o}$,A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}$ $T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	GalNAc$_3$-3	109
671144	**GalNAc$_3$-12$_{a\text{-}o}$,A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}$ $T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	GalNAc$_3$-12	109
670061	**GalNAc$_3$-13$_{a\text{-}o}$,A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}$ $T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	GalNAc$_3$-13	109
671261	**GalNAc$_3$-14$_{a\text{-}o}$,A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}$ $T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	GalNAc$_3$-14	109
671262	**GalNAc$_3$-15$_{a\text{-}o}$,A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}$ $T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	GalNAc$_3$-15	109

Capital letters indicate the nucleobase for each nucleoside and ^{m}C indicates a 5-methyl cytosine. Subscripts: "e" indicates a 2'-MOE modified nucleoside; "d" indicates a β-D-2'-deoxyribonucleoside; "s" indicates a phosphorothioate internucleoside linkage (PS); "o" indicates a phosphodiester internucleoside linkage (PO); and "o'" indicates -O-P(=O)(OH)-. Conjugate groups are in bold.

25 Feb 2026
2026201390

The structure of GalNAc$_3$-3$_a$ was shown previously in Example 39. The structure of GalNAc$_3$-12a was shown previously in Example 61. The structure of GalNAc$_3$-13a was shown previously in Example 62. The structure of GalNAc$_3$-14a was shown previously in Example 63. The structure of GalNAc$_3$-15a was shown previously in Example 64.

Treatment

Six to eight week old C57bl6 mice (Jackson Laboratory, Bar Harbor, ME) were injected subcutaneously once or twice at the dosage shown below with ISIS 353382, 661161, 671144, 670061, 671261, 671262, or with saline. Mice that were dosed twice received the second dose three days after the first dose. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration to determine the liver SRB-1 mRNA levels using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. The results below are presented as the average percent of SRB-1 mRNA levels for each treatment group, normalized to the saline control.

As illustrated in Table 55, treatment with antisense oligonucleotides lowered SRB-1 mRNA levels in a dose-dependent manner. No significant differences in target knockdown were observed between animals that received a single dose and animals that received two doses (see ISIS 353382 dosages 30 and 2 x 15 mg/kg; and ISIS 661161 dosages 5 and 2 x 2.5 mg/kg). The antisense oligonucleotides comprising the phosphodiester linked GalNAc$_3$-3, 12, 13, 14, and 15 conjugates showed substantial improvement in potency compared to the unconjugated antisense oligonucleotide (ISIS 335382).

Table 55

SRB-1 mRNA (% Saline)

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA (% Saline)	ED_{50} (mg/kg)	Conjugate
Saline	n/a	100.0	n/a	n/a
353382	3	85.0	22.4	none
	10	69.2		
	30	34.2		
	2 x 15	36.0		
661161	0.5	87.4	2.2	GalNAc$_3$-3
	1.5	59.0		
	5	25.6		
	2 x 2.5	27.5		
	15	17.4		
671144	0.5	101.2	3.4	GalNAc$_3$-12
	1.5	76.1		
	5	32.0		
	15	17.6		
670061	0.5	94.8	2.1	GalNAc$_3$-13
	1.5	57.8		
	5	20.7		

25 Feb 2026

2026201390

	15	13.3		
671261	0.5	110.7	4.1	$GalNAc_3$-14
	1.5	81.9		
	5	39.8		
	15	14.1		
671262	0.5	109.4	9.8	$GalNAc_3$-15
	1.5	99.5		
	5	69.2		
	15	36.1		

Liver transaminase levels, alanine aminotransferase (ALT) and aspartate aminotransferase (AST), in serum were measured relative to saline injected mice using standard protocols. Total bilirubin and BUN were also evaluated. The changes in body weights were evaluated with no significant differences from the saline group (data not shown). ALTs, ASTs, total bilirubin and BUN values are shown in Table 56 below.

Table 56

ISIS No.	Dosage (mg/kg)	ALT (U/L)	AST (U/L)	Total Bilirubin (mg/dL)	BUN (mg/dL)	Conjugate
Saline	n/a	28	60	0.1	39	n/a
353382	3	30	77	0.2	36	none
	10	25	78	0.2	36	
	30	28	62	0.2	35	
	2 x 15	22	59	0.2	33	
661161	0.5	39	72	0.2	34	$GalNAc_3$-3
	1.5	26	50	0.2	33	
	5	41	80	0.2	32	
	2 x 2.5	24	72	0.2	28	
	15	32	69	0.2	36	
671144	0.5	25	39	0.2	34	$GalNAc_3$-12
	1.5	26	55	0.2	28	
	5	48	82	0.2	34	
	15	23	46	0.2	32	
670061	0.5	27	53	0.2	33	$GalNAc_3$-13
	1.5	24	45	0.2	35	
	5	23	58	0.1	34	
	15	24	72	0.1	31	
671261	0.5	69	99	0.1	33	$GalNAc_3$-14
	1.5	34	62	0.1	33	
	5	43	73	0.1	32	
	15	32	53	0.2	30	
671262	0.5	24	51	0.2	29	$GalNAc_3$-15
	1.5	32	62	0.1	31	
	5	30	76	0.2	32	
	15	31	64	0.1	32	

Example 66: Effect of various cleavable moieties on antisense inhibition *in vivo* by oligonucleotides targeting SRB-1 comprising a 5'-$GalNAc_3$ cluster

2026201390 25 Feb 2026

The oligonucleotides listed below were tested in a dose-dependent study for antisense inhibition of SRB-1 in mice. Each of the $GalNAc_3$ conjugate groups was attached at the 5' terminus of the respective oligonucleotide by a phosphodiester linked nucleoside (cleavable moiety (CM)).

Table 57

Modified ASOs targeting SRB-1

ISIS No.	Sequences (5' to 3')	$GalNAc_3$ Cluster	CM	SEQ ID No.
661161	**$GalNAc_3$-$3_{a\text{-}o}$'A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	$GalNAc_3$-3a	A_d	109
670699	**$GalNAc_3$-$3_{a\text{-}o}$'T_{do}**$G_{es}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{eo}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{eo}{}^{m}C_{eo}{}^{m}C_{es}T_{es}T_{e}$	$GalNAc_3$-3a	T_d	116
670700	**$GalNAc_3$-$3_{a\text{-}o}$'A_{eo}**$G_{es}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{eo}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{eo}{}^{m}C_{eo}{}^{m}C_{es}T_{es}T_{e}$	$GalNAc_3$-3a	A_e	109
670701	**$GalNAc_3$-$3_{a\text{-}o}$'T_{eo}**$G_{es}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{eo}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{eo}{}^{m}C_{eo}{}^{m}C_{es}T_{es}T_{e}$	$GalNAc_3$-3a	T_e	116
671165	**$GalNAc_3$-$13_{a\text{-}o}$'A_{do}**$G_{es}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{eo}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{eo}{}^{m}C_{eo}{}^{m}C_{es}T_{es}T_{e}$	$GalNAc_3$-13a	A_d	109

Capital letters indicate the nucleobase for each nucleoside and ^{m}C indicates a 5-methyl cytosine. Subscripts: "e" indicates a 2'-MOE modified nucleoside; "d" indicates a β-D-2'-deoxyribonucleoside; "s" indicates a phosphorothioate internucleoside linkage (PS); "o" indicates a phosphodiester internucleoside linkage (PO); and "o'" indicates -O-P(=O)(OH)-. Conjugate groups are in bold.

The structure of $GalNAc_3$-3_a was shown previously in Example 39. The structure of $GalNAc_3$-13a was shown previously in Example 62.

Treatment

Six to eight week old C57bl6 mice (Jackson Laboratory, Bar Harbor, ME) were injected subcutaneously once at the dosage shown below with ISIS 661161, 670699, 670700, 670701, 671165, or with saline. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration to determine the liver SRB-1 mRNA levels using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. The results below are presented as the average percent of SRB-1 mRNA levels for each treatment group, normalized to the saline control.

As illustrated in Table 58, treatment with antisense oligonucleotides lowered SRB-1 mRNA levels in a dose-dependent manner. The antisense oligonucleotides comprising various cleavable moieties all showed similar potencies.

2026201390 25 Feb 2026

Table 58

SRB-1 mRNA (% Saline)

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA (% Saline)	$GalNAc_3$ Cluster	CM
Saline	n/a	100.0	n/a	n/a
661161	0.5	87.8	$GalNAc_3$-3a	A_d
	1.5	61.3		
	5	33.8		
	15	14.0		
670699	0.5	89.4	$GalNAc_3$-3a	T_d
	1.5	59.4		
	5	31.3		
	15	17.1		
670700	0.5	79.0	$GalNAc_3$-3a	A_e
	1.5	63.3		
	5	32.8		
	15	17.9		
670701	0.5	79.1	$GalNAc_3$-3a	T_e
	1.5	59.2		
	5	35.8		
	15	17.7		
671165	0.5	76.4	$GalNAc_3$-13a	A_d
	1.5	43.2		
	5	22.6		
	15	10.0		

Liver transaminase levels, alanine aminotransferase (ALT) and aspartate aminotransferase (AST), in serum were measured relative to saline injected mice using standard protocols. Total bilirubin and BUN were also evaluated. The changes in body weights were evaluated with no significant differences from the saline group (data not shown). ALTs, ASTs, total bilirubin and BUN values are shown in Table 56 below.

Table 59


ISIS No.	Dosage (mg/kg)	ALT (U/L)	AST (U/L)	Total Bilirubin (mg/dL)	BUN (mg/dL)	$GalNAc_3$ Cluster	CM
Saline	n/a	24	64	0.2	31	n/a	n/a
661161	0.5	25	64	0.2	31	$GalNAc_3$-3a	A_d
	1.5	24	50	0.2	32		
	5	26	55	0.2	28		
	15	27	52	0.2	31		
670699	0.5	42	83	0.2	31	$GalNAc_3$-3a	T_d
	1.5	33	58	0.2	32		
	5	26	70	0.2	29		
	15	25	67	0.2	29		
670700	0.5	40	74	0.2	27	$GalNAc_3$-3a	A_e
	1.5	23	62	0.2	27		
	5	24	49	0.2	29		
	15	25	87	0.1	25		

2026201390 25 Feb 2026

670701	0.5	30	77	0.2	27	$GalNAc_3$-3a	T_e
	1.5	22	55	0.2	30		
	5	81	101	0.2	25		
	15	31	82	0.2	24		
671165	0.5	44	84	0.2	26	$GalNAc_3$-13a	A_d
	1.5	47	71	0.1	24		
	5	33	91	0.2	26		
	15	33	56	0.2	29		


2026201390 25 Feb 2026

Example 67: Preparation of oligomeric compound 199 comprising GalNAc$_3$-16




Oligomeric compound 199, comprising a GalNAc$_3$-16 conjugate group, is prepared using the general procedures illustrated in Examples 7 and 9. The GalNAc$_3$ cluster portion of the conjugate group GalNAc$_3$-16 (GalNAc$_3$-16$_a$) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A$_d$-P(=O)(OH)-.The structure of GalNAc$_3$-16 (GalNAc$_3$-16$_a$-CM-) is shown below:

2026201390 25 Feb 2026




Example 68: Preparation of oligomeric compound 200 comprising GalNAc$_3$-17




Oligomeric compound 200, comprising a GalNAc$_3$-17 conjugate group, was prepared using the general procedures illustrated in Example 46. The GalNAc$_3$ cluster portion of the conjugate group GalNAc$_3$-17 (GalNAc$_3$-17$_a$) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A$_d$-P(=O)(OH)-. The structure of GalNAc$_3$-17 (GalNAc$_3$-17$_a$-CM-) is shown below:

2026201390 25 Feb 2026




Example 69: Preparation of oligomeric compound 201 comprising GalNAc$_3$-18




Oligomeric compound 201, comprising a GalNAc$_3$-18 conjugate group, was prepared using the general procedures illustrated in Example 46. The GalNAc$_3$ cluster portion of the conjugate group GalNAc$_3$-18 (GalNAc$_3$-18$_a$) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A$_d$-P(=O)(OH)-. The structure of GalNAc$_3$-18 (GalNAc$_3$-18$_a$-CM-) is shown below:

25 Feb 2026

2026201390




Example 70: Preparation of oligomeric compound 204 comprising GalNAc$_3$-19



Oligomeric compound 204, comprising a GalNAc$_3$-19 conjugate group, was prepared from compound 64 using the general procedures illustrated in Example 52. The GalNAc$_3$ cluster portion of the conjugate group

2026201390 25 Feb 2026


$GalNAc_3$-19 ($GalNAc_3$-19_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-. The structure of $GalNAc_3$-19 ($GalNAc_3$-19_a-CM-) is shown below:



25 Feb 2026


2026201390

Example 71: Preparation of oligomeric compound 210 comprising GalNAc$_3$-20




2026201390 25 Feb 2026

Compound 205 was prepared by adding PFP-TFA and DIEA to 6-(2,2,2-trifluoroacetamido)hexanoic acid in acetonitrile ,which was prepared by adding triflic anhydride to 6-aminohexanoic acid. The reaction mixture was heated to 80 °C, then lowered to rt. Oligomeric compound 210, comprising a $GalNAc_3$-20 conjugate group, was prepared from compound 208 using the general procedures illustrated in Example 52. The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-20 ($GalNAc_3$-20_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-. The structure of $GalNAc_3$-20 ($GalNAc_3$-20_a-CM-) is shown below:




25 Feb 2026
2026201390

Example 72: Preparation of oligomeric compound 215 comprising GalNAc$_3$-21



2026201390 25 Feb 2026


Compound 211 is commercially available. Oligomeric compound 215, comprising a $GalNAc_3$-21 conjugate group, was prepared from compound 213 using the general procedures illustrated in Example 52. The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-21 ($GalNAc_3$-21_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-. The structure of $GalNAc_3$-21 ($GalNAc_3$-21_a-CM-) is shown below:




25 Feb 2026

2026201390

Example 73: Preparation of oligomeric compound 221 comprising GalNAc$_3$-22




2026201390 25 Feb 2026



221

Compound 220 was prepared from compound 219 using diisopropylammonium tetrazolide. Oligomeric compound 221, comprising a $GalNAc_3$-21 conjugate group, is prepared from compound 220 using the general procedure illustrated in Example 52. The $GalNAc_3$ cluster portion of the conjugate group $GalNAc_3$-22 ($GalNAc_3$-22_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the cleavable moiety is -P(=O)(OH)-A_d-P(=O)(OH)-. The structure of $GalNAc_3$-22 ($GalNAc_3$-22_a-CM-) is shown below:



Example 74: Effect of various cleavable moieties on antisense inhibition *in vivo* by oligonucleotides targeting SRB-1 comprising a 5'-$GalNAc_3$ conjugate

2026201390 25 Feb 2026

The oligonucleotides listed below were tested in a dose-dependent study for antisense inhibition of SRB-1 in mice. Each of the $GalNAc_3$ conjugate groups was attached at the 5' terminus of the respective oligonucleotide.

Table 60

Modified ASOs targeting SRB-1

ISIS No.	Sequences (5' to 3')	$GalNAc_3$ Cluster	CM	SEQ ID No.
353382	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	n/a	n/a	108
661161	**$GalNAc_3$-$3_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	$GalNAc_3$-3a	A_d	109
666904	**$GalNAc_3$-$3_{a\text{-}o}$,**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	$GalNAc_3$-3a	PO	108
675441	**$GalNAc_3$-$17_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	$GalNAc_3$-17a	A_d	109
675442	**$GalNAc_3$-$18_{a\text{-}o}$,A_{do}**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	$GalNAc_3$-18a	A_d	109

In all tables, capital letters indicate the nucleobase for each nucleoside and ^{m}C indicates a 5-methyl cytosine. Subscripts: "e" indicates a 2'-MOE modified nucleoside; "d" indicates a β-D-2'-deoxyribonucleoside; "s" indicates a phosphorothioate internucleoside linkage (PS); "o" indicates a phosphodiester internucleoside linkage (PO); and "o'" indicates -O-P(=O)(OH)-. Conjugate groups are in bold.

The structure of $GalNAc_3$-3_a was shown previously in Example 39. The structure of $GalNAc_3$-17a was shown previously in Example 68, and the structure of $GalNAc_3$-18a was shown in Example 69.

Treatment

Six to eight week old C57BL/6 mice (Jackson Laboratory, Bar Harbor, ME) were injected subcutaneously once at the dosage shown below with an oligonucleotide listed in Table 60 or with saline. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration to determine the SRB-1 mRNA levels using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. The results below are presented as the average percent of SRB-1 mRNA levels for each treatment group, normalized to the saline control.

As illustrated in Table 61, treatment with antisense oligonucleotides lowered SRB-1 mRNA levels in a dose-dependent manner. The antisense oligonucleotides comprising a GalNAc conjugate showed similar potencies and were significantly more potent than the parent oligonucleotide lacking a GalNAc conjugate.

Table 61

SRB-1 mRNA (% Saline)

2026201390 25 Feb 2026

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA (% Saline)	$GalNAc_3$ Cluster	CM
Saline	n/a	100.0	n/a	n/a
353382	3	79.38	n/a	n/a
	10	68.67		
	30	40.70		
661161	0.5	79.18	$GalNAc_3$-3a	A_d
	1.5	75.96		
	5	30.53		
	15	12.52		
666904	0.5	91.30	$GalNAc_3$-3a	PO
	1.5	57.88		
	5	21.22		
	15	16.49		
675441	0.5	76.71	$GalNAc_3$-17a	A_d
	1.5	63.63		
	5	29.57		
	15	13.49		
675442	0.5	95.03	$GalNAc_3$-18a	A_d
	1.5	60.06		
	5	31.04		
	15	19.40		

Liver transaminase levels, alanine aminotransferase (ALT) and aspartate aminotransferase (AST), in serum were measured relative to saline injected mice using standard protocols. Total bilirubin and BUN were also evaluated. The change in body weights was evaluated with no significant change from the saline group (data not shown). ALTs, ASTs, total bilirubin and BUN values are shown in Table 62 below.

Table 62

ISIS No.	Dosage (mg/kg)	ALT (U/L)	AST (U/L)	Total Bilirubin (mg/dL)	BUN (mg/dL)	$GalNAc_3$ Cluster	CM
Saline	n/a	26	59	0.16	42	n/a	n/a
353382	3	23	58	0.18	39	n/a	n/a
	10	28	58	0.16	43		
	30	20	48	0.12	34		
661161	0.5	30	47	0.13	35	$GalNAc_3$-3a	A_d
	1.5	23	53	0.14	37		
	5	26	48	0.15	39		
	15	32	57	0.15	42		
666904	0.5	24	73	0.13	36	$GalNAc_3$-3a	PO
	1.5	21	48	0.12	32		
	5	19	49	0.14	33		
	15	20	52	0.15	26		
675441	0.5	42	148	0.21	36	$GalNAc_3$-17a	A_d
	1.5	60	95	0.16	34		
	5	27	75	0.14	37		
	15	24	61	0.14	36		
675442	0.5	26	65	0.15	37	$GalNAc_3$-18a	A_d
	1.5	25	64	0.15	43		

2026201390 25 Feb 2026

	5	27	69	0.15	37		
	15	30	84	0.14	37		

Example 75: Pharmacokinetic analysis of oligonucleotides comprising a 5'-conjugate group

The PK of the ASOs in Tables 54, 57 and 60 above was evaluated using liver samples that were obtained following the treatment procedures described in Examples 65, 66, and 74. The liver samples were minced and extracted using standard protocols and analyzed by IP-HPLC-MS alongside an internal standard. The combined tissue level (μg/g) of all metabolites was measured by integrating the appropriate UV peaks, and the tissue level of the full-length ASO missing the conjugate ("parent," which is Isis No. 353382 in this case) was measured using the appropriate extracted ion chromatograms (EIC).

Table 63

PK Analysis in Liver


ISIS No.	Dosage (mg/kg)	Total Tissue Level by UV (μg/g)	Parent ASO Tissue Level by EIC (μg/g)	$GalNAc_3$ Cluster	CM
353382	3	8.9	8.6	n/a	n/a
	10	22.4	21.0		
	30	54.2	44.2		
661161	5	32.4	20.7	$GalNAc_3$-3a	A_d
	15	63.2	44.1		
671144	5	20.5	19.2	$GalNAc_3$-12a	A_d
	15	48.6	41.5		
670061	5	31.6	28.0	$GalNAc_3$-13a	A_d
	15	67.6	55.5		
671261	5	19.8	16.8	$GalNAc_3$-14a	A_d
	15	64.7	49.1		
671262	5	18.5	7.4	$GalNAc_3$-15a	A_d
	15	52.3	24.2		
670699	5	16.4	10.4	$GalNAc_3$-3a	T_d
	15	31.5	22.5		
670700	5	19.3	10.9	$GalNAc_3$-3a	A_e
	15	38.1	20.0		
670701	5	21.8	8.8	$GalNAc_3$-3a	T_e
	15	35.2	16.1		
671165	5	27.1	26.5	$GalNAc_3$-13a	A_d
	15	48.3	44.3		
666904	5	30.8	24.0	$GalNAc_3$-3a	PO
	15	52.6	37.6		
675441	5	25.4	19.0	$GalNAc_3$-17a	A_d
	15	54.2	42.1		
675442	5	22.2	20.7	$GalNAc_3$-18a	A_d
	15	39.6	29.0		

The results in Table 63 above show that there were greater liver tissue levels of the oligonucleotides comprising a $GalNAc_3$ conjugate group than of the parent oligonucleotide that does not comprise a $GalNAc_3$

25 Feb 2026
2026201390


conjugate group (ISIS 353382) 72 hours following oligonucleotide administration, particularly when taking into consideration the differences in dosing between the oligonucleotides with and without a $GalNAc_3$ conjugate group. Furthermore, by 72 hours, 40-98% of each oligonucleotide comprising a $GalNAc_3$ conjugate group was metabolized to the parent compound, indicating that the $GalNAc_3$ conjugate groups were cleaved from the oligonucleotides.

Example 76: Preparation of oligomeric compound 230 comprising $GalNAc_3$-23


ToSCl
Pyr
NaN3
222
223
4, TMSOTf
224
225
Pd(OH)2
H2, EtOAc, MeOH
226
ACN
227
228
1) Reduce
2) Couple Diacid
3) Pd/C
4) PFPTFA
229

25 Feb 2026

2026201390




Compound 222 is commercially available. 44.48 ml (0.33 mol) of compound 222 was treated with tosyl chloride (25.39 g, 0.13 mol) in pyridine (500mL) for 16 hours. The reaction was then evaporated to an oil, dissolved in EtOAc and washed with water, sat. $NaHCO_3$, brine, and dried over Na_2SO_4. The ethyl acetate was concentrated to dryness and purified by column chromatography, eluted with EtOAc/hexanes (1:1) followed by 10% methanol in CH_2Cl_2 to give compound 223 as a colorless oil. LCMS and NMR were consistent with the structure. 10 g (32.86 mmol) of 1-Tosyltriethylene glycol (compound 223) was treated with sodium azide (10.68 g, 164.28 mmol) in DMSO (100mL) at room temperature for 17 hours. The reaction mixture was then poured onto water, and extracted with EtOAc. The organic layer was washed with water three times and dried over Na_2SO_4. The organic layer was concentrated to dryness to give 5.3g of compound 224 (92%). LCMS and NMR were consistent with the structure. 1-Azidotriethylene glycol (compound 224, 5.53 g, 23.69 mmol) and compound 4 (6 g, 18.22 mmol) were treated with 4A molecular sieves (5g), and TMSOTf (1.65 ml, 9.11 mmol) in dichloromethane (100mL) under an inert atmosphere. After 14 hours, the reaction was filtered to remove the sieves, and the organic layer was washed with sat. $NaHCO_3$, water, brine, and dried over Na_2SO_4. The organic layer was concentrated to dryness and purified by column chromatography, eluted with a gradient of 2 to 4% methanol in dichloromethane to give compound 225. LCMS and NMR were consistent with the structure. Compound 225 (11.9 g, 23.59 mmol) was hydrogenated in EtOAc/Methanol (4:1, 250mL) over Pearlman's catalyst. After 8 hours, the catalyst was removed by filtration and the solvents removed to dryness to give compound 226. LCMS and NMR were consistent with the structure.

2026201390 25 Feb 2026

In order to generate compound 227, a solution of nitromethanetrispropionic acid (4.17 g, 15.04 mmol) and Hunig's base (10.3 ml, 60.17 mmol) in DMF (100mL) were treated dropwise with pentaflourotrifluoro acetate (9.05 ml, 52.65 mmol). After 30 minutes, the reaction was poured onto ice water and extracted with EtOAc. The organic layer was washed with water, brine, and dried over Na_2SO_4. The organic layer was concentrated to dryness and then recrystallized from heptane to give compound 227 as a white solid. LCMS and NMR were consistent with the structure. Compound 227 (1.5 g, 1.93 mmol) and compound 226 (3.7 g, 7.74 mmol) were stirred at room temperature in acetonitrile (15 mL) for 2 hours. The reaction was then evaporated to dryness and purified by column chromatography, eluting with a gradient of 2 to10% methanol in dichloromethane to give compound 228. LCMS and NMR were consistent with the structure. Compound 228 (1.7 g, 1.02 mmol) was treated with Raney Nickel (about 2g wet) in ethanol (100mL) in an atmosphere of hydrogen. After 12 hours, the catalyst was removed by filtration and the organic layer was evaporated to a solid that was used directly in the next step. LCMS and NMR were consistent with the structure. This solid (0.87 g, 0.53 mmol) was treated with benzylglutaric acid (0.18 g, 0.8 mmol), HBTU (0.3 g, 0.8 mmol) and DIEA (273.7 µl, 1.6 mmol) in DMF (5mL). After 16 hours, the DMF was removed under reduced pressure at 65°C to an oil, and the oil was dissolved in dichloromethane. The organic layer was washed with sat. $NaHCO_3$, brine, and dried over Na_2SO_4. After evaporation of the organic layer, the compound was purified by column chromatography and eluted with a gradient of 2 to 20% methanol in dichloromethane to give the coupled product. LCMS and NMR were consistent with the structure. The benzyl ester was deprotected with Pearlman's catalyst under a hydrogen atmosphere for 1 hour. The catalyst was them removed by filtration and the solvents removed to dryness to give the acid. LCMS and NMR were consistent with the structure. The acid (486 mg, 0.27 mmol) was dissolved in dry DMF (3 mL). Pyridine (53.61 µl, 0.66 mmol) was added and the reaction was purged with argon. Pentaflourotriflouro acetate (46.39 µl, 0.4 mmol) was slowly added to the reaction mixture. The color of the reaction changed from pale yellow to burgundy, and gave off a light smoke which was blown away with a stream of argon. The reaction was allowed to stir at room temperature for one hour (completion of reaction was confirmed by LCMS). The solvent was removed under reduced pressure (rotovap) at 70 °C. The residue was diluted with DCM and washed with 1N $NaHSO_4$, brine, saturated sodium bicarbonate and brine again. The organics were dried over Na_2SO_4, filtered, and were concentrated to dryness to give 225 mg of compound 229 as a brittle yellow foam. LCMS and NMR were consistent with the structure.

Oligomeric compound 230, comprising a $GalNAc_3$-23 conjugate group, was prepared from compound 229 using the general procedure illustrated in Example 46. The $GalNAc_3$ cluster portion of the $GalNAc_3$-23 conjugate group ($GalNAc_3$-23_a) can be combined with any cleavable moiety to provide a variety of conjugate groups. The structure of $GalNAc_3$-23 ($GalNAc_3$-23_a-CM) is shown below:

25 Feb 2026
2026201390



Example 77: Antisense inhibition *in vivo* by oligonucleotides targeting SRB-1 comprising a GalNAc$_3$ conjugate

The oligonucleotides listed below were tested in a dose-dependent study for antisense inhibition of SRB-1 in mice.

Table 64

Modified ASOs targeting SRB-1

ISIS No.	Sequences (5' to 3')	GalNAc$_3$ Cluster	CM	SEQ ID No.
661161	**GalNAc$_3$-3$_{a\text{-}o}$,A$_{do}$**G$_{es}$^{m}C$_{es}$T$_{es}$T$_{es}$^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$^{m}C$_{ds}$A$_{ds}$T$_{ds}$ G$_{ds}$A$_{ds}$^{m}C$_{ds}$T$_{ds}$T$_{es}$^{m}C$_{es}$^{m}C$_{es}$T$_{es}$T$_{e}$	GalNAc$_3$-3a	A$_d$	109
666904	**GalNAc$_3$-3$_{a\text{-}o}$,**G$_{es}$^{m}C$_{es}$T$_{es}$T$_{es}$^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$^{m}C$_{ds}$A$_{ds}$T$_{ds}$ G$_{ds}$A$_{ds}$^{m}C$_{ds}$T$_{ds}$T$_{es}$^{m}C$_{es}$^{m}C$_{es}$T$_{es}$T$_{e}$	GalNAc$_3$-3a	PO	108
673502	**GalNAc$_3$-10$_{a\text{-}o}$,A$_{do}$**G$_{es}$^{m}C$_{eo}$T$_{eo}$T$_{eo}$^{m}C$_{eo}$A$_{ds}$G$_{ds}$T$_{ds}$^{m}C$_{ds}$A$_{ds}$T$_{ds}$ G$_{ds}$A$_{ds}$^{m}C$_{ds}$T$_{ds}$T$_{eo}$^{m}C$_{eo}$^{m}C$_{es}$T$_{es}$T$_{e}$	GalNAc$_3$-10a	A$_d$	109
677844	**GalNAc$_3$-9$_{a\text{-}o}$,A$_{do}$**G$_{es}$^{m}C$_{es}$T$_{es}$T$_{es}$^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$^{m}C$_{ds}$A$_{ds}$T$_{ds}$ G$_{ds}$A$_{ds}$^{m}C$_{ds}$T$_{ds}$T$_{es}$^{m}C$_{es}$^{m}C$_{es}$T$_{es}$T$_{e}$	GalNAc$_3$-9a	A$_d$	109
677843	**GalNAc$_3$-23$_{a\text{-}o}$,A$_{do}$**G$_{es}$^{m}C$_{es}$T$_{es}$T$_{es}$^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$^{m}C$_{ds}$A$_{ds}$T$_{ds}$ G$_{ds}$A$_{ds}$^{m}C$_{ds}$T$_{ds}$T$_{es}$^{m}C$_{es}$^{m}C$_{es}$T$_{es}$T$_{e}$	GalNAc$_3$-23a	A$_d$	109
655861	G$_{es}$^{m}C$_{es}$T$_{es}$T$_{es}$^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$^{m}C$_{ds}$T$_{ds}$T$_{es}$^{m}C$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{eo}$**A$_{do}$,-GalNAc$_3$-1$_a$**	GalNAc$_3$-1a	A$_d$	110
677841	G$_{es}$^{m}C$_{es}$T$_{es}$T$_{es}$^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$^{m}C$_{ds}$T$_{ds}$T$_{es}$^{m}C$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{eo}$**A$_{do}$,-GalNAc$_3$-19$_a$**	GalNAc$_3$-19a	A$_d$	110
677842	G$_{es}$^{m}C$_{es}$T$_{es}$T$_{es}$^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$^{m}C$_{ds}$A$_{ds}$T$_{ds}$ G$_{ds}$A$_{ds}$^{m}C$_{ds}$T$_{ds}$T$_{es}$^{m}C$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{eo}$**A$_{do}$,-GalNAc$_3$-20$_a$**	GalNAc$_3$-20a	A$_d$	110

The structure of GalNAc$_3$-1$_a$ was shown previously in Example 9, GalNAc$_3$-3$_a$ was shown in Example 39, GalNAc$_3$-9a was shown in Example 52, GalNAc$_3$-10a was shown in Example 46, GalNAc$_3$-19$_a$ was shown in Example 70, GalNAc$_3$-20$_a$ was shown in Example 71, and GalNAc$_3$-23$_a$ was shown in Example 76.

2026201390 25 Feb 2026

Treatment

Six to eight week old C57BL/6 mice (Jackson Laboratory, Bar Harbor, ME) were each injected subcutaneously once at a dosage shown below with an oligonucleotide listed in Table 64 or with saline. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration to determine the SRB-1 mRNA levels using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. The results below are presented as the average percent of SRB-1 mRNA levels for each treatment group, normalized to the saline control.

As illustrated in Table 65, treatment with antisense oligonucleotides lowered SRB-1 mRNA levels in a dose-dependent manner.

Table 65

SRB-1 mRNA (% Saline)

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA (% Saline)	$GalNAc_3$ Cluster	CM
Saline	n/a	100.0	n/a	n/a
661161	0.5	89.18	$GalNAc_3$-3a	A_d
	1.5	77.02		
	5	29.10		
	15	12.64		
666904	0.5	93.11	$GalNAc_3$-3a	PO
	1.5	55.85		
	5	21.29		
	15	13.43		
673502	0.5	77.75	$GalNAc_3$-10a	A_d
	1.5	41.05		
	5	19.27		
	15	14.41		
677844	0.5	87.65	$GalNAc_3$-9a	A_d
	1.5	93.04		
	5	40.77		
	15	16.95		
677843	0.5	102.28	$GalNAc_3$-23a	A_d
	1.5	70.51		
	5	30.68		
	15	13.26		
655861	0.5	79.72	$GalNAc_3$-1a	A_d
	1.5	55.48		
	5	26.99		
	15	17.58		
677841	0.5	67.43	$GalNAc_3$-19a	A_d
	1.5	45.13		
	5	27.02		
	15	12.41		
677842	0.5	64.13	$GalNAc_3$-20a	A_d
	1.5	53.56		
	5	20.47		
	15	10.23		

2026201390 25 Feb 2026

Liver transaminase levels, alanine aminotransferase (ALT) and aspartate aminotransferase (AST), in serum were also measured using standard protocols. Total bilirubin and BUN were also evaluated. Changes in body weights were evaluated, with no significant change from the saline group (data not shown). ALTs, ASTs, total bilirubin and BUN values are shown in Table 66 below.

Table 66

ISIS No.	Dosage (mg/kg)	ALT (U/L)	AST (U/L)	Total Bilirubin (mg/dL)	BUN (mg/dL)	$GalNAc_3$ Cluster	CM
Saline	n/a	21	45	0.13	34	n/a	n/a
661161	0.5	28	51	0.14	39	$GalNAc_3$-3a	A_d
	1.5	23	42	0.13	39		
	5	22	59	0.13	37		
	15	21	56	0.15	35		
666904	0.5	24	56	0.14	37	$GalNAc_3$-3a	PO
	1.5	26	68	0.15	35		
	5	23	77	0.14	34		
	15	24	60	0.13	35		
673502	0.5	24	59	0.16	34	$GalNAc_3$-10a	A_d
	1.5	20	46	0.17	32		
	5	24	45	0.12	31		
	15	24	47	0.13	34		
677844	0.5	25	61	0.14	37	$GalNAc_3$-9a	A_d
	1.5	23	64	0.17	33		
	5	25	58	0.13	35		
	15	22	65	0.14	34		
677843	0.5	53	53	0.13	35	$GalNAc_3$-23a	A_d
	1.5	25	54	0.13	34		
	5	21	60	0.15	34		
	15	22	43	0.12	38		
655861	0.5	21	48	0.15	33	$GalNAc_3$-1a	A_d
	1.5	28	54	0.12	35		
	5	22	60	0.13	36		
	15	21	55	0.17	30		
677841	0.5	32	54	0.13	34	$GalNAc_3$-19a	A_d
	1.5	24	56	0.14	34		
	5	23	92	0.18	31		
	15	24	58	0.15	31		
677842	0.5	23	61	0.15	35	$GalNAc_3$-20a	A_d
	1.5	24	57	0.14	34		
	5	41	62	0.15	35		
	15	24	37	0.14	32		

Example 78: Antisense inhibition *in vivo* by oligonucleotides targeting Angiotensinogen comprising a $GalNAc_3$ conjugate

The oligonucleotides listed below were tested in a dose-dependent study for antisense inhibition of Angiotensinogen (AGT) in normotensive Sprague Dawley rats.

25 Feb 2026

2026201390

Table 67

Modified ASOs targeting AGT

ISIS No.	Sequences (5' to 3')	$GalNAc_3$ Cluster	CM	SEQ ID No.
552668	$^{m}C_{es}A_{es}{}^{m}C_{es}T_{es}G_{es}A_{ds}T_{ds}T_{ds}T_{ds}T_{ds}G_{ds}{}^{m}C_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{es}G_{es}G_{es}A_{es}T_{e}$	n/a	n/a	117
669509	$^{m}C_{es}A_{es}{}^{m}C_{es}T_{es}G_{es}A_{ds}T_{ds}T_{ds}T_{ds}T_{ds}G_{ds}{}^{m}C_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{es}G_{es}G_{es}A_{es}T_{eo}\mathbf{A_{do'}\text{-}GalNAc_3\text{-}1_a}$	$GalNAc_3$-1_a	A_d	118

The structure of $GalNAc_3$-1_a was shown previously in Example 9.

Treatment

Six week old, male Sprague Dawley rats were each injected subcutaneously once per week at a dosage shown below, for a total of three doses, with an oligonucleotide listed in Table 67 or with PBS. Each treatment group consisted of 4 animals. The rats were sacrificed 72 hours following the final dose. AGT liver mRNA levels were measured using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. AGT plasma protein levels were measured using the Total Angiotensinogen ELISA (Catalog # JP27412, IBL International, Toronto, ON) with plasma diluted 1:20,000. The results below are presented as the average percent of AGT mRNA levels in liver or AGT protein levels in plasma for each treatment group, normalized to the PBS control.

As illustrated in Table 68, treatment with antisense oligonucleotides lowered AGT liver mRNA and plasma protein levels in a dose-dependent manner, and the oligonucleotide comprising a GalNAc conjugate was significantly more potent than the parent oligonucleotide lacking a GalNAc conjugate.

Table 68

AGT liver mRNA and plasma protein levels

ISIS No.	Dosage (mg/kg)	AGT liver mRNA (% PBS)	AGT plasma protein (% PBS)	$GalNAc_3$ Cluster	CM
PBS	n/a	100	100	n/a	n/a
552668	3	95	122	n/a	n/a
	10	85	97		
	30	46	79		
	90	8	11		
669509	0.3	95	70	$GalNAc_3$-1a	A_d
	1	95	129		
	3	62	97		
	10	9	23		

2026201390 25 Feb 2026

Liver transaminase levels, alanine aminotransferase (ALT) and aspartate aminotransferase (AST), in plasma and body weights were also measured at time of sacrifice using standard protocols. The results are shown in Table 69 below.

Table 69

Liver transaminase levels and rat body weights

ISIS No.	Dosage (mg/kg)	ALT (U/L)	AST (U/L)	Body Weight (% of baseline)	$GalNAc_3$ Cluster	CM
PBS	n/a	51	81	186	n/a	n/a
552668	3	54	93	183	n/a	n/a
	10	51	93	194		
	30	59	99	182		
	90	56	78	170		
669509	0.3	53	90	190	$GalNAc_3$-1a	A_d
	1	51	93	192		
	3	48	85	189		
	10	56	95	189		

Example 79: Duration of action *in vivo* of oligonucleotides targeting APOC-III comprising a $GalNAc_3$ conjugate

The oligonucleotides listed in Table 70 below were tested in a single dose study for duration of action in mice.

Table 70

Modified ASOs targeting APOC-III

ISIS No.	Sequences (5' to 3')	$GalNAc_3$ Cluster	CM	SEQ ID No.
304801	$A_{es}G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}T_{es}T_{es}T_{es}A_{es}T_{e}$	n/a	n/a	32
647535	$A_{es}G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}T_{es}T_{es}T_{es}A_{es}T_{eo}\mathbf{A_{do}}$-**GalNAc$_3-1_a$**	$GalNAc_3$-1a	A_d	111
663083	**GalNAc$_3$-3$_a$-$_o$,A$_{do}$**$A_{es}G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}T_{es}T_{es}T_{es}A_{es}T_{e}$	$GalNAc_3$-3a	A_d	119
674449	**GalNAc$_3$-7$_a$-$_o$,A$_{do}$**$A_{es}G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}T_{es}T_{es}T_{es}A_{es}T_{e}$	$GalNAc_3$-7a	A_d	119
674450	**GalNAc$_3$-10$_a$-$_o$,A$_{do}$**$A_{es}G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}T_{es}T_{es}T_{es}A_{es}T_{e}$	$GalNAc_3$-10a	A_d	119
674451	**GalNAc$_3$-13$_a$-$_o$,A$_{do}$**$A_{es}G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}T_{es}T_{es}T_{es}A_{es}T_{e}$	$GalNAc_3$-13a	A_d	119

The structure of $GalNAc_3$-1_a was shown previously in Example 9, $GalNAc_3$-3_a was shown in Example 39, $GalNAc_3$-7_a was shown in Example 48, $GalNAc_3$-10_a was shown in Example 46, and $GalNAc_3$-13_a was shown in Example 62.

2026201390 25 Feb 2026

Treatment

Six to eight week old transgenic mice that express human APOC-III were each injected subcutaneously once with an oligonucleotide listed in Table 70 or with PBS. Each treatment group consisted of 3 animals. Blood was drawn before dosing to determine baseline and at 72 hours, 1 week, 2 weeks, 3 weeks, 4 weeks, 5 weeks, and 6 weeks following the dose. Plasma triglyceride and APOC-III protein levels were measured as described in Example 20. The results below are presented as the average percent of plasma triglyceride and APOC-III levels for each treatment group, normalized to baseline levels, showing that the oligonucleotides comprising a GalNAc conjugate group exhibited a longer duration of action than the parent oligonucleotide without a conjugate group (ISIS 304801) even though the dosage of the parent was three times the dosage of the oligonucleotides comprising a GalNAc conjugate group.

Table 71
Plasma triglyceride and APOC-III protein levels in transgenic mice

ISIS No.	Dosage (mg/kg)	Time point (days post-dose)	Triglycerides (% baseline)	APOC-III protein (% baseline)	$GalNAc_3$ Cluster	CM
PBS	n/a	3	97	102	n/a	n/a
		7	101	98		
		14	108	98		
		21	107	107		
		28	94	91		
		35	88	90		
		42	91	105		
304801	30	3	40	34	n/a	n/a
		7	41	37		
		14	50	57		
		21	50	50		
		28	57	73		
		35	68	70		
		42	75	93		
647535	10	3	36	37	$GalNAc_3$-1a	A_d
		7	39	47		
		14	40	45		
		21	41	41		
		28	42	62		
		35	69	69		
		42	85	102		
663083	10	3	24	18	$GalNAc_3$-3a	A_d
		7	28	23		
		14	25	27		
		21	28	28		
		28	37	44		
		35	55	57		
		42	60	78		
674449	10	3	29	26	$GalNAc_3$-7a	A_d
		7	32	31		

2026201390 25 Feb 2026

		14	38	41		
		21	44	44		
		28	53	63		
		35	69	77		
		42	78	99		
674450	10	3	33	30	GalNAc$_3$-10a	A_d
		7	35	34		
		14	31	34		
		21	44	44		
		28	56	61		
		35	68	70		
		42	83	95		
674451	10	3	35	33	GalNAc$_3$-13a	A_d
		7	24	32		
		14	40	34		
		21	48	48		
		28	54	67		
		35	65	75		
		42	74	97		

Example 80: Antisense inhibition *in vivo* by oligonucleotides targeting Alpha-1 Antitrypsin (A1AT) comprising a GalNAc$_3$ Conjugate

The oligonucleotides listed in Table 72 below were tested in a study for dose-dependent inhibition of A1AT in mice.

Table 72

Modified ASOs targeting A1AT

ISIS No.	Sequences (5' to 3')	GalNAc$_3$ Cluster	CM	SEQ ID No.
476366	$A_{es}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{es}A_{es}A_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{ds}G_{ds}A_{ds}A_{ds}G_{ds}G_{ds}A_{es}A_{es}G_{es}G_{es}A_e$	n/a	n/a	120
656326	$A_{es}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{es}A_{es}A_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{ds}G_{ds}A_{ds}A_{ds}G_{ds}G_{ds}A_{es}A_{es}G_{es}G_{es}A_{eo}$**$A_{do'}$-GalNAc$_3-1_a$**	GalNAc$_3$-1a	A_d	121
678381	**GalNAc$_3$-3$_{a\text{-}o}$-A_{do}**$A_{es}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{es}A_{es}A_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{ds}G_{ds}A_{ds}A_{ds}G_{ds}G_{ds}A_{es}A_{es}G_{es}G_{es}A_e$	GalNAc$_3$-3a	A_d	122
678382	**GalNAc$_3$-7$_{a\text{-}o}$-A_{do}**$A_{es}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{es}A_{es}A_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{ds}G_{ds}A_{ds}A_{ds}G_{ds}G_{ds}A_{es}A_{es}G_{es}G_{es}A_e$	GalNAc$_3$-7a	A_d	122
678383	**GalNAc$_3$-10$_{a\text{-}o}$-A_{do}**$A_{es}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{es}A_{es}A_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{ds}G_{ds}A_{ds}A_{ds}G_{ds}G_{ds}A_{es}A_{es}G_{es}G_{es}A_e$	GalNAc$_3$-10a	A_d	122
678384	**GalNAc$_3$-13$_{a\text{-}o}$-A_{do}**$A_{es}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{es}A_{es}A_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{ds}G_{ds}A_{ds}A_{ds}G_{ds}G_{ds}A_{es}A_{es}G_{es}G_{es}A_e$	GalNAc$_3$-13a	A_d	122

The structure of GalNAc$_3$-1$_a$ was shown previously in Example 9, GalNAc$_3$-3$_a$ was shown in Example 39, GalNAc$_3$-7$_a$ was shown in Example 48, GalNAc$_3$-10$_a$ was shown in Example 46, and GalNAc$_3$-13$_a$ was shown in Example 62.

2026201390 25 Feb 2026

Treatment

Six week old, male C57BL/6 mice (Jackson Laboratory, Bar Harbor, ME) were each injected subcutaneously once per week at a dosage shown below, for a total of three doses, with an oligonucleotide listed in Table 72 or with PBS. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration. A1AT liver mRNA levels were determined using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. A1AT plasma protein levels were determined using the Mouse Alpha 1-Antitrypsin ELISA (catalog # 41-A1AMS-E01, Alpco, Salem, NH). The results below are presented as the average percent of A1AT liver mRNA and plasma protein levels for each treatment group, normalized to the PBS control.

As illustrated in Table 73, treatment with antisense oligonucleotides lowered A1AT liver mRNA and A1AT plasma protein levels in a dose-dependent manner. The oligonucleotides comprising a GalNAc conjugate were significantly more potent than the parent (ISIS 476366).

Table 73

A1AT liver mRNA and plasma protein levels

ISIS No.	Dosage (mg/kg)	A1AT liver mRNA (% PBS)	A1AT plasma protein (% PBS)	$GalNAc_3$ Cluster	CM
PBS	n/a	100	100	n/a	n/a
476366	5	86	78	n/a	n/a
	15	73	61		
	45	30	38		
656326	0.6	99	90	$GalNAc_3$-1a	A_d
	2	61	70		
	6	15	30		
	18	6	10		
678381	0.6	105	90	$GalNAc_3$-3a	A_d
	2	53	60		
	6	16	20		
	18	7	13		
678382	0.6	90	79	$GalNAc_3$-7a	A_d
	2	49	57		
	6	21	27		
	18	8	11		
678383	0.6	94	84	$GalNAc_3$-10a	A_d
	2	44	53		
	6	13	24		
	18	6	10		
678384	0.6	106	91	$GalNAc_3$-13a	A_d
	2	65	59		
	6	26	31		
	18	11	15		

2026201390 25 Feb 2026

Liver transaminase and BUN levels in plasma were measured at time of sacrifice using standard protocols. Body weights and organ weights were also measured. The results are shown in Table 74 below. Body weight is shown as % relative to baseline. Organ weights are shown as % of body weight relative to the PBS control group.

Table 74

ISIS No.	Dosage (mg/kg)	ALT (U/L)	AST (U/L)	BUN (mg/dL)	Body weight (% baseline)	Liver weight (Rel % BW)	Kidney weight (Rel % BW)	Spleen weight (Rel % BW)
PBS	n/a	25	51	37	119	100	100	100
476366	5	34	68	35	116	91	98	106
	15	37	74	30	122	92	101	128
	45	30	47	31	118	99	108	123
656326	0.6	29	57	40	123	100	103	119
	2	36	75	39	114	98	111	106
	6	32	67	39	125	99	97	122
	18	46	77	36	116	102	109	101
678381	0.6	26	57	32	117	93	109	110
	2	26	52	33	121	96	106	125
	6	40	78	32	124	92	106	126
	18	31	54	28	118	94	103	120
678382	0.6	26	42	35	114	100	103	103
	2	25	50	31	117	91	104	117
	6	30	79	29	117	89	102	107
	18	65	112	31	120	89	104	113
678383	0.6	30	67	38	121	91	100	123
	2	33	53	33	118	98	102	121
	6	32	63	32	117	97	105	105
	18	36	68	31	118	99	103	108
678384	0.6	36	63	31	118	98	103	98
	2	32	61	32	119	93	102	114
	6	34	69	34	122	100	100	96
	18	28	54	30	117	98	101	104

Example 81: Duration of action *in vivo* of oligonucleotides targeting A1AT comprising a GalNAc$_3$ cluster

The oligonucleotides listed in Table 72 were tested in a single dose study for duration of action in mice.

Treatment

Six week old, male C57BL/6 mice were each injected subcutaneously once with an oligonucleotide listed in Table 72 or with PBS. Each treatment group consisted of 4 animals. Blood was drawn the day before dosing to determine baseline and at 5, 12, 19, and 25 days following the dose. Plasma A1AT protein levels were measured via ELISA (see Example 80). The results below are presented as the average percent of plasma A1AT protein levels for each treatment group, normalized to baseline levels. The results show that the oligonucleotides comprising a GalNAc conjugate were more potent and had longer duration of action than the

2026201390 25 Feb 2026

parent lacking a GalNAc conjugate (ISIS 476366). Furthermore, the oligonucleotides comprising a 5'-GalNAc conjugate (ISIS 678381, 678382, 678383, and 678384) were generally even more potent with even longer duration of action than the oligonucleotide comprising a 3'-GalNAc conjugate (ISIS 656326).

Table 75

Plasma A1AT protein levels in mice

ISIS No.	Dosage (mg/kg)	Time point (days post-dose)	A1AT (% baseline)	$GalNAc_3$ Cluster	CM
PBS	n/a	5	93	n/a	n/a
		12	93		
		19	90		
		25	97		
476366	100	5	38	n/a	n/a
		12	46		
		19	62		
		25	77		
656326	18	5	33	$GalNAc_3$-1a	A_d
		12	36		
		19	51		
		25	72		
678381	18	5	21	$GalNAc_3$-3a	A_d
		12	21		
		19	35		
		25	48		
678382	18	5	21	$GalNAc_3$-7a	A_d
		12	21		
		19	39		
		25	60		
678383	18	5	24	$GalNAc_3$-10a	A_d
		12	21		
		19	45		
		25	73		
678384	18	5	29	$GalNAc_3$-13a	A_d
		12	34		
		19	57		
		25	76		

Example 82: Antisense inhibition *in vitro* by oligonucleotides targeting SRB-1 comprising a $GalNAc_3$ conjugate

Primary mouse liver hepatocytes were seeded in 96 well plates at 15,000 cells/well 2 hours prior to treatment. The oligonucleotides listed in Table 76 were added at 2, 10, 50, or 250 nM in Williams E medium and cells were incubated overnight at 37 ºC in 5% CO_2. Cells were lysed 16 hours following oligonucleotide addition, and total RNA was purified using RNease 3000 BioRobot (Qiagen). SRB-1 mRNA levels were determined using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc.

2026201390 25 Feb 2026

Eugene, OR) according to standard protocols. IC_{50} values were determined using Prism 4 software (GraphPad). The results show that oligonucleotides comprising a variety of different GalNAc conjugate groups and a variety of different cleavable moieties are significantly more potent in an *in vitro* free uptake experiment than the parent oligonucleotides lacking a GalNAc conjugate group (ISIS 353382 and 666841).

Table 76

Inhibition of SRB-1 expression *in vitro*

ISIS No.	Sequence (5' to 3')	Linkages	GalNAc cluster	CM	IC_{50} (nM)	SEQ ID No.
353382	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	PS	n/a	n/a	250	108
655861	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}\mathbf{T_{eo}A_{do}}$-**GalNAc$_3-1_a$**	PS	GalNAc$_3$-1$_a$	A_d	40	110
661161	**GalNAc$_3$-3$_a$-$_o$,A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	PS	GalNAc$_3$-3$_a$	A_d	40	109
661162	**GalNAc$_3$-3$_a$-$_o$,A$_{do}$**$G_{es}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{eo}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{eo}{}^{m}C_{eo}{}^{m}C_{es}T_{es}T_{e}$	PO/PS	GalNAc$_3$-3$_a$	A_d	8	109
664078	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}\mathbf{T_{eo}A_{do}}$-**GalNAc$_3-9_a$**	PS	GalNAc$_3$-9$_a$	A_d	20	110
665001	**GalNAc$_3$-8$_a$-$_o$,A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	PS	GalNAc$_3$-8$_a$	A_d	70	109
666224	**GalNAc$_3$-5$_a$-$_o$,A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	PS	GalNAc$_3$-5$_a$	A_d	80	109
666841	$G_{es}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{eo}{}^{m}C_{eo}{}^{m}C_{es}T_{es}T_{e}$	PO/PS	n/a	n/a	>250	108
666881	**GalNAc$_3$-10$_a$-$_o$,A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	PS	GalNAc$_3$-10$_a$	A_d	30	109
666904	**GalNAc$_3$-3$_a$-$_o$,**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	PS	GalNAc$_3$-3$_a$	PO	9	108
666924	**GalNAc$_3$-3$_a$-$_o$,T$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	PS	GalNAc$_3$-3$_a$	T_d	15	123
666961	**GalNAc$_3$-6$_a$-$_o$,A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	PS	GalNAc$_3$-6$_a$	A_d	150	109
666981	**GalNAc$_3$-7$_a$-$_o$,A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	PS	GalNAc$_3$-7$_a$	A_d	20	109
670061	**GalNAc$_3$-13$_a$-$_o$,A$_{do}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	PS	GalNAc$_3$-13$_a$	A_d	30	109
670699	**GalNAc$_3$-3$_a$-$_o$,T$_{do}$**$G_{es}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{eo}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{eo}{}^{m}C_{eo}{}^{m}C_{es}T_{es}T_{e}$	PO/PS	GalNAc$_3$-3$_a$	T_d	15	116
670700	**GalNAc$_3$-3$_a$-$_o$,A$_{eo}$**$G_{es}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{eo}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{eo}{}^{m}C_{eo}{}^{m}C_{es}T_{es}T$	PO/PS	GalNAc$_3$-3$_a$	A_e	30	109
670701	**GalNAc$_3$-3$_a$-$_o$,T$_{eo}$**$G_{es}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{eo}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{eo}{}^{m}C_{eo}{}^{m}C_{es}T_{es}T_{e}$	PO/PS	GalNAc$_3$-3$_a$	T_e	25	116

2026201390 25 Feb 2026

671144	**GalNAc$_3$-12$_{a-o}$,A$_{do}$**G$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{es}$ ^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$ ^{m}C$_{ds}$T$_{ds}$ T$_{es}$ ^{m}C$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{e}$	PS	GalNAc$_3$ -12$_a$	A$_d$	40	109
671165	**GalNAc$_3$-13$_{a-o}$,A$_{do}$**G$_{es}$ ^{m}C$_{eo}$T$_{eo}$T$_{eo}$ ^{m}C$_{eo}$A$_{ds}$G$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{ds}$T$_{ds}$ G$_{ds}$A$_{ds}$ ^{m}C$_{ds}$T$_{ds}$T$_{eo}$ ^{m}C$_{eo}$ ^{m}C$_{es}$T$_{es}$T	PO/PS	GalNAc$_3$ -13$_a$	A$_d$	8	109
671261	**GalNAc$_3$-14$_{a-o}$,A$_{do}$**G$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{es}$ ^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$ ^{m}C$_{ds}$T$_{ds}$ T$_{es}$ ^{m}C$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{e}$	PS	GalNAc$_3$ -14$_a$	A$_d$	>250	109
671262	**GalNAc$_3$-15$_{a-o}$,A$_{do}$**G$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{es}$ ^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$ ^{m}C$_{ds}$T$_{ds}$ T$_{es}$ ^{m}C$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{e}$	PS	GalNAc$_3$ -15$_a$	A$_d$	>250	109
673501	**GalNAc$_3$-7$_{a-o}$,A$_{do}$**G$_{es}$ ^{m}C$_{eo}$T$_{eo}$T$_{eo}$ ^{m}C$_{eo}$A$_{ds}$G$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$ ^{m}C$_{ds}$T$_{ds}$T$_{eo}$ ^{m}C$_{eo}$ ^{m}C$_{es}$T$_{es}$T$_{e}$	PO/PS	GalNAc$_3$ -7$_a$	A$_d$	30	109
673502	**GalNAc$_3$-10$_{a-o}$,A$_{do}$**G$_{es}$ ^{m}C$_{eo}$T$_{eo}$T$_{eo}$ ^{m}C$_{eo}$A$_{ds}$G$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$ ^{m}C$_{ds}$T$_{ds}$T$_{eo}$ ^{m}C$_{eo}$ ^{m}C$_{es}$T$_{es}$T$_{e}$	PO/PS	GalNAc$_3$ -10$_a$	A$_d$	8	109
675441	**GalNAc$_3$-17$_{a-o}$,A$_{do}$**G$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{es}$ ^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$ ^{m}C$_{ds}$T$_{ds}$ T$_{es}$ ^{m}C$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{e}$	PS	GalNAc$_3$ -17$_a$	A$_d$	30	109
675442	**GalNAc$_3$-18$_{a-o}$,A$_{do}$**G$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{es}$ ^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$ ^{m}C$_{ds}$T$_{ds}$ T$_{es}$ ^{m}C$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{e}$	PS	GalNAc$_3$ -18$_a$	A$_d$	20	109
677841	G$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{es}$ ^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$ ^{m}C$_{ds}$T$_{ds}$T$_{es}$ ^{m}C$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{eo}$**A$_{do}$-GalNAc$_3$-19$_a$**	PS	GalNAc$_3$ -19$_a$	A$_d$	40	110
677842	G$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{es}$ ^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$ ^{m}C$_{ds}$T$_{ds}$T$_{es}$ ^{m}C$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{eo}$**A$_{do}$-GalNAc$_3$-20$_a$**	PS	GalNAc$_3$ -20$_a$	A$_d$	30	110
677843	**GalNAc$_3$-23$_{a-o}$,A$_{do}$**G$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{es}$ ^{m}C$_{es}$A$_{ds}$G$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{ds}$T$_{ds}$G$_{ds}$A$_{ds}$ ^{m}C$_{ds}$T$_{ds}$ T$_{es}$ ^{m}C$_{es}$ ^{m}C$_{es}$T$_{es}$T$_{e}$	PS	GalNAc$_3$ -23$_a$	A$_d$	40	109

The structure of GalNAc$_3$-1$_a$ was shown previously in Example 9, GalNAc$_3$-3$_a$ was shown in Example 39, GalNAc$_3$-5$_a$ was shown in Example 49, GalNAc$_3$-6$_a$ was shown in Example 51, GalNAc$_3$-7$_a$ was shown in Example 48, GalNAc$_3$-8$_a$ was shown in Example 47, GalNAc$_3$-9$_a$ was shown in Example 52, GalNAc$_3$-10$_a$ was shown in Example 46, GalNAc$_3$-12$_a$ was shown in Example 61, GalNAc$_3$-13$_a$ was shown in Example 62, GalNAc$_3$-14$_a$ was shown in Example 63, GalNAc$_3$-15$_a$ was shown in Example 64, GalNAc$_3$-17$_a$ was shown in Example 68, GalNAc$_3$-18$_a$ was shown in Example 69, GalNAc$_3$-19$_a$ was shown in Example 70, GalNAc$_3$-20$_a$ was shown in Example 71, and GalNAc$_3$-23$_a$ was shown in Example 76.

Example 83: Antisense inhibition *in vivo* by oligonucleotides targeting Factor XI comprising a GalNAc$_3$ cluster

The oligonucleotides listed in Table 77 below were tested in a study for dose-dependent inhibition of Factor XI in mice.

Table 77

Modified oligonucleotides targeting Factor XI

ISIS No.	Sequence (5' to 3')	GalNAc cluster	CM	SEQ ID No.
404071	T$_{es}$G$_{es}$G$_{es}$T$_{es}$A$_{es}$A$_{ds}$T$_{ds}$ ^{m}C$_{ds}$ ^{m}C$_{ds}$A$_{ds}$ ^{m}C$_{ds}$T$_{ds}$T$_{ds}$T$_{ds}$ ^{m}C$_{ds}$A$_{es}$G$_{es}$ A$_{es}$G$_{es}$G$_{e}$	n/a	n/a	115

2026201390 25 Feb 2026

656173	$T_{es}G_{eo}G_{eo}T_{eo}A_{eo}A_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{eo}G_{eo}$ $A_{es}G_{es}G_{eo}\mathbf{A_{do}}$-**GalNAc$_3-1_a$**	GalNAc$_3$-1$_a$	A_d	113
663086	**GalNAc$_3$-3$_{a\text{-}o}$,A$_{do}$**$T_{es}G_{eo}G_{eo}T_{eo}A_{eo}A_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}{}^{m}C_{ds}T_{ds}$ $T_{ds}T_{ds}{}^{m}C_{ds}A_{eo}G_{eo}A_{es}G_{es}G_e$	GalNAc$_3$-3$_a$	A_d	124
678347	**GalNAc$_3$-7$_{a\text{-}o}$,A$_{do}$**$T_{es}G_{eo}G_{eo}T_{eo}A_{eo}A_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}{}^{m}C_{ds}T_{ds}$ $T_{ds}T_{ds}{}^{m}C_{ds}A_{eo}G_{eo}A_{es}G_{es}G_e$	GalNAc$_3$-7$_a$	A_d	124
678348	**GalNAc$_3$-10$_{a\text{-}o}$,A$_{do}$**$T_{es}G_{eo}G_{eo}T_{eo}A_{eo}A_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}{}^{m}C_{ds}$ $T_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{eo}G_{eo}A_{es}G_{es}G_e$	GalNAc$_3$-10$_a$	A_d	124
678349	**GalNAc$_3$-13$_{a\text{-}o}$,A$_{do}$**$T_{es}G_{eo}G_{eo}T_{eo}A_{eo}A_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}{}^{m}C_{ds}$ $T_{ds}T_{ds}T_{ds}{}^{m}C_{ds}A_{eo}G_{eo}A_{es}G_{es}G_e$	GalNAc$_3$-13$_a$	A_d	124

The structure of GalNAc$_3$-1$_a$ was shown previously in Example 9, GalNAc$_3$-3$_a$ was shown in Example 39, GalNAc$_3$-7$_a$ was shown in Example 48, GalNAc$_3$-10$_a$ was shown in Example 46, and GalNAc$_3$-13$_a$ was shown in Example 62.

Treatment

Six to eight week old mice were each injected subcutaneously once per week at a dosage shown below, for a total of three doses, with an oligonucleotide listed below or with PBS. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final dose. Factor XI liver mRNA levels were measured using real-time PCR and normalized to cyclophilin according to standard protocols. Liver transaminases, BUN, and bilirubin were also measured. The results below are presented as the average percent for each treatment group, normalized to the PBS control.

As illustrated in Table 78, treatment with antisense oligonucleotides lowered Factor XI liver mRNA in a dose-dependent manner. The results show that the oligonucleotides comprising a GalNAc conjugate were more potent than the parent lacking a GalNAc conjugate (ISIS 404071). Furthermore, the oligonucleotides comprising a 5'-GalNAc conjugate (ISIS 663086, 678347, 678348, and 678349) were even more potent than the oligonucleotide comprising a 3'-GalNAc conjugate (ISIS 656173).

Table 78

Factor XI liver mRNA, liver transaminase, BUN, and bilirubin levels

ISIS No.	Dosage (mg/kg)	Factor XI mRNA (% PBS)	ALT (U/L)	AST (U/L)	BUN (mg/dL)	Bilirubin (mg/dL)	GalNAc$_3$ Cluster	SEQ ID No.
PBS	n/a	100	63	70	21	0.18	n/a	n/a
404071	3	65	41	58	21	0.15	n/a	115
	10	33	49	53	23	0.15		
	30	17	43	57	22	0.14		
656173	0.7	43	90	89	21	0.16	GalNAc$_3$-1a	113
	2	9	36	58	26	0.17		
	6	3	50	63	25	0.15		
663086	0.7	33	91	169	25	0.16	GalNAc$_3$-3a	124
	2	7	38	55	21	0.16		
	6	1	34	40	23	0.14		
678347	0.7	35	28	49	20	0.14	GalNAc$_3$-7a	124

2026201390 25 Feb 2026

	2	10	180	149	21	0.18		
	6	1	44	76	19	0.15		
678348	0.7	39	43	54	21	0.16	$GalNAc_3$-10a	124
	2	5	38	55	22	0.17		
	6	2	25	38	20	0.14		
678349	0.7	34	39	46	20	0.16	$GalNAc_3$-13a	124
	2	8	43	63	21	0.14		
	6	2	28	41	20	0.14		

Example 84: Duration of action *in vivo* of oligonucleotides targeting Factor XI comprising a $GalNAc_3$ Conjugate

The oligonucleotides listed in Table 77 were tested in a single dose study for duration of action in mice.

Treatment

Six to eight week old mice were each injected subcutaneously once with an oligonucleotide listed in Table 77 or with PBS. Each treatment group consisted of 4 animals. Blood was drawn by tail bleeds the day before dosing to determine baseline and at 3, 10, and 17 days following the dose. Plasma Factor XI protein levels were measured by ELISA using Factor XI capture and biotinylated detection antibodies from R & D Systems, Minneapolis, MN (catalog # AF2460 and # BAF2460, respectively) and the OptEIA Reagent Set B (Catalog # 550534, BD Biosciences, San Jose, CA). The results below are presented as the average percent of plasma Factor XI protein levels for each treatment group, normalized to baseline levels. The results show that the oligonucleotides comprising a GalNAc conjugate were more potent with longer duration of action than the parent lacking a GalNAc conjugate (ISIS 404071). Furthermore, the oligonucleotides comprising a 5'-GalNAc conjugate (ISIS 663086, 678347, 678348, and 678349) were even more potent with an even longer duration of action than the oligonucleotide comprising a 3'-GalNAc conjugate (ISIS 656173).

Table 79

Plasma Factor XI protein levels in mice

ISIS No.	Dosage (mg/kg)	Time point (days post-dose)	Factor XI (% baseline)	$GalNAc_3$ Cluster	CM	SEQ ID No.
PBS	n/a	3	123	n/a	n/a	n/a
		10	56			
		17	100			
404071	30	3	11	n/a	n/a	115
		10	47			
		17	52			
656173	6	3	1	$GalNAc_3$-1a	A_d	113
		10	3			
		17	21			
663086	6	3	1	$GalNAc_3$-3a	A_d	124
		10	2			
		17	9			

25 Feb 2026

2026201390

678347	6	3	1	$GalNAc_3$-7a	A_d	124
		10	1			
		17	8			
678348	6	3	1	$GalNAc_3$-10a	A_d	124
		10	1			
		17	6			
678349	6	3	1	$GalNAc_3$-13a	A_d	124
		10	1			
		17	5			

Example 85: Antisense inhibition *in vivo* by oligonucleotides targeting SRB-1 comprising a $GalNAc_3$ Conjugate

Oligonucleotides listed in Table 76 were tested in a dose-dependent study for antisense inhibition of SRB-1 in mice.

Treatment

Six to eight week old C57BL/6 mice were each injected subcutaneously once per week at a dosage shown below, for a total of three doses, with an oligonucleotide listed in Table 76 or with saline. Each treatment group consisted of 4 animals. The mice were sacrificed 48 hours following the final administration to determine the SRB-1 mRNA levels using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. The results below are presented as the average percent of liver SRB-1 mRNA levels for each treatment group, normalized to the saline control.

As illustrated in Tables 80 and 81, treatment with antisense oligonucleotides lowered SRB-1 mRNA levels in a dose-dependent manner.

Table 80

SRB-1 mRNA in liver

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA (% Saline)	$GalNAc_3$ Cluster	CM
Saline	n/a	100	n/a	n/a
655861	0.1	94	$GalNAc_3$-1a	A_d
	0.3	119		
	1	68		
	3	32		
661161	0.1	120	$GalNAc_3$-3a	A_d
	0.3	107		
	1	68		
	3	26		
666881	0.1	107	$GalNAc_3$-10a	A_d
	0.3	107		
	1	69		
	3	27		
666981	0.1	120	$GalNAc_3$-7a	A_d
	0.3	103		
	1	54		

25 Feb 2026

2026201390

	3	21		
670061	0.1	118	$GalNAc_3$-13a	A_d
	0.3	89		
	1	52		
	3	18		
677842	0.1	119	$GalNAc_3$-20a	A_d
	0.3	96		
	1	65		
	3	23		

Table 81

SRB-1 mRNA in liver

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA (% Saline)	$GalNAc_3$ Cluster	CM
661161	0.1	107	$GalNAc_3$-3a	A_d
	0.3	95		
	1	53		
	3	18		
677841	0.1	110	$GalNAc_3$-19a	A_d
	0.3	88		
	1	52		
	3	25		

Liver transaminase levels, total bilirubin, BUN, and body weights were also measured using standard protocols. Average values for each treatment group are shown in Table 82 below.

Table 82

ISIS No.	Dosage (mg/kg)	ALT (U/L)	AST (U/L)	Bilirubin (mg/dL)	BUN (mg/dL)	Body Weight (% baseline)	$GalNAc_3$ Cluster	CM
Saline	n/a	19	39	0.17	26	118	n/a	n/a
655861	0.1	25	47	0.17	27	114	$GalNAc_3$-1a	A_d
	0.3	29	56	0.15	27	118		
	1	20	32	0.14	24	112		
	3	27	54	0.14	24	115		
661161	0.1	35	83	0.13	24	113	$GalNAc_3$-3a	A_d
	0.3	42	61	0.15	23	117		
	1	34	60	0.18	22	116		
	3	29	52	0.13	25	117		
666881	0.1	30	51	0.15	23	118	$GalNAc_3$-10a	A_d
	0.3	49	82	0.16	25	119		
	1	23	45	0.14	24	117		
	3	20	38	0.15	21	112		
666981	0.1	21	41	0.14	22	113	$GalNAc_3$-7a	A_d
	0.3	29	49	0.16	24	112		
	1	19	34	0.15	22	111		
	3	77	78	0.18	25	115		
670061	0.1	20	63	0.18	24	111	$GalNAc_3$-13a	A_d
	0.3	20	57	0.15	21	115		
	1	20	35	0.14	20	115		

25 Feb 2026
2026201390

	3	27	42	0.12	20	116		
677842	0.1	20	38	0.17	24	114	$GalNAc_3$-20a	A_d
	0.3	31	46	0.17	21	117		
	1	22	34	0.15	21	119		
	3	41	57	0.14	23	118		

Example 86: Antisense inhibition *in vivo* by oligonucleotides targeting TTR comprising a $GalNAc_3$ cluster

Oligonucleotides listed in Table 83 below were tested in a dose-dependent study for antisense inhibition of human transthyretin (TTR) in transgenic mice that express the human TTR gene.

Treatment

Eight week old TTR transgenic mice were each injected subcutaneously once per week for three weeks, for a total of three doses, with an oligonucleotide and dosage listed in the tables below or with PBS. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration. Tail bleeds were performed at various time points throughout the experiment, and plasma TTR protein, ALT, and AST levels were measured and reported in Tables 85-87. After the animals were sacrificed, plasma ALT, AST, and human TTR levels were measured, as were body weights, organ weights, and liver human TTR mRNA levels. TTR protein levels were measured using a clinical analyzer (AU480, Beckman Coulter, CA). Real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) were used according to standard protocols to determine liver human TTR mRNA levels. The results presented in Tables 84-87 are the average values for each treatment group. The mRNA levels are the average values relative to the average for the PBS group. Plasma protein levels are the average values relative to the average value for the PBS group at baseline. Body weights are the average percent weight change from baseline until sacrifice for each individual treatment group. Organ weights shown are normalized to the animal's body weight, and the average normalized organ weight for each treatment group is then presented relative to the average normalized organ weight for the PBS group.

In Tables 84-87, "BL" indicates baseline, measurements that were taken just prior to the first dose. As illustrated in Tables 84 and 85, treatment with antisense oligonucleotides lowered TTR expression levels in a dose-dependent manner. The oligonucleotides comprising a GalNAc conjugate were more potent than the parent lacking a GalNAc conjugate (ISIS 420915). Furthermore, the oligonucleotides comprising a GalNAc conjugate and mixed PS/PO internucleoside linkages were even more potent than the oligonucleotide comprising a GalNAc conjugate and full PS linkages.

Table 83

Oligonucleotides targeting human TTR

Isis No.	Sequence 5' to 3'	Linkages	GalNAc cluster	CM	SEQ ID No.

2026201390 25 Feb 2026

420915	$T_{es}{}^{m}C_{es}T_{es}T_{es}G_{es}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}A_{ds}$ $A_{es}T_{es}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e}$	PS	n/a	n/a	74
660261	$T_{es}{}^{m}C_{es}T_{es}T_{es}G_{es}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}A_{ds}$ $A_{es}T_{es}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e\mathbf{o}}\mathbf{A_{do}}$-**GalNAc$_3-1_a$**	PS	GalNAc$_3$-1a	A_d	125
682883	**GalNAc$_3$-3$_{a\text{-}o}$**,$T_{es}{}^{m}C_{eo}T_{eo}T_{eo}G_{eo}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}A_{ds}$ $T_{ds}G_{ds}A_{ds}A_{ds}A_{eo}T_{eo}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e}$	PS/PO	GalNAc$_3$-3a	PO	74
682884	**GalNAc$_3$-7$_{a\text{-}o}$**,$T_{es}{}^{m}C_{eo}T_{eo}T_{eo}G_{eo}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}A_{ds}$ $T_{ds}G_{ds}A_{ds}A_{ds}A_{eo}T_{eo}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e}$	PS/PO	GalNAc$_3$-7a	PO	74
682885	**GalNAc$_3$-10$_{a\text{-}o}$**,$T_{es}{}^{m}C_{eo}T_{eo}T_{eo}G_{eo}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}$ $A_{ds}T_{ds}G_{ds}A_{ds}A_{ds}A_{eo}T_{eo}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e}$	PS/PO	GalNAc$_3$-10a	PO	74
682886	**GalNAc$_3$-13$_{a\text{-}o}$**,$T_{es}{}^{m}C_{eo}T_{eo}T_{eo}G_{eo}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}$ $A_{ds}T_{ds}G_{ds}A_{ds}A_{ds}A_{eo}T_{eo}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e}$	PS/PO	GalNAc$_3$-13a	PO	74
684057	$T_{es}{}^{m}C_{eo}T_{eo}T_{eo}G_{eo}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}A_{ds}$ $A_{eo}T_{eo}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e\mathbf{o}}\mathbf{A_{do}}$-**GalNAc$_3-19_a$**	PS/PO	GalNAc$_3$-19a	A_d	125

The legend for Table 85 can be found in Example 74. The structure of GalNAc$_3$-1 was shown in Example 9. The structure of GalNAc$_3$-3$_a$ was shown in Example 39. The structure of GalNAc$_3$-7$_a$ was shown in Example 48. The structure of GalNAc$_3$-10$_a$ was shown in Example 46. The structure of GalNAc$_3$-13$_a$ was shown in Example 62. The structure of GalNAc$_3$-19$_a$ was shown in Example 70.

Table 84

Antisense inhibition of human TTR *in vivo*

Isis No.	Dosage (mg/kg)	TTR mRNA (% PBS)	Plasma TTR protein (% PBS)	GalNAc cluster	CM	SEQ ID No.
PBS	n/a	100	100	n/a	n/a	
420915	6	99	95	n/a	n/a	74
	20	48	65			
	60	18	28			
660261	0.6	113	87	GalNAc$_3$-1a	A_d	125
	2	40	56			
	6	20	27			
	20	9	11			

Table 85

Antisense inhibition of human TTR *in vivo*

Isis No.	Dosage (mg/kg)	TTR mRNA (% PBS)	Plasma TTR protein (% PBS at BL)				GalNAc cluster	CM	SEQ ID No.
			BL	Day 3	Day 10	Day 17 (After sac)			
PBS	n/a	100	100	96	90	114	n/a	n/a	
420915	6	74	106	86	76	83	n/a	n/a	74
	20	43	102	66	61	58			
	60	24	92	43	29	32			
682883	0.6	60	88	73	63	68	GalNAc$_3$-3a	PO	74
	2	18	75	38	23	23			
	6	10	80	35	11	9			
682884	0.6	56	88	78	63	67	GalNAc$_3$-7a	PO	74
	2	19	76	44	25	23			

25 Feb 2026

2026201390

	6	15	82	35	21	24			
682885	0.6	60	92	77	68	76	$GalNAc_3$-10a	PO	74
	2	22	93	58	32	32			
	6	17	85	37	25	20			
682886	0.6	57	91	70	64	69	$GalNAc_3$-13a	PO	74
	2	21	89	50	31	30			
	6	18	102	41	24	27			
684057	0.6	53	80	69	56	62	$GalNAc_3$-19a	A_d	125
	2	21	92	55	34	30			
	6	11	82	50	18	13			

Table 86

Transaminase levels, body weight changes, and relative organ weights

Isis No.	Dosage (mg/kg)	ALT (U/L)				AST (U/L)				Body (% BL)	Liver (% PBS)	Spleen (% PBS)	Kidney (% PBS)	SEQ ID No.
		BL	Day 3	Day 10	Day 17	BL	Day 3	Day 10	Day 17					
PBS	n/a	33	34	33	24	58	62	67	52	105	100	100	100	n/a
420915	6	34	33	27	21	64	59	73	47	115	99	89	91	74
	20	34	30	28	19	64	54	56	42	111	97	83	89	
	60	34	35	31	24	61	58	71	58	113	102	98	95	
660261	0.6	33	38	28	26	70	71	63	59	111	96	99	92	125
	2	29	32	31	34	61	60	68	61	118	100	92	90	
	6	29	29	28	34	58	59	70	90	114	99	97	95	
	20	33	32	28	33	64	54	68	95	114	101	106	92	

Table 87

Transaminase levels, body weight changes, and relative organ weights

Isis No.	Dosage (mg/kg)	ALT (U/L)				AST (U/L)				Body (% BL)	Liver (% PBS)	Spleen (% PBS)	Kidney (% PBS)	SEQ ID No.
		BL	Day 3	Day 10	Day 17	BL	Day 3	Day 10	Day 17					
PBS	n/a	32	34	37	41	62	78	76	77	104	100	100	100	n/a
420915	6	32	30	34	34	61	71	72	66	102	103	102	105	74
	20	41	34	37	33	80	76	63	54	106	107	135	101	
	60	36	30	32	34	58	81	57	60	106	105	104	99	
682883	0.6	32	35	38	40	53	81	74	76	104	101	112	95	74
	2	38	39	42	43	71	84	70	77	107	98	116	99	
	6	35	35	41	38	62	79	103	65	105	103	143	97	
682884	0.6	33	32	35	34	70	74	75	67	101	100	130	99	74
	2	31	32	38	38	63	77	66	55	104	103	122	100	
	6	38	32	36	34	65	85	80	62	99	105	129	95	
682885	0.6	39	26	37	35	63	63	77	59	100	109	109	112	74
	2	30	26	38	40	54	56	71	72	102	98	111	102	
	6	27	27	34	35	46	52	56	64	102	98	113	96	
682886	0.6	30	40	34	36	58	87	54	61	104	99	120	101	74
	2	27	26	34	36	51	55	55	69	103	91	105	92	
	6	40	28	34	37	107	54	61	69	109	100	102	99	
684057	0.6	35	26	33	39	56	51	51	69	104	99	110	102	125
	2	33	32	31	40	54	57	56	87	103	100	112	97	

25 Feb 2026

2026201390

	6	39	33	35	40	67	52	55	92	98	104	121	108	

Example 87: Duration of action *in vivo* by single doses of oligonucleotides targeting TTR comprising a $GalNAc_3$ cluster

ISIS numbers 420915 and 660261 (see Table 83) were tested in a single dose study for duration of action in mice. ISIS numbers 420915, 682883, and 682885 (see Table 83) were also tested in a single dose study for duration of action in mice.

Treatment

Eight week old, male transgenic mice that express human TTR were each injected subcutaneously once with 100 mg/kg ISIS No. 420915 or 13.5 mg/kg ISIS No. 660261. Each treatment group consisted of 4 animals. Tail bleeds were performed before dosing to determine baseline and at days 3, 7, 10, 17, 24, and 39 following the dose. Plasma TTR protein levels were measured as described in Example 86. The results below are presented as the average percent of plasma TTR levels for each treatment group, normalized to baseline levels.

Table 88

Plasma TTR protein levels

ISIS No.	Dosage (mg/kg)	Time point (days post-dose)	TTR (% baseline)	$GalNAc_3$ Cluster	CM	SEQ ID No.
420915	100	3	30	n/a	n/a	74
		7	23			
		10	35			
		17	53			
		24	75			
		39	100			
660261	13.5	3	27	$GalNAc_3$-1a	A_d	125
		7	21			
		10	22			
		17	36			
		24	48			
		39	69			

Treatment

Female transgenic mice that express human TTR were each injected subcutaneously once with 100 mg/kg ISIS No. 420915, 10.0 mg/kg ISIS No. 682883, or 10.0 mg/kg 682885. Each treatment group consisted of 4 animals. Tail bleeds were performed before dosing to determine baseline and at days 3, 7, 10, 17, 24, and 39 following the dose. Plasma TTR protein levels were measured as described in Example 86. The results below are presented as the average percent of plasma TTR levels for each treatment group, normalized to baseline levels.

2026201390 25 Feb 2026

Table 89

Plasma TTR protein levels

ISIS No.	Dosage (mg/kg)	Time point (days post-dose)	TTR (% baseline)	$GalNAc_3$ Cluster	CM	SEQ ID No.
420915	100	3	48	n/a	n/a	74
		7	48			
		10	48			
		17	66			
		31	80			
682883	10.0	3	45	$GalNAc_3$-3a	PO	74
		7	37			
		10	38			
		17	42			
		31	65			
682885	10.0	3	40	$GalNAc_3$-10a	PO	74
		7	33			
		10	34			
		17	40			
		31	64			

The results in Tables 88 and 89 show that the oligonucleotides comprising a GalNAc conjugate are more potent with a longer duration of action than the parent oligonucleotide lacking a conjugate (ISIS 420915).

Example 88: Splicing modulation *in vivo* by oligonucleotides targeting SMN comprising a $GalNAc_3$ conjugate

The oligonucleotides listed in Table 90 were tested for splicing modulation of human survival of motor neuron (SMN) in mice.


Table 90

Modified ASOs targeting SMN

ISIS No.	Sequences (5' to 3')	$GalNAc_3$ Cluster	CM	SEQ ID No.
387954	$A_{es}T_{es}T_{es}{}^{m}C_{es}A_{es}{}^{m}C_{es}T_{es}T_{es}T_{es}{}^{m}C_{es}A_{es}T_{es}A_{es}A_{es}T_{es}G_{es}{}^{m}C_{es}T_{es}G_{es}G_{e}$	n/a	n/a	126
699819	**$GalNAc_3$-$7_{a\text{-}o}$**,$A_{es}T_{es}T_{es}{}^{m}C_{es}A_{es}{}^{m}C_{es}T_{es}T_{es}T_{es}{}^{m}C_{es}A_{es}T_{es}A_{es}A_{es}T_{es}G_{es}{}^{m}C_{es}T_{es}G_{es}G_{e}$	$GalNAc_3$-7a	PO	126
699821	**$GalNAc_3$-$7_{a\text{-}o}$**,$A_{es}T_{eo}T_{eo}{}^{m}C_{eo}A_{eo}{}^{m}C_{eo}T_{eo}T_{eo}T_{eo}{}^{m}C_{eo}A_{eo}T_{eo}A_{eo}A_{eo}T_{eo}G_{eo}{}^{m}C_{eo}T_{es}G_{es}G_{e}$	$GalNAc_3$-7a	PO	126
700000	$A_{es}T_{es}T_{es}{}^{m}C_{es}A_{es}{}^{m}C_{es}T_{es}T_{es}T_{es}{}^{m}C_{es}A_{es}T_{es}A_{es}A_{es}T_{es}G_{es}{}^{m}C_{es}T_{es}G_{es}G_{eo}$**$A_{do}$**-**$GalNAc_3$-$1_a$**	$GalNAc_3$-1a	A_d	127
703421	X-ATT^{m}CA^{m}CTTT^{m}CATAATG^{m}CTGG	n/a	n/a	126
703422	**$GalNAc_3$-7_b**-X-ATT^{m}CA^{m}CTTT^{m}CATAATG^{m}CTGG	$GalNAc_3$-7b	n/a	126

2026201390 25 Feb 2026

The structure of GalNAc$_3$-7$_a$ was shown previously in Example 48. "X" indicates a 5' primary amine generated by Gene Tools (Philomath, OR), and GalNAc$_3$-7$_b$ indicates the structure of GalNAc$_3$-7$_a$ lacking the –NH-C$_6$-O portion of the linker as shown below:



ISIS numbers 703421 and 703422 are morphlino oligonucleotides, wherein each nucleotide of the two oligonucleotides is a morpholino nucleotide.

Treatment

Six week old transgenic mice that express human SMN were injected subcutaneously once with an oligonucleotide listed in Table 91 or with saline. Each treatment group consisted of 2 males and 2 females. The mice were sacrificed 3 days following the dose to determine the liver human SMN mRNA levels both with and without exon 7 using real-time PCR according to standard protocols. Total RNA was measured using Ribogreen reagent. The SMN mRNA levels were normalized to total mRNA, and further normalized to the averages for the saline treatment group. The resulting average ratios of SMN mRNA including exon 7 to SMN mRNA missing exon 7 are shown in Table 91. The results show that fully modified oligonucleotides that modulate splicing and comprise a GalNAc conjugate are significantly more potent in altering splicing in the liver than the parent oligonucleotides lacking a GlaNAc conjugate. Furthermore, this trend is maintained for multiple modification chemistries, including 2'-MOE and morpholino modified oligonucleotides.

Table 91

Effect of oligonucleotides targeting human SMN *in vivo*

ISIS No.	Dose (mg/kg)	+Exon 7 / -Exon 7	GalNAc$_3$ Cluster	CM	SEQ ID No.
Saline	n/a	1.00	n/a	n/a	n/a
387954	32	1.65	n/a	n/a	126
387954	288	5.00	n/a	n/a	126
699819	32	7.84	GalNAc$_3$-7a	PO	126
699821	32	7.22	GalNAc$_3$-7a	PO	126
700000	32	6.91	GalNAc$_3$-1a	A$_d$	127
703421	32	1.27	n/a	n/a	126
703422	32	4.12	GalNAc$_3$-7b	n/a	126

25 Feb 2026
2026201390

Example 89: Antisense inhibition *in vivo* by oligonucleotides targeting Apolipoprotein A (Apo(a)) comprising a GalNAc$_3$ conjugate

The oligonucleotides listed in Table 92 below were tested in a study for dose-dependent inhibition of Apo(a) in transgenic mice.

Table 92

Modified ASOs targeting Apo(a)

ISIS No.	Sequences (5' to 3')	GalNAc$_3$ Cluster	CM	SEQ ID No.
494372	$T_{es}G_{es}{}^{m}C_{es}T_{es}{}^{m}C_{es}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}T_{ds}G_{ds}{}^{m}C_{ds}$ $T_{ds}T_{es}G_{es}T_{es}T_{es}{}^{m}C_{e}$	n/a	n/a	25
681257	**GalNAc$_3$-7$_{a}$-o'**$T_{es}G_{eo}{}^{m}C_{eo}T_{eo}{}^{m}C_{eo}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}$ $T_{ds}G_{ds}{}^{m}C_{ds}$ $T_{ds}T_{eo}G_{eo}T_{es}T_{es}{}^{m}C_{e}$	GalNAc$_3$-7a	PO	25

The structure of GalNAc$_3$-7$_a$ was shown in Example 48.

Treatment

Eight week old, female C57BL/6 mice (Jackson Laboratory, Bar Harbor, ME) were each injected subcutaneously once per week at a dosage shown below, for a total of six doses, with an oligonucleotide listed in Table 92 or with PBS. Each treatment group consisted of 3-4 animals. Tail bleeds were performed the day before the first dose and weekly following each dose to determine plasma Apo(a) protein levels. The mice were sacrificed two days following the final administration. Apo(a) liver mRNA levels were determined using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) according to standard protocols. Apo(a) plasma protein levels were determined using ELISA, and liver transaminase levels were determined. The mRNA and plasma protein results in Table 93 are presented as the treatment group average percent relative to the PBS treated group. Plasma protein levels were further normalized to the baseline (BL) value for the PBS group. Average absolute transaminase levels and body weights (% relative to baseline averages) are reported in Table 94.

As illustrated in Table 93, treatment with the oligonucleotides lowered Apo(a) liver mRNA and plasma protein levels in a dose-dependent manner. Furthermore, the oligonucleotide comprising the GalNAc conjugate was significantly more potent with a longer duration of action than the parent oligonucleotide lacking a GalNAc conjugate. As illustrated in Table 94, transaminase levels and body weights were unaffected by the oligonucleotides, indicating that the oligonucleotides were well tolerated.

Table 93

Apo(a) liver mRNA and plasma protein levels

ISIS No.	Dosage (mg/kg)	Apo(a) mRNA (% PBS)	Apo(a) plasma protein (% PBS)						
			BL	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6

25 Feb 2026

2026201390

PBS	n/a	100	100	120	119	113	88	121	97
494372	3	80	84	89	91	98	87	87	79
	10	30	87	72	76	71	57	59	46
	30	5	92	54	28	10	7	9	7
681257	0.3	75	79	76	89	98	71	94	78
	1	19	79	88	66	60	54	32	24
	3	2	82	52	17	7	4	6	5
	10	2	79	17	6	3	2	4	5

Table 94

ISIS No.	Dosage (mg/kg)	ALT (U/L)	AST (U/L)	Body weight (% baseline)
PBS	n/a	37	54	103
494372	3	28	68	106
	10	22	55	102
	30	19	48	103
681257	0.3	30	80	104
	1	26	47	105
	3	29	62	102
	10	21	52	107

Example 90: Antisense inhibition *in vivo* by oligonucleotides targeting TTR comprising a $GalNAc_3$ cluster

Oligonucleotides listed in Table 95 below were tested in a dose-dependent study for antisense inhibition of human transthyretin (TTR) in transgenic mice that express the human TTR gene.

Treatment

TTR transgenic mice were each injected subcutaneously once per week for three weeks, for a total of three doses, with an oligonucleotide and dosage listed in Table 96 or with PBS. Each treatment group consisted of 4 animals. Prior to the first dose, a tail bleed was performed to determine plasma TTR protein levels at baseline (BL). The mice were sacrificed 72 hours following the final administration. TTR protein levels were measured using a clinical analyzer (AU480, Beckman Coulter, CA). Real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc. Eugene, OR) were used according to standard protocols to determine liver human TTR mRNA levels. The results presented in Table 96 are the average values for each treatment group. The mRNA levels are the average values relative to the average for the PBS group. Plasma protein levels are the average values relative to the average value for the PBS group at baseline. "BL" indicates baseline, measurements that were taken just prior to the first dose. As illustrated in Table 96, treatment with antisense oligonucleotides lowered TTR expression levels in a dose-dependent manner. The oligonucleotides comprising a GalNAc conjugate were more potent than the parent lacking a GalNAc conjugate (ISIS 420915), and oligonucleotides comprising a phosphodiester or deoxyadenosine cleavable moiety showed significant

2026201390 25 Feb 2026

improvements in potency compared to the parent lacking a conjugate (see ISIS numbers 682883 and 666943 vs 420915 and see Examples 86 and 87).

Table 95

Oligonucleotides targeting human TTR

Isis No.	Sequence 5' to 3'	Linkages	GalNAc cluster	CM	SEQ ID No.
420915	$T_{es}{}^{m}C_{es}T_{es}T_{es}G_{es}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}A_{ds}A_{es}T_{es}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e}$	PS	n/a	n/a	74
682883	**GalNAc$_3$-3$_{a\text{-}o}$**,$T_{es}{}^{m}C_{eo}T_{eo}T_{eo}G_{eo}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}A_{ds}A_{eo}T_{eo}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e}$	PS/PO	GalNAc$_3$-3a	PO	74
666943	**GalNAc$_3$-3$_{a\text{-}o}$,A$_{do}$**$T_{es}{}^{m}C_{eo}T_{eo}T_{eo}G_{eo}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}A_{ds}A_{eo}T_{eo}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e}$	PS/PO	GalNAc$_3$-3a	A$_d$	128
682887	**GalNAc$_3$-7$_{a\text{-}o}$,A$_{do}$**$T_{es}{}^{m}C_{eo}T_{eo}T_{eo}G_{eo}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}A_{ds}A_{eo}T_{eo}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e}$	PS/PO	GalNAc$_3$-7a	A$_d$	128
682888	**GalNAc$_3$-10$_{a\text{-}o}$,A$_{do}$**$T_{es}{}^{m}C_{eo}T_{eo}T_{eo}G_{eo}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}A_{ds}A_{eo}T_{eo}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e}$	PS/PO	GalNAc$_3$-10a	A$_d$	128
682889	**GalNAc$_3$-13$_{a\text{-}o}$,A$_{do}$**$T_{es}{}^{m}C_{eo}T_{eo}T_{eo}G_{eo}G_{ds}T_{ds}T_{ds}A_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}A_{ds}A_{eo}T_{eo}{}^{m}C_{es}{}^{m}C_{es}{}^{m}C_{e}$	PS/PO	GalNAc$_3$-13a	A$_d$	128

The legend for Table 95 can be found in Example 74. The structure of GalNAc$_3$-3$_a$ was shown in Example 39. The structure of GalNAc$_3$-7$_a$ was shown in Example 48. The structure of GalNAc$_3$-10$_a$ was shown in Example 46. The structure of GalNAc$_3$-13$_a$ was shown in Example 62.

Table 96

Antisense inhibition of human TTR *in vivo*

Isis No.	Dosage (mg/kg)	TTR mRNA (% PBS)	TTR protein (% BL)	GalNAc cluster	CM
PBS	n/a	100	124	n/a	n/a
420915	6	69	114	n/a	n/a
	20	71	86		
	60	21	36		
682883	0.6	61	73	GalNAc$_3$-3a	PO
	2	23	36		
	6	18	23		
666943	0.6	74	93	GalNAc$_3$-3a	A$_d$
	2	33	57		
	6	17	22		
682887	0.6	60	97	GalNAc$_3$-7a	A$_d$
	2	36	49		
	6	12	19		
682888	0.6	65	92	GalNAc$_3$-10a	A$_d$
	2	32	46		
	6	17	22		
682889	0.6	72	74	GalNAc$_3$-13a	A$_d$
	2	38	45		
	6	16	18		

25 Feb 2026
2026201390

Example 91: Antisense inhibition *in vivo* by oligonucleotides targeting Factor VII comprising a $GalNAc_3$ conjugate in non-human primates

Oligonucleotides listed in Table 97 below were tested in a non-terminal, dose escalation study for antisense inhibition of Factor VII in monkeys.

Treatment

Non-naïve monkeys were each injected subcutaneously on days 0, 15, and 29 with escalating doses of an oligonucleotide listed in Table 97 or with PBS. Each treatment group consisted of 4 males and 1 female. Prior to the first dose and at various time points thereafter, blood draws were performed to determine plasma Factor VII protein levels. Factor VII protein levels were measured by ELISA. The results presented in Table 98 are the average values for each treatment group relative to the average value for the PBS group at baseline (BL), the measurements taken just prior to the first dose. As illustrated in Table 98, treatment with antisense oligonucleotides lowered Factor VII expression levels in a dose-dependent manner, and the oligonucleotide comprising the GalNAc conjugate was significantly more potent in monkeys compared to the oligonucleotide lacking a GalNAc conjugate.

Table 97

Oligonucleotides targeting Factor VII

Isis No.	Sequence 5' to 3'	Linkages	GalNAc cluster	CM	SEQ ID No.
407935	$A_{es}T_{es}G_{es}{}^{m}C_{es}A_{es}T_{ds}G_{ds}G_{ds}T_{ds}G_{ds}A_{ds}T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}$ $T_{es}{}^{m}C_{es}T_{es}G_{es}A_{e}$	PS	n/a	n/a	38
686892	**$GalNAc_3$-$10_{a\text{-}o}$**,$A_{es}T_{es}G_{es}{}^{m}C_{es}A_{es}T_{ds}G_{ds}G_{ds}T_{ds}G_{ds}$ $A_{ds}T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}$ $T_{es}{}^{m}C_{es}T_{es}G_{es}A_{e}$	PS	$GalNAc_3$-10a	PO	38

The legend for Table 97 can be found in Example 74. The structure of $GalNAc_3$-10_a was shown in Example 46.

Table 98

Factor VII plasma protein levels

ISIS No.	Day	Dose (mg/kg)	Factor VII (% BL)
407935	0	n/a	100
	15	10	87
	22	n/a	92
	29	30	77
	36	n/a	46
	43	n/a	43
686892	0	3	100
	15	10	56
	22	n/a	29
	29	30	19
	36	n/a	15

25 Feb 2026
2026201390

	43	n/a	11

Example 92: Antisense inhibition in primary hepatocytes by antisense oligonucleotides targeting Apo-CIII comprising a GalNAc$_3$ conjugate

Primary mouse hepatocytes were seeded in 96-well plates at 15,000 cells per well, and the oligonucleotides listed in Table 99, targeting mouse ApoC-III, were added at 0.46, 1.37, 4.12, or 12.35, 37.04, 111.11, or 333.33 nM or 1.00 µM. After incubation with the oligonucleotides for 24 hours, the cells were lysed and total RNA was purified using RNeasy (Qiagen). ApoC-III mRNA levels were determined using real-time PCR and RIBOGREEN® RNA quantification reagent (Molecular Probes, Inc.) according to standard protocols. IC_{50} values were determined using Prism 4 software (GraphPad). The results show that regardless of whether the cleavable moiety was a phosphodiester or a phosphodiester-linked deoxyadensoine, the oligonucleotides comprising a GalNAc conjugate were significantly more potent than the parent oligonucleotide lacking a conjugate.

Table 99

Inhibition of mouse APOC-III expression in mouse primary hepatocytes

ISIS No.	Sequence (5' to 3')	CM	IC_{50} (nM)	SEQ ID No.
440670	$^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}T_{es}T_{ds}T_{ds}A_{ds}T_{ds}T_{ds}A_{ds}G_{ds}G_{ds}G_{ds}A_{ds}{}^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}A_{e}$	n/a	13.20	129
661180	$^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}T_{es}T_{ds}T_{ds}A_{ds}T_{ds}T_{ds}A_{ds}G_{ds}G_{ds}G_{ds}A_{ds}{}^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}A_{eo}$ **A_{do}'-GalNAc$_3$-1$_a$**	A_d	1.40	130
680771	**GalNAc$_3$-3$_{a-o}$**,$^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}T_{es}T_{ds}T_{ds}A_{ds}T_{ds}T_{ds}A_{ds}G_{ds}G_{ds}G_{ds}A_{ds}{}^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}A_{e}$	PO	0.70	129
680772	**GalNAc$_3$-7$_{a-o}$**,$^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}T_{es}T_{ds}T_{ds}A_{ds}T_{ds}T_{ds}A_{ds}G_{ds}G_{ds}G_{ds}A_{ds}{}^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}A_{e}$	PO	1.70	129
680773	**GalNAc$_3$-10$_{a-o}$**,$^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}T_{es}T_{ds}T_{ds}A_{ds}T_{ds}T_{ds}A_{ds}G_{ds}G_{ds}G_{ds}A_{ds}{}^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}A_{e}$	PO	2.00	129
680774	**GalNAc$_3$-13$_{a-o}$**,$^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}T_{es}T_{ds}T_{ds}A_{ds}T_{ds}T_{ds}A_{ds}G_{ds}G_{ds}G_{ds}A_{ds}{}^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}A_{e}$	PO	1.50	129
681272	**GalNAc$_3$-3$_{a-o}$**,$^{m}C_{es}A_{eo}G_{eo}{}^{m}C_{eo}T_{eo}T_{ds}T_{ds}A_{ds}T_{ds}T_{ds}A_{ds}G_{ds}G_{ds}G_{ds}A_{ds}{}^{m}C_{eo}A_{eo}G_{es}{}^{m}C_{es}A_{e}$	PO	< 0.46	129
681273	**GalNAc$_3$-3$_{a-o}$'A_{do}**$^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}T_{es}T_{ds}T_{ds}A_{ds}T_{ds}T_{ds}A_{ds}G_{ds}G_{ds}G_{ds}A_{ds}{}^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}A_{e}$	A_d	1.10	131
683733	$^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}T_{es}T_{ds}T_{ds}A_{ds}T_{ds}T_{ds}A_{ds}G_{ds}G_{ds}G_{ds}A_{ds}{}^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}A_{eo}$**$A_{do}$'-GalNAc$_3-19_a$**	A_d	2.50	130

The structure of GalNAc$_3$-1$_a$ was shown previously in Example 9, GalNAc$_3$-3$_a$ was shown in Example 39, GalNAc$_3$-7$_a$ was shown in Example 48, GalNAc$_3$-10$_a$ was shown in Example 46, GalNAc$_3$-13$_a$ was shown in Example 62, and GalNAc$_3$-19$_a$ was shown in Example 70.

Example 93: Antisense inhibition *in vivo* by oligonucleotides targeting SRB-1 comprising mixed wings and a 5'-GalNAc$_3$ conjugate

2026201390 25 Feb 2026

The oligonucleotides listed in Table 100 were tested in a dose-dependent study for antisense inhibition of SRB-1 in mice.

Table 100

Modified ASOs targeting SRB-1

ISIS No.	Sequences (5' to 3')	$GalNAc_3$ Cluster	CM	SEQ ID No.
449093	$T_{ks}T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}\ A_{ds}T_{ds}\ G_{ds}\ A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{ks}{}^{m}C_{k}$	n/a	n/a	132
699806	**$GalNAc_3$-$3_{a\text{-}o}$**,$T_{ks}T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}\ A_{ds}T_{ds}\ G_{ds}A_{ds}{}^{m}C_{ds}\ T_{ds}T_{ks}{}^{m}C_{ks}{}^{m}C_{k}$	$GalNAc_3$-3a	PO	132
699807	**$GalNAc_3$-$7_{a\text{-}o}$**,$T_{ks}T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}\ A_{ds}T_{ds}\ G_{ds}A_{ds}{}^{m}C_{ds}\ T_{ds}T_{ks}{}^{m}C_{ks}{}^{m}C_{k}$	$GalNAc_3$-7a	PO	132
699809	**$GalNAc_3$-$7_{a\text{-}o}$**, $T_{ks}T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}\ A_{ds}T_{ds}\ G_{ds}\ A_{ds}{}^{m}C_{ds}\ T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{e}$	$GalNAc_3$-7a	PO	132
699811	**$GalNAc_3$-$7_{a\text{-}o}$**,$T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}\ A_{ds}T_{ds}\ G_{ds}A_{ds}{}^{m}C_{ds}\ T_{ds}T_{ks}{}^{m}C_{ks}{}^{m}C_{k}$	$GalNAc_3$-7a	PO	132
699813	**$GalNAc_3$-$7_{a\text{-}o}$**,$T_{ks}T_{ds}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}\ A_{ds}T_{ds}\ G_{ds}A_{ds}{}^{m}C_{ds}\ T_{ds}T_{ks}{}^{m}C_{ds}{}^{m}C_{k}$	$GalNAc_3$-7a	PO	132
699815	**$GalNAc_3$-$7_{a\text{-}o}$**,$T_{es}T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}\ A_{ds}T_{ds}\ G_{ds}A_{ds}{}^{m}C_{ds}\ T_{ds}T_{ks}{}^{m}C_{ks}{}^{m}C_{e}$	$GalNAc_3$-7a	PO	132

The structure of $GalNAc_3$-3_a was shown previously in Example 39, and the structure of $GalNAc_3$-7a was shown previously in Example 48. Subscripts: "e" indicates 2'-MOE modified nucleoside; "d" indicates β-D-2'-deoxyribonucleoside; "k" indicates 6'-*(S)*-CH_3 bicyclic nucleoside (cEt); "s" indicates phosphorothioate internucleoside linkages (PS); "o" indicates phosphodiester internucleoside linkages (PO). Supersript "m" indicates 5-methylcytosines.

Treatment

Six to eight week old C57BL/6 mice (Jackson Laboratory, Bar Harbor, ME) were injected subcutaneously once at the dosage shown below with an oligonucleotide listed in Table 100 or with saline. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration. Liver SRB-1 mRNA levels were measured using real-time PCR. SRB-1 mRNA levels were normalized to cyclophilin mRNA levels according to standard protocols. The results are presented as the average percent of SRB-1 mRNA levels for each treatment group relative to the saline control group. As illustrated in Table 101, treatment with antisense oligonucleotides lowered SRB-1 mRNA levels in a dose-dependent manner, and the gapmer oligonucleotides comprising a GalNAc conjugate and having wings that were either full cEt or mixed sugar modifications were significantly more potent than the parent oligonucleotide lacking a conjugate and comprising full cEt modified wings.

Body weights, liver transaminases, total bilirubin, and BUN were also measured, and the average values for each treatment group are shown in Table 101. Body weight is shown as the average percent body weight relative to the baseline body weight (% BL) measured just prior to the oligonucleotide dose.

2026201390 25 Feb 2026

Table 101

SRB-1 mRNA, ALT, AST, BUN, and total bilirubin levels and body weights

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA (% PBS)	ALT (U/L)	AST (U/L)	Bil	BUN	Body weight (% BL)
PBS	n/a	100	31	84	0.15	28	102
449093	1	111	18	48	0.17	31	104
	3	94	20	43	0.15	26	103
	10	36	19	50	0.12	29	104
699806	0.1	114	23	58	0.13	26	107
	0.3	59	21	45	0.12	27	108
	1	25	30	61	0.12	30	104
699807	0.1	121	19	41	0.14	25	100
	0.3	73	23	56	0.13	26	105
	1	24	22	69	0.14	25	102
699809	0.1	125	23	57	0.14	26	104
	0.3	70	20	49	0.10	25	105
	1	33	34	62	0.17	25	107
699811	0.1	123	48	77	0.14	24	106
	0.3	94	20	45	0.13	25	101
	1	66	57	104	0.14	24	107
699813	0.1	95	20	58	0.13	28	104
	0.3	98	22	61	0.17	28	105
	1	49	19	47	0.11	27	106
699815	0.1	93	30	79	0.17	25	105
	0.3	64	30	61	0.12	26	105
	1	24	18	41	0.14	25	106

Example 94: Antisense inhibition *in vivo* by oligonucleotides targeting SRB-1 comprising 2'-sugar modifications and a 5'-GalNAc$_3$ conjugate

The oligonucleotides listed in Table 102 were tested in a dose-dependent study for antisense inhibition of SRB-1 in mice.

Table 102

Modified ASOs targeting SRB-1

ISIS No.	Sequences (5' to 3')	GalNAc$_3$ Cluster	CM	SEQ ID No.
353382	$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	n/a	n/a	108
700989	$G_{ms}C_{ms}U_{ms}U_{ms}C_{ms}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}U_{ms}C_{ms}C_{ms}U_{ms}U_{m}$	n/a	n/a	133
666904	**GalNAc$_3$-3$_{a-o}$**$G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{es}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{es}{}^{m}C_{es}{}^{m}C_{es}T_{es}T_{e}$	GalNAc$_3$-3a	PO	108
700991	**GalNAc$_3$-7$_{a-o}$**$G_{ms}C_{ms}U_{ms}U_{ms}C_{ms}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}U_{ms}C_{ms}C_{ms}U_{ms}U_{m}$	GalNAc$_3$-7a	PO	133

2026201390 25 Feb 2026

Subscript "m" indicates a 2'-O-methyl modified nucleoside. See Example 74 for complete table legend. The structure of $GalNAc_3$-3_a was shown previously in Example 39, and the structure of $GalNAc_3$-7a was shown previously in Example 48.

Treatment

The study was completed using the protocol described in Example 93. Results are shown in Table 103 below and show that both the 2'-MOE and 2'-OMe modified oligonucleotides comprising a GalNAc conjugate were significantly more potent than the respective parent oligonucleotides lacking a conjugate. The results of the body weights, liver transaminases, total bilirubin, and BUN measurements indicated that the compounds were all well tolerated.

Table 103

SRB-1 mRNA

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA (% PBS)
PBS	n/a	100
353382	5	116
	15	58
	45	27
700989	5	120
	15	92
	45	46
666904	1	98
	3	45
	10	17
700991	1	118
	3	63
	10	14

Example 95: Antisense inhibition *in vivo* by oligonucleotides targeting SRB-1 comprising bicyclic nucleosides and a 5'-$GalNAc_3$ conjugate

The oligonucleotides listed in Table 104 were tested in a dose-dependent study for antisense inhibition of SRB-1 in mice.

Table 104

Modified ASOs targeting SRB-1

ISIS No.	Sequences (5' to 3')	$GalNAc_3$ Cluster	CM	SEQ ID No
440762	$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$	n/a	n/a	104
666905	**$GalNAc_3$-3_{a-o}**,$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$	$GalNAc_3$-3_a	PO	104
699782	**$GalNAc_3$-7_{a-o}**,$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$	$GalNAc_3$-7_a	PO	104
699783	**$GalNAc_3$-3_{a-o}**,$T_{ls}{}^{m}C_{ls}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ls}{}^{m}C_{l}$	$GalNAc_3$-3_a	PO	104
653621	$T_{ls}{}^{m}C_{ls}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ls}{}^{m}C_{l}$**$A_{do}$**-**$GalNAc_3$-$1_a$**	$GalNAc_3$-1_a	A_d	112
439879	$T_{gs}{}^{m}C_{gs}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{d}$ $G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{gs}{}^{m}C_{g}$	n/a	n/a	104

25 Feb 2026
2026201390

699789	**GalNAc$_3$-3$_{a-o}$**,$T_{gs}{}^{m}C_{gs}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{d}$ $G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{gs}{}^{m}C_{g}$	GalNAc$_3$-3$_a$	PO	104

Subscript "g" indicates a fluoro-HNA nucleoside, subscript "l" indicates a locked nucleoside comprising a 2'-O-CH_2-4' bridge. See the Example 74 table legend for other abbreviations. The structure of GalNAc$_3$-1$_a$ was shown previously in Example 9, the structure of GalNAc$_3$-3$_a$ was shown previously in Example 39, and the structure of GalNAc$_3$-7a was shown previously in Example 48.

Treatment

The study was completed using the protocol described in Example 93. Results are shown in Table 105 below and show that oligonucleotides comprising a GalNAc conjugate and various bicyclic nucleoside modifications were significantly more potent than the parent oligonucleotide lacking a conjugate and comprising bicyclic nucleoside modifications. Furthermore, the oligonucleotide comprising a GalNAc conjugate and fluoro-HNA modifications was significantly more potent than the parent lacking a conjugate and comprising fluoro-HNA modifications. The results of the body weights, liver transaminases, total bilirubin, and BUN measurements indicated that the compounds were all well tolerated.

Table 105
SRB-1 mRNA, ALT, AST, BUN, and total bilirubin levels and body weights

ISIS No.	Dosage (mg/kg)	SRB-1 mRNA (% PBS)
PBS	n/a	100
440762	1	104
	3	65
	10	35
666905	0.1	105
	0.3	56
	1	18
699782	0.1	93
	0.3	63
	1	15
699783	0.1	105
	0.3	53
	1	12
653621	0.1	109
	0.3	82
	1	27
439879	1	96
	3	77
	10	37
699789	0.1	82
	0.3	69
	1	26

Example 96: Plasma protein binding of antisense oligonucleotides comprising a GalNAc$_3$ conjugate group

2026201390 25 Feb 2026

Oligonucleotides listed in Table 70 targeting ApoC-III and oligonucleotides in Table 106 targeting Apo(a) were tested in an ultra-filtration assay in order to assess plasma protein binding.

Table 106

Modified oligonucleotides targeting Apo(a)

ISIS No.	Sequences (5' to 3')	$GalNAc_3$ Cluster	CM	SEQ ID No
494372	$T_{es}G_{es}{}^{m}C_{es}T_{es}{}^{m}C_{es}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{es}G_{es}T_{es}T_{es}{}^{m}C_{e}$	n/a	n/a	25
693401	$T_{es}G_{eo}{}^{m}C_{eo}T_{eo}{}^{m}C_{eo}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{eo}G_{eo}T_{es}T_{es}{}^{m}C_{e}$	n/a	n/a	25
681251	**$GalNAc_3$-7_{a-o}**,$T_{es}G_{es}{}^{m}C_{es}T_{es}{}^{m}C_{es}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{es}G_{es}T_{es}T_{es}{}^{m}C_{e}$	$GalNAc_3$-7_a	PO	25
681257	**$GalNAc_3$-7_{a-o}**,$T_{es}G_{eo}{}^{m}C_{eo}T_{eo}{}^{m}C_{eo}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{eo}G_{eo}T_{es}T_{es}{}^{m}C_{e}$	$GalNAc_3$-7_a	PO	25

See the Example 74 for table legend. The structure of $GalNAc_3$-7a was shown previously in Example 48.

Ultrafree-MC ultrafiltration units (30,000 NMWL, low-binding regenerated cellulose membrane, Millipore, Bedford, MA) were pre-conditioned with 300 µL of 0.5% Tween 80 and centrifuged at 2000 g for 10 minutes, then with 300µL of a 300 µg/mL solution of a control oligonucleotide in H_2O and centrifuged at 2000 g for 16 minutes. In order to assess non-specific binding to the filters of each test oligonucleotide from Tables 70 and 106 to be used in the studies, 300 µL of a 250 ng/mL solution of oligonucleotide in H_2O at pH 7.4 was placed in the pre-conditioned filters and centrifuged at 2000 g for 16 minutes. The unfiltered and filtered samples were analyzed by an ELISA assay to determine the oligonucleotide concentrations. Three replicates were used to obtain an average concentration for each sample. The average concentration of the filtered sample relative to the unfiltered sample is used to determine the percent of oligonucleotide that is recovered through the filter in the absence of plasma (% recovery).

Frozen whole plasma samples collected in K3-EDTA from normal, drug-free human volunteers, cynomolgus monkeys, and CD-1 mice, were purchased from Bioreclamation LLC (Westbury, NY). The test oligonucleotides were added to 1.2 mL aliquots of plasma at two concentrations (5 and 150 µg/mL). An aliquot (300 µL) of each spiked plasma sample was placed in a pre-conditioned filter unit and incubated at 37°C for 30 minutes, immediately followed by centrifugation at 2000 g for 16 minutes. Aliquots of filtered and unfiltered spiked plasma samples were analyzed by an ELISA to determine the oligonucleotide concentration in each sample. Three replicates per concentration were used to determine the average percentage of bound and unbound oligonucleotide in each sample. The average concentration of the filtered sample relative to the concentration of the unfiltered sample is used to determine the percent of oligonucleotide in the plasma that is not bound to plasma proteins (% unbound). The final unbound oligonucleotide values are corrected for non-specific binding by dividing the % unbound by the % recovery for each oligonucleotide. The final % bound oligonucleotide values are determined by subtracting the final % unbound values from 100. The results are

25 Feb 2026
2026201390

shown in Table 107 for the two concentrations of oligonucleotide tested (5 and 150 μg/mL) in each species of plasma. The results show that GalNAc conjugate groups do not have a significant impact on plasma protein binding. Furthermore, oligonucleotides with full PS internucleoside linkages and mixed PO/PS linkages both bind plasma proteins, and those with full PS linkages bind plasma proteins to a somewhat greater extent than those with mixed PO/PS linkages.

Table 107
Percent of modified oligonucleotide bound to plasma proteins

ISIS No.	Human plasma		Monkey plasma		Mouse plasma	
	5 μg/mL	150 μg/mL	5 μg/mL	150 μg/mL	5 μg/mL	150 μg/mL
304801	99.2	98.0	99.8	99.5	98.1	97.2
663083	97.8	90.9	99.3	99.3	96.5	93.0
674450	96.2	97.0	98.6	94.4	94.6	89.3
494372	94.1	89.3	98.9	97.5	97.2	93.6
693401	93.6	89.9	96.7	92.0	94.6	90.2
681251	95.4	93.9	99.1	98.2	97.8	96.1
681257	93.4	90.5	97.6	93.7	95.6	92.7

Example 97: Modified oligonucleotides targeting TTR comprising a GalNAc$_3$ conjugate group

The oligonucleotides shown in Table 108 comprising a GalNAc conjugate were designed to target TTR.

Table 108

Modified oligonucleotides targeting TTR

ISIS No.	Sequences (5' to 3')	GalNAc$_3$ Cluster	CM	SEQ ID No
666941	**GalNAc$_3$-3$_{a\text{-}o}$,A$_{do}$** T_{es} $^mC_{es}$ T_{es} T_{es} G_{es} G_{ds} T_{ds} T_{ds} A_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} A_{ds} A_{es} T_{es} $^mC_{es}$ $^mC_{es}$ ^mC_e	GalNAc$_3$-3	A$_d$	128
666942	T_{es} $^mC_{eo}$ T_{eo} T_{eo} G_{eo} G_{ds} T_{ds} T_{ds} A_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} A_{ds} A_{eo} T_{eo} $^mC_{es}$ $^mC_{es}$ $^mC_{eo}$ **A$_{do}$-GalNAc$_3$-3$_a$**	GalNAc$_3$-1	A$_d$	125
682876	**GalNAc$_3$-3$_{a\text{-}o}$,**T_{es} $^mC_{es}$ T_{es} T_{es} G_{es} G_{ds} T_{ds} T_{ds} A_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} A_{ds} A_{es} T_{es} $^mC_{es}$ $^mC_{es}$ ^mC_e	GalNAc$_3$-3	PO	74
682877	**GalNAc$_3$-7$_{a\text{-}o}$,**T_{es} $^mC_{es}$ T_{es} T_{es} G_{es} G_{ds} T_{ds} T_{ds} A_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} A_{ds} A_{es} T_{es} $^mC_{es}$ $^mC_{es}$ ^mC_e	GalNAc$_3$-7	PO	74
682878	**GalNAc$_3$-10$_{a\text{-}o}$,**T_{es} $^mC_{es}$ T_{es} T_{es} G_{es} G_{ds} T_{ds} T_{ds} A_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} A_{ds} A_{es} T_{es} $^mC_{es}$ $^mC_{es}$ ^mC_e	GalNAc$_3$-10	PO	74
682879	**GalNAc$_3$-13$_{a\text{-}o}$,**T_{es} $^mC_{es}$ T_{es} T_{es} G_{es} G_{ds} T_{ds} T_{ds} A_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} A_{ds} A_{es} T_{es} $^mC_{es}$ $^mC_{es}$ ^mC_e	GalNAc$_3$-13	PO	74
682880	**GalNAc$_3$-7$_{a\text{-}o}$,A$_{do}$** T_{es} $^mC_{es}$ T_{es} T_{es} G_{es} G_{ds} T_{ds} T_{ds} A_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} A_{ds} A_{es} T_{es} $^mC_{es}$ $^mC_{es}$ ^mC_e	GalNAc$_3$-7	A$_d$	128
682881	**GalNAc$_3$-10$_{a\text{-}o}$,A$_{do}$** T_{es} $^mC_{es}$ T_{es} T_{es} G_{es} G_{ds} T_{ds} T_{ds} A_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} A_{ds} A_{es} T_{es} $^mC_{es}$ $^mC_{es}$ ^mC_e	GalNAc$_3$-10	A$_d$	128
682882	**GalNAc$_3$-13$_{a\text{-}o}$,A$_{do}$** T_{es} $^mC_{es}$ T_{es} T_{es} G_{es} G_{ds} T_{ds} T_{ds} A_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} A_{ds} A_{es} T_{es} $^mC_{es}$ $^mC_{es}$ ^mC_e	GalNAc$_3$-13	A$_d$	128
684056	T_{es} $^mC_{es}$ T_{es} T_{es} G_{es} G_{ds} T_{ds} T_{ds} A_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} A_{ds} A_{es} T_{es} $^mC_{es}$ $^mC_{es}$ $^mC_{eo}$ **A$_{do}$-GalNAc$_3$-19$_a$**	GalNAc$_3$-19	A$_d$	125

25 Feb 2026
2026201390

The legend for Table 108 can be found in Example 74. The structure of $GalNAc_3$-1 was shown in Example 9. The structure of $GalNAc_3$-3_a was shown in Example 39. The structure of $GalNAc_3$-7_a was shown in Example 48. The structure of $GalNAc_3$-10_a was shown in Example 46. The structure of $GalNAc_3$-13_a was shown in Example 62. The structure of $GalNAc_3$-19_a was shown in Example 70.

Example 98: Evaluation of pro-inflammatory effects of oligonucleotides comprising a GalNAc conjugate in hPMBC assay

The oligonucleotides listed in Table 109 and were tested for pro-inflammatory effects in an hPMBC assay as described in Examples 23 and 24. (See Tables 30, 83, 95, and 108 for descriptions of the oligonucleotides.) ISIS 353512 is a high responder used as a positive control, and the other oligonucleotides are described in Tables 83, 95, and 108. The results shown in Table 109 were obtained using blood from one volunteer donor. The results show that the oligonucleotides comprising mixed PO/PS internucleoside linkages produced significantly lower pro-inflammatory responses compared to the same oligonucleotides having full PS linkages. Furthermore, the GalNAc conjugate group did not have a significant effect in this assay.

Table 109

ISIS No.	E_{max}/EC_{50}	$GalNAc_3$ cluster	Linkages	CM
353512	3630	n/a	PS	n/a
420915	802	n/a	PS	n/a
682881	1311	$GalNAc_3$-10	PS	A_d
682888	0.26	$GalNAc_3$-10	PO/PS	A_d
684057	1.03	$GalNAc_3$-19	PO/PS	A_d

Example 99: Binding affinities of oligonucleotides comprising a GalNAc conjugate for the asialoglycoprotein receptor

The binding affinities of the oligonucleotides listed in Table 110 (see Table 76 for descriptions of the oligonucleotides) for the asialoglycoprotein receptor were tested in a competitive receptor binding assay. The competitor ligand, α1-acid glycoprotein (AGP), was incubated in 50 mM sodium acetate buffer (pH 5) with 1 U neuraminidase-agarose for 16 hours at 37˚C, and > 90% desialylation was confirmed by either sialic acid assay or size exclusion chromatography (SEC). Iodine monochloride was used to iodinate the AGP according to the procedure by Atsma et al. (*see* J Lipid Res. 1991 Jan; 32(1):173-81.) In this method, desialylated α1-acid glycoprotein (de-AGP) was added to 10 mM iodine chloride, $Na^{125}I$, and 1 M glycine in 0.25 M NaOH. After incubation for 10 minutes at room temperature, ^{125}I -labeled de-AGP was separated from free ^{125}I by concentrating the mixture twice utilizing a 3 KDMWCO spin column. The protein was tested for labeling efficiency and purity on a HPLC system equipped with an Agilent SEC-3 column (7.8x300mm) and a ß-RAM counter. Competition experiments utilizing ^{125}I -labeled de-AGP and various GalNAc-cluster containing ASOs were performed as follows. Human HepG2 cells (10^6 cells/ml) were plated on 6-well plates in 2 ml of

2026201390 25 Feb 2026

appropriate growth media. MEM media supplemented with 10% fetal bovine serum (FBS), 2 mM L-Glutamine and 10mM HEPES was used. Cells were incubated 16-20 hours @ 37˚C with 5% and 10% CO_2 respectively. Cells were washed with media without FBS prior to the experiment. Cells were incubated for 30 min @37˚C with 1ml competition mix containing appropriate growth media with 2% FBS, 10^{-8} M ^{125}I -labeled de-AGP and GalNAc-cluster containing ASOs at concentrations ranging from 10^{-11} to 10^{-5} M. Non-specific binding was determined in the presence of 10^{-2} M GalNAc sugar. Cells were washed twice with media without FBS to remove unbound ^{125}I -labeled de-AGP and competitor GalNAc ASO. Cells were lysed using Qiagen's RLT buffer containing 1% ß-mercaptoethanol. Lysates were transferred to round bottom assay tubes after a brief 10 min freeze/thaw cycle and assayed on a ɣ-counter. Non-specific binding was subtracted before dividing ^{125}I protein counts by the value of the lowest GalNAc-ASO concentration counts. The inhibition curves were fitted according to a single site competition binding equation using a nonlinear regression algorithm to calculate the binding affinities (K_D's).

The results in Table 110 were obtained from experiments performed on five different days. Results for oligonucleotides marked with superscript "a" are the average of experiments run on two different days. The results show that the oligonucleotides comprising a GalNAc conjugate group on the 5'-end bound the asialoglycoprotein receptor on human HepG2 cells with 1.5 to 16-fold greater affinity than the oligonucleotides comprising a GalNAc conjugate group on the 3'-end.

Table 110
Asialoglycoprotein receptor binding assay results

ISIS No.	GalNAc conjugate	Oligonucleotide end to which GalNAc conjugate is attached	K_D (nM)
661161[a]	$GalNAc_3$-3	5'	3.7
666881[a]	$GalNAc_3$-10	5'	7.6
666981	$GalNAc_3$-7	5'	6.0
670061	$GalNAc_3$-13	5'	7.4
655861[a]	$GalNAc_3$-1	3'	11.6
677841[a]	$GalNAc_3$-19	3'	60.8

Example 100: Antisense inhibition *in vivo* by oligonucleotides comprising a GalNAc conjugate group targeting Apo(a) *in vivo*

The oligonucleotides listed in Table 111a below were tested in a single dose study for duration of action in mice.

Table 111a
Modified ASOs targeting APO(a)

ISIS No.	Sequences (5' to 3')	$GalNAc_3$ Cluster	CM	SEQ ID No.

25 Feb 2026
2026201390

681251	**GalNAc$_3$-7$_{a-o}$**,$T_{es}G_{es}{}^{m}C_{es}T_{es}{}^{m}C_{es}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}$ $T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{es}G_{es}$ $T_{es}T_{es}{}^{m}C_{e}$	GalNAc$_3$-7a	PO	25
681257	**GalNAc$_3$-7$_{a-o}$**,$T_{es}G_{eo}{}^{m}C_{eo}T_{eo}{}^{m}C_{eo}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}$ $T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{eo}G_{eo}$ $T_{es}T_{es}{}^{m}C_{e}$	GalNAc$_3$-7a	PO	25

The structure of GalNAc$_3$-7$_a$ was shown in Example 48.

Treatment

Female transgenic mice that express human Apo(a) were each injected subcutaneously once per week, for a total of 6 doses, with an oligonucleotide and dosage listed in Table 111b or with PBS. Each treatment group consisted of 3 animals. Blood was drawn the day before dosing to determine baseline levels of Apo(a) protein in plasma and at 72 hours, 1 week, and 2 weeks following the first dose. Additional blood draws will occur at 3 weeks, 4 weeks, 5 weeks, and 6 weeks following the first dose. Plasma Apo(a) protein levels were measured using an ELISA. The results in Table 111b are presented as the average percent of plasma Apo(a) protein levels for each treatment group, normalized to baseline levels (% BL), The results show that the oligonucleotides comprising a GalNAc conjugate group exhibited potent reduction in Apo(a) expression. This potent effect was observed for the oligonucleotide that comprises full PS internucleoside linkages and the oligonucleotide that comprises mixed PO and PS linkages.

Table 111b
Apo(a) plasma protein levels

ISIS No.	Dosage (mg/kg)	Apo(a) at 72 hours (% BL)	Apo(a) at 1 week (% BL)	Apo(a) at 3 weeks (% BL)
PBS	n/a	116	104	107
681251	0.3	97	108	93
	1.0	85	77	57
	3.0	54	49	11
	10.0	23	15	4
681257	0.3	114	138	104
	1.0	91	98	54
	3.0	69	40	6
	10.0	30	21	4

Example 101: Antisense inhibition by oligonucleotides comprising a GalNAc cluster linked via a stable moiety

The oligonucleotides listed in Table 112 were tested for inhibition of mouse APOC-III expression *in vivo*. C57Bl/6 mice were each injected subcutaneously once with an oligonucleotide listed in Table 112 or with PBS. Each treatment group consisted of 4 animals. Each mouse treated with ISIS 440670 received a dose of 2, 6, 20, or 60 mg/kg. Each mouse treated with ISIS 680772 or 696847 received 0.6, 2, 6, or 20 mg/kg. The GalNAc conjugate group of ISIS 696847 is linked via a stable moiety, a phosphorothioate linkage instead of a readily cleavable phosphodiester containing linkage. The animals were sacrificed 72 hours after the dose. Liver

2026201390 25 Feb 2026

APOC-III mRNA levels were measured using real-time PCR. APOC-III mRNA levels were normalized to cyclophilin mRNA levels according to standard protocols. The results are presented in Table 112 as the average percent of APOC-III mRNA levels for each treatment group relative to the saline control group. The results show that the oligonucleotides comprising a GalNAc conjugate group were significantly more potent than the oligonucleotide lacking a conjugate group. Furthermore, the oligonucleotide comprising a GalNAc conjugate group linked to the oligonucleotide via a cleavable moiety (ISIS 680772) was even more potent than the oligonucleotide comprising a GalNAc conjugate group linked to the oligonucleotide via a stable moiety (ISIS 696847).

Table 112

Modified oligonucleotides targeting mouse APOC-III

ISIS No.	Sequences (5' to 3')	CM	Dosage (mg/kg)	APOC-III mRNA (% PBS)	SEQ ID No.
440670	$^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}T_{es}T_{ds}T_{ds}A_{ds}T_{ds}T_{ds}A_{ds}G_{ds}G_{ds}G_{ds}A_{ds}{}^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}A_{e}$	n/a	2	92	129
			6	86	
			20	59	
			60	37	
680772	**GalNAc$_3$-7$_{a\text{-}o}$**,$^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}T_{es}T_{ds}T_{ds}A_{ds}T_{ds}T_{ds}A_{ds}G_{ds}G_{ds}G_{ds}A_{ds}{}^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}A_{e}$	PO	0.6	79	129
			2	58	
			6	31	
			20	13	
696847	**GalNAc$_3$-7$_{a\text{-}s}$**,$^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}T_{es}T_{ds}T_{ds}A_{ds}T_{ds}T_{ds}A_{ds}G_{ds}G_{ds}G_{ds}A_{ds}{}^{m}C_{es}A_{es}G_{es}{}^{m}C_{es}A_{e}$	n/a (PS)	0.6	83	129
			2	73	
			6	40	
			20	28	

The structure of GalNAc$_3$-7$_a$ was shown in Example 48.

Example 102: Distribution in liver of antisense oligonucleotides comprising a GalNAc conjugate

The liver distribution of ISIS 353382 (see Table 36) that does not comprise a GalNAc conjugate and ISIS 655861 (see Table 36) that does comprise a GalNAc conjugate was evaluated. Male balb/c mice were subcutaneously injected once with ISIS 353382 or 655861 at a dosage listed in Table 113. Each treatment group consisted of 3 animals except for the 18 mg/kg group for ISIS 655861, which consisted of 2 animals. The animals were sacrificed 48 hours following the dose to determine the liver distribution of the oligonucleotides. In order to measure the number of antisense oligonucleotide molecules per cell, a Ruthenium (II) tris-bipyridine tag (MSD TAG, Meso Scale Discovery) was conjugated to an oligonucleotide probe used to detect the antisense oligonucleotides. The results presented in Table 113 are the average concentrations of oligonucleotide for each treatment group in units of millions of oligonucleotide molecules per cell. The results show that at equivalent doses, the oligonucleotide comprising a GalNAc conjugate was present at higher concentrations in the total liver and in hepatocytes than the oligonucleotide that does not comprise a GalNAc conjugate. Furthermore, the oligonucleotide comprising a GalNAc conjugate was present at lower concentrations in non-parenchymal liver

2026201390 25 Feb 2026

cells than the oligonucleotide that does not comprise a GalNAc conjugate. And while the concentrations of ISIS 655861 in hepatocytes and non-parenchymal liver cells were similar per cell, the liver is approximately 80% hepatocytes by volume. Thus, the majority of the ISIS 655861 oligonucleotide that was present in the liver was found in hepatocytes, whereas the majority of the ISIS 353382 oligonucleotide that was present in the liver was found in non-parenchymal liver cells.

Table 113

ISIS No.	Dosage (mg/kg)	Concentration in whole liver (molecules*10^6 per cell)	Concentration in hepatocytes (molecules*10^6 per cell)	Concentration in non-parenchymal liver cells (molecules*10^6 per cell)
353382	3	9.7	1.2	37.2
	10	17.3	4.5	34.0
	20	23.6	6.6	65.6
	30	29.1	11.7	80.0
	60	73.4	14.8	98.0
	90	89.6	18.5	119.9
655861	0.5	2.6	2.9	3.2
	1	6.2	7.0	8.8
	3	19.1	25.1	28.5
	6	44.1	48.7	55.0
	18	76.6	82.3	77.1

Example 103: Duration of action *in vivo* of oligonucleotides targeting APOC-III comprising a GalNAc$_3$ conjugate

The oligonucleotides listed in Table 114 below were tested in a single dose study for duration of action in mice.

Table 114

Modified ASOs targeting APOC-III

ISIS No.	Sequences (5' to 3')	GalNAc$_3$ Cluster	CM	SEQ ID No.
304801	$A_{es}G_{es}{}^{m}C_{es}T_{es}T_{es}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}T_{es}T_{es}T_{es}A_{es}T_{e}$	n/a	n/a	32
663084	**GalNAc$_3$-3$_a$-$_o$,A$_{do}$**$A_{es}G_{eo}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}T_{eo}T_{eo}T_{es}A_{es}T_{e}$	GalNAc$_3$-3a	A_d	119
679241	$A_{es}G_{eo}{}^{m}C_{eo}T_{eo}T_{eo}{}^{m}C_{ds}T_{ds}T_{ds}G_{ds}T_{ds}{}^{m}C_{ds}{}^{m}C_{ds}A_{ds}G_{ds}{}^{m}C_{ds}T_{eo}T_{eo}T_{es}A_{es}T_{eo}$**A$_{do}$,-GalNAc$_3-19_a$**	GalNAc$_3$-19a	A_d	111

The structure of GalNAc$_3$-3$_a$ was shown in Example 39, and GalNAc$_3$-19$_a$ was shown in Example 70.

Treatment

Female transgenic mice that express human APOC-III were each injected subcutaneously once with an oligonucleotide listed in Table 114 or with PBS. Each treatment group consisted of 3 animals. Blood was

2026201390 25 Feb 2026

drawn before dosing to determine baseline and at 3, 7, 14, 21, 28, 35, and 42 days following the dose. Plasma triglyceride and APOC-III protein levels were measured as described in Example 20. The results in Table 115 are presented as the average percent of plasma triglyceride and APOC-III levels for each treatment group, normalized to baseline levels. A comparison of the results in Table 71 of example 79 with the results in Table 115 below show that oligonucleotides comprising a mixture of phosphodiester and phosphorothioate internucleoside linkages exhibited increased duration of action than equivalent oligonucleotides comprising only phosphorothioate internucleoside linkages.


Table 115

Plasma triglyceride and APOC-III protein levels in transgenic mice

ISIS No.	Dosage (mg/kg)	Time point (days post-dose)	Triglycerides (% baseline)	APOC-III protein (% baseline)	$GalNAc_3$ Cluster	CM
PBS	n/a	3	96	101	n/a	n/a
		7	88	98		
		14	91	103		
		21	69	92		
		28	83	81		
		35	65	86		
		42	72	88		
304801	30	3	42	46	n/a	n/a
		7	42	51		
		14	59	69		
		21	67	81		
		28	79	76		
		35	72	95		
		42	82	92		
663084	10	3	35	28	$GalNAc_3$-3a	A_d
		7	23	24		
		14	23	26		
		21	23	29		
		28	30	22		
		35	32	36		
		42	37	47		
679241	10	3	38	30	$GalNAc_3$-19a	A_d
		7	31	28		
		14	30	22		
		21	36	34		
		28	48	34		
		35	50	45		
		42	72	64		

2026201390 25 Feb 2026


Example 104: Synthesis of oligonucleotides comprising a 5'-GalNAc$_2$ conjugate




Compound 120 is commercially available, and the synthesis of compound 126 is described in Example 49. Compound 120 (1 g, 2.89 mmol), HBTU (0.39 g, 2.89 mmol), and HOBt (1.64 g, 4.33 mmol) were dissolved in DMF (10 mL. and *N*,*N*-diisopropylethylamine (1.75 mL, 10.1 mmol) were added. After about 5 min, aminohexanoic acid benzyl ester (1.36 g, 3.46 mmol) was added to the reaction. After 3h, the reaction mixture was poured into 100 mL of 1 M NaHSO4 and extracted with 2 x 50 mL ethyl acetate. Organic layers were combined and washed with 3 x 40 mL sat $NaHCO_3$ and 2 x brine, dried with Na_2SO_4, filtered and concentrated. The product was purified by silica gel column chromatography (DCM:EA:Hex , 1:1:1) to yield compound 231. LCMS and NMR were consistent with the structure. Compounds 231 (1.34 g, 2.438 mmol) was dissolved in dichloromethane (10 mL) and trifluoracetic acid (10 mL) was added. After stirring at room temperature for 2h, the reaction mixture was concentrated under reduced pressure and co-evaporated with toluene (3 x 10 mL). The residue was dried under reduced pressure to yield compound 232 as the trifuloracetate salt. The synthesis of compound 166 is described in Example 54. Compound 166 (3.39 g, 5.40 mmol) was dissolved in DMF (3 mL). A solution of compound 232 (1.3 g, 2.25 mmol) was dissolved in DMF (3 mL) and *N*,*N*-diisopropylethylamine (1.55 mL) was added. The reaction was stirred at room temperature for 30 minutes, then poured into water (80 mL) and the aqueous layer was extracted with EtOAc (2x100 mL). The organic phase

2026201390 25 Feb 2026

was separated and washed with sat. aqueous $NaHCO_3$ (3 x 80 mL), 1 M $NaHSO_4$ (3 x 80 mL) and brine (2 x 80 mL), then dried (Na_2SO_4), filtered, and concentrated. The residue was purified by silica gel column chromatography to yield compound 233. LCMS and NMR were consistent with the structure. Compound 233 (0.59 g, 0.48 mmol) was dissolved in methanol (2.2 mL) and ethyl acetate (2.2 mL). Palladium on carbon (10 wt% Pd/C, wet , 0.07 g) was added, and the reaction mixture was stirred under hydrogen atmosphere for 3 h. The reaction mixture was filtered through a pad of Celite and concentrated to yield the carboxylic acid. The carboxylic acid (1.32 g, 1.15 mmol, cluster free acid) was dissolved in DMF (3.2 mL). To this *N*,*N*-diisopropylehtylamine (0.3 mL, 1.73 mmol) and PFPTFA (0.30 mL, 1.73 mmol) were added. After 30 min stirring at room temperature the reaction mixture was poured into water (40 mL) and extracted with EtOAc (2 x 50 mL). A standard work-up was completed as described above to yield compound 234. LCMS and NMR were consistent with the structure. Oligonucleotide 235 was prepared using the general procedure described in Example 46. The $GalNAc_2$ cluster portion ($GalNAc_2$-24_a) of the conjugate group $GalNAc_2$-24 can be combined with any cleavable moiety present on the oligonucleotide to provide a variety of conjugate groups. The structure of $GalNAc_2$-24 ($GalNAc_2$-24_a-CM) is shown below:




Example 105: Synthesis of oligonucleotides comprising a $GalNAc_1$-25 conjugate




The synthesis of compound 166 is described in Example 54. Oligonucleotide 236 was prepared using the general procedure described in Example 46.

Alternatively, oligonucleotide 236 was synthesized using the scheme shown below, and compound 238 was used to form the oligonucleotide 236 using procedures described in Example 10.

2026201390 25 Feb 2026



The $GalNAc_1$ cluster portion ($GalNAc_1$-25_a) of the conjugate group $GalNAc_1$-25 can be combined with any cleavable moiety present on the oligonucleotide to provide a variety of conjugate groups. The structure of $GalNAc_1$-25 ($GalNAc_1$-25_a-CM) is shown below:



Example 106: Antisense inhibition *in vivo* by oligonucleotides targeting SRB-1 comprising a 5'-$GalNAc_2$ or a 5'-$GalNAc_3$ conjugate

Oligonucleotides listed in Tables 116 and 117 were tested in dose-dependent studies for antisense inhibition of SRB-1 in mice.

Treatment

Six to week old, male C57BL/6 mice (Jackson Laboratory, Bar Harbor, ME) were injected subcutaneously once with 2, 7, or 20 mg/kg of ISIS No. 440762; or with 0.2, 0.6, 2, 6, or 20 mg/kg of ISIS No. 686221, 686222, or 708561; or with saline. Each treatment group consisted of 4 animals. The mice were sacrificed 72 hours following the final administration. Liver SRB-1 mRNA levels were measured using real-time PCR. SRB-1 mRNA levels were normalized to cyclophilin mRNA levels according to standard protocols. The antisense oligonucleotides lowered SRB-1 mRNA levels in a dose-dependent manner, and the ED_{50} results are presented in Tables 116 and 117. Although previous studies showed that trivalent GalNAc-conjugated oligonucleotides were significantly more potent than divalent GalNAc-conjugated oligonucleotides, which were in turn significantly more potent than monovalent GalNAc conjugated oligonucleotides (*see*, e.g., Khorev et al., *Bioorg. & Med. Chem.*, Vol. 16, 5216-5231 (2008)), treatment with antisense oligonucleotides

2026201390 25 Feb 2026

comprising monovalent, divalent, and trivalent GalNAc clusters lowered SRB-1 mRNA levels with similar potencies as shown in Tables 116 and 117.

Table 116

Modified oligonucleotides targeting SRB-1

ISIS No.	Sequences (5' to 3')	GalNAc Cluster	ED_{50} (mg/kg)	SEQ ID No
440762	$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$	n/a	4.7	104
686221	**$GalNAc_2$-24_{a-o}-A_{do}**$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$	$GalNAc_2$-24_a	0.39	114
686222	**$GalNAc_3$-13_{a-o}-A_{do}**$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$	$GalNAc_3$-13_a	0.41	114

See Example 93 for table legend. The structure of $GalNAc_3$-13a was shown in Example 62, and the structure of $GalNAc_2$-24a was shown in Example 104.

Table 117

Modified oligonucleotides targeting SRB-1

ISIS No.	Sequences (5' to 3')	GalNAc Cluster	ED_{50} (mg/kg)	SEQ ID No
440762	$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$	n/a	5	104
708561	**$GalNAc_1$-25_{a-o}-**$T_{ks}{}^{m}C_{ks}A_{ds}G_{ds}T_{ds}{}^{m}C_{ds}A_{ds}T_{ds}G_{ds}A_{ds}{}^{m}C_{ds}T_{ds}T_{ks}{}^{m}C_{k}$	$GalNAc_1$-25_a	0.4	104

See Example 93 for table legend. The structure of $GalNAc_1$-25a was shown in Example 105.

The concentrations of the oligonucleotides in Tables 116 and 117 in liver were also assessed, using procedures described in Example 75. The results shown in Tables 117a and 117b below are the average total antisense oligonucleotide tissues levels for each treatment group, as measured by UV in units of μg oligonucleotide per gram of liver tissue. The results show that the oligonucleotides comprising a GalNAc conjugate group accumulated in the liver at significantly higher levels than the same dose of the oligonucleotide lacking a GalNAc conjugate group. Furthermore, the antisense oligonucleotides comprising one, two, or three GalNAc ligands in their respective conjugate groups all accumulated in the liver at similar levels. This result is surprising in view of the Khorev et al. literature reference cited above and is consistent with the activity data shown in Tables 116 and 117 above.

Table 117a

Liver concentrations of oligonucleotides comprising a $GalNAc_2$ or $GalNAc_3$ conjugate group

ISIS No.	Dosage (mg/kg)	[Antisense oligonucleotide] (μg/g)	GalNAc cluster	CM
440762	2	2.1	n/a	n/a
	7	13.1		
	20	31.1		
686221	0.2	0.9	$GalNAc_2$-24_a	A_d
	0.6	2.7		
	2	12.0		

25 Feb 2026
2026201390


	6	26.5		
686222	0.2	0.5	$GalNAc_3$-13_a	A_d
	0.6	1.6		
	2	11.6		
	6	19.8		

Table 117b


Liver concentrations of oligonucleotides comprising a $GalNAc_1$ conjugate group

ISIS No.	Dosage (mg/kg)	[Antisense oligonucleotide] (μg/g)	GalNAc cluster	CM
440762	2	2.3	n/a	n/a
	7	8.9		
	20	23.7		
708561	0.2	0.4	$GalNAc_1$-25_a	PO
	0.6	1.1		
	2	5.9		
	6	23.7		
	20	53.9		

Example 107: Synthesis of oligonucleotides comprising a $GalNAc_1$-26 or $GalNAc_1$-27 conjugate




Oligonucleotide 239 is synthesized via coupling of compound 47 (see Example 15) to acid 64 (see Example 32) using HBTU and DIEA in DMF. The resulting amide containing compound is phosphitylated, then added to the 5'-end of an oligonucleotide using procedures described in Example 10. The $GalNAc_1$ cluster portion ($GalNAc_1$-26_a) of the conjugate group $GalNAc_1$-26 can be combined with any cleavable moiety present on the oligonucleotide to provide a variety of conjugate groups. The structure of $GalNAc_1$-26 ($GalNAc_1$-26_a-CM) is shown below:




.

2026201390 25 Feb 2026

In order to add the $GalNAc_1$ conjugate group to the 3'-end of an oligonucleotide, the amide formed from the reaction of compounds 47 and 64 is added to a solid support using procedures described in Example 7. The oligonucleotide synthesis is then completed using procedures described in Example 9 in order to form oligonucleotide 240.



The $GalNAc_1$ cluster portion ($GalNAc_1$-27_a) of the conjugate group $GalNAc_1$-27 can be combined with any cleavable moiety present on the oligonucleotide to provide a variety of conjugate groups. The structure of $GalNAc_1$-27 ($GalNAc_1$-27_a-CM) is shown below:



Example 108: Antisense inhibition *in vivo* by oligonucleotides comprising a GalNAc conjugate group targeting Apo(a) *in vivo*

The oligonucleotides listed in Table 118 below were tested in a single dose study in mice.

Table 118

Modified ASOs targeting APO(a)

ISIS No.	Sequences (5' to 3')	$GalNAc_3$ Cluster	CM	SEQ ID No.
494372	$T_{es}G_{es}{}^{m}C_{es}T_{es}{}^{m}C_{es}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}T_{ds}G_{ds}{}^{m}C_{ds}$ $T_{ds}T_{es}G_{es}T_{es}T_{es}{}^{m}C_{e}$	n/a	n/a	25
681251	**$GalNAc_3$-$7_{a\text{-}o}$**,$T_{es}G_{es}{}^{m}C_{es}T_{es}{}^{m}C_{es}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}$ $T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{es}G_{es}T_{es}T_{es}{}^{m}C_{e}$	$GalNAc_3$-7a	PO	25
681255	**$GalNAc_3$-$3_{a\text{-}o}$**,$T_{es}G_{eo}{}^{m}C_{eo}T_{eo}{}^{m}C_{eo}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}$ $T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{eo}G_{eo}T_{es}T_{es}{}^{m}C_{e}$	$GalNAc_3$-3a	PO	25
681256	**$GalNAc_3$-$10_{a\text{-}o}$**,$T_{es}G_{eo}{}^{m}C_{eo}T_{eo}{}^{m}C_{eo}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}$ $T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{eo}G_{eo}T_{es}T_{es}{}^{m}C_{e}$	$GalNAc_3$-10a	PO	25
681257	**$GalNAc_3$-$7_{a\text{-}o}$**,$T_{es}G_{eo}{}^{m}C_{eo}T_{eo}{}^{m}C_{eo}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}$ $T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{eo}G_{eo}T_{es}T_{es}{}^{m}C_{e}$	$GalNAc_3$-7a	PO	25
681258	**$GalNAc_3$-$13_{a\text{-}o}$**,$T_{es}G_{eo}{}^{m}C_{eo}T_{eo}{}^{m}C_{eo}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}$ $T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{eo}G_{eo}T_{es}T_{es}{}^{m}C_{e}$	$GalNAc_3$-13a	PO	25

25 Feb 2026
2026201390

681260	$T_{es}G_{eo}{}^{m}C_{eo}T_{eo}{}^{m}C_{eo}{}^{m}C_{ds}G_{ds}T_{ds}T_{ds}G_{ds}G_{ds}T_{ds}G_{ds}{}^{m}C_{ds}T_{ds}T_{eo}G_{eo}T_{es}T_{es}{}^{m}C_{eo}\mathbf{A_{do'}}$**-GalNAc$_3$-19**	GalNAc$_3$-19a	A_d	134

The structure of GalNAc$_3$-7$_a$ was shown in Example 48.

Treatment


Male transgenic mice that express human Apo(a) were each injected subcutaneously once with an oligonucleotide and dosage listed in Table 119 or with PBS. Each treatment group consisted of 4 animals. Blood was drawn the day before dosing to determine baseline levels of Apo(a) protein in plasma and at 1 week following the first dose. Additional blood draws will occur weekly for approximately 8 weeks. Plasma Apo(a) protein levels were measured using an ELISA. The results in Table 119 are presented as the average percent of plasma Apo(a) protein levels for each treatment group, normalized to baseline levels (% BL), The results show that the antisense oligonucleotides reduced Apo(a) protein expression. Furthermore, the oligonucleotides comprising a GalNAc conjugate group exhibited even more potent reduction in Apo(a) expression than the oligonucleotide that does not comprise a conjugate group.

Table 119

Apo(a) plasma protein levels

ISIS No.	Dosage (mg/kg)	Apo(a) at 1 week (% BL)
PBS	n/a	143
494372	50	58
681251	10	15
681255	10	14
681256	10	17
681257	10	24
681258	10	22
681260	10	26

Example 109: Synthesis of oligonucleotides comprising a GalNAc$_1$-28 or GalNAc$_1$-29 conjugate




Oligonucleotide 241 is synthesized using procedures similar to those described in Example 71 to form the phosphoramidite intermediate, followed by procedures described in Example 10 to synthesize the


25 Feb 2026

2026201390


oligonucleotide. The $GalNAc_1$ cluster portion ($GalNAc_1$-28_a) of the conjugate group $GalNAc_1$-28 can be combined with any cleavable moiety present on the oligonucleotide to provide a variety of conjugate groups. The structure of $GalNAc_1$-28 ($GalNAc_1$-28_a-CM) is shown below:



In order to add the $GalNAc_1$ conjugate group to the 3'-end of an oligonucleotide, procedures similar to those described in Example 71 are used to form the hydroxyl intermediate, which is then added to the solid support using procedures described in Example 7. The oligonucleotide synthesis is then completed using procedures described in Example 9 in order to form oligonucleotide 242.




The $GalNAc_1$ cluster portion ($GalNAc_1$-29_a) of the conjugate group $GalNAc_1$-29 can be combined with any cleavable moiety present on the oligonucleotide to provide a variety of conjugate groups. The structure of $GalNAc_1$-29 ($GalNAc_1$-29_a-CM) is shown below:




Example 110: Synthesis of oligonucleotides comprising a $GalNAc_1$-30 conjugate

2026201390 25 Feb 2026




Oligonucleotide 246 comprising a GalNAc$_1$-30 conjugate group, wherein Y is selected from O, S, a substituted or unsubstituted C_1-C_{10} alkyl, amino, substituted amino, azido, alkenyl or alkynyl, is synthesized as shown above. The GalNAc$_1$ cluster portion (GalNAc$_1$-30$_a$) of the conjugate group GalNAc$_1$-30 can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, Y is part of the cleavable moiety. In certain embodiments, Y is part of a stable moiety, and the cleavable moiety is present on the oligonucleotide. The structure of GalNAc$_1$-30$_a$ is shown below:




Example 111: Synthesis of oligonucleotides comprising a GalNAc$_2$-31 or GalNAc$_2$-32 conjugate

25 Feb 2026
2026201390




Oligonucleotide 250 comprising a $GalNAc_2$-31 conjugate group, wherein Y is selected from O, S, a substituted or unsubstituted C_1-C_{10} alkyl, amino, substituted amino, azido, alkenyl or alkynyl, is synthesized as shown above. The $GalNAc_2$ cluster portion ($GalNAc_2$-31_a) of the conjugate group $GalNAc_2$-31 can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the Y-containing group directly adjacent to the 5'-end of the oligonucleotide is part of the cleavable moiety. In certain embodiments, the Y-containing group directly adjacent to the 5'-end of the oligonucleotide is part of a stable moiety, and the cleavable moiety is present on the oligonucleotide. The structure of $GalNAc_2$-31_a is shown below:




25 Feb 2026

2026201390

The synthesis of an oligonucleotide comprising a $GalNAc_2$-32 conjugate is shown below.



Oligonucleotide 252 comprising a $GalNAc_2$-32 conjugate group, wherein Y is selected from O, S, a substituted or unsubstituted C_1-C_{10} alkyl, amino, substituted amino, azido, alkenyl or alkynyl, is synthesized as shown above. The $GalNAc_2$ cluster portion ($GalNAc_2$-32_a) of the conjugate group $GalNAc_2$-32 can be combined with any cleavable moiety to provide a variety of conjugate groups. In certain embodiments, the Y-containing group directly adjacent to the 5'-end of the oligonucleotide is part of the cleavable moiety. In certain embodiments, the Y-containing group directly adjacent to the 5'-end of the oligonucleotide is part of a stable moiety, and the cleavable moiety is present on the oligonucleotide. The structure of $GalNAc_2$-32_a is shown below:



Example 112: Modified oligonucleotides comprising a $GalNAc_1$ conjugate

The oligonucleotides in Table 120 targeting SRB-1 were synthesized with a $GalNAc_1$ conjugate group in order to further test the potency of oligonucleotides comprising conjugate groups that contain one GalNAc ligand.

2026201390 25 Feb 2026

Table 120


ISIS No.	Sequence (5' to 3')	GalNAc cluster	CM	SEQ ID NO.
711461	**$GalNAc_1$-$25_{a\text{-}o}$,A_{do}** G_{es} $^mC_{es}$ T_{es} T_{es} $^mC_{es}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{es} $^mC_{es}$ $^mC_{es}$ T_{es} T_e	$GalNAc_1$-25_a	A_d	109
711462	**$GalNAc_1$-$25_{a\text{-}o}$,**G_{es} $^mC_{es}$ T_{es} T_{es} $^mC_{es}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{es} $^mC_{es}$ $^mC_{es}$ T_{es} T_e	$GalNAc_1$-25_a	PO	108
711463	**$GalNAc_1$-$25_{a\text{-}o}$,**G_{es} $^mC_{eo}$ T_{eo} T_{eo} $^mC_{eo}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{eo} $^mC_{eo}$ $^mC_{es}$ T_{es} T_e	$GalNAc_1$-25_a	PO	108
711465	**$GalNAc_1$-$26_{a\text{-}o}$,A_{do}** G_{es} $^mC_{es}$ T_{es} T_{es} $^mC_{es}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{es} $^mC_{es}$ $^mC_{es}$ T_{es} T_e	$GalNAc_1$-26_a	A_d	109
711466	**$GalNAc_1$-$26_{a\text{-}o}$,**G_{es} $^mC_{es}$ T_{es} T_{es} $^mC_{es}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{es} $^mC_{es}$ $^mC_{es}$ T_{es} T_e	$GalNAc_1$-26_a	PO	108
711467	**$GalNAc_1$-$26_{a\text{-}o}$,**G_{es} $^mC_{eo}$ T_{eo} T_{eo} $^mC_{eo}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{eo} $^mC_{eo}$ $^mC_{es}$ T_{es} T_e	$GalNAc_1$-26_a	PO	108
711468	**$GalNAc_1$-$28_{a\text{-}o}$,A_{do}** G_{es} $^mC_{es}$ T_{es} T_{es} $^mC_{es}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{es} $^mC_{es}$ $^mC_{es}$ T_{es} T_e	$GalNAc_1$-28_a	A_d	109
711469	**$GalNAc_1$-$28_{a\text{-}o}$,**G_{es} $^mC_{es}$ T_{es} T_{es} $^mC_{es}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{es} $^mC_{es}$ $^mC_{es}$ T_{es} T_e	$GalNAc_1$-28_a	PO	108
711470	**$GalNAc_1$-$28_{a\text{-}o}$,**G_{es} $^mC_{eo}$ T_{eo} T_{eo} $^mC_{eo}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{eo} $^mC_{eo}$ $^mC_{es}$ T_{es} T_e	$GalNAc_1$-28_a	PO	108
713844	G_{es} $^mC_{es}$ T_{es} T_{es} $^mC_{es}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{es} $^mC_{es}$ $^mC_{es}$ T_{es} T_{eo}-**$GalNAc_1$-27_a**	$GalNAc_1$-27_a	PO	108
713845	G_{es} $^mC_{eo}$ T_{eo} T_{eo} $^mC_{eo}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{eo} $^mC_{eo}$ $^mC_{es}$ T_{es} T_{eo}-**$GalNAc_1$-27_a**	$GalNAc_1$-27_a	PO	108
713846	G_{es} $^mC_{eo}$ T_{eo} T_{eo} $^mC_{eo}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{eo} $^mC_{eo}$ $^mC_{es}$ T_{es} T_{eo} **A_{do}**-**$GalNAc_1$-27_a**	$GalNAc_1$-27_a	A_d	110
713847	G_{es} $^mC_{es}$ T_{es} T_{es} $^mC_{es}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{es} $^mC_{es}$ $^mC_{es}$ T_{es} T_{eo}-**$GalNAc_1$-29_a**	$GalNAc_1$-29_a	PO	108
713848	G_{es} $^mC_{eo}$ T_{eo} T_{eo} $^mC_{eo}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{eo} $^mC_{eo}$ $^mC_{es}$ T_{es} T_{eo}-**$GalNAc_1$-29_a**	$GalNAc_1$-29_a	PO	108
713849	G_{es} $^mC_{es}$ T_{es} T_{es} $^mC_{es}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{es} $^mC_{es}$ $^mC_{es}$ T_{es} T_{eo} **A_{do}**-**$GalNAc_1$-29_a**	$GalNAc_1$-29_a	A_d	110
713850	G_{es} $^mC_{eo}$ T_{eo} T_{eo} $^mC_{eo}$ A_{ds} G_{ds} T_{ds} $^mC_{ds}$ A_{ds} T_{ds} G_{ds} A_{ds} $^mC_{ds}$ T_{ds} T_{eo} $^mC_{eo}$ $^mC_{es}$ T_{es} T_{eo} **A_{do}**-**$GalNAc_1$-29_a**	$GalNAc_1$-29_a	A_d	110

Example 113: Phase I Clinical Trial of Compounds Comprising GalNAc conjugates targeting APOCIII


The duration of action and efficacy of GalNAc conjugates of the present invention is further confirmed in results of clinical trials demonstrating the ability of a conjugated GalNAc-RNAi compound to modulate APOCIII protein levels, serum triglyceride (TG) levels, very low density lipoprotein cholesterol (VLDL-C) levels, high density lipoprotein cholesterol (HDL-C) levels and low density lipoprotein cholesterol (LDL-C) levels.


2026201390 25 Feb 2026


The GalNAc conjugate group:




was combined with the oligonucleotide RNAi sequence (5'-3', sense strand) ACGGGACAGTATTCTCAGTIA (SEQ ID NO: 162) (I = inosine) to form the following compound, designated ADS-005:










2026201390 25 Feb 2026

Nucleobase, internucleoside linkage and sugar moiety modifications to ADS-005, as well as synthesis, formulation and clinical trial parameters, are shown in WO 2021/026150, the entire contents of which is incorporated herein by reference. As described in WO 2021/026150, administration of ADS-005 resulted in reduction of serum APOC3 protein when compared to placebo.

Example 114: Phase I Clinical Trial of Compounds Comprising GalNAc conjugates targeting APOCIII

The duration of action and efficacy of GalNAc conjugates of the present invention is further confirmed in results of clinical trials demonstrating the ability of a conjugated GalNAc-RNAi compound to modulate Lipoprotein(a) (Lp(a)) levels.

The GalNAc conjugate group:




was combined with the oligonucleotide RNAi sequence (5'-3', sense strand) CAGCCCCTTATTGTTATACGA (SEQ ID NO: 163) to form a compound designated AMG 890.

Nucleobase, internucleoside linkage and sugar moiety modifications to AMG 890, as well as synthesis, formulation and clinical trial parameters, are shown in WO 2022/098841, the entire contents of which is incorporated herein by reference. AMG 890 reduced mean Lp(a) levels from baseline as described in Example 1 of WO 2022/098841.

2026201390 25 Feb 2026


Claims

1. A conjugated oligonucleotide comprising an oligonucleotide and a conjugate group, wherein the conjugate group has a structure represented by the formula:




C is a conjugate linker;
D is a branching group;
each E is a tether;
each F is a ligand; and
q is an integer between 1 and 5,

wherein:
(i) the branching group has the structure:



;

(ii) the conjugate group comprises three ligands wherein each ligand has the following structure:



;

(iii) the oligonucleotide comprises at least one modified nucleoside, wherein the oligonucleotide is double-stranded or activates the RISC pathway; and

(iv) the oligonucleotide has a nucleobase sequence comprising an at least 8 nucleobase portion complementary to an equal length portion of a target nucleic acid, wherein the target nucleic acid encodes a protein selected from among: Androgen Receptor, Apolipoprotein (a), Apolipoprotein B, Apolipoprotein C-III, C-Reactive Protein, eIF-4E, Factor VII, Factor XI, Glucocorticoid Receptor, Glucagon Receptor, Protein Tyrosine Phosphatase 1B, STAT3, SRB-1, and Transthyretin.

2. The conjugated oligonucleotide of claim 1, wherein the target nucleic acid encodes Apolipoprotein C-III.

2026201390 25 Feb 2026

3. The conjugated oligonucleotide of claims 1 or 2, wherein the oligonucleotide comprises monomeric subunits that are not linked to a heterocyclic base moiety, thereby providing abasic sites.

4. The conjugated oligonucleotide of any one of claims 1-3, wherein the conjugated oligonucleotide is double-stranded.

5. The conjugated oligonucleotide of claim 4, wherein the conjugated oligonucleotide is a double-stranded siRNA compound.

6. The conjugated oligonucleotide of claim 5, wherein the double-stranded siRNA compound comprises an antisense strand and a sense strand.

7. The conjugated oligonucleotide of claim 6, wherein the conjugate group is conjugated to the sense strand of the siRNA compound.

8. The conjugated oligonucleotide of claims 6 or 7, wherein the antisense strand consists of 18 to 22 linked nucleosides.

9. The conjugated oligonucleotide of any one of claims 6-8, wherein the antisense strand comprises at least one modified internucleoside linkage.

10. The conjugated oligonucleotide of any one of claims 6-9, wherein each internucleoside linkage of the antisense strand is selected from phosphodiester and phosphorothioate and at least one internucleoside linkage is phosphorothioate.


11. The conjugated oligonucleotide of any one of claims 6-10, wherein the antisense strand comprises at least one modified nucleoside comprising a 2'-substituted sugar moiety, optionally wherein the 2'-substituted sugar moiety is a 2'-MOE sugar moiety, a 2'-OMe sugar moiety, or a 2'-F sugar moiety.

12. The conjugated oligonucleotide of any one of claims 6-11, wherein the antisense strand has a nucleobase sequence comprising an at least 16 contiguous nucleobase portion complementary to an equal length contiguous portion of SEQ ID NO: 5.

13. The conjugated oligonucleotide of claim 12, wherein the antisense strand has a nucleobase sequence comprising at least 18 contiguous nucleobases of CACTGAGAATACTGTCCCTT (SEQ ID NO: 161), wherein each T is a T or a U.

14. The conjugated oligonucleotide of any one of claims 1-13, wherein the linker comprises at least one phosphorous linking group.

2026201390 25 Feb 2026

15. The conjugated oligonucleotide of any one of claims 1-14, wherein the tether comprises ethylene glycol or  .

16. A method of reducing the activity or amount of an Apolipoprotein C-III protein in a cell, comprising contacting the cell with the conjugated oligonucleotide of any one of claims 2-15, and thereby reducing the activity or amount of the Apolipoprotein C-III protein in the cell.

17. Use of at least one conjugated oligonucleotide of any one of claims 2-15 in the manufacture of a medicament for reducing the activity or amount of an Apolipoprotein C-III protein in a cell.

18. A method of treating a subject using the conjugated oligonucleotide of any one of claims 1-15.

19. Use of the conjugated oligonucleotide of any one of claims 1-15 in the manufacture of a medicament for therapeutic use in a subject.

20. The method of claim 18 or the use of claim 19, wherein the subject has elevated triglyceride levels.

2026201390 25 Feb 2026

Sequence Listing

1	**Sequence Listing Information**	
1-1	File Name	20260224 Sequence listing XML with SEQ 161-165.xml
1-2	DTD Version	V1_3
1-3	Software Name	WIPO Sequence
1-4	Software Version	2.1.2
1-5	Production Date	2026-02-23
1-6	Original free text language code	
1-7	Non English free text language code	
2	**General Information**	
2-1	Current application: IP Office	US
2-2	Current application: Application number	61/818,442
2-3	Current application: Filing date	2013-05-01
2-4	Current application: Applicant file reference	CORE0115WO
2-5	Earliest priority application: IP Office	
2-6	Earliest priority application: Application number	
2-7	Earliest priority application: Filing date	
2-8en	Applicant name	Ionis Pharmaceuticals, Inc.
2-8	Applicant name: Name Latin	
2-9en	Inventor name	
2-9	Inventor name: Name Latin	
2-10en	Invention title	CONJUGATED ANTISENSE COMPOUNDS AND THEIR USE
2-11	Sequence Total Quantity	165

20262013390 25 Feb 2026

3-1	**Sequences**	
3-1-1	Sequence Number [ID]	1
3-1-2	Molecule Type	DNA
3-1-3	Length	191001
3-1-4	Features	**source 1..191001**
	Location/Qualifiers	mol_type=genomic DNA
		organism=Homo sapiens
	NonEnglishQualifier Value	
3-1-5	Residues	ctgacagaaa gcagatcatt ggttgcctga ggaggaggag tataggagag gtggagggaa 60 aatgtacaaa gtggcacaat aaaaactttt ggaatcatag atatattcac tatcttgatt 120 gagtgatgat ttcatgagtg cacgcgtgtg tcaaaaatga tcaatttatg caactttaaa 180 tatgtgcagt ttattgtata tatcaattat acctcagtac ggctattaaa aagaaaccct 240 ctggctgcac aatgcagaac tgattctagg aaagagtgga gggaggatga ccatttacag 300 tgctccaggt ggaagagaac ggtgccttct ggaagtgaac taggttggca acaacagaga 360 tgaaataaat gggcagatgt gtgagatact taggaaataa aacccgatgg tcaccatttt 420 ccaaaggtca gctcatcctg gctttccaga gcaaagagct agggaagact ttattaataa 480 atccctcttg aagttgcaga ggaagcttat agcagaaact tactctcaac ctgactaatc 540 tgagagaaca cctctggttc catttgatta ctaaaaaact gcaaagaaca ggaggagaaa 600 gaagaagaaa gctggtacaa acagtgaact tatataatat taatcaataa ttgtctcttg 660 ttcttaaaag caatgggaag aaaatgagat ttgagctgga agatcagagt tcaaaatcca 720 aataaagtat atggccctaa tatgcttata gtagttaacc tttcctgata atgatataat 780 tgttgacagc accatcttta aaaataaaaa taacatagta atccttcaga tttgtagaat 840 gctttcctgt ttacaagttt gttctataca cattatgtct tttaaatgac acactagcct 900 tctgagggta acttatattg gcaacagttt tcagatgtgg aaactgtgaa gacaatgttg 960 gtgatgtgga agcaacataa actttggagt ctttcagacc caggtttgaa tgtcagactg 1020 ctttttattc agagtaactt cagagcatta tttctcacct taatttttt tcaggcctct 1080 ttgtgtctat gtgtcctctt cactcctgtc cattgttcat tcagtgattt ttgcaccttc 1140 cttcactgtt agtgtgtaga cacatagttc tcctggctct gagacctatg ttaattccat 1200 tctaccatcc tgccagccca ctcaattcct attgagcaat gctagttgaa agttgtggtg 1260 ggattaaatg ttgcaatgag tattcaaatg aggttgaagt atctacgcat tctacttaca 1320 tatggtgagg tatattcaag gaaggctgta gccattaaaa tctcaggaaa taatttttca 1380 cctcctcagg tgaaagggtc ttcaggcctt tgtgttctgg aaggttcatt tatagccatt 1440 tcccaaatga caatgcgatt gatgagtcta gagtctagct caaatagcaa tggactggaa 1500 gactagttta ggttttacta atgtggaaca tagaacaaat tatgtccttg tttcagcctg 1560 ttcatctgtg aaatagagcc tatcatatcc agtcttcctt gcctttaggt ttgagttacc 1620 ttctttggtc aaggtaagta aatgcctatg atgtttggct gtgcacaaga taaagctaca 1680 acaaagctac aacccatctt ttctctgtag aagactgcaa aaagcaaaag agacccaggc 1740 aaaaatctcg gaatgacttt tggaacagag agcctcccca gaatcagaag tcaaaggaat 1800 ttaaaacata gggaggccca gggtctctac tgacataaag gaaagatgtt ttccttatag 1860 gtttacgttt acattttctc tctctttcca ttcccacttg catctccacc tttacacagg 1920 gcttatggga cctcctccac aaaagagcag ttgcagtaac ccacatcatc ctctacgcct 1980 ggctgtccat caagaggcga aaagcagccc tatataggtt ctatccttgg atagttccag 2040 ttgtaaagtt taaaatatgc gaaggcaact tggaaaagca agcggctgca tacaaagcaa 2100 acgtttacag agctctggac aaaattgagc gcctatgtgt acatggcaag tgtttttagt 2160 gtttgtgtgt ttacctgctt gtctgggtga ttttgccttt gagagtctgg atgagaaatg 2220 catggttaaa ggcaattcca gacaggaaga aaggcagaga agagggtaga aatgacctct 2280 gattcttggg gctgagggtt cctagagcaa atggcacaat gccacgaggc ccgatctatc 2340 cctatgacgg aatctaaggt ttcagcaagt atctgctggc ttggtcatgg cttgctcctc 2400 agtttgtagg agactctccc actctcccat ctgcgcgctc ttatcagtcc tgaaaagaac 2460 ccctggcagc caggagcagg tattcctatc gtccttttcc tccctccctc gcctccaccc 2520 tgttggtttt ttagattggg ctttggaacc aaatttggtg agtgctggcc tccaggaaat 2580 ctggagccct ggcgcctaaa ccttggttta ggaaagcagg agctattcag gaagcagggg 2640 tcctccaggg ctagagctag cctctcctgc cctcgcccac gctgcgccag cacttgtttc 2700 tccaaagcca ctaggcaggc gttagcgcgc ggtgagggga ggggagaaaa ggaaagggga 2760 ggggagggaa aaggaggtgg gaaggcaagg aggccggccc ggtgggggcg ggacccgact 2820 cgcaaactgt tgcatttgct ctccacctcc cagcgccccc tccgagatcc cggggagcca 2880 gcttgctggg agagcgggac ggtccggagc aagcccagag gcagaggagg cgacagaggg 2940 aaaaagggcc gagctagccg ctccagtgct gtacaggagc cgaagggacg caccacgcca 3000 gccccagccc ggctccagcg acagccaacg cctcttgcag cgcggcggct tcgaagccgc 3060 cgcccggagc tgccctttcc tcttcggtga agtttttaaa agctgctaaa gactcggagg 3120 aagcaaggaa agtgcctggt aggactgacg gctgcctttg tcctcctcct ctccaccccg 3180 cctcccccca ccctgccttc ccccctccc ccgtcttctc tcccgcagct gcctcagtcg 3240 gctactctca gccaaccccc ctcaccaccc ttctccccac ccgccccccc gcccccgtcg 3300 gcccagcgct gccagcccga gtttgcagag aggtaactcc ctttggctgc gagcgggcga 3360 gctagctgca cattgcaaag aaggctctta ggagccaggc gactggggag cggcttcagc 3420 actgcagcca cgacccgcct ggttaggctg cacgcggaga gaaccctctg ttttccccca 3480 ctctctctcc acctcctcct gccttcccca ccccgagtgc ggagccagag atcaaaagat 3540 gaaaaggcag tcaggtcttc agtagccaaa aaacaaaaca aacaaaaaca aaaaagccga 3600 aataaaagaa aaagataata actcagttct tatttgcacc tacttcagtg gacactgaat 3660 ttggaaggtg gaggattttg ttttttttctt ttaagatctg ggcatctttt gaatctaccc 3720 ttcaagtatt aagagacaga ctgtgagcct agcagggcag atcttgtcca ccgtgtgtct 3780 tcttctgcac gagactttga ggctgtcaga gcgctttttg cgtggttgct cccgcaagtt 3840 tccttctctg gagcttcccg caggtgggca gctagctgca gcgactaccg catcatcaca 3900 gcctgttgaa ctcttctgag caagagaagg ggaggcgggg taagggaagt aggtggaaga 3960 ttcagccaag ctcaaggatg gaagtgcagt tagggctggg aagggtctac cctcggccgc 4020

20262013390 25 Feb 2026

cgtccaagac ctaccgagga gctttccaga atctgttcca gagcgtgcgc gaagtgatcc 4080
agaacccggg ccccaggcac ccagaggccg cgagcgcagc acctcccggc gccagtttgc 4140
tgctgctgca gcagcagcag cagcagcagc agcagcagca gcagcagcag cagcagcagc 4200
agcagcagca gcagcaagag actagcccca ggcagcagca gcagcagcag ggtgaggatg 4260
gttctcccca agcccatcgt agaggcccca caggctacct ggtcctggat gaggaacagc 4320
aaccttcaca gccgcagtcg gccctggagt gccaccccga gagaggttgc gtcccagagc 4380
ctggagccgc cgtggccgcc agcaaggggc tgccgcagca gctgccagca cctccggacg 4440
aggatgactc agctgcccca tccacgttgt ccctgctggg ccccactttc cccggcttaa 4500
gcagctgctc cgctgacctt aaagacatcc tgagcgaggc cagcaccatg caactccttc 4560
agcaacagca gcaggaagca gtatccgaag gcagcagcag cgggagagcg agggaggcct 4620
cgggggctcc cacttcctcc aaggacaatt acttaggggg cacttcgacc atttctgaca 4680
acgccaagga gttgtgtaag gcagtgtcgg tgtccatggg cctgggtgtg gaggcgttgg 4740
agcatctgag tccaggggaa cagcttcggg gggattgcat gtacgcccca cttttgggag 4800
ttccacccgc tgtgcgtccc actccttgtg ccccattggc cgaatgcaaa ggttctctgc 4860
tagacgacag cgcaggcaag agcactgaag atactgctga gtattcccct ttcaagggag 4920
gttacaccaa agggctagaa ggcgagagcc taggctgctc tggcagcgct gcagcaggga 4980
gctccgggac acttgaactg ccgtctaccc tgtctctcta caagtccgga gcactggacg 5040
aggcagctgc gtaccagagt cgcgactact acaactttcc actggctctg gccggaccgc 5100
cgccccctcc gccgcctccc catccccacg ctcgcatcaa gctggagaac ccgctggact 5160
acggcagcgc ctgggcggct gcggcggcgc agtgccgcta tggggacctg gcgagcctgc 5220
atggcgcggg tgcagcggga cccggttctg ggtcaccctc agccgccgct tcctcatcct 5280
ggcacactct cttcacagcc gaagaaggcc agttgtatgg accgtgtggt ggtggtgggg 5340
gtggtggcgg cggcggcggc ggcggcggcg gcggcggcgg cggcggcggc ggcggcgagg 5400
cgggagctgt agccccctac ggctacactc ggccccctca ggggctggcg ggccaggaaa 5460
gcgacttcac cgcacctgat gtgtggtacc ctggcggcat ggtgagcaga gtgccctatc 5520
ccagtcccac ttgtgtcaaa agcgaaatgg gcccctggat ggatagctac tccggacctt 5580
acggggacat gcggtaagtt tttccttcca gaaatgtcgc ctttcggccc agggcagagt 5640
cactctgtgt tctggggtat ctagcggctc ctacctgcgc gaacactcag attgcccctg 5700
ggagagctca gcagggtaaa cctagagctc tcccgtggac tcccggcctg ccagaggttt 5760
aacctgagct ctcctaattt ctgctgcgtg ccctgggtgc tgattcctgc cctcccagat 5820
tcttcaactc ccccaaccgc cccaaattct cactacctcc tggtactcga ggtcccaaac 5880
agaaatccta ttgcacgggc caccttcaga gataaagctc ccaagccctc cactcttcct 5940
ttcctcctgt cctcaaagtc tgagaacctc aacaggaatt tgggcaattt ctcctcttca 6000
ggtctgttag gatttcactt tcagcctgcg cagattagag tcaaaaagac cggcccaata 6060
gcttctcagc gggtatcctc cagagaggta aagtgaaatt ctcggttagg gaaagaaagt 6120
ggtctctggg tgctgaggtc tgctgtgtga aagggtgaac ttctttctcc tgaagcaact 6180
ggggacttgc tccagggctg gaggtcagta gagataatcc aaaccgtcat gtttagagta 6240
ggcagagggg caactttctt ggtaaagact tcacaggatt tgcactcaca gtttctcaac 6300
gttggttgac tatgttgaaa gtagttgctt gggtcggttt tctcttgtaa agtgtttatt 6360
ttctctgtgg attataacag atccacagcc ccctacttca ggtttgcatc agatctataa 6420
agaggagaat attcttttaa tgtacaattt aattaggctt gactctgact tacaaaactg 6480
ttggaaaaca ttttttgta aagcatttcc tgctatttca gtgtgctcca aaatctccac 6540
tggggagggt ggagtgaggt tttttattat attcctttat ttttaggaca tgtttgcatt 6600
ttagaatatg tgcagttagc tctaacaaat tgagtaagaa ctcttaatga cctatgagcc 6660
gtaatcttac cccaaagttt taattagcat atgagaaaag tggcaggcaa ttgcatcgtg 6720
cttattaaaa attattcctc accgcagttg ttgagcttct tggagaccat gctgaagatt 6780
ttctccccca gcaaattaag atattagttt atctgctgag ggaggacaga ctgaattggg 6840
gaattaactc ctcaggtagg ccaggtgctg atgtccctgt ggacttttgt cttattcttt 6900
gtttctatgg ctgttttctt ttacctgtga cttctccgaa atttctttgt tagccttaac 6960
atctttgttt ggggacttaa atccagcaat ttgccttctt tcactgatgc tttccttctt 7020
acaaggtaga tagcacagtg ttagtaaaga aagaaagagg agggtaggat ttcatattat 7080
ttcgtgggct gttgaagaaa cagcttctta ccaggcttta cattccatta ggtttttaat 7140
gtttgactta caagattttc agagggttca tttgatattg tcaaagtctt ttccagttaa 7200
tttagactct tcatttttgt aatgggttta tgctatggga caaaaaaagt attcttcatt 7260
ttataagaac aaatttactt ggtagggtta attttttttc tagggctgtc actagacggt 7320
ggagcccctc ttctactgta aacttttctt gggggaaaat gtctaaggtg cattttgacc 7380
tgccatgata ctaaacccag acactggaac cttccatctt ctgcatgcct cccccacaac 7440
ttacttactt aacagggaaa aaactgatgg ttccacatat ttgctaaaaa atgtgtgcct 7500
tcaaagacaa aaccaaaatt tttagggaat aactatagag agcaaaagtt actcccatca 7560
agtagacaac gagcttggtg attttatttc aggtcttaat gaaaaaagct tctttatgag 7620
gaaggttatc atatcttggt gcctccttga cagtccgctt aaattaatga cataaactaa 7680
tgagaattta gcagttcctg cagaaagtac aagtttattt ttttttctg gtttgtgatt 7740
gctgcactga atatgaggag tctagttaaa gggacaactg gtgttcctgt cttgtgagtt 7800
gacgaagact ttccatttct aggatataga aaatccttaa gccggtttat tgaaaattaa 7860
tcaatttaat cagaatgcaa tcaattccaa tacaaaagtt agtattttct ttctttttat 7920
tgaaaattaa tttaatcaga atacaatcaa ttccaatcca aaagttgata ttttcttact 7980
ttctcttttt ttccctcatt ttgtagggat acaatttggt gaaaggcaag agatttctta 8040
agccaaagca agagtgtctt ccctctctgt gttgcatgca ttatgtgcca tgtttgagct 8100
aaaaatctca aaattgggca ggcttccaat gacctgttgg gtccctccct ttaccattca 8160
tgtgtgtgtt tatgtacata attttgtgga ggggtttttt taaaccttag taacatctgc 8220
actcactctg tgttcttata catttacagt gtttctgctg agaggaggga agatgcaaag 8280
gtggtctctt ttacttaatt tagcatgtgg tttgaacaga aggaaaaata aaaagtgatg 8340
gggcttgtgt gcaaccctga tgatatttta tggagctgtc tgtcttctct ctgagatcaa 8400
acaggactac aactttgtta attgaccact ggctcccttg gcaaaagtag ggcttcttat 8460
attccagcaa gcagcacaat aatatgacaa aaatttattc ttgggagttg ggttctaaga 8520
gagtgcatgc cagaattaga gtttggggtt tagagaaatt atccagatgc caaaagaaca 8580

20262013390 25 Feb 2026

ttttaatttt tctcttggta atttgttctg gtctccatag taggtagtat tttagtagtg 8640
ctttgatatt gacaagtctt gctccctttc tctattagat ttttcaaaat aaggcatttt 8700
attaattcct ctttccttct cctctctcct ctcagttatc aagcattttt atgactatct 8760
tacaagcaac agtttgtctt gtaaagcaga attttccttt gaaaccaaga cagattattt 8820
ctgcccatag gcttcaggaa ccaatatttt ggcaagaagc atcttttctt tgtggtcagc 8880
aaataggtgg tgagttctgt ctggatccca acaatcaaca cctgaggacc aaatagccac 8940
actgggtggc accccattcg gaagtataca caggaagtag ccctcttgct tgttcacagc 9000
tcaagtcagc caaagattaa cactggtgag agatattttc aaagaagttt gcaggcttcc 9060
aattgcaggg tcattttggg gtgctttctt gcctgtacta attttatctc atcaagcttc 9120
cattctttga gctgtaaact ttgaaataat atactggatt tgctggtacg tttaattttc 9180
tttgttaagt gttttcattc ccatagtaat ttttcatcta gtgtacatat atgcatttaa 9240
aacaaaaatt ctttggtctc cttatgcgta tatgcactgc ggcttgtaca cgtacaagct 9300
acttggtggg attatgtgaa ctggagttag aaatgtggac aattttatta tgattatttt 9360
taatggtgat atcaagatca ccagtttcat tcggaacctt gcataagcag ggagcagaat 9420
gcggactggg tgtggcaaag caagggctta ttttatagcc aaacctgaaa tcacaactct 9480
gaaaaataaa aaaaaaaaaa accaaacaaa aaaatcaagt tttgtgagct tggtcagaga 9540
aggaaaagga aatctctccc taccccccac ctccaccatt ttctctttgt ctgcagcttc 9600
ctcaagtgct gcctgtcccc gattttcttt tattccactc ctttcatgtt tttgacattg 9660
aaatacagac tcttctttcc acttctcagg gtatttttct tattacacct gtggcatgct 9720
cctaaagaat ttctttttta aaaaaaatct gtagagtagt agattagatt aaccccagta 9780
tctctccctt aagactagat gacatgaggg gattgcaaaa tgaatagctg ggtttttttt 9840
ttttttttct tttttacctt gaggttaaag cctggttcaa cagttgctga gagagttaac 9900
tagattgctt gaggacttgg caatttcata aagtattttg tcttatgctg tctctgtctc 9960
tgtcttgatc tctgtctctc tctgtctact gtaatgttgg ctactttctc tcagagcctg 10020
agagacagct ctgagacact tcccaggtct gttcggttca gacctcagta gctggatcac 10080
aagcagtacc caatatgcat atgagggtgc gtgctgcaag tgtccggctg ggctaatctg 10140
cttaagcttc ataaaaatta atcatttgaa aacaaagaaa gatattaaag aaattattct 10200
atctccgact tcccctatca gcattccatc aagttctggg atgttaaatt cagagaaagt 10260
taaccttatc ttaaacacaa agttgacttt taaacaaaat tgcttataaa gttctgtaca 10320
gttaccagca ttggttgccc tttgtcgtac ggaagagaat tatgaaatct catatttaca 10380
tagcattctt ccaaaaaaag agacggtgtt ttccagttta ttcactgcat tcgtgtaagt 10440
gtgagtaggc caggaggggt gcttagtgat tacccttttg ctaggtaaca aagtagaaag 10500
ttagattttc tatgatattt gtttaccacg taggggaacc tctctagagc aatactccca 10560
agcttttttct tcttgaaatt tcccacctga cagataatac tttagattgt tgctcttaag 10620
gacttctctc agtagctgct acatagagat gattgtccgt gaattattgc ttgcacactc 10680
atgggtgatg ctactccctc tctctcatgg caattcttgc tgccaacctg caggccacac 10740
caggattgag ggcagctcat ctcgataaat ttatagcatt aaagtgctgg gtcatttgag 10800
aatgttgtca atttaggtta cttagtacct aagttttatt ctttaaataa cagctttatt 10860
gagacgtaat ttacaatcca tacaattcac tcatctaaag tgtacagttt catgcttttt 10920
agaatattca gagttgtgca accattattg caatcaattt tagaacattt taatcacccc 10980
caaaggaaac cctatgcacc tttgtgttca tccccctata ttccctcagt ccttagcaac 11040
caataatcta cttctatcta tggatgtgct tattctaaca ttttgtatga atgaaatcat 11100
gtaatatgtg gtcttttgtg actagcttct ttcacataaa atatgttttc aaggtcatcc 11160
atgttgaagc acatatcagt acttcactat tttttatagc ctaataatgt tccactatat 11220
ggatatacca cattctatct atccatttat caggtgatga gcattacggt tgtttccacc 11280
ttttggctat tatgaataat actgctgtga acattcacgt gcaagtttat tgtggacata 11340
ttcagtccac atattttgga cattttcagt tcttttggat acatacatag gattgaaatc 11400
tctgagtcat atgatacctc tgtgtttatc cttttgaaga actgtcaaac tgttttctaa 11460
agtgtctgca ctgttttaca atcccatcag caacctatgg gggtccattt cttccacatc 11520
cttgccaaca cttgttattc tctgtctttt tcattatagc tatattagtg ggtgtgaagt 11580
ggtacctcat tgtggctttt atttccattt ccctaataac aaataatgtt cagtatccat 11640
gttcttattg gccatttgta tatcttcttt tttgagaaat atctatttgg atcctttgct 11700
cagtttttag ttgggttttt tattattgag ttttaagatt tttaaaaaat atattctgga 11760
tacatgtcct ttaatagatt gtgatttgta gatatttttt cacattctgt gagttgtctt 11820
ttttactttc cttttttttc tttttacgtt cttaatggta tctagattga agcacaaaaa 11880
tgtttttaag tttgatgaag tccaattcat ctatttattt tctgttttgg cttatgattt 11940
tggcgtcgta tctaagaagt ctttgcctaa tccaagatca caaagattta catatgtttc 12000
cttctaagag ttttatagtt ttcgctattt acatttaggt ctttcatcag ttttgatgta 12060
atgtttatat atgactgagg taggggtcca acttcattct tttgcatgta gatattcagt 12120
tctcacaata ttgttgttga atctttcctc acttaactgt cttggcaccc tttgtgtaaa 12180
atcagttgac cgtaaatgtg agggtttaat tgtggactct caactatatt cagttgatct 12240
atatgtttat tcctatgccg gtaccacgtt atcttgatta ttgtaggttt ttagtgagtt 12300
ttgaaattag gaattttgaa ctcttcaact ttggtcttct ttttcaagat tgctttggct 12360
cttgtgggtc ccttgaattt tcaaatgaat tgggataagc ttgtcaattt ctacgaagaa 12420
gtcagctagg attctcacag gaactatatt aaatctgtaa accaatttgg ggagcattgt 12480
catctcaaca acgttaagtt attttcatcc ataaatatgc gatgtcttcc catttattta 12540
ggtcttcctt ttgtcaacaa tttttattgt tttcagatta taagttttgc agttcttttt 12600
aaaatttatt cctaagtgat ttatttttttg atactataaa ttgaactgtc ttattgattt 12660
tattttcaga ttattcgctg ccaatgtatg gaaatataat tgttttgtat attgatcttg 12720
tatcctgcaa ccttgctgaa aatacctgag ttttgaatgc ttctgggact tatggggaag 12780
agggcttctg ctgctgcact gaaagttaaa gcttacttca tttcatcctg tatgaaggct 12840
gcatggggac attcttctca gttttactca gctataaatt cgaactggta atcccatccc 12900
ctttcgggat gaataggaga gtgtttttaa atgttcatct ctttagagaa cagcaggaaa 12960
gaagcctagt aaggtttggg tagtttataa tccctttttt agaatttgga tttgggaact 13020
attagcaagg cagtgagtaa taataataat ttctatatag aaaactaaca tgtagaggtg 13080
acaaatgaaa tcactagcta tattaggctt atgtttaggt tatcgtaagc agctaaaatc 13140

2026201390 25 Feb 2026

ataattttat gtttttatat gttgtccttt ggacaaagta aattccagta ctccttctga 13200
tgtgcatttc tagatgggga aaggattcat ttactctcat ataatttaag cttcttttta 13260
gggatgtact ccatagccat gaagcaaaga taaaattcat ctatacacag actgaacttt 13320
gtcttcatta acactctagg ctaagggtca tagctaatca gctacaactg taatgtcctg 13380
ataattgtga attaactgca gggcacccag caaaaggttt agttataatc taatagctgt 13440
ctgtagagat tagcctaata aagggatttt ttaaaaaaga atctggccgg gcatggtggc 13500
tcaatcctgt aatcccagca ctttgggagg ccgaggtggg tggatcacct gagatcggga 13560
gtccaagacc agcctggcca acatggtgaa accccatgtc tactaaaaat acaaaaatta 13620
tccaggcgtt ttggtgagca cccacaatcc cagctacttg tgaggctgag gcaggaggat 13680
cacttaagcc taagaggcag aggttgcagt gagccgagat catgccactg cactccaggc 13740
tccgtcaaaa aaaaaaaaaa aaaagaatct atcaatcaac cacttttcat taagcacctg 13800
ctatgtgccc agcatgtgct aggaagagat aaggtgaaag gggacacaat tcagacagaa 13860
tcttcttgag gtaactgctt acgaggagct tatagccact aaaaacaaaa acaaacaaaa 13920
accaaacaac caaaaaccaa acagaaatgc agtatcatca tgccatgatg cctgtatgag 13980
atcctggatt gtacggtatg gatttcttaa aatgtagata ttttaaaaaa aaagaggaat 14040
gaatcaatag aggctgaagt ggtcagcaat gttacctgtg gctgctttta atccttcgtg 14100
gaagtaagta ggagcatgtc taaactcaag caatagatta aagatcttga tgtatatttt 14160
aaataacaga agttagtacc actggaaaga atgaactgga ggaatgggtt gaaatctatt 14220
tctgcttatt caatagtgca ccccagtcaa gttagttgcc aatttcttct tcagtttctt 14280
tggctatatc attgcacttg gtgggtacat gtttatgatg tctttatctg aacaagtcag 14340
caataatatg agtaataaat taaaattgaa ggtgattaat ggctctgaat ttgacataag 14400
agttgttttc ctgccttcta agtttccatt gatcctgatg aattgcacaa accaaacaat 14460
tcggggagta agggggcaca tgatgatctt ataagagctt tgctgtatta gacaacgtaa 14520
cattctgaaa tggcctacca cctaacatgg gctctgttct ctgcaggttg agtaggttcc 14580
ttgcttgtgg aactgtagtc ccgctatttg gccgctaggg ggactgcaag tgccccgtgg 14640
caggatttcc ctgggaatgg tgagcctcca ttgatggttt caacacacag ccaaggccct 14700
atcgcaggat aacttgaacc agaactgcct agcaccagac aataaataag ctactatggt 14760
acttactgtt tcatttggga tgttgtttct cgaagtggca agcatttttt agtaatattt 14820
tgacttttta ataccttttct ttgcatatgg agcagaaaac agtgacactg gatatattca 14880
agtagcactg tccagtttat agagaagttt catattccat tattgcattt cattcttgtt 14940
tctacctttt acaagtaact agagtttgga gtattataat agtattcata ctattacagt 15000
actattattc ccattataaa aattgtgcaa agagtggtta agttacatgt ttacaatcaa 15060
acagcttcaa agtgactgat ctggaatttc agtcccattc tttcttctcc agatcatgtg 15120
ttccctgctt ttatctcaca gctcttttta ccttatagat gggaaacatg agagtcagag 15180
aggcaaaaga accacaagtg gtatcaatac tagaaattta tgaatttctt aaggcttcta 15240
ggtttgttac ccatccacca gactgatgga tttggttgtg tgagagttct gggtgccaat 15300
aaccttgcca ttctacttta cagactgcat atattcaata aatgcttatt aagcatctac 15360
tatatgccaa attctgtact aggcaccaat gatgtagtgg tgaacagaac agacaaaaat 15420
ctcttcgtgg agcagacagt ttaatgagag gagacatgta gtgtacatct gagcatgaaa 15480
agtgccatgc agaataactt cacagagtgt agggtataga gattgatggt gagagggaat 15540
attttatatt tgctggccag ggaaaacctt actggaaaag taaattttga gtagtgacct 15600
gaaggaaatt aggaaatgag ctgctatttg gacatctgga gttagaatat tccaggccca 15660
gggaaccaca ggcgcaaagg gcctgaggca ggagcacact tgctgtgatg gaggacaaag 15720
aggcccatat ggctggttta ataagtgaa ggatggtaga caatgagatc agagttaatg 15780
aggttgcatg gtaggtcttc cttaggactt tgaattttac tcctaagcag gttgtattgg 15840
acggttttga gcagggtaac atgacctgac ttacatttta acaggctccc tcctcttcat 15900
aacatctgtc actctgatat attatacgtt tgtttgttta cttactgtat gtgggggaa 15960
gagactgtgg gagcaagggg ggaagcaggg aaacaagtac actgcagtga tctgggtgag 16020
aggtgaccgt gtctcagact aaggtggtat tggtggagaa ggtaggaagt ggctgaattc 16080
tggatgagtt ttgatggtat agccaacagc atttactgac agattggata ttcactgtga 16140
aaaaaataga gatgaggatg attgccaagt ttttggtctg agtaactgga aaaatgagat 16200
tgccatttac tgaaatggtg aagactgtat gtagagcagg tgcatgggca gggtagaaat 16260
caagagtttg atttttgact tataaagttt gaattatctg atgaacatcc tgatggcttc 16320
ttctcagtta gttctcatgc agtgccttca gctttgctgt tcttcaagaa aattaaaaag 16380
gaacttagag atcgcctagg ctgtaggtac cctctcccct ctttccttt actttataga 16440
ggtctataga agggtaggga cttatccaag gtgaaacagt gagctggcga cagaactagg 16500
gcacaaaccc agttctcttg aattctgaat cagtagattt tctttttta gtgtgattct 16560
gaggactcat ttgggcaaga gtgagttttt tgttattgtt ttttgtttgt ttctttgccc 16620
aaacctaaaa ccaggtaatt aaactaaata gtgaataaaa ctgggaaact atacaaattg 16680
gttgctctcc ccaatcacac tgaaatatta ttatttttac tgaaccacat accaaaatat 16740
ttttcctgta aaaacacagt aagtgaactt ttaaaggcaa ttgagctttt aacaaagcta 16800
gaatctacag aggacctgga cagaaatggc cttaaatcct aggaaattag agttcatgga 16860
acctgggaga ccatcttgtc cagctagctc attttatggg tgaggtgcct gaggcaccaa 16920
gatggaaagg gacctggcta agctcataca gcaagctagt gcctgagcct agtcagagcc 16980
tgttttaagg gttagtcgta tgttgttttc ttgaaaaaag ttacattgga aaagtgaaaa 17040
ttctttggtc catactgaga acaaagaatt atacataatc atatataata ataatgatag 17100
cacttcctga atgtttgctg tgtaaacttt ggcaccttgc atgaattgat tcatttaatt 17160
ctcatgtcaa ctttaggaag caggcctaga gaggttaagg aacatgtcca agggtcacac 17220
agctaggaag tagcagaact tgtgtgcact cccaggaagt ctggcttcta accacaaggt 17280
tctaactact gtgcaatacc aggagcttct cagattaccc ttcaccttta ccaacccaaa 17340
tgactggtga cgtaggtgac ttcattatgc tctgccccta ttatagtcca ctgatcctca 17400
ccaaataggt gggtggccta gaggttaaag tagaggcaga gtgatggaaa ggggtggtta 17460
gaagaagttg atgactcatg atagggattg gaaaacagga ctacaggaat tattgaaaag 17520
ggcctagaga tcccaaggag gttgatctcc gactgctaca aacctgggca attcaatgcc 17580
tgcttaaata ggagagttaa gataagaaaa ataaaattgc caatttttac agtcagacat 17640
tgttttattt attttacatg tattaattca tttaatcctc aaaatactcc atgaggtagc 17700

20262013390 25 Feb 2026

tacaattatc atttctatgt tgtagatgaa gaaacaggca cagagcaatt aaataacatg 17760
cacaagatta gagaacaagt aagtggaagt gccaatatta gaatctaggt agttcagctc 17820
cacaacttat gttattttcc actatattta tggaatgagg taattttctt ataacagaaa 17880
gtttttaaaa tgcaaaaaca ttgtgcctga acttcaaaca ctgaacaact catatcctta 17940
atatgcacca gtttctttta agcactctta gaaggaagga tacttaacct aatgtcacat 18000
ggtgagtaag tagcagaacc ggaacttgaa tttgagactc cggactgcca gacctctttc 18060
cactctatca cttgggctcc cttctaacat tgacttgtct ccctccattc ctcctccgta 18120
ttgttctgcc cttcaccttt taattacctg tctccatcaa caagattgga cagagaattg 18180
ggagagtgag cagagtccat ttccttccag agactggaca aaaggaacaa aatgttagga 18240
aaaaatgtca gcatgtggga tttgtgggat ttacactaaa taagaaggga cacttcccag 18300
gactgacaag atgctacctc cgtccctcta ggccccaatg tgttgtgcag gatcccatag 18360
gaagtcatga atgtggttgt cagataacct ttttgttact gtggaaatgg aagcaggcta 18420
ctgcaaaaat ctgtctctcc aggttttctt ttaaagaagg tagtcttgct aaatgataac 18480
tatttcagca tttatttgaa aatgggcagt gcaggagaga aagaattttt ccaagcttgt 18540
cacattgggc cacctctctg aagcattgtc caacttctaa ttagatgagg agactgcata 18600
aaccaagagt tgagagtaaa gatggaaaca cttgatgttt ggtgtttggg tgcagaaagg 18660
attccagaac atgttttggg tctctttact ctgtccatcc ctccttccct ttcatctttg 18720
tttaaaaacc acagttagca aatgtgtagt ctgtttgcaa ttgttcatct gaaaaatttg 18780
tttgatcagc cttttgaata aaaaagacca aattagactg agatatttca gtcaccaact 18840
atctaataat agaccaaaaa ttttaaccat gctcatactt tcatatggta tgtagtttgc 18900
tttagacatt ttctgggctt cagtgaggtg ctagattgac tcaaaatatg gcaggtcaga 18960
tgtgggattg agcagggtgg actcttctct acccttccca attcagagtt ccccatcaaa 19020
gatgatctca tagtgtttga aaaaccaagc tgaaggcttt gggaattagg gtgctgaagg 19080
gatatgctgt ttcccaaagc cttctcagtc attccttctc cccccagttc agattcttaa 19140
cacctctttc caggattagt gcagtgatcc cacgtccttt ctctctagct ctctctgcta 19200
ctctctaatt cctattgtat ttgtgccacc agatctttcc aaagtttagc tccaatcttg 19260
tctgtatact gctttaaatg tctattagtc tttaagctcc ttaagggtgg gagtcctgtc 19320
ttatttttc cctattcttc gtgcttaatg caaaggaagc cttgctgtat agttgtgtaa 19380
tgcatgatta caatttcagc ttctccccat tggcttatgg gttaaagtcc aaattattta 19440
aatctggtgt tcaagtcctt ttatgatctg cttatttttc cagcctgaat tcctggagtt 19500
cccttacaaa actcttaaaa cccagccaaa aggatctagt cactgtcact ttaaaccatc 19560
ctcactctct tgtttttga acatgttatt tttcttataa tccctttgac cttgaaggct 19620
atcccaattt caatactatc cattcttcta tgacagcccc ctacaaaatg aatattctca 19680
acctcccaac ccaaggagaa gtgatctata tgacacaata tggttgaaag aatgttggct 19740
tcacttcttt atctgtaaac caggggctag aaatctctag tttataagat tttgtggaga 19800
ggggatcata tgtgattatg gatgttaggc acaagtcaag agtgcataag acctttgga 19860
tttatccctt ttttctttct ccatcaatat ggtacttagt cccttaaatc agaagtactt 19920
gtgttaatgt ctgataacgt ccttctaaat atacctctaa acatctgtct ctctttaggg 19980
caaaggttgg atatatctgc aaagattctc tttggatata agatatccac agcacataac 20040
ttaacagtgg tgtacacagt aggtattcca taagtatttc tttatgaaat gattcagagt 20100
caatagtagt aagtaactgc caaaaacaac tgatggattg taagttccat taacataaat 20160
acagtcagcc ctccatatcc atggattcca tatccacaga tttaagcaac tgcagatgga 20220
aaatatattt tagagacaca gtaaaaataa caattcgaca gtaaaaaaat acaaataaaa 20280
ttatgtaaaa caactattta cataacattg tattagctat tacaagtaat ctagatataa 20340
atgaaatata tgggggatgt atataggtta aatacaaata tgacaccatt ttatatgttt 20400
tagttaagga acatgaatat ttttggattt tggtattcat gggagtgggg gaatggaacc 20460
atgccccttc aaataccaag ggactattat atgggacaca gaataaagga gttgattgtc 20520
ttgctctgtt aaattctggt cagacacatt tgcaatgtat tgttcagccc cagtattcat 20580
ggagcatctc cttttgtaaa gcatggagga gctgtgagag agacatggag cagtgaacat 20640
aactattgtt tcaacgtacc tgaaggatta tcatggaata aagaagttag atgtttttct 20700
gtagtacccc aaagggcaaa agcaatgagg acagattaca gttcagtaaa cgaaagaggt 20760
ttttttttt ttttttttt ttttttgaga tgggagtctt cactcttgtc gcccaggctg 20820
gagtgcaatg gcgcaatctt ggctcactgc aacctcgcct cccgggttca agtgattctc 20880
ctgccttagc ctctggagta gctgggatta caggtgtata ccaccactcc tgggtaattt 20940
tatttattat ttatttattt ctttatttat tttagtagag acggagattt catcatgttg 21000
gccaagctgg tctcaaactc ctgactgcag gtgatccgcc tgcctcggcc tcccaaattg 21060
ttgagattac aggcgtgaat caatgtgccc agcctgaaag atattttctt agaatagctt 21120
ctttcaccct tcatcagaag ttgtcaacat ggaccatatg agttttgttt ggtctatatg 21180
gtgtatatgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt gtgtgtatgt gtgtgtgttt 21240
attgaattac ttgctaacat tttacttcaa aattcagatt tccaccatag ggaatgaaga 21300
tctggcaata caggactttc attcctacat ggtaatgacc agctgtaggt gaaaagcagc 21360
tgatcctctg gatgggccat gcactttgca gtttgcccag gcagcactga tccgctttat 21420
tcatttaagt tacctgcttg actcttctag tcattcgagt atgtcatccc catcagatca 21480
gagacctaag caaatcttgg gtcccttgct tactccaagg gctttcactc ctcgtatagg 21540
aggagctaaa gaaatgtaca agcagcacca caataggatc agacctggct ttcaattcta 21600
gcacggccac ataacatagt tggatgacct caggacagta acataacccc tctgagcctc 21660
tagatcttca ttatctgtag agcactcttc ttatagagtt attataagaa tgaaataaaa 21720
caactaggat aaagggcatg gcacttagta ggtgctgaaa tattagttcc cttcttctaa 21780
ttcaccacac catatctgtc tatctattgg ctgaatcaca taaatagtaa attcacattc 21840
actgaagaca ttcaagaaga gtctggaccc tttgggaacc atgtataggg caaaggtttg 21900
aactcatagt agatgatttt tacagtcact ttttaacaat ttaaaagcct atagatgact 21960
ccaaaatgcc catttggatg atatgaggca tactttgtgt agttaaggat tttaaataca 22020
taacagagag gctgaagggc cttcgggaaa gaagctgggg taagagtcaa agtgtagtat 22080
gttgaccgat gttcaggaat aggctttggc atctgacaga ttttgtttta aatactggct 22140
ctgggtctta ctagcttcca gttctgggct gcttcacctc tcttgagttt cagtttcttc 22200
atttctaaaa tgaagatact aatgcttcct ttgttgggtt tttgtgaata taagtgagat 22260

20262013390 25 Feb 2026

aataaatgta aatatctagc ccagggcctg gtgcatagta caagcttcat aaattgtacc 22320
tattattatt agtagtagta gtagtccaga caaacagagc ttgggaaaac gctagactct 22380
ggctgacata catgggcttt tccccaggcc actgctgcct ggcttcccct tccacaaagc 22440
tttgagtctc caaaatgctt tggctggaat gtaagcgtga ggtcattgca gataacaggg 22500
gagcatgatt tgcttcggta atgcaagtta ttaagttact tccctcagcc cagctgaaat 22560
ctcttattgg ttgatgtgtg cttcaaagtg tgagacagag ctagtctgag gagagaggga 22620
gagtgagaag attcctcttc ttggccagag gtcatggtct tccacaagga acagaatgac 22680
tcaatgcaaa ttatgggacc tctttgagtt tggggcccct acatttaaac tagtaactcc 22740
gttgcacata ttggcaccct tcccccaaca aaattactgg gcaggaattt tcttgaatcc 22800
ttccgtggcc tggaatgatc tcccttctca tccttgtgat ccacacagct ggcaaatggc 22860
aggcagcaga acaaaaacaa gcctcttagc atatagggag agaaagagtc acagcagtac 22920
tgaatttgct tgggaaccta atgttaacaa aggaccttcc tctcaacacc ccaaacagat 22980
taaaacattt ttttaacagc aagttgtgtc tcggagcagc tctttgcttg ggtatattta 23040
aagatctgct gagtcattta agagcaggct ggcatatcct aagaggcaag gactataccc 23100
cagtctatgg gggagtaagt tgagaggtga aatctgtttg gctttctccc atggaaacaa 23160
acaaggtgat ccacttccat ctcccacgac tctggagagc atctactaag ccttcttatt 23220
ctatcaactt tgaactcctc agtgtataat agagtaaggg tgagagggaa ggagcagtcg 23280
taccagtgtc attattggta tgttcaggag ttcaatttct tcctgattca gtcttggcgg 23340
gatgtatttg tttgggaatt tatccatttt ttctagattt ttctagtttg tgtgcataga 23400
ggtgttcata ataccttctg atagttattt ttatttctgt ggtgtcagtg gtaataaccc 23460
ctgctgtctg aaattgtaat ggccctgcta ttggtagctg agagtagcat ggaagtgtca 23520
ggttgatggg ttcatttaat tcttttcttt tcagtttcag tcacatgcat tgttaccatg 23580
gcatatgaca gttgctagaa agtgaaataa tttttttttct actttattct ccactgcact 23640
tctaaattta ttagtggaga aattagcagt taccaactgt tcattatagg tacacattgg 23700
ggtttcctta gagccaattt tccccctggt tttcatcttg taaatctgta atcctaaaaa 23760
ttagcaaaac ctagagcttc tctttggtcc tggcctgttt gaaccctgtt ccacagaccc 23820
caatcttctt tcttgtttga ggcaactatc cttctctttg cccaccgcca ttttccttca 23880
tctacttttc ccttctctag cacctcagac tgtcttccca cagtggcaca gcctcccact 23940
ccactttcac tgtgccatct ccttgccatc aaaaccatcc tcacagaccc ttctgaaacc 24000
acttctagga agggaaatca caatggatcc atgaaggatg ctttctggat gactttaaaa 24060
gattggtatt aagatatttt atcagtggta gcaacactga cttattcagg cagccatgcc 24120
ccggatctat aagaaatcag gtaagctaaa agttgcttga gctggcagga gacctagttc 24180
tctttttcc tttccctctt gcattttgtt tatcgatggt tttcaaagga cttagaggct 24240
ggctttgtta tagttagttg gtaagagaaa tggtggagga ccggaaaatg ggagtggaac 24300
gaatgagcat gtttgagact aagttattac aattcctagg atgtataaat tgcttgaaat 24360
ctaccaagta ctttcagaca cattatcttt tttactcttc aaaatcaact tggaggtagg 24420
cacaacaggg atcaaatcct tagttcacag atgagtaaac tgagactgga ggaaattaaa 24480
ggagattcca aggtaactca gacaataagc aacagaacca ggatttggtg aatttttgg 24540
ggggtgggag gtacagagtc tcactcaggc tggagtgcag tggcaaggtc tcgtctcact 24600
gcaacctctg cctcctgagt tcaagtgatt ctcgtgcctc aacctcctga gtagctggga 24660
ttacagacat gtgctacaat gcctggctaa tttttgtatt tttagtagag atgaggtttt 24720
gtcatgttgc ccaggccggt cctgaattct tggtctcaag tgatccacct ccattggcct 24780
tccaaagtgc agggattata agcatgagcc actgctccca gccccagacc attaattttt 24840
gacagtaagt ccaacttttt tcaagttcac agctcagatt tgctattgaa tgaatgagta 24900
tatatgtcat ttgggaacat tctttccaac ttttggttga agatttgttt tatcacttgt 24960
gaaaattttt tttcattctt agcaatgtca gtttagttaa atgagcattt catttgcgaa 25020
ttcactaatt aattatttta ttcatcaata catttcctga gtaccaactt tctatcaaac 25080
cctgtgctgg attctgaggc tacaaagaga aataagatac catctcaggc ctctaaaatc 25140
tcacagactg gggactgaca tctcagtagt aaacatatga acagcaactt gtgaaacgcc 25200
attagcaaaa tctcaagtta tattcttcag tgactatggc catcctaaaa atggggtgtc 25260
ttttatttgg ggtaaatgaa gatgaagcct tatgagaaat tgcattttaa tctaatcttg 25320
tcttgctaag aacagaagtg gaatgtttca gcctctgtgt gtgtatttgt gtgtgtgaag 25380
gttgagtgtg tgatgatgga tggggctgcg agattgttaa gtaggatcta tgggggcct 25440
taaatggtcc tggtgagtcc caactttctg gttatgtatt tgagtagagt atgggggtga 25500
caaagattgt tgtttaagag ttgattttag atttttcca agtaaatggt cagctgactt 25560
ggagcatcat cattccactt gctttgaaaa cctgccactt aaggctcctt ccagtcatag 25620
gttaactctt tctggtcaag tattactctt tttgagcatt tacctgtcag tgacaggtac 25680
aatgttagat gttgtctctc tgttttcttg tttaatcttt actttgatcc taggtagctc 25740
ttattagttc cactttatag gtaagaaact gaatttcaga gacttgaatg acttgttcaa 25800
gatcacatag tatagtaact tggtagtttg ggacttgaat tttgattgtt cagtttttg 25860
tttgtttgtt tcctggcctc cctgctgttt tcactattcc acaccacttc agctttattt 25920
ttcatagagg ccattaaatg taccctccat cagccaaagc ctcttgcctc ccttcaacgt 25980
aactcttctc tagcgtcctc ttaataatct tctgaaaagg ttttacagcc tttctgggta 26040
ctgggaccca gagtcttaat ccaggctctt aagtgcctta tttaactgta atatggaaaa 26100
tcaaagtcac agctaattca ggaaaaatga gtttgggatg tgaatttcct aggcaacttg 26160
tcatctcttt tttacttcct tagcttcata aacttaccca caatgttccc tgaggactaa 26220
gagtaatgga gggtgatgag gaaaggcttt cctcccttcc tttccgagag tcctttagcc 26280
aaatgccaca cctcctcctg tttccctagt ctccgtgcag agatggaagt gggagataga 26340
catgggttcc tttcagccct gagttcatgc cagggttttc tttccctcta gctggactga 26400
ggtaggagga gaggttgaag tccaccaata agaccatgag tgaagaagac taaagtactt 26460
gaaagagcag cagacctacg cttaaaatac tagggtttgt gtccagactt tgtgggttac 26520
tatctgtata attttgggca agtcaacagt tctgagtcag agttccctta tcagcagatt 26580
ggaagataaa ttctaattat atagatgaaa cattaagtct agaagtaatt tgtaaattca 26640
gaaagggctt atagatttaa agtgtagccg ttttgattac cacaaactaa atcctatact 26700
tcagggataa aatcttctcc tgtttttttct aaaagcctgt gcatgtgtgg tgtaaggggt 26760
gggttttccc ttgtaccagc aacttagcaa ttgtagtaac ggggctgagg gcagtggcat 26820

20262013390 25 Feb 2026

gcttcttcat tgagcaagtg tgaaaagagg gttatgcatt caggggtcag cagatggcag 26880
gcagagtagc ccctccaaat ctccctccca taccacaaag ccctcttatt tattcaaact 26940
taacattaga agctcatttc aagtaggcac gtctgtgtct gggcgtctat tttccttctt 27000
tgtatatagc aggcatttgt caacttggtg aaaagcatta ctcttctttc catttctgag 27060
gactaattgt gcttcttcgc tagacacgag ttcaaaacag tgggttgaaa gagggcaagt 27120
ttatgccaaa gaatcagaaa tagtcataat ttagagagaa ttctagaggt cagttccctt 27180
tcgtatggac tgggcaactg aaacccagac agggaaggga attagaccaa gttcacaagc 27240
acaaacactt tactggcaca ttcagattgg aaatcgaggg cttctgctcc caggtcagaa 27300
ctaaatgccc tttctagcta gggtgttctt tgatctcagt gattttgact ctttctactg 27360
cactctgggg acagtgggtt ctgcggtacc aactccaatt aaagtgggaa tatgtaccag 27420
ccccctcccct tggtttttat ttttcagagg cctggcagtc agagggattc tgatctctat 27480
atgcaatatt ttcacactac tgtacttatt gaaatcacat ttgaatcttg gcaattaaca 27540
aggcagtaat tggcatcagg agggtatgtt agtttgctta tctgcgccgt ccctcctctt 27600
cccaacccac tgtgtattgc agaatgtttt atcagctctg atttgccaag ttgctctctt 27660
ctccagtagg tgctgcgagc agagagggat tcctcggagg tcatctgttc catcttcttg 27720
cctatgcaaa tgcctgcctg aagctgctgg aggctggctt tgtaccggac tttgtacagg 27780
gaaccaggga aacgaatgca gagtgctcct gacattgcct gtcacttttt cccatgatac 27840
tctggcttca caggtgggag gttcttcaat tgaaaactta gaactcagtt tctagggtag 27900
tgagtgttgt aaggtttgga ctgtgaccta atattacgca gccatgacat tatctattag 27960
gcatctagac tagcttgctt gaatatctta gcatgttgac taatttgggg cagaatatag 28020
tgtgggtggg ggattttgtg tgtgggggg ggttgggggt tgagcaattc attattatta 28080
aaatgcaaaa agcacttaat tcgctatgat aagattgcct ttttcatgca tactggccta 28140
cctgcaagac ccctagagac agtaagcagc atacatggtg tcttccagtt ttcagccttt 28200
gtgcaaggaa caactgtggg tttctgcaca tgtgttgtgg tttgatgttt gtatgtgatt 28260
gtgtaccagg gtatgtgtgt ctgttattgt gagttcattt ctgagcagtt gtgacacaca 28320
gagatccaga aacagtgtct taccctgtgt gctttgctag tgggaacgtg tcttttcttt 28380
tgtgctcgta tctctgtgta atcgagtgtc ttgctaagtc aatgtgcctc tgtctctttt 28440
taccagttct gtctttgtgt ctctgtgcct tcatgtattt tttcccctga gtttgcacgt 28500
ctctgtctat gtggatatct ctcactccag gccactgtat cactgtgtct gtattacagc 28560
tgtttatttc tgtcggtgtg tggatttcta tgtctgtttt catcttaatt tgtgtgtcta 28620
agcaagactg ttttggggtg actatttcag tttatgtcat agccattctt tgtgtgactg 28680
cttctaggta tgtctttttc tatgccccta ttgtccccat ctccatgtgt ctctgtgtgt 28740
atatgttcta atgtatctgc ctacttatct tagtttgtat ttctctgggt gtatatccct 28800
ctcttgcagt tctgggcctt tgcagttttt ggcttatgtt tttgtatata tccactagaa 28860
ttggcttctt atctttttttg tgcatgtttt agtttgtatg agtgagcata tccaactctg 28920
tctttgagaa gcagaactgt ctgtgtttgc agtcagttgt gttggctgtc cctgtgtttg 28980
tccctgtgtg tgcatttcat tgtatgtgta cgcatccatg tatctttctg cttctctgtg 29040
accagatatt tctgtgtagc tgtctatgta tattggcttc tgtctgtgtc tgtgttgttg 29100
gctctacgtc tgtgcatatg cacccaccgg gttcataaaa agctcacctg ctctccaagg 29160
aatctaccag attattttgt gaaataactc acgtttcgtt tttttacttg ccagctgcta 29220
tggtacttaa aagtgtgttg gtacgtaggt gtgcataatt tattcatgta ggatgtcaaa 29280
agagtcagtt aaaaattatg cacagtgtgt ctttattaac aggacacttg tgtgtagaga 29340
atccttgaga aatgagtggt tagatgataa atcttttcat attaatttca tgatgtcagt 29400
gaagtaaatt tgcaagatat gggctgcata agaactatgt tctttttaaa actcagcata 29460
ttgatggtgg agaaagcatt tatttgtact gcaaagtctt atttctgata agacatcaca 29520
aataagaatt attgtgatga gacttatcac aaataagaat tattgtgata attcttattt 29580
gtgataagaa ttactgggtt agaaggtgtt acttttctgg ttttgtttgg gtttttgttt 29640
tgaagtgtta ctacagatgg tgtcttaggg acaaagagct ctgaggttga cttagaacac 29700
atggagtaca gataaaaagg agaatgaaaa gtaacagaga gatgggcata ttccttgttt 29760
gaatggagtc atccaggggc tcaggatgga gtgcacagga aatggagagg tgaaggtcat 29820
agagagaagt ttagcaggac cagatctttc cttgtcctgg gctgctgtga ccatataagg 29880
aaggcagtaa ggggaggggt agggatgagg aagagaccag ctctcctctt tctttctgat 29940
ggaaggttac cacctctatt taaaacttct gttcttttgg tttctctttc tttctttgat 30000
tatattattt tctggacttg ttctgccaaa gcaagaagga aattccacat gtggctcact 30060
catttattat acttgtttct ttgcacgata ttaaagacag cttgttaagt gtcactgcaa 30120
acatcataca cactgatcca ctgatatggg caggggttc tttatgccag ttctgctctc 30180
ttcccagtgt atctgtggtg cttaatgggc gcaaccatga tttttctgat gtcagtctgt 30240
gatgtcagtt gtccagtgtg tatgcaggct gcttaagagt acatacagtt ccttcacaat 30300
tatggtagtc cctgagaagg aagtggtcat taataaaaga ctaggttcag tagaaacatg 30360
taagttgtct aggtgttgga aattaataca gtactgtgct aagggaacat atatctagaa 30420
gttaactgaa ttatgctcaa taaaaagagt acaaatgttt cataaatatt ttgacctaat 30480
cctcctgtaa gattaggaga gggatatttc cgatattcaa ataatttttt taattggcaa 30540
acaccttaga catactattt acataaaatt gacatgacaa aattaagtca ttgtgtctgt 30600
tttatgataa aacaggctct tttgatttag ttagaattat tgaatgtaaa ataatgaaaa 30660
ttaaaaaaaa aacaaggagg aggaatctat cctattttat aattcagacc gttgaattga 30720
gtttttcttt tgttgtattg atttaaatgc agagaagtct atgatgctgg attccagtca 30780
gaagataaac atttgtatgt gggctctaca ttgcagccaa ccttgataat ttcaaacctc 30840
gattttctca tctgtataat ggtaataata aagcctgtct cagtagctac caaatgattg 30900
catatgacaa acttctcact tatttaaggg aaaaaataag aaaaagaagg acaatagggt 30960
ggatttttca tatagtaaaa tttattcagt tagggtaata ttctgagatt gtcttctgaa 31020
gcaaaccctg caaaccctgg ccattctgtt ttgtttagga aagaattcat cagttctgat 31080
tctgcctttt ctggggaggg aggctgagta ttggattgaa gaggagtcac tacttttctg 31140
agatgatata tccgtggtaa aaattattaa tgctttgcac atgcaacata gagtgttcaa 31200
ttttgttagt caacaaatat ttaagtggca gctgttatga cctcaggggt gtagtgactt 31260
ccttattgtc ctttaattat taaaaaagaa atctatatca gaatatcagg taaactctta 31320
ttacatcaaa tattataata aagatacttt ttatattctc taaacaaagt agagatctca 31380

20262013390 25 Feb 2026

gatgttggtt catttatcaa tataatatta gatttgaaaa ttccagtata caaaaggaaa 31440
aggacagctt cttaaagttt atagtgattt tctatgaact atcaattccg ttttttttctg 31500
ttttactggt atgatggaaa ctaaatttcg agttgtaagt agtagataat tagactgcag 31560
ggtaagcctt gagattactt cttttcaggt aggaaactct actgtgtatt tggctagttc 31620
aacctatcat gggtagtcaa aaatagttac atatacaagt cagcattttt taaattgttc 31680
agttgtgctt aagattggtc ctttccagga acaatccagc tttatcaaaa aattattgcg 31740
tacatgtaaa gtgttctgac attttaatgc tcacaatagc cgaatgacgt gggtaagaat 31800
cttcgtcttc attttataga tgaagaaatg aagacacaga gacataaatt aactgggcca 31860
gggtcctacc actagaatgt gatagatgat aatttgagct cagcacatag ttatttccct 31920
ataatatttg ttttatgatt gtatagatgt ctgctgacca accttaatct ctgctcccta 31980
agattaacca ttctacaaag cagaaactgg aggtcattca aatgaaagct ctacactttt 32040
agagggccat taacaatgct caagttaaag aaaagcaatc aaagacaact aaaatactgg 32100
taccttcaaa cagtacttat gaattattta accttagata atttggcttt gagttagaaa 32160
gatagagtaa gatggaggaa ccaattcttc cctgggttga tatttattta tcttgctctt 32220
ttgaagtcta ggccaatcat cctatttatt ctgaatggcc cgttaacgtt tatccattta 32280
gggacagcag gtttggcaca aatggattgg ttttctgagg tcttatgtag agggctgcac 32340
tgactgactt ctgaaagtcc cccctaaccc ttcaaatctc agggtcatct ggtctcaagc 32400
cttcaattat gaatacattt ctattgcctt tttgagtaac agcacaacac tgcaagctga 32460
cccactgggt ggatggaatg gggctcttgc cctaccaccc tttggcaaac aatttgaggg 32520
tggcattgtc actacctcat tgtatatagg gtctcttgag gcccagaatg gcaaaataat 32580
tttcccagtg tcacacagcg agttattgtc agagtaaata tcaattttga atttgtagac 32640
cacgtggttt tacctcatca tttctgtttg ttatgaaagt tttacaaata attagaagta 32700
gaaataatga ttaaaataaa gcataactac taaaaaatag tttattgcag caccacctaa 32760
attcatctca ccactctacc agtagcatac atttcacaat tgggttaaca ttgctctgga 32820
tcttatagct gttgaagaag acaaaattct ttccattctc cagcttatat tttccccatt 32880
tgtaaaacat aatggaagtg tacggaaaat aggagttgat aatttttaag gcccttgcca 32940
gcacattagt acataggatt cttgcaagtg gtggtttact tcacttcaac tatagaaggc 33000
ctatgcgaca ccacccatag agggtagttt gaaagaaaat gctagtgact acgtgtgttt 33060
ccttcctgac atattttata gaaggtgatg agttccagca ttttttcaga cttggatctg 33120
gctttcattc cccttctcct cccaccctct aaaacaacag aggcagcaac catttacaca 33180
ctttccagaa gtaagtaagt aagactgtat tccagaaaca ccctatatca aaatggaaat 33240
atactcaagt gccccaatga cccattgggc tagtttgaac gtgtgcagtc tctgtgctcc 33300
ccgttttagc ttaagcctac tccctaacct gtcatatgtc acccagccat ggagcctagg 33360
gcaatgactg ccatcatatc tgactttatg gcctctcagc tttcaatgac tagctttgta 33420
gcagaagttt agcctctcat ccccataact ttggaagtag tgttgagata aagaaacgtt 33480
gaattgaagg ttgtgttttc tagatttctt tcaattgctc cttaggcttt agaagataaa 33540
ttctcctaaa agagaggtgc tacaattaat ccaagcaaag ggaaagatgt cagtaaaact 33600
gccccttttc atagaggtgt ggcaactgct gggaaggaag aaattagcct gaggccatgt 33660
gattactaat aaactcaaag cggcattttt ttacttctca atatgaggtt gaaactataa 33720
gcttaaattg ctgactttct ggcagcacca aacagtaagg aaaccacaaa gataaaccca 33780
aataatagag ccaattttct ttttttccgg gggggatgac ttctaactag tgatatgagg 33840
aaggataaga aaatgtttct ttgtaggaca tatgatcttt gctaagtgca ctgaatgtat 33900
gtagaggaga caagtctgct gagggtatga gaattgggcc aagatttaac acattttcaa 33960
agctccatga agaagcctac tgagcagtgg gagtggagca ggttggggat agtgaagtat 34020
ttgtaattca tttttaaaaa ggagagggag agagaaaagg aaaaactggg ccacccatcc 34080
tttgaaaaga aaccttgaaa gaggtccaaa tatccttaga aatccttgac ttcttaaaag 34140
tgatgtttgt tttttccccc tgacaattat agaggtcaga gagtttttct tttctattac 34200
aaaacattga gagtgtgtag aaataattgt aggtagctta gccttggctg tagtcagaac 34260
ttttgtactg tgactttagg atctgtatgg aatcgtatga tatgcggata caccaaaaac 34320
tctatgggtt atcaaaatgg gatagcatta aaagaaatag tgcttttgtt tagaagaaga 34380
aatgaaatgc ttgtgtccag atgcttaaag gaaggcagtg cagactttca gaaactagac 34440
tttaagagct gtactcagat actgagaagg gctgatggct gaaggaggaa caatttaaaa 34500
gaataaccgt ctctcctctc cctgtatatt ggacataaaa gaatatccca ttcttttcag 34560
aaatgtaata caacagttta gcttgctagt aacttcacat gctatttcct ttacctctta 34620
tatttgaggt gtctatttgg agtgggctgt gtttctagct attctgttta tctggtttgt 34680
ttttgttggt gtaggaaact ggtataaatt ttatttgggt aaatatcacc tcaattttca 34740
actaaagctt tatttaagtt tcacatgaaa aagacaaatg aggcaaagga agagaaaaat 34800
gcattgtcag aatcagaatt atgagaaaaa aagtcaaaca aacatatttg aaatgtccag 34860
aaaacctgtg agtttttatg tatactatac aggaaagata ttctgtcatc tggttgccaa 34920
actatggagg gtgggagact tcgaattttt gtcaaaaagt attctttcat tagaaagata 34980
catgggtgtg cttccatgtc agcaacatga ctgcagacca ggaagtcctc acggagagct 35040
ggaatatggg tattttggac tctctggtta gatgcagctt ttacttcaca tcctcagtgg 35100
tactactgta aattttcatt ttcctgtgga ataccctatt tggttccatt gtatatagtt 35160
gacaactaga attcgttcgc tgttgcttga gcccaactat aacttcttgg cactatacct 35220
atcttctgat gtgcctgtgg aagagctacc ataatgaatg tgtacatgga caaaaaaaaa 35280
gagagagaga gagagaatta aatcatgagt ttgtgccttg ggagctacag tttaaacatt 35340
tgctgttttt ctcacttaat gaaaaattta tttgaaaata acagcacaga aaggaagaaa 35400
gacaggctgg caagcatcct cctcctaata cacttatcca cgtttggata ccttggtctc 35460
agcctcagag gtcatatttt tagtaaaatg gccaccagaa ataaaggatt ttatttttcca 35520
gactttggtg tttggagctg gtgtgctgag agctagcaga gaaagcccta ctcaggtaga 35580
tgtaccagag caggatggtt gctggtggat atggtggaat acctttttatg tggttatctc 35640
ctccttgtaa ctcttggctg cataaccctt attttctttt ctatttttat tctctctctt 35700
ggaaaaaaaa ttggtggtaa attttcatgt gagccatatt gtctttttaa atagttttat 35760
taatataaaa tgtacgtacc ataaagcata cccatttaaa ctgtaaatgt caatgggttt 35820
ctctctctct ctctcttttt ttttttttttt ttggatgctc agagttgtgc aacaattatc 35880
aaaatcaatt ttggaacaat ttcattgccc caaaaggaaa ccctctgccc attagcagtt 35940

20262013390 25 Feb 2026

actccccatt tcccccaccc cctgaccctt caaccctagg caagcacaaa tgtactttct 36000
gtctctatag atttagccat tctggacatt tcatgtaaac agaatcatgc aatatgtcac 36060
cctttgtatc tggcttcttt cacttagcat gatgtttcca aggttcatct gcattgtagc 36120
atctgccaat acttcattcc ttatttatgg ctgaataata ttccattgta ttaatgtatc 36180
atatttgttt tttccaatca tcagttgatg gacatttggg ttgttttcat ccttttttta 36240
gctattttaa ataatgctgc tatgaacgtt cgtgtacaag tttttgtatg aacatctgtt 36300
tttatttctc cttggtatac acctaggagt ggaattgctg ggtaatatgg tagcttaaca 36360
tttaatcttt tgaggaactg ccagattttt ccaaagcagc agaatcattt tacattttga 36420
ccagaagtat atgagagttt tagtttctcc acatcctcaa caacactcat tattgtcatt 36480
gtccttttca gctttttga taatagtaat ctcaatgggt gtgaattggg accccatcat 36540
gcttttgatt tgcatttcct tgaagagtaa ggatattgat catcttttca tgtgcttatt 36600
ggccgtttgt atatttttg atcctttgct catttccaaa ttgggttatt tgtctttgca 36660
ttattgagtt gtaagatctt acaatatatt ttggatgttt gtcattttag ggatgatact 36720
tcacagttat atgatgtttt ctagcaagca tttgcgttgt tctactggtg ttacatatct 36780
tagctgcatt agccactttg ctgggtatga atgccagcag aatctaagtg accttggctt 36840
cactactgag aatgcaaccc aagaacagaa atttgtcaga aatttagcac tgaagccccc 36900
cacttcccaa acttatctgg gacaaggaga atctacattt aaagctctat actttgtgtt 36960
gtgtttttt tactttagct tggttggatt taggatcttt tctttttgtt ttgccttatg 37020
catacctaag cagaggcaag ggaggaaagg gatatgaacc tggtagaaaa gtaagtaagc 37080
tttattcaga ttggcatatc catcttaata tggttcaatt ggctgaagaa gtatctcaac 37140
taaaactctg gaatactttg aagtaccagc aatatgtacc aaatgtactt tttatttatg 37200
tttggtctct atgtacttgt gtgtgaaaca atgagcacaa ataataccct ccttgttttt 37260
aagcaattta tattggtgat ttaaaaataa aataaactca agtgggaaat catgaaaccc 37320
catgtaaaaa caataagagc atgttttaaa atcccacaga ctttagtttc aaatagtggt 37380
tttgctattt cttagctgtg tgtcactgtg caagttactt tgtttctctg agtctttatt 37440
ggtgatatat gtaaaaaccc accttctcaa attattgtga ggacaaaatg aagtaattaa 37500
cataaagttc ctggtgtata ataagtgttc atattttgta tttgagcaca gggcaactgg 37560
gtttttgaaa ctgcacatta ctgttgcagt caaatctggc atgaaattag tgcatagaca 37620
gaatgggctg ggaaaatgaa aggactttga acatttatat tctgctttat ttaggcataa 37680
gtgcttaata attattgata gtttcttctg gttatctgac attttgaaga tactattacc 37740
tagcagaaat ttcttgtaat aataatctct tacacttata tactgttttg tgcctttaga 37800
agtacttaat gctctttatt tcactatctg ttcataaaca ttctctgaag caagcataca 37860
gtcagtatga attccatttt tcagatgaga cagctgaggc tgaaagacat agagttactt 37920
gtctcaattc acaaagtaaa gtgccagagt ttgaaccaga gcccaggtct tctctctcaa 37980
cgtagctctt tttctccttc attatatcag gcatagtagc aacgtattct tttactagct 38040
ttttatcttg aatatccttt tagcgacttg cctttggtgt tagtgtgcct ataacattgt 38100
cgttgaatat cttaatacat ttagtggtct tggcaagcag ttttgtcttc agaaggacac 38160
tgaaatctgt ggaaaggact gcagaagatt gggtgggcag acacctatca ctttcggggc 38220
tggtagactt tctattgaag caatttgcaa ggctactttg tattgtctaa aagcactact 38280
tcagaaaagg gttgtgatgt caaaataggc actttgagtg aagaaagggc tgtaagcatg 38340
ggtggaaaat gtggtagatg attgtcttga gttattttct ttaatgtcaa acaggcagtc 38400
cttggaatgc tacttcaaaa agtgttgtat aatgttgaag atacagttac agatttccaa 38460
cacgaaactc ataaatatgc aattccctgt cctcctaggc acatgaagga aaatttatga 38520
gcttcaggtt tctatgcagc tattaaagca tatttaatct gctttgagct caagctcact 38580
ctcgttggct ctcttcgttt cttcctctta catgagcaaa ctgcctttct ttttgtttaa 38640
aaatagtaag taggtttgtt ttcctccagg tgtcatgaat gcaaacattg taatttctca 38700
tctgttcagc ctttttgcac aacaaaatgg cagcacccag gaggttgaaa gggttaaatt 38760
gttccttctc tgagtagtac cataagttgt tagtctgcta ctctttctcc cagttggcac 38820
atgaccctaa catccaatcg ctagtggtgt ggccattttt tggtcttatt ttggcctttc 38880
ctcagccacc actcatcagt tctcatgcgt atttgtcaga tcctgctccc caactccaca 38940
gttcttagtt catcttaagc atatggctgt ctgtcttttc tctaaagatc ctcaagggaa 39000
aaaaaaaaaa gcatctccag ggggaattta ctgcctcata gccctgacag agatttctga 39060
ccaaacccta acgaaaaaat ttcttccctc catttgtctt ttattgtttt tacaggggag 39120
atatgtaaca taataacaat tatattgcac ataataatta cttctacaaa taataatctg 39180
ttgtcaaaaa tatacacagc tttggatttc cttattatgg cccttcatta agttgtggtt 39240
taagaatagc tatgattatt acttttgtga taattataat ccataatatg gaaacttata 39300
aaattacctt taaagtgtta ctattattct ggccacagga tggaaagttg ttcgctagtt 39360
actcatttat aacctgaatg tacttttac tgaatctaaa ggtatcatct ttgcttggca 39420
attcccatga cttgtctttc tgactcttca gatctcagct taaaagctct cccttcaaag 39480
aagccttccc tgaccactct ggtttttttct tctttttta cctctactcc ttttcccatt 39540
acttgctgtc atagcattct gtttgtttcc tttgaagtgc ctattccaat ttgtcattat 39600
gaatgagttt ttttgttctg ttgcttatta tccattttcc ccactagatt gtcaactctg 39660
tgagggcaga gaccatgata ctctgttcac tcctatatac attcccagca ctatcagact 39720
ttttggcaca tagaagatac tcagtaaata tttgttgaat gaataagtca taaagaagag 39780
tttatatttt aactcttagt tgaataatct aagccaagaa ttatcaacct gggttggacg 39840
tgagaatcat taatgaatct ttaaaacaat gacaaggcaa tctatttatt aattatctcc 39900
aggtctaaac tttagcacgt atatacattt taaaagccca taagtgattc ttacgtatag 39960
ccagtgctat ctgtctcttc tcctgtcctt tcccctcctc tccttactcc tctctcatag 40020
ttttaggatt agcatggccc cacaacaaat ctttaattca catggcaatt tctaggattt 40080
atcatggaaa atgagccaaa ttgccttcaa gaagttttta cgtacctctt atatagaatg 40140
tgatgtttta tatgtacctc ttatagaatg tgagctttta agaggcatat cttattgcaa 40200
gaaatttcaa tgttgaaaaa aatattgaat atttataaag tcaaaaatgc aaacttttat 40260
atgattttca aacctatgaa gttatatcat gttcaggcct tctttccagc atgtggctct 40320
cagccctggt actgtcctta accataaacc tcatctttgc cctctatagg gagaggttta 40380
tggttataat tactcatttt aaatagtgta tattagtaat gtacactatt tgtatatttg 40440
ttgactgcct cctatatgcc aaccactatg ctagaaattt tgtaatattc ttcacgatat 40500

20262013390 25 Feb 2026

tcaagatatt aacatatccg cattttataa atgaggaaac tgctctcaaa gaggttagtt 40560
tacacagcca gtaagccgct aagcctagat tggatggaag gtatgtgaga aaaaagcagc 40620
atccataagg ttttcattct cctaccctgt acgacagagg taatagaaat tattagttaa 40680
agaaataata gaattttaca agactctagg aagggagaat gtgaaggata cagttctcag 40740
ttactggaat gagtgccaga gtaccagtac atggcttgcc ttggggtttg gactacctat 40800
cttaactcct ttgctcctcc caatcttgat ctcatttgtt tgaaagatca tctgcccaac 40860
ataaaaatgc atttctaatt ctgtaattta agtcagtggc aagatcagat tcagttaaag 40920
tttactttcc tgacagcttt ttagtatcat atctattttg caaaactcta gtgataaatg 40980
tatgcacatt tacacataca gcatctcttc tgattctgac taagatatta ctgggttgtg 41040
tagaagtgat gggctcttta gaagaaaggt ttgatatact actaatctaa ggactgaatt 41100
ttctcatctt tgtctttgcc ccttttgact gatgaccaga gcaggagcac ataacattct 41160
tttgtgctaa cagtatctct gcatcacatt gatcaggaga attggcatct ccagagccct 41220
gggatggtaa cttctctgtt gattttcagg aaagattagg tgatattttc tccatgggaa 41280
gaggatgttt gatgtgtgtt ggctttagca aaaggaagct tgtggagtca actgtaagta 41340
gacagaattg cctttgactt aatctgtttc agtcgttgtt catactcagg tcctccagag 41400
gacctttaag catttttatt gactttgtgg tctattacac gaaactaaag atactgattc 41460
tcagtcatga gtctgctcca aaattgccta gggaatcaaa aataattgta ccagttccta 41520
ttcctggaca ttatgattca tttggtctgg tatgaaggcc aggaatctgt atttttaaaa 41580
ttcactcaag caattttcat atatagctat aattgaaaat ctgtggctga acttctccac 41640
tcccgtatcc atcgcaatac ttccccaagg tggcatttaa gatgggccta gagggttata 41700
taagatttca atattaaaac atggattaaa agtgaagact tttcacatgg agataatttg 41760
gaagaaaaac ttgcaaaaat gtgagagcat tgagaacttt tctttcccaa ggaaagaagt 41820
ggcagcttca tttttggtca ttgcaaacag cagtgccata catgaaagga aagtggtggt 41880
gctcatcaac tttgaataac tttgtacaga acccttgaga ctcctctctg cttataaaga 41940
aaaagtgtca actgtaaagt tgatttattt atgaaccata ggctactatg aaatctctgt 42000
tcccagctag aggcctggga gagtaagata actacttgtt tattccacgg agccacttat 42060
tagctttttc tatagcacat acctcaaatg aagcatttca ataaaagaac cacattctat 42120
tcacatgctt cattttattc tgatttatgt aaaaattccc aaactcctca agcagtgttt 42180
ctttgtaagg caataatctt cagttctgtt gcaaaggtca ggagtgatag aatgaaaatg 42240
gtactagata caacagctct ttggtatttg catggccatt acattgccat ggggctgcaa 42300
gacttgtgag tgcttgatat tttgcttgtt gatgaatgag tctgtgtttg tgctaatgga 42360
gtgatttgag aggtagttct ccactgtcag tcaagaggtt ggttttgaaa gctgattgcc 42420
aatggtcatt ctgctaacca ctctggttct cctttagata gagacttatt cagattcaag 42480
tcttcatgta ctttgtggca taaacattgt acacaccaga tgtattcaac aaccataaaa 42540
aaaaacaatt aggactcaag tagtatgtca gagtgtagtc actgatgata tataattctc 42600
cactaccaag aagatggaag cacactgttg agtagctaca tcctacatat gttggccaga 42660
atttaggaat acacatgtga tctatacatt ttgaggtatt gtctgacccc tagaaaatcc 42720
tggtgaagtt tttctggtgt cagtttggtc ttaatgttta ggaaatgccc acagactact 42780
cctgctttct gcttattcac atagtaaacg caaagcacag gactagtttg tcatctggat 42840
caaggagaaa tgagttagca gatataaaat aaatcagaaa ggaggtagtt ctcaaatatt 42900
tactccatga atagttgctg gatgttcatt aactctatag catttgttac tacttattgg 42960
ggatcctgga aagaaaatat attgtctata tccactgttc actgaggccc tctccctacc 43020
cagaaactcc ctgtctccat cactcactct ccacattcat tgacccaggg gaacagttca 43080
tggatgagtg aacttgagct ctatcttaaa ggatggagtt cgatttcaag gcaagaggta 43140
taagagaaag ttcagagaca acactggcta tggtctttgt gaagaaaagt gaattgaata 43200
ggctcctgtg gagatcttaa gtaagtactt ctggagataa ggttgaggaa aagtaggttt 43260
gaatcttcat ccagaggtag cccctaaatg tgttgagttt attgaaagag tacttgactt 43320
ggattcagac agatctgcat ttgactcctg ttttgccatt tataagaatt tgagtaatta 43380
ttgtttctaa ataagagttt attgagccaa gcactcagta aatgtttgaa tgggaaaatt 43440
aactgccctg tttttctatt gtcagatggt cctcttcgtt ggataacttg gtaactgttg 43500
ataacctttt ctcaggaatc agaaggtaga aaggttggga aaatataaga aacaaaaagg 43560
catattccta tttttatttt catattgtct tccaactctc ccaggcttct ttgtttgcaa 43620
ggctgacttt tataatactt tttgggtaga gcaggtcctt ctttggtttg gggttaaacc 43680
gtgagtaacc ttatttttcta ggtctcagcc aactttgaag ggcatgaact cacagtagcc 43740
tcactaggat cacttcagca gtgagaattt atctttcttg tataaaagtg taagagttga 43800
tggcggccag gcgcagtggc tcacgactgt aatcccagca ctttaggagg ttgagatggg 43860
tggatcacct gaggtcagga gttcaagacc agcctgacca acatggtgaa accccatgtc 43920
tactaaaaat acaaaaatta gttgggtgtg gtggcacatg cctgtaatcc cagctactca 43980
ggaggctgag acagaagaat tgcttgaacc tggaaagcag aggttggaga ttgcagtgag 44040
ccgagattgc accactgcac tccagcctgg gtgacagagt gagactgtca aaaaaaaaaa 44100
aaaaaaagag ttgatagcaa aataactatc tgtagcataa acctcagtat tctttatcat 44160
tcagtatcaa cattattact gaaaacaata agcaatatgg actgagtttc tgtggggtgg 44220
aaatgtgaag tggatcatag catgatataa cttgtcattt ggcttccttt ataaacatta 44280
tcaactacct cagctctatc aatcacttgg cagtccgtag tgaacattat aactcaaatg 44340
actagtcagg tctgttcatt gcccatgtaa aggcatatac ctgaagtgag aagtctgagg 44400
taacttagca ataagcttgc agtacagtgt ttagtgaagc cgaggaattc aaggatttga 44460
gtcatgccag attgctccat aaccatagcc tatctttgtc acaagtaaga aggtttaaaa 44520
atcaccatac cattattggt cacaacgttt ggagataggg aagagtttgt ggatggatca 44580
tggcagtgca tggacagtga ttagcccata acacaaccag tgaacactgt tgtacccaaa 44640
gcacataaat caccacatat actattaata tatttatgga tgacaacaga cactataatt 44700
ttatgtcagt gctttctgct gtgaaaaaca aagaaagtta agggtacctt ttttatattt 44760
gcatcatatc tccagacctt ttcctttatc tccttcttgc aagttcttct ttctttcagc 44820
tgactatctg ctgttcctgc tatggctccc agtggctttt caagagggta cttgtttttt 44880
aagagaagac ccttgaagga cagagagagc ctgaatcatt caaaataatg aattactcag 44940
gatgaaattt caataatttg caagtgtgtg gagatagata ttttgaggaa gcataatttt 45000
ctatgtaccc ctcaaatcgt ggctggagat gacagcctct tccacctcca tataagacca 45060

20262013390 25 Feb 2026

```
tttcatttcc ttctactttt ttctccctcc ttcccccaaa cacacaaaca tacacatatc 45120
ctgtgcttca gtcacacaga acttcttact atttcatttc aattctctat ggctttgcat 45180
gttctgctcc ttctgcctag aatgctcctt tccttttttc acctggaaac atcccaattc 45240
aaatgtcacc tcccttattt ataccaactt tgtctgtaac tcctttatca cacttcttcc 45300
tgtgattagt caattcactt gtctgctgtt acacctctat gagagatgaa aattccttct 45360
ccatctctgg aactcatgcc cttcgcatat agtaggcaat ctgtaaatgt ttgaaggttg 45420
agtgaattaa tgaatgacct tcaacctttc aggcttccaa ttttctctct gaaaaggaca 45480
gccaaatgaa aactcataat tttagaagat gaggttagac ggttggtagg tgcatgcaga 45540
gaccagttat tatttaggta ttatggaagt ttatagttct tgtatgttga gttcagtgta 45600
agagtggccc caaacatagt taatgaccac tccagaccca gttgttatag agttggcccc 45660
agctgtattg cttctattta agactaggat aagaaatgac actttcctac tttttacctt 45720
attgaaaggg tagaggctca ctgttatcaa tctcagttca cttgttgatt gcactggctt 45780
gccaagtgag aatattagca cctctgcaca tttctatagc tctgccactt atgagatctt 45840
tccttcccat tgtcatattt aataatcagg atagccctat aaaatatgca ttctcatttc 45900
ccagatgagg atactaaggc tcaagtagga gaacttactt gtttagtaag atcatacagc 45960
taggaagtgg gagaggcaag agttgaaccc agatcttcct agctcctagt ccattgttct 46020
gtctactggg tcacactgga ccagccagga ggcaggaaaa tcagctgggg aatgtggtgc 46080
caacgtgtga tgtttgccta aatgtgtgca tccttgctgg aagccagcca tgattcatgc 46140
tgcataagta ttcattaatg ttcatttcat ttatttggct atccatatgc tttccagggc 46200
gaaggcaagc taggacaagg gcagacaagc agccttaaag tttgggtgct ttccttcgaa 46260
gttgagctgc ctgtttgaaa atcacacttt ttggtgatag aagatggttc cagtacagat 46320
tttatttatt actgcatcta catggataga cattttccaa agcatagctg aaaatatgtg 46380
taagtcccag aatattttct gatttagaca cagactttga gcatgataac cacatttagc 46440
atgttaggaa attctgtcag aatgcttctg gaaaggctac ctttccagaa tgaaatgaaa 46500
aaagaaaagg atggactttg aaactggcta gatttgggtt atacttactc atagtgtgac 46560
cctggcaaat gatttaactt ctccgaattt cacttttctt attctttgaa gtgaaatttt 46620
aaaatgccat cttgcctgat ttttgtgaga atgaaaatga gatcccacac caggaattta 46680
gaagctactc agtaaatatt gcttctctcc tttccccttc cccagtcctg tcccccgaga 46740
cattcagtag ttattcacag gcatgcattc tgaagtctgc ctactgctcc atgttgaaat 46800
gcactgctct tgcaaggact gattatctat ttttctgtct tccaaggccc cctgtgttcc 46860
actccaccct cccaattctg ggggcttcca aagtgggcag gtacagaatg ttctgtggag 46920
catcggaggc tgttactcaa tatcttggcc agcactctca actgctcttt gcacacactc 46980
catatgaagg caaactccag atcttggagc ccatgtgtgt gtcatgcatt gtactgcttc 47040
ttgtacccaa atccatctca agggtgagta gaccaggctc agacttgtcc tgggagcaga 47100
tttctcaagc tgcccatgtc cccacactgt ttgattaaaa ggaggtgctt caaactcttt 47160
ggctttatat agactagaat cagaatgatt ggtggtgcct ctgttctcaa ggtatcccaa 47220
agcactttgt aaggaaatat gacaagcgct gaggccatgc aggccagtac aacagccgcc 47280
acccagcact tcacaattag tcatgcccag cctgggatca tcaagcctgt ttttattgga 47340
agagcaagag agagagggaa tgctagctgg caatttcccc aggtaccctt tatgaaagtg 47400
cccttggctc ttccaatttc atctgaataa ccagctcagg caaattttcc tctatcaaaa 47460
agcagaatgt gatagtgaca agctgatgcc cggctgatgc cccaggacat tgactaaata 47520
gacttggcct cacaattggt ttttattctc tatctccttt cttccctttt gttctttttc 47580
tgtgtttctt tccccattgc catctgcaga gtgttctcag tcagaagtca gctgtggggt 47640
ggacagtttg tcatttaag atcatcccta ttctgtctac ctttcttatc cctcatatca 47700
ttgcttttag agcaaggaca attctggaag tgaaactaca ataacactct gggctccttt 47760
ccctctagta gtactcaaca cacttgtaat tacatgttca aatttgtctt tcttatttct 47820
acttaggttc atgaaggcaa gggacatgcc tgtgttgctt actttctctt ggcaggcaca 47880
tacagcaagt cttcaaaaaa tgcttgttaa ctacaaatta agtgtttaag aagtccactg 47940
ttaattagcc gggcgcggtg gcgggcgcct gtagtcccag ctactcggga ggctgaggca 48000
ggagaatggc gtgaacccgg gaagcggagc ttgcagtgag ccgagattgc gccactgcag 48060
tccgcagtcc ggcctgggcg acagagcgag actccgtctc aaaaaaaaaa aaaaaaaaga 48120
agtccactgt tagtatcttt tcccctgcct agtttgtaag caactggcct cttctatttg 48180
taagttacct gttttcattt ccatatgccc caaagcaaac tttagctcac ggccttacag 48240
agtgtgtatg ttagtatgtt aaaatgaaat caactttcct ctcccaggcc ttctaattga 48300
catgaatttg ggagtagact tgcattggcc tttgtcctga cagccaacag agtcctcttc 48360
tgttgtattc actgttgcct tccatgagga tcccatggag aaagtttgtc attgatatac 48420
attttgaggg cagactcaac ttgagtaaac ctgattgagc tttccccatc tgcctcccag 48480
agatcactgc ctgtgctttg ttaaaaagag aattatagga gtcctctcaa ggcagagagg 48540
cctaaaatta gacatggcag ccatgccttt ggtgtgcatg gaggttggat acaggcagcc 48600
agtttcccct ctgttttctc ccttgcttac acagccaagg agtggagcca agcctcaagg 48660
ggaggagctg tatactcgag catgccctgt ggttcctggc cctgactgag ggactatttt 48720
atatatccca atagagaagc gtggaagaca tctaggttgc cactgtcatt tgaaattgga 48780
atttttaaaa gagaaacctg aagacttgaa gaaagctttc ttttgcctcc ccttacagtt 48840
gatttttgag cttcttaaag ctacctagtc caaagtaccc acactcttat tcttttgtct 48900
ttcctactgg ttttatttt ttttcatctt cccaggtgtt tgatgatcac taagagcttc 48960
aacattgctc accctgacca ggtatgaagc caagagtttg gtttagggca taaaagaatg 49020
tcggaactca aggactaggt tgaggtgggg aaggggatg aaggcttctt tttttcttgg 49080
gttaagcaga aataacttag atctcagagt gaaagccttg aattatcaca tatatcactg 49140
gaaaagacta gttctttgct atgataacaa ttgttcatca tctctcccct gaggatttgg 49200
ggtcaaggcc tggctacacc ttttaatgat ttcagtcatg tgacttaacc tctttaaact 49260
tggattttct tcatctttac aatggaaatg atgacaataa tcactacctc acagatattg 49320
ataataatga tatctcacta ggaagagaat taagtaatat gagggataaa aaggcatttg 49380
taaatggtaa aatgagatta tgattttgaa agctattatt attttccttt cactgtctat 49440
tatctcaact cttctatttt cttgcctttt gtacagcatg gataatttag atgtgactct 49500
ggacagaggg atggatcaga tgacttctta agttatcttc cagtttagga gttcgtaaac 49560
tatactttct cctttccaga ctatcctagt aagaaaattc tcttttaaga cagagtagaa 49620
```

20262013390 25 Feb 2026

ctctggaatt catcagtttt gatgtttctt aaagtgtaat ctaagatagt gctcctgtat 49680
taagttctga tgtctgacca ttgttcaaat aaagagtaaa atgcaaatga caggaaattg 49740
gctgcgttct gaatcctatt tttatttggg ataacaataa gcctgtatgg tcactgtgac 49800
ctttgatttg ctgtttctgc aacctcacac ttgtctcagg attcttcttc cacttctgca 49860
ctttatattg ggtttcttcc aggcatcata ttaaacttta agccaggtat gtgtatatgc 49920
atgggctgtg ggcctgaaaa aaattagccc gagagagaaa aaaatttaag tagtgggcta 49980
gaagtaagca tgctactaga aacagaattt gggaacacag ctctgggcct agaaaagcga 50040
cctgtcaact tgttacagtt aacatcaata actataggat gggtttggtg gaaaattatg 50100
ctgaccaaca gggtgggaga gaatagggtc agaatatata tcgctgtaag gttgagaaaa 50160
aaagaagtga aaaaaaaaga aatgcataga gagaaaaagg agtttagagg taacatgtta 50220
aagtgtgaga aataaactgg agagcttgac ttctcttgaa tatattttta aataaagtac 50280
tcctttcaac tccaaatgca gcaggcttgg ttcccttctc ctacctccat tgcggatgaa 50340
agcttaatct ttaagatggg cttgggtggg tagagtacgc cccttggtga gcactgtgct 50400
ctctgcaacc ccaataaggc ccaacagggc tctccaagga ggcaaaattc tgatgataca 50460
tttctgttta gtggaaaatg ggtagggaaa attatgtctt agaatcaatt aaccaaacat 50520
aaaatcctcc aaggggcttg gtaggatgcc tagggaagag ccacgagata aaaactccag 50580
gctggaaggg cattgttgca gcactgtcat tctccagttt ctcttggagt tgtcaccacc 50640
ctctcctttg ttctcactgc tgacatcatt tgtaaaataa tttcttccct taaataaaca 50700
agacatacaa tcctctaaat gactaaagaa cagttaccta gaagaaacct tagtggaaag 50760
tattttcttc atctaacgga tgattgtctt tacagaggtg gagtaaagga tgtgcgaggg 50820
agcataatca agctaagaga tgcatgctga cttaaaaggc atgatatatg tgaaactaag 50880
ataatgtgtt caagagtgat gctttgttga tgcagaacca ctgaattcct tactattatg 50940
tttgcctgac tatcggcctc ttaataaaga acttgtggtt tgagtgttca ttgaaattag 51000
ccatattagg tttatgtggg gatgtgagga tctatgtcta ccaattgcag cctctgctgc 51060
aaattggagg cagaaatctg ggctgaacaa taggtaagag tgtcaactct acagatctct 51120
cacatgctaa gcaagcacaa tatagggcaa tccaggttta cacaaaggat taatttggga 51180
acaattatcc tcattttcac ttcctaaaaa gattttgaat aagatgtctt ttaagtaaga 51240
agctccctga atgcatttaa aatatgattt gattatgtac atttcagatt tttctacctt 51300
tctaggagta tctctgttgt ataaaaacac aaaattctgg aacttttgaa aggaagatgt 51360
gcctctcttc atacatttgt cattcttgaa cgattgtaaa atgaagtgac tgcatatcac 51420
gtcatgtgcc ctattgattt cttttcttgt tttaggaata ttcccagaaa aaaaaaaaac 51480
ttttttttct ttaaaatcta ctaagcatgc taggtaagac tgaagatgaa tctatttaag 51540
ttatgtcaat atctatttat aaagattttt gtgatattct tttcactgta gaacttcaag 51600
catatcctaa aaggaacggt tagatacctc tacaaactgt ggcaatgact tactgagtaa 51660
ttgctggcaa ctgatttttg gtgcttcttg ttttgatagt atagcagtgc gagtaggttt 51720
cagaagagca aaactaagac aatccaggga aatgccattt gagaatttct aactttaaaa 51780
aaacaagtaa aatagtgcca agaatattat ctaactaacc ccaaagtcta caatgtaact 51840
cttttatttt gataatgctg ttctaaccct atctacttca gtcctttccc acccagctgg 51900
tttaggaatc aaattcccaa tgtttcatca ctgttaacat tactgtttta ctcttcactt 51960
tagttcttaa atggcatagt gtcttaaatt ccctcagcct ctttcacatt tgatttcttt 52020
ggaaactttt tacctttca ttgaagccca tatgatcttt tccgaaacag acccttatct 52080
ttacctcctt ctttggagtc tttctcctac ttgaatttct gaacttctta aaatggccgc 52140
tttgggttgg tgtcagtaat tcagtaataa gttttctttt cttttttttt ttttcttttt 52200
ttttgagaca gagtcttgct ctgtcaccag gctgcaggct gtagtgcagt ggagtgatct 52260
tggctcactg caacctccac ctcccgggtt caagcgattc ccttgcctca gactcccaag 52320
tagcaagtag cagcaccatg cccagctaat gtttgtattt ttagtagagt cggggtttcg 52380
ccatgttggc caggatggtc tcgatctctt gacctcatga tctgcccgcc ttgccctccc 52440
aaagtgctgg gattacaggc gtgtgccagt atgcccagcc agtaataagt tttcttaagt 52500
gctttcttaa tattctgata tttttaaaaa agatctggac tattttgtca tacaggcaac 52560
agaatgttaa accatttcat aaaacaatga caaatataca tgaatttttc atcagttata 52620
aatgcatttc ctttataaca ttgaacatgt ttttgcaact gaaataagta cggttttcat 52680
ttttagaagg cacatgataa agttaaggca gtggttaatt aatttttttca gattaatttt 52740
tcagaaaagt gactgtttct gtctattgtc ttaaccccag gcatcaaagg attttaatca 52800
gaaagaaccg aggaataatt tggttatttt agtgcctttt tttgagacaa agtcttattc 52860
tgtctcccag gctggagtac agtagtgcgc tcatggctta ctacagcctc gatctcctgg 52920
ttcaagtgat cctccaactt cactttccca gctaactggg accacaagtg ggcaccacac 52980
tctctgcaat ttattttaat ttttcataga aatggggtct cactatgttg ccctggctgg 53040
tctcagaatc ctaggttcaa gcaatccttc cacctcagcc tcctaaagtg ctgtgatttc 53100
aggcataagc cactacactc accctatttt agagctttgt caagctttgg aaagaaaacc 53160
atttataata taatagataa attatggata tttgaggcag tttttatcat agtatacatg 53220
gtaaaccaca gccccccttt ataatatttg tatttaataa aaatgaaaat attacttta 53280
tcttaaacat gttttaacaa agcaagcata tgtagattag cactaattaa aacaaaaacc 53340
tttgtaatga tagctgtttt ttatatgatt acaaaaaatt tactatacaa atttttatcc 53400
taatcagtgt gaaaaactgc aaatattagc ttatagggct agtcttcaga gtcctcttcc 53460
tacctactac tgctaataag ccaatgaaaa actctctgat gtgtgtggtg gctcaggcct 53520
gtaatcccag cactttggga ggccaaggtg ggtggatcac ttgcactcag gagtttaaga 53580
ccagcctggg caacatggtg aaaccctgtc tctactaaaa atacaaaaaa ttagctaggc 53640
gttgtggtac gcacctgtag tcccagctac tcaggaggct gaggtgggag gatcacttga 53700
gcccaggagg ttgaggttgc agtgagccaa gatcacagga ctgcactcca gcctgagcta 53760
caaagtgaaa ccttgtcaaa aagaaagaaa gaagagagag agagagagac aggctcctcc 53820
gctttttcag ttcctaaata attttccaat ctagaatgca aaagattctg aaggaagaca 53880
gttaccattt cagatcggca gaagttgtgg ctttaatcta gactcgaata tgttttacat 53940
caaagggttg cctcaacagt gctcaaacct gcctctctga aaacatgctg agcacgaagg 54000
ttacttgaag tcttagcttg agtacttaag agagtgctat ggagggattg ttgatgagag 54060
ctgtgtcaca gctaattttt ctttagtaat taaaggttta taaaaatctt acactgtata 54120
ttgacaaatt tagcaacaaa atgagcttga gaaaaaaatc aaggcctgcc atggcatctt 54180

20262013390 25 Feb 2026

tgctttttt tcttaaaaaa aaaacttttt agaaagatta tgcgactgta ttatctgtaa 54240
ctactgcaat ggtgtaaatc ctgatggtat aatttgcttt ttaaagctat ctttacttca 54300
gtataactta gattaaattt attttaaatt taaatgatat ttttctcttt gtttattatt 54360
ttataatgtt tcccatagaa ttcacaaaat tcattagaaa gatttttttt tacttcctta 54420
ggtcattaag attctgattt gtcaatggat ttcacataaa ccctgtcttt ccaaaaatat 54480
acaaaaaaaa aaaaaatagc caggcgtgat ggtgcgtgcc tatagtccca gctactcaga 54540
aggccgagtt gggaggattg cttgaaccca ggaagttatg gctgcagtga gctatggtca 54600
caccactgca ctccagcctg ggcaacaaag tgagacccca tctccaataa ataaataaac 54660
aaataagtaa ataattttca ccttgaaaag cttataaatg tatgaaatca caatgagggt 54720
cgctgatata gtttggatgt gtgtccctgc ccaaatttgg ttttgaattg taatccccag 54780
tgttggagat ggggcctgga gggaggtgat tggatcatga gggcagtttt ttcatgaatg 54840
gctcagcacc atccccttgg tgctgttgtg gtgatagtaa gttctcatga gatctggttg 54900
tatagcacct ccccccttgc tctcttgttc ctgctttcac catgtgacat gcctgctccc 54960
ccttcacctt ctgccataat tttaagttgc ctgaggcctc accagaagcc gaacagatgc 55020
cggcaccatg ctttctgcac agcttgcaaa gccatgagcc aattaaacct ctttttttt 55080
tttttataaa ttacccagtc tcaagtattc tttatagcaa ggcaagaatg gacttacaca 55140
gtctcttttg tatcagggag agggtcttct tggtgactcc acttcttttc tttgtttatg 55200
tatccttcca gatgatgtat ttatttcctt tgtttttcaa ttgatattta ctcttaaatt 55260
aaactaatta tttaaaaaag cattttaaag tctcatttta gattattttg actatctgat 55320
ttttaaaatg gtttaaaaaa tctatcttgg cctccatatg caatcaaata agaaacacat 55380
tttaagcata ttatttacct tgtggattct gccttcctca gtgtgttcag tctgtgtata 55440
ttcatttctc ccacactgta agaagctagt cagatgtata attggattat catgctacat 55500
aatcttagca cactcatttt aagcatacat agactagtga gcaccactca ttacatgtca 55560
tttctctaga gaaactagtt gggccatggc tgcaggactc tcacttgaaa agacatgtgt 55620
ggtgatgttt tctcaggcag ttaagcaata aagtgtaccc tgatttgcac tgaaaataaa 55680
gattccttta aagggagcag ttctagttat ctctctcttt aggtaccata tgctgaacgt 55740
ttttctatgc actaaaacag caactaggtt ttatactctg ccttacagcc tacttcacac 55800
ccatttcaca gggagaggaa cagagaggta agtgatttgc cccaaattac ataactagga 55860
agttatttgc tcagtgtgga aacttgttca gaaggtcatt tcattgaaat gtaggaagag 55920
tttctggcac ttctcttgag caggagtcaa aaacctttt ttgcactagc ccagatagta 55980
aacattttag gctttgtggg ccatatgatc tctgtcaaaa ctcctctact tcgttgttgt 56040
agtgcaaaag cagctataca caatcctgaa atgaatgggt gtggccgtgt tccagtacaa 56100
ccttacagaa aaggcaatag gctggatttg gctctgagac tgtagtttgc tgacctcagc 56160
tcttgaactg agctctttaa ctgacctcag ctcttgaact atggtacaag atcccatggt 56220
cctgtttggt acctccattt gccctccttt tcactctctg ggagcatagc taagttcaaa 56280
attgaattag gtacttgtag taagagcata cttataatcc tgggatcttc atgttgccag 56340
atattaacct cttgaagttt ttcaccacaa cctgggcact tttctgattt gctcacttct 56400
agccccacct ttgggcccct tcataagcaa acatgcaggt tttccagaga gctgtatgct 56460
actgaatgca gaaaatttgg ctcatactgg cctatggact atctgctcac tgccctgata 56520
actattttcc aagggagtgg gtgccctacc tttcctacat gaagtttttt gctagtcttg 56580
ccctaaaaat tctaggtatc ccttgctttt aggataaata tgtttcactg ggaccagctg 56640
gaaaacgaaa aatagaatta tccaactacc actttaaaat tggacaaaga cttttgttgt 56700
tgttgttgga gggggtggta aacatcattt tagcagacca aatatacttt tggtgaaagg 56760
cagcctgttg caaagacaca acacttggac aagattttga agccctggtt gcctttacta 56820
ctgacttaac tacagtattt gcggacttga gcaagttgct tcccttctgt gagcctcagg 56880
ttattcatct ttgaaatgag tataatacct gtgattataa ttacttatct ggattctgca 56940
gagaattgaa ggagataatg ggtgtaaaag tactttagcg cccagcactg ctccttatga 57000
aaatgaggaa ataattgaga tgagtgagcc attgaggcaa cagtacaaaa agtgctgaaa 57060
actcactgct taaataagca cctcttactg cttttgtggc actttgtagc aatgtttttt 57120
ttttttttt tgagacggag tcttgctgtc ttgcccaggc tggagttcag tggcacgatc 57180
tcggctcact gcaacctccg cctcacaggt tcaagcattc tctgacttca gcctcctgaa 57240
tagctggatt agaggtgcgt gccaccacgc ccagctaatt tttgtatttt tagtagagac 57300
ggggtttcac catgttgatc aggttggtct cgaactcctg acctcatgat ctgcccgcct 57360
tggcctccca aaatgctagg attacagatg tgagccaccg caccccacct cagcaatgtg 57420
tttttattct gactagaaaa gtaatgtttg gttttgtttg gctctttgct taatataccc 57480
ataataaggg tacctatttg cctttggacc attagttcaa atattatttt attaatatgg 57540
aattactggg ctccagaagc catagtcttc ttagctgctc cctatcccca ctctcacctc 57600
aatttttttt tttcactttt gtttttcttc tcagggaaag gtttgaggca aagaatgtct 57660
tcttatgatc caaaaccaag catggtggtg atttattcac caagagattc ctaagtacct 57720
gtgtgatgga catggtagaa tctttgtcct gagggagcta tctagatcca ttccttctga 57780
tatgcagcca gtagccactt gtggtaatgg agcaatagaa acaacactag ttcaagtgga 57840
aacgtgagat gagaagtagg aggtggagag aactaaccag aagagggtac ccaaataaac 57900
cagaaatatg tatgtgttag agaaggggcc tattgagcgg gtggcagtgg catgtgtggc 57960
attacttgct cctgtattct ctgcttttta cttagttgtg gctttggtgg tatagtctca 58020
aatctaagtt acgtaggtaa tattgttatg tatcatgttt tggcaatgta gactaaatac 58080
ttgctcataa gagtacagga caatgaggat agtttggttt tgtttactgc atggaaaatg 58140
caggatgttt agtaaataga ttcatggcgt agtgagttca ctactaaaat cagactctga 58200
gaatgggttt gatttaaatg gctagtttag aagactgaat ttaggccact tgattgagaa 58260
aggccatttt gggtaattat aaaccaccaa cattgtgttt tgaatgttaa agcttatatt 58320
tgtcttccag ttaccagaat gtaagcttct tgaggaggga gagaggagtt ttcttaatct 58380
ctgaacctgc acctttcttc tgtgcctagc ccagtgcctg gcaccaaaca ggtgctcaat 58440
caatgttgat tctatgctac caacaaaaat gagtccatga tgtttactat tcaacaaatg 58500
aatacaattt tagagtaaat ttttactgct tacactacat gtagattttc tttttagaga 58560
tttcgcaatg ctgatttatt tcaaaataag cttgaagcta agcgacaaag ctgaatgatg 58620
atttgttttt tatttatttt taaatccaaa cttacaattt tacatgtcat tgccagaaaa 58680
atcattaaat aaattatgat atgcgcatat ggaatacttt gcaaccatta aatcaaccat 58740

20262013390 25 Feb 2026

taaatactat gcaaccatta aatcaaccat taaatatgtt ggtatatgca aatgtgcata 58800
taccaacata ttatatagtt gagtaagaaa agctagtttc aaatgagtat gttaatatca 58860
tctgactctt gcaaaaggaa aaccatacat ttgaatgtac atatatgcat atgtttatat 58920
gtgcatagaa aaagctatga ggggatatac ctcaagttgc taaaagtggc tccacctgga 58980
gagggacatg gaaaggagtt ggctaaaaac tgaggtttgt tatggtatac acccctgcac 59040
agtttgattt tttaaaaaca atgattataa attactttta ttatttataa aaatattatt 59100
taaaattttg gtactaaaaa cagagctcca tcaacaggtc aatggataaa gaaaatgtgg 59160
tacatatata caaccgagta ctattcgtca taaaaaaatg agaccctgtc atttttgcaa 59220
caaaatggat ggaactggaa attattatat taagtgaaat aaggcaggca cagaaaggca 59280
aacattgcat gttctcattt aatctgtgga atctaaaaat caaaacaatt gaactaatgg 59340
atatagaaag tagaaggatg gtaaccaaag gctagaaagg atagttggtg gggcagggga 59400
gggtgaggtg agcatgttta atgggcacaa aaaaatagaa acaatgaata agacctatta 59460
tgtgatagca caataaggtg actatagtta ataataattt aattgtacat tttaaaataa 59520
ctaaagaggt ataataggat tgattgtaac acaaagaata aatgcttgag ggatgtatac 59580
ctcattctct ataatgtgat tagtacacat tgcatgcttc tatcaaaaat tttcatatac 59640
cccataaata tatacatcca ttgtgtactc acaaaattaa aaaaaactgt gcattaaaga 59700
aaaacaaaaa taaaaaccat agttcaagtt ataaacaaaa taaaggtaat ttggaggaaa 59760
actgtcttca gttatattgg atatttgggg gacatttttg tatgttagtt agcaaagatc 59820
acttgaaaaa gaagattctt ccttctatga ttcaagggag cctagcaaaa aataaatgaa 59880
atgaaataaa ataatacaaa gagaaaagat tattccataa attctgctta cttatttctg 59940
gcaaacttgt tgacagcaca tgtgaccttt tggtaaaaag acatttttat atttttagtt 60000
aagtttcaaa tataaattgt ttgtgttttt aaaataaatt aaatggatga tttcagccag 60060
atcattatga aaacacatga gatattgggt tatgcaatga ctaacagtgt gtacctttтc 60120
ttgatattta ttcataaact ggggaataaa agtacatttt ggcccattta ctccttaaat 60180
aattttatgt ctcccaagga gagttgtaag ttgcttgata gtaaatgcta tgtattttgt 60240
accttagtgt atatattatg ggatttcagc gttagaagag ctcttaaatg ccgtgttcat 60300
agtccaacct gtcttctgat gcttgaaatc cccttgcagt aggaaatgca aagtagagag 60360
cagacactca ataatgtagt tagtgaatta tttagaaaga ggcattttga gcccataatg 60420
tatgataggt acttctacat ttattatttt attctttgca gacctgcaga aaactgtaag 60480
aaaaaagttt atttcagatt catgtgttta tttgattaat ctcttcatag gtttcatttt 60540
tcagctcctg tcagaaaata cagattctta taaggttcac cttttaccca taagaataat 60600
agtataaagg ggataatgtg aaatacaatc acttcacaga ctgtttcaat taaataagag 60660
ctcgtagata attcagtcca ccacacccca ttttacagat gttgaaattg aagcccccac 60720
caaaaggaaa agacttgttc aaagtcacac agcaagtcag tggtgaacct aattaggccc 60780
cctgccttcc attttagtga gattcctgtg ctgatagtca tacccatatc aaatcctctt 60840
tggcagttat agcttgccca cagtaatgtg tcctgaaaaa tatgacaatt aattaagttg 60900
gagacagaac cataacctct ttataaaaat tttctggaaa gtttacatga cagtaagtaa 60960
tatataatta gaaaggataa ttcttatttc atatttatct ttttgtttca gaataataaa 61020
ctaagctatc tctactcagt ccattttaat acaaaaatat ttttacccgg actgagtttt 61080
tatgcttttt aggaactttg tatctgcctc acttagttaa aatcctagct gcactaatca 61140
cttactgtgg tgggcagaat tctagaatga ccctgaatac cttgtccttg tatgattcct 61200
tcctctttaa gtaaggataa aaactgtgaa tatgatatca ctcccttgat taggctttgt 61260
tatatggcac agttaacttt aagaaaggac caatcacaca agccatttga aagcagaggg 61320
tttgggtatt ttttaactgg tggcagaaag ccacgcagag atttgaacat tgaggggaat 61380
ttgaatttga tgtgccagta ctaacttgaa gatagaggag gctgcatgga aagtggcctt 61440
taggagtgat ccctggctga cagccagtaa gaaaatgagg gcctcagacc tacagccata 61500
aagaattctg tcagtgaact tgaacttgga agtggattct tcctctagaa cttccatata 61560
agagtccagc ctgattgaca ccttgatttt ggacttgtga gaccctgagc agagaatcca 61620
gttgacttct gacctaaaaa aaaagtcaga taataaatga gtattgtttt aaactgctaa 61680
ttttgtgata atttgttatg cagcaataaa aaactaatat atttaccatg caaggcaagg 61740
catttatcct ctcatgattc agtttctttt tacctgacat aatggaatta atttatactg 61800
ctgtgaagtt gtagttgaga aacatgactt ctaaagtaat agaggacatg tattattaat 61860
tttagtagta ttaatagtaa tgatactgat tctcccaggc ctatacaaat cctttgatac 61920
acaaatgaat agtaaaggaa cataaattgt ctctaggtag actttcccac aatgcaattt 61980
taggatacag aggtcatatg cctgttattc tactgtggca gagaaaatat ggagcctgga 62040
aaactgttca tttgcatcac atacatcttg ggagctcact ctgaacctgg taccataata 62100
agctctgtag acagtataaa gaggaaagga atcagacatg gtgtctgacc tcaagtgtct 62160
cataacgtag tagaagaggt aaaatatggg tcacactaac tctactgcaa agtaggaagt 62220
gcttgtcgcc ttgagattga caaaatttgg taagagttca gaggagattg tctgtgaact 62280
gggccttgaa gaatagttag gatttgaata ggagaaggtg aagaaggaag gcattccagc 62340
tagggagaag agcacaaaca aaagcataga taaccttgaa catcatcata tgggataatt 62400
caatagttca gtataatgga agtataagat gcataaaaat aagtgtagta ggaaacaagt 62460
ttaaaagtat agattggggt tagtcataca aggccttgaa tttcaggcta aggagtttag 62520
acattaacat ttgtttttga acaaaggggt gaactgatca catctgtgat ttagaaagaa 62580
aattctagca atagtgtaga taagggttga tggtaaagtt tggaaggtgg tgaggcagag 62640
gctggagaca gggagcacat ttaggataga aagatgataa agagatgatt tagaagagtt 62700
gttttggaaa aggagaagac agaaaatgtt ttagaggtgt catagagata aaattggcat 62760
ggcatggtgc aaggaggtaa agcccaatag ctttgtaagg tgctgagata gattgaaatc 62820
acagagttag gaagttttag agtcaggatt agtaccaaga cagcttggct ctagatctca 62880
tacttaacac ttacagtata attctgagag ggtgggtaac agcaatagtc agaggaaaga 62940
acccttttat acatgatggt acaggaacaa cactggcttc caaccccaca gctgctcttt 63000
aacagaaggt cagaagctgg ggagaaatat gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt 63060
gtgtgtgtgt gtgtgtatgt gccatttctg ggactaagga tgggaagtag attagttgag 63120
gccactgcag tggggtctgc aagttgctag cactcacccg ttccaagagg ccttaaaggt 63180
gttgatctgt tccctgggca tcaccacatt ccacaaatta atgttcctct gagagaatag 63240
ggtgattcaa tttcactgtg cccgaaggtt acttttgggg ttcatgtttg ttctaagtct 63300

20262013390 25 Feb 2026

atgctaatga tctgccaact gtctgtttgt cactttctct aacccttagc atgtataaac 63360
tgatctgttg ggaaatgtgt agcatttata ggatggtagg atttgtaaca tgcgatcaca 63420
ggactgttta tatagagtcc ctgggaaggg gagagaagag tatttctgtt acaaatgtgg 63480
attctttggc ccctcctcaa acttactgag gttcaagaat tgacatttat aataagcaca 63540
tatccatttt caataaacat gaaagtttca taccctcttt taatgtttga aatcctcaaa 63600
taaattagtc attggtgcca gagtatcaaa taattatggt acagaatgta tttctctgaa 63660
tgacaccttc tcccagagat tctgatatat attcctctgc actcaccctg tttgataatt 63720
accagtatat ggaccattta cctgaagaat aagagtaggg tttcctactg ttgttgaaaa 63780
tttgcttgac tcttaacaac ttgtgtgtga ctgtaacaag atcacacagg gtaaacaata 63840
ttagcttatt caaccactgg ctgaagaaat ttaggaaagt gaacacattt ttctttacat 63900
ttctctttgt tctgtgagcc ttttatgctg gaatagtttt cactgcaggc tgttattgtc 63960
tgcctccaga ggagggagtt gacctagcag tggtaactgg agagtgtttt ttgaaacctc 64020
tttccaaggt tagttgccaa tggcatcttt ggaacagtgt ccttcacttt tgtccctcag 64080
ggaccagtgt gagaatggga actttatgat ctggagctgg ttaagtgaag tccaaaaata 64140
attaagaaag tgtttccttc cctgggaatg agttcagtag gaatctcaat gtattgtaga 64200
gcactaagga ctcagcctca ggcatttgca aaggattctt ccagttgcct gtgttacaga 64260
ggacacagtt ggcatttcct tttggtgttg aggggagatg tgtacatggt tgtgagatga 64320
ctcacccttt ttgcttagat agttccactt tcattgtgga cagactcttt ggagggccag 64380
tttggcatgc acgtgtgtgt tcattccatc ctggagcatt ctttatgaga aagccatttg 64440
ttgagtggtt tgccattttg ttttacagcc actctgtggg ctatgaaatg gtcatccggc 64500
cgctttattt gtccctaaaa aaagcagttt ttccctttct tatcttcatg gctgccaagc 64560
agcagaaaga gtaactcagg gaagccatgt gatagccttt tatctgtctg ttcagaaact 64620
gatgatgtat tggatttgat aattcatcaa atctgaggtt tactggtttg tatttgcctc 64680
aaaatgggca tataatattt tgtcaggtaa cataatagac agatcattgg cattgcttta 64740
ttgaagtgaa ttaattcaat aagcctgtaa gtgcctgaca tgtgccaggc actgtgctag 64800
gcattctgtt aacagatgag acaaatctct gtcttttagg tgttttcagt cgaacagggg 64860
agacaaatat atgagcaaat tgctattttt tttaaatttc atagtgtaca tgagtataag 64920
gtgctgaata tgtgattgat tctgagggaa aagagagata agggaaagtt ctcagagaaa 64980
gtcaagctga gggaagaaaa gcaccccaga cagagggact agcatagagc tatgctagta 65040
cattgagttt aagggaatgg cacatacttc actgttgctt cagcagacag caggcctgtt 65100
aggttacaaa gggccttgga tgacatgctg aggggtttta aaattttatt taaattttaa 65160
ttgacaaaat ataattgtat atttctgtga ggtacaatgt gacgttatga tatatgtatg 65220
caatgtagaa tgattaaatc aagctaattt gtatatctac cacctcacat acttatttt 65280
tggttagaac atttaaaatt tattctctta acaactttga aatagacaac acattattat 65340
caactgtagt caccatgttg tgcagatctc aaaaacttct aacaaaaact ttttaccctt 65400
tgaagatatt gaactgtttt atgaacacaa tcttagaagg atttaaaaaa taatttgcta 65460
ttcaccaagt acttcttacg tacactgtgc atgaaatgat tattactttt tctaatatta 65520
gttttcttga ttgaggcttg gcaattatta gtttgtatgc ctttagaagg atcataagca 65580
gaggtttatc ccagtaggat ttgcatttta gaatgatgac tttgggagta aaatacagag 65640
aagtgaaacc agagatagtg ggatcattct ggagtctgtt gcctacactg aacagtagtt 65700
gagcgaaaaa ggatgggcag aatgtgttgg ttctgggtat tgcaaattca tggcacttga 65760
gtgaaaaagt ttaagccttc tattggctct ttgtgaatat cttcaacatg catgactaca 65820
aatagaacac atggttttgt tgttattgtt gttgtgtttt tgttttttt tttatttgag 65880
atggagtttt gctcttcttg cccagactgg agtgcaatgg cacgaatttg gctcaccaca 65940
acctccgcct cccaggttca agcgattctc ctgcctcagc ctcctgagta gctgggatta 66000
gaatcatgcg ccaccacacc cggctaattt tgtatttta gtagaaacag ggtttctcca 66060
tgttggtcag gctgtcttga actcccgacc tcagatgatc ctcccacctc ggcctcccaa 66120
agtactgaga ttacgggcat gagccaccgc gcccggccca cacggtattt ttgaaagaac 66180
agtgagcttg gattagaaca ctagtgtcca ggccctgctg ctactacata agtaattatg 66240
aatccatagc catcttgttg ctcttcttct ctgagccttg gtttctttag ctataaaatg 66300
ggaagttgaa actttctagc tacttctttg agttatgagt aacaagttag gtaatacact 66360
taaaagagaa tgtgctatac aaatactggt tcttaagaca gctgttgtta atgtactgag 66420
tattatgctt acctcacagg gttattgtga gcatcaaatg ggataatgga tttgtaagca 66480
ttttgtttaa agtgtgattc aaatgttaag aattagtaaa aatagtaaaa gaacaattca 66540
ttctccatcc agatgttctg tccccactgt gacttatgtg ctcattcaga gttgtacaga 66600
aaaacctcca cttaattttc acaagctgga gttccacatg taacagaatc atatgggacc 66660
aaaaaattct ctgtattggc ttcttccctg ccgtattttg gctctgggac caacaagaca 66720
cccattttgc atgagctgcc tgccaccaac tttgcgctca catctagttc tgttgcccat 66780
gtgcaagctg aatttgggcc cgggccccca gatctaacat gaaactcaag tttccttctg 66840
ttcaaactgt ccaggcataa tagtcttaaa gtccgatgcc cagcagagcc gtagattttt 66900
cactggccaa aaatcaacat gaaaccagat gtatctgtaa atctagtttc ataacacttt 66960
gtagtcaatg gaaatacagt agcaggcaga ccagaccaga gtttactatt tgcagtggaa 67020
ttaataacca catggaaact ttgcctttgg tatctgcgag atggaagata aaggtgcgaa 67080
ttcaaagcag ttcccacctt accctctaaa ttccaacata aagaggcctt gaatgtcctt 67140
ctatcttatt gtatatttca ttaacagaag tatgttccta gctacttagt cattctatct 67200
ctattctcct ttgttttaac ttcagtggtg ccagcttaag atgctctggc tttcagcttt 67260
catggagcac gtcatgtttt taaacttatc tttagggaca gaaatgttag gaagatccta 67320
gttcctcatc tctttgctcc tgacaaggaa atttagaatt gcctaaagaa aggatgtatt 67380
ggccaaccta ataataaatc agtattagtg aatctaaagc atatttgaaa aatttgtaac 67440
atgagttgaa attcagacct gcaatgaagt gtttttaaaa gatttaaaat cgaaataata 67500
taaaagaatg ttaaaaacaa gtaaaacata tcactagtta atcactctac caaaattcat 67560
ttttatgttt gcatatttaa ccatttttat tttctatatt tgtccatgaa catgtgtttt 67620
tatatattgt ttatattaaa catggtttta atcatggctt atttctttta tgttttactt 67680
cttttccttt gacataaaat attgtatttt ttaaatttta attgcttctt ggcataccct 67740
tccaatattg gtggctatat agattgaagt taaaactaat tacaatcaga gaaaattaac 67800
aattcatccc ttcaatctca ttagtcacaa gttaaatact caatagccac atctatctag 67860

ttgctactgt tttgaatagt acagatataa gacattttca tcaacacaga aaattcactt 67920
ggaaagcatt gccctggagt aaatgtgcca gactgtacta tatcattttt ctcttgttgg 67980
acatctaagt tatttcttat tttttaaata ttttatataa cttgacggtg aatataccta 68040
tgtacatagc tatttgcttt ggctgaatta tttcttagaa tcaatttcaa aagtggagtt 68100
attaggtcaa agagcatgag aagatttttt ggaacctgca gtgtattgcc atagtcctct 68160
caaaaaagtt tatgtcaact taaagtactt ctagcagcat atgattgtac taatttcgct 68220
gcaatctcaa caacactgga cattataagt ttttattcta ccctattttc cattaaaaga 68280
tagcttatgc ttgattgact ttgcatttta ttttattatt aataatgatg tggtttcctt 68340
ttttctagat tttatttttа tttaaggcat cctttgattt taacctgatt ttttttctct 68400
aaaaattatt ctaagaaaag acaaaggtga tacgaaatat atcctgagtt tttatttttt 68460
tcttgcatgg gatttgtata tttgcacctt tgcccattta tactatgatt tcttagtgtc 68520
ttccctggca attttaatga agacttcatg tatatcaatt tttccacaaa tataatcttt 68580
ctaaaaatat gtttttttcca caatataatt cagacgtatt ctccgaaatg ttggaaaaac 68640
ttaagtaggc atcaaagcat ttgaagattt gtttaaaggt tgtttttata ccagttttaa 68700
attgtaattt aagggtcata aaataggtga aaattaaatc atttttcagt aagggggcaa 68760
gaccacttaa ctcttggaaa atacaggaaa cgtagatttc tagaggccaa gaaggaggta 68820
gggattattt tgtaactgcc cccaaccttc taacctgtaa tgaaacaaac actgaaggcc 68880
cttaaacatt tttaggctta attggctgtc cttgtactta gggcacatct aaaaatcctg 68940
aggcaaccac tcaagagaac atgcttttgt taattcaaag ggagctgtcc tacgagtgtc 69000
cagaatcctc tgtagtcttg ggcctggtgc ttgagagacc caaaggaaag gtcaatggaa 69060
ttacagctta gtgttagagc tttcatgcat cacactaatt aattaatgtc ataaaggtct 69120
ctctcctgtt atgggaaaaa gcagcaaata ggaacttctg gtagggtgct taaagttggt 69180
ttgatatttt ttattagcat ttttaactaa tacaagtaat acatgcttat ggtagaatga 69240
taaaactgaa aaaaaaggta tgaaaattta gaagttctcc tactcatgac ctcacccctt 69300
ctttcactcc cagtttcact cctcagaggg taaccacagt gactagcttc ttgtgtttgg 69360
ttcctgagat tttctatgta tatatattgt tagatatatg catggtatgt tttcaaaatt 69420
cctgttacac tataattact gttctacaac ttaatttttt cacttaatta atagacctta 69480
tatatgcttt tccatatcgg tatatataga tctatataag ttttcttaaa ggttgcacaa 69540
ctttcaattg tatggctgtc ttgtaattta ctttttgttt cccttactaa tggatatttc 69600
atgtttccct aactcttttg atattaagag tagtgctgca attaacatcc ttgagaggca 69660
gtatatatgg tgtttaagat gaatggttct ggagccagac tactttggat tgaatattgg 69720
tgccaccaat tccttgctgt atgaccttag gcaagttgct taatttcttt gcctcagtgt 69780
ccttgtgtga aaaaatggag gcaataatgg tcactatcca gtagggcttt tatgaggatt 69840
tagtaagtta ataatgcact ttaagaactt agttatttttt agattaagta gtgaaggact 69900
atataattgt tagtataatt gtataccttt attatcatac ttttgcatgt atagcaataa 69960
gacaaattct tagatgttta accattggac ataaggaatg tacgcatttt aagtactggt 70020
agatattacc ttttccctgc caaaaattgc aaatattgga tattaacttt ttaaatctta 70080
gtaaatctga taagtataaa taacagttta tcatcatttt aagttgccta tcttaatttt 70140
gtgtgaaaat gattatcttt tcacatgttt ttttggccat ttatgtttct ttccatgtga 70200
actaactgtt cctggccatt gcctatttgt tgttgctgtt actatatggc ttttcatctg 70260
tttcttattg gtttatggag ctctttgtat atacaggaat ttagcctcta tttatatgtg 70320
tgacaaatac tttttccaat ttatctttaa aatttgttta tgttttccta ttcatcagtc 70380
taaaattatg tagttaaatt catcattgtt ttttcttatg actttagagt ttggagatca 70440
tgcttcaaag gtctttctag gtggggatga tttaaatcat gtactggaag tatttttgcc 70500
aaaaagactc acgaattatg gatgttagag ctaaaaggga ccttagagat ttcctagttc 70560
aaccaccttt tcttcatacc tttttaattt ttctctgcag atgaaaagaa gtttagtcct 70620
aaagaaagaa aagagtctaa aggttctcca gtaagctaat ggcaaaaatg tagactggaa 70680
cttctagctc ctgatgtgta tttcagtgat cattcaattt aaccagatgg tttcacaaaa 70740
agagctttct actaaaaaat aaaatacata cttaagcaac tcagagaatt tttttttat 70800
ttttcagatt aattttcact tagagattca tcagcatatg tactatacat gtacaaatca 70860
cctgtgtgtt ttggatattt agttaaacaa atgtgcaaat attttaacca aaggagcata 70920
ttcatttgtg ttttattttc ttaatggttt tcgttatgaa tgtgaaatgt gtatttacct 70980
taacagaaat taagtatatt tttggtctga catatatgag aactgaaaag cattggcttg 71040
gctgctaact gcattctcat ctttctttct ctgctttggc aaagtctggg attaaatcta 71100
atacctttta aactgtttgg gacttcagcc agagtgacct gtcttgaatt cagaactgcg 71160
cagatcattc cccattctaa ggccctctca tgcctcctca ttgcctgtag gatgagatcc 71220
aagtacctta gcatagctta tgcactgtag tcacttgacc tctagcacct atgcagtctt 71280
ccagtcttat ttacacattc ctttgcacat gctgtttccc cgtgtggggc aacttttttc 71340
ttgcctgtct gcctgcctaa gccaacttaa ataaacatca tttctgtaac ttctgtgaag 71400
ccttttccaa tctctccact ccaagacgaa ggtgtttcta taggcatgac ttctggaatg 71460
gcagatcaag gatctggtgg accctctact cagtgaaaca accgtttaac tagtaaaaat 71520
gatcaatcaa ccatttaaaa tcttcagaaa atatcctaag ggcacatagc aaaaagagaa 71580
acatttattc aagaaaagct attaagcctc agtaaaaaca gcaagagtct atggcatttg 71640
agtcatgacc tgttcctaat ccttccctta tctccattct tcaggcaagt gcaaccaaga 71700
agatggaggc ttcctctctc tcaaaatctt actccatagt tataatttca cccacaatgg 71760
ggcagaccac aagcatctct tttttttccc ccagccctat attacagaat cactgttcta 71820
ggaaggcata gcttagagga ttggagattc cttccacacc cactttctac gtatgagggc 71880
tttgccccag ggatggtaag tcaagaatac agggatcctg cttgtgcctg cctcagctca 71940
tatataaggt aaagcttcca cactaggaaa ggcaaattaa gaggactagg gaatataccg 72000
ttatccccag ggtccacttg tagaacaggg gtgtcattct gggagaagca ggtcactgcc 72060
ccacttgtgg aacaggggag tcactcgtca ctgtccctgg ttcaaattct attgcagtga 72120
cagaggttct gtcccaggga aaggcaggtt gttaggatgg agaactccac agttctccct 72180
gaggtgactg actttatttg gaacagagca tgaagaagtt catgcctaag ggcactgtca 72240
aaaataatgg agatcttggt ggtgagcaat taagagtgga ttggtagctc catgatacta 72300
gtaacaacaa gcaaaacagc agaccagcat ggaggatacc agagaaccag acaaaggaat 72360
cactaagaag agcccttgtg gaattgcact cactgctggg tgtgtggaaa gttatgcatg 72420

20262013390 25 Feb 2026

tgtgctttac tgtaccctct caaaagcaac ctaaacagga tgtggggtag gctctaaagc 72480
attcctcaag ccacacatgg atccatcagt aaaatgtgga gggcttaagg ataaaaaggc 72540
ttaagtacaa tctctggccc tacattttct aaatgttatg ccaccctgac caaggggcaa 72600
ctcctacaaa gccaggcaaa ataataaaat catatttgtc tctagtggaa tggataacta 72660
tgcctaaaac tgtgcccttt gaaaagcaac tagagagata atttctgaag tgtttgtccc 72720
tacctgaatg tgtggcaaaa ttctaaactc cctgaagtgt gaaagtggtt tccaagccac 72780
atgcacatcc agtagtggta aagggtgaaa atctaactgg ctaagagggc ttcatagcaa 72840
cattaaccaa aaagtggttt atgtagtctt tgcctgcttc ataattccct aggcattcta 72900
tgctattctg tactcagaag gcttaaagtc aggttaggga aaggaggcct atgaggttac 72960
tgtgcagagg cagtgctggg aaataaatga agttaaataa atttaggcca tcgtggttta 73020
aagaatggat tgtggagata agaaggataa aggaaaccca gagtcaagaa aaataaaact 73080
tttcattggt gccatgccaa cccatatccg agcctgaggc aaaaggaaaa atgtgctccc 73140
tgatatacac ttatacaaaa tatcaactaa ttttatttgt tggactgaat agaaaaagtc 73200
aacaaaaatt aaaaataaaa aaatcatgac tatattttta ataagtggtt tatgtaaacc 73260
cagagttgac caatgggatg ccagtctcaa ccataaaaac aaacaaaaca ttgtgagtaa 73320
caacaccaga agtctcaaag tgtcagggaa accaatttca cagaagcagt tcagccaagt 73380
cactaaacaa acaaacgact aagcaaaaaa caagaatgag tctcagaaag ggtcaagtca 73440
gtatccagag ttgttacaat atagtatcta aaatattgtt ttgaactaaa aattttgagg 73500
catgcaaaga atgaggaaag tatgactcat acatggtatt atatgaaaaa atcaacaaaa 73560
aactatccat gaggaaacaa agatgttgaa attcactagg gaaagacttt aaaaaccagc 73620
tatttaaata tattcaaaga actgaaggaa ctatgtctaa aatactaaaa taaagtataa 73680
taacaatttc ttgtcaagta gagaatgcca ataaagagat agaagttata aaaaaagaaa 73740
aaaatggaaa atctggagtt gaaaattata ataactgaaa tgaaaaattc actagaaaag 73800
gtcacaagaa gatataactt ggcagaagaa acaatcagca aattagaaca tagatcaata 73860
tagattattc attttgaagg gtagaaagaa aaaaagaatg aagaaaactg aagattccca 73920
aagaaatgta ggacatctta aagacacatc attaggagaa gaaaagaagg gaaagaaaag 73980
agcagaaaga atatttttta aaaaatggat aaaatcttcc aaaatttaat gaaaaacatc 74040
aacctacaca tcaaagaaaa ttttttaaa acttcaagca ggaaaatgta acgatattga 74100
tacttagata catcatagtc aaaatattgg agtcaaatat aaagagaaaa ttttgaaatt 74160
agcaagagaa aaatgaaatg gaaccacaat aagattaaca gctgattctc atcagaaata 74220
acagagagca gaaggcagtg caatcccata ttctaaacgt tgaaagaata aaaaaactgt 74280
cagtcaagaa tcatatattc aacaaaacta tctttaaagg taaaaatgaa atgaagacat 74340
tcctaggtaa acaaaggctg agagaatttt tcattagctg acatgccttg caagaaatac 74400
taaaagcttc ctagacagta gctttaatct gcatgaaaaa aaattccaat aaagggaaat 74460
ttgtaaataa taaaaataca tcattatata ttcttttcca cttaacttat ttaaaatcaa 74520
tttcttaaag cactatctgt aaaattgtat tgttatttga caataaaatg taaaagaggg 74580
gagtgggaat taagctaaat tggagtaagg aaatggtatc acatggtaaa ttgaatttac 74640
agaaagaaat gaaaaaatta agtggcaaat atgaagagta acattaaaaa cttctataaa 74700
ttaattgtgg cctcctttct tcccttagct tctgtaaaag acataagact attaaaaatg 74760
acaataatta taaacacatt gttttattag taataaacat agacaaatta tctacaacaa 74820
ttattattat acaaggagag ggaatggagc tgtagaggag taaagttttt ataacctact 74880
ggaactaagt cagtataaat atgatgtcga ttctgttaat ttgagatata tgttagaagc 74940
cccaaagtaa tcactgagaa aatgatgcaa aaatacagtt ttaaaaagtt aaaaacatag 75000
tttagcttat gtgtgcctag tactccatta ttatttttt attatatttt aagttctggg 75060
gtacatgtgc agaatgtgca ggtttgttac ataggcatac atgtgccatg gtggtttgct 75120
gcacccatca atccgtcata tacattaggt atttctccta atactatccc tccccctgtc 75180
ccctaacccc ctcaacaggc cctggtgtgt gatgttcccc tccctgtgtc catgtgttct 75240
cattgttcaa ctcccactta tgagtgagaa catgcggtgt ttcgttttct gttcttgtgt 75300
tagtttgctg agaatgatgg tttccagctt catccatgtc cttgcagagg acatgaactc 75360
atccttttta tggctgcata gtagtccatc gtgtatatgt gccacatttt ctttctgctt 75420
gttcccagga gaaagtggct gaagattcca gagagaagct gaatgcagtt taattctttt 75480
tgccataaac acgacaaccc attttcctgc aagctgtgtt agtttgctct cttcttggtt 75540
cattcattca tttattcata gcttccataa atatttaaca aacactaatt aggggccaag 75600
ccatgtgcta ggcacagggg ataaaactgt gaacaaaaca agccccagct actcttaagg 75660
aactgataga caaatggacc agcaaacacg ctggtcctgt tttgaaggca aagcgcctgg 75720
tgctcctgat ctcatgagca cagagcattt agcctaagtc tcatcctcct aaggcctcag 75780
aaataaggcc ttattttaat aagtgcaagt cagtcatttg aagactaaat catagaatcc 75840
tagaaaacta gtaccgggag caaggcaaaa gaatgggatg agcatgaaac atatattcag 75900
aagttgtggt gtgtaggtat ataagccaag ctcttttctt cacttgcttg ctaagtcact 75960
tagcttttct gccttttttgt ttgctctgtc tggaaatgga gttaatgaaa tatatctaca 76020
tgatagggat attgagacga ttaaataaga tgctgctgtc acccagtatg cccttaccct 76080
gctgtactta gaagtatatg aaattcattt tctaaatttt tgtatgagtg tttcatgcat 76140
gcccaccacc atggaagcta ccttaagaca gtgagggact ttgtttaact tgtttgtact 76200
acatcctcag tctaatggtg tctggcttat ggtaggcacc aaatataatt ttattgacag 76260
aaaggatgat aatgaatgtg aaggcatttt taagtttatg aagtgttgtg catattgttg 76320
ttaattttaa gctgttacgt taaagaaccc ctaatccaac tctcttgagt tttatagata 76380
tcatagaaga tatatcttcc cttgacatag aagcttccct tgaaggttcc cttgactcat 76440
gtatttgcct cacagtgatt gtgcagatcc cacaagataa atttatgtga atgtgcttta 76500
tgtgcttgaa gtgctccaca aatatgggtt ttataagatg agaaaataga gtcagggaga 76560
aaggtgactg atccaaggtc atgcaaagag ttagtgtcag aatttataat ggaatttcag 76620
gctcccaact cccactccag tatactaagg cagattccag agaagaaaca gtggagagca 76680
ggcactgatg agggacaaag aaaagcaggc tccgtctggc tgcaacttgt ctcttcatgg 76740
caaaaagaaa ctaggaaagt gctatgccag agacgacatg ataactttgc agaatggaaa 76800
gagcttgttt accacattga atactttatc tgtgtttatc taacgacagt tccaccagct 76860
ctttaccact tgacttttgc ctaattcaaa aatataccaa ctatgaaaca ttttccttct 76920
cagtttttat tctagattac attttgttca actttatctt aatgtgtagt gtagaaagag 76980

20262013390 25 Feb 2026

taaggtaaga gtatagcaag tggttatttt ccatttctac tgaggacaga gaaataatct 77040
aagggatttg tattagagat gaagaagtgc atggccagga catgagagat actgtgatag 77100
aatggatatt gtgaagtctt tggtagtttt tgaggggaaa aaagagaagg ttttctttgt 77160
ctgatatagt ttagcaacgt cttaatttag gattcaaaag ttgttcaggg tccatcttgg 77220
ccttcaaatt aagatgccct ttgagagata acattgttgt tttcaaactc tgttctgtga 77280
cttaagaatg agaggagaag gaagaaaaga ggagaaaatt tgagggaaaa gtgcccaagc 77340
agcgtcaagg ctagacactg gaaatttatc aatgaaagcc acatggtgga tgggaatcag 77400
atatgtgcat caattatttg tgttccaatc catatagaag taccgtataa tgcaccaagc 77460
taataggtgc tttgaaagaa gaccatacaa gtggagatgt gttcctattc tatctaggga 77520
tagagtcagg aagggcttca ttgaataagt ggtagcctct tgggctgaga cctgagttat 77580
gagatgatgt ggcaaaggag acagatggct gggggcaagg tggggtcatt gaaattggag 77640
gcagtagcaa tataagcaaa gctacagggg catgaaaaag caaggttaga ttagtgaatt 77700
gcaacagggt ggtactgctg gaaggtcaca tggaaaagat tgtgaaggta ttgagataag 77760
aagctagaaa taagctttga atgccatcct agtactttga atttgcatgc tgtaagccaa 77820
gtggttttca cttggtcatt taataaaatt acagattctc aggtctcacc tgtaacttca 77880
gattcagaag agtctgctaa ctgaaggtgg aatcagtgtt ccatattgct aattagctcc 77940
tcagaggatt ctaatatatc agtgagttat gaccactgct gtaagccata ggtagttatt 78000
gaaagctgct atggagagga gccacagaag cagatgtttt agataggatt cctctggggt 78060
cctgtgtaat ttatggactg gagaggatca gacaggaagc agaaagactt gaataagaca 78120
gttgcagtta ttttggaggc aaagattctc tctctctctc tctgtgtgtg tgtgtgtgtg 78180
tgtaattgta ggaactattt aggcagtaaa attaacagat attagtcact gattgactga 78240
gtggatggca gtgataggtg gggtgcgttg agggaagtgt attacattaa gtccaggatg 78300
actcatggtt ttctaagttg agtcattggg gattgccatc caatgtgaga aactatatag 78360
tcttatcata gttgatcttg gaggtagact tgaattaaaa tcttgaagcc atcaattgct 78420
gtatgtgggt cttgggcaga acacttaagg tttctggacc tcagttattt cttctgtaaa 78480
atgaggaaaa taatgcatac ctcatgcatt tgttgtaaag actaaatgag gttaaagtat 78540
gtagagtgta gtttagtaac tgggacgtat agtggtccag taaacatcag ctgttattat 78600
tgtgctatat gttgtgatgt gtactggagt gagatggggt aggggatttt ttagtctctg 78660
ccaatgactc ctctccccat gatcaaaatc agaaaatcag tctcttatgt gttgaggagt 78720
gagacacttc tcccaagtgt ttaaggctaa taccttgcct tgttttgcct tgggccagac 78780
ctcactacac atctgtttaa gagatcaggg taagctctgt tcttggtgag tatctcaatg 78840
gggctgtttt tctagttctt gtagtttctt tgggccaaca tgaaatgtct aaccttggct 78900
tcttggttgt ggattctcgt caacatttca ctgctaccca agttgtgtct gcttacatga 78960
tgctatcttc cttcttttgg gtttctgaag ccctcagaca cttggctgaa cattttcac 79020
atttcttaag ctatatcatc tgtgttttcc ctgccacaga caaagtcaca aaaggacttt 79080
aagataggtt ttggtttttt ttttccccag ggtttttata catttgggt aagggcaagt 79140
ggtaaatgct gcttttctgc cttaaccagt agtgtctgac agaggaggta gcatgatgat 79200
tgcagagctc actggactga aagtcagatg ctttacccgc ctagactcta gtaccaaggg 79260
gaagatggag tgagatgggg taaatgggga gaaattacca tttattttga gtgtgccagg 79320
ccttttctca tgtattgtct aatgcatttg tcacaattct ctttgggttt gaaatgtgat 79380
tttcttcatt ttatagataa ggaaacttat gggaagggag gttaggttca tcttgtgccc 79440
aactttacat ggctagtgat caataatagt gagattcaaa ctcagatttc tctgccccaa 79500
agcctttgct ttttcctctt ttgacactgt aactaatgag aagatgtatt taactctgag 79560
tctcatttgc ctcaactgta aaatggagct ctgtaactct tgctctgtat gacagtaaat 79620
ctcctcagac cagacttatg ataggggata aggatatttg tatctttggg cccctaatgt 79680
attgaaagtg cttctaagtg cctggcacat agaagggcac tcaataaata tttaccacat 79740
tttccagaaa gagggtagct ccataatggg tgagatacat tttggtggct actgtagtgt 79800
ttaatgcttt taccatctgt taaaatgatt ttggagtata gctagataac tgatgatggt 79860
tgttatatag atttttttcat aggttgcctg ttccaaattc tatgccgtgg aagaagttaa 79920
atatccagaa tttgacagga aatattattc tacaacagat ccctggcgta agaatgataa 79980
cacctgtgtt ctagtctcag acttgcctct gaataactgt ttctcctggt caattctctg 80040
tctctatcta ggcttgaaat ttcccccaaa tgatgaagga gttggactag tttagtgggg 80100
ttcagcctcg agtggccatt aaaattattt ggggatcttt gaaaaaaatt agatgcccag 80160
atttttgtcg ttgttgttgt tgtttttgtt tgtttgtttt ttaattatac tttaagttct 80220
gggatacatg tgcagaacat gcaggtttgt tacataggta tacacgtgcc atggtggttt 80280
gctgcaccca tcaacccgtc atctacatta ggtatttctc ctaatgctat ccctccctag 80340
tcccctaacc ccagacaggc cctggtgtgt gatgttcccc tccctgtgtc tatgtgctct 80400
cattgttcag ctccccctta tgagtgagaa cgtgcagtgt ttggttttct gttcctgtgt 80460
tagtttgctg agaatgatgg tttccagttt catccatgtt ctttcaaagg acatgaaccc 80520
atccttttt atggtggcct gatattccat ggtgtattga actgctcact ccagttcaat 80580
taaatcagaa tacagaatgt tgagaggagc atcagtattt taagaaggcc ccctagtgaa 80640
gttcaatgtg cagccaaggg tgagaaacac tggactagat gattgataag ggccatccaa 80700
ctttgatagt caacaagaga caatgctata gagtatggtg gacagagcat gggctttaga 80760
gttagccagg tatgcattca gaccctggct ctgttactta ctagttgtgt gatcttgaag 80820
aaatcaaaat ggagatacac tatgtacctg gcagtaatag ttgtggggat taagcacctt 80880
caccagagct taggacataa taagccccca gtaaatagct tctttaatat cagaagttca 80940
gatggaagat gtgagaaaaa tattggttca gtaagattta acaggtaaat taaaatcaag 81000
tatttgaaaa cattttcctg tttctttagc aatggattcc agaaacataa tgtggaaata 81060
gctctcagtc cttagatttg atgacattgc agaaagaaat ctggctagtc gtcccatggc 81120
tgattggcta tgatggctag aaagccattg gaaaaaaaaa attggctcac agaagacagc 81180
agatgtggct tgggaaatgc aaggacatga ctgtaataag gatttgtcta tccagcccca 81240
tttatgagag tgattccagg agaaaaggac agatttgtat tgtcagtggg atacgctgtt 81300
aaaaaacact tttgctacta ccactccagc tgtcttggca tgtttgttgg tgatgtaagc 81360
tacagaaaat ggaaatcacc aatagggcta tagcaacctg atgcatagtg acaagtaatt 81420
gttctattca tggttatgtg ttgtacagag cacttgctgc atgtcaggtt tgagacttga 81480
gtatgcatta gggccatgga cacccccatc ttatctttaa gtagatttca aagtaaatat 81540

20262013390 25 Feb 2026

ttgatgaata tgtaaaatat ttagtttggt cagtcatagg gctgagaaca tggtggcagt 81600
tacctcctag tatctgcaag caaaaaaagt tttttcttcc tatagcaatt gccatctcag 81660
ccacttttgc agcatttctt tttgctacac tttgcattaa ccatttgtgc acttgtctta 81720
gcctcaaaca ggccatgaaa gctccttgag gataggggct atgtcttttt catctttata 81780
tatgcatcat ttagcagagc tgtcccttta taatgtacta attactgaat gaagggatgc 81840
atagatgaat aaatgaatga aaagtaggag tgacctgtct tctctctttc ttcacgatgg 81900
ggactagtgt gtgtatataa ggggataatt tttgtgtcac ataaaatata accttactta 81960
gaaggcaaga cttccagaat ggtggaatga gaaccacccc cccgccccca taaatccgcc 82020
ctttcatgaa agcagtgaaa acgctagcaa acgttgtgaa aattaacttt tccagaactc 82080
tggaaaggaa acagaggctt ccaacaatct gagaagaatg tattcaagaa aaacttcggt 82140
aagctctctg atcacagtgg aaataataaa caattagtaa tagaaggata gttgggaaat 82200
tcaccatttg tgggatataa acagtggatc aaagaagaaa tcataaggga aatgagaaaa 82260
tactttgaga ttaatgaaaa tgaaaataca ttgttccaaa acttacagga tacagccaag 82320
ctaaagcagt acttaaaggg aaatttgtaa ctgcgaaggc ctatatcaac aaagacaaat 82380
gatctcaaat caagaaccta accttccacc ttagactagg aaaggaacag caaactacaa 82440
agaaagcagg aagaaagact aataaagact aaaagggaaa taaatgaaat aatagagtag 82500
aaaaacacta gaatcaatga aattaaacat tgattctttg aagagatcaa caaaactgaa 82560
aaaaacttta gtcagattga ataagaaaaa aagagagaaa attcaaatta tcaaaatgag 82620
caatgaaaat ggggccatca ctacctacct taaaaagaat tttcaaagga ttaaaagaaa 82680
atgccattgc attagttcat tctcacacaa ctataaaaaa gctacctgag atggggtagt 82740
ttatgaagaa aagcgcttta attgactcac agttccacag tctgtacagc aggcatggat 82800
catgaggcct taggaaattt acatcaggtg aaaggctaag gggcatggaa gacatgtctt 82860
cacacggcag caggagagag agcaaagagg gaagtgccac acacttttaa accatcagct 82920
ctcatgacaa ctcactcact atcatgagaa cagcaagggg aaaatctgcc ctcatgatcc 82980
aattacttcc taccaggtcc cttccccaac actggaaatt acaattcaac gtgcgatttg 83040
gatggtgtga cacagagcaa aaccatatca accatactgt atgccaaaaa attagatgac 83100
ctagatgaaa tggacaaata ctcagaaaaa cacaaactat ctaaagtgac cagtgaagaa 83160
acagaaaatc tgagtagtcc tgtaacaagt cctgtaacaa aactggatta gtaattaaga 83220
aacttcccac aaagaaaagc ccaggttcag tcttcactgg tgaatactat caaatattta 83280
aggaagattt aatccttcac aaattatttc aaaacttgga agaggctgga acccctttcca 83340
actaattctg caaagtcagc attaccctga tgccaaaacc aaagatatga cacaaaaata 83400
aaactgcagg ctaatatcac atttgaatat agataacttt ctaaaaatct caacaaaatg 83460
ctagcaaaca gaattcagca acaaataaaa agggttataa agggtgacca agtaggattt 83520
atctctggaa tgtaaattaa cattcaaaaa cctaagaata ggaggaaact ttcttaactt 83580
tgtaatggac atctctgaaa aacacacagc taacatcata ctaaataggg aaagattgaa 83640
atttttcctt gtaagatcag gaacaagaca aggatgactg ttctcaccat ttcaatttac 83700
cattgtattg tagattcaag tcaaggcaat taggcaaaaa aaaaaaaaaa aaaaaaaaaa 83760
aaaaagaaag aggtaaaagg cacccatatt ggaaaggaag aggtgaaaat atctatattc 83820
acagatgaca tgatcttata caaagaaaac cttaaggaat ccatgataaa ctattaaaac 83880
gagtaaacga gttcagcaag gtttcagaat acaagattaa tgtgcaaaaa tcaattgtat 83940
ttctgtacac tagcaatgag caatctgaaa atgagattaa gaaaacagtt cactcacaat 84000
ataatcaaaa taccagaata cttaaaaata aatttaacaa aagaagcgta agacttgtat 84060
gctgcaaacc acaaaacact gtggaaagta attaaaaatc taaataaata gaaaaacatc 84120
ccttgttcat gtactagagg actcaatatt gtcaagatgg aaatactccc caaagattga 84180
aggaaatccc tatcaaaata ctggctgttt tcttagcaga aaatgaaaat ctgaccctaa 84240
aattaatatt taaatacatg gaacctagga taaccaaaat aatattgaga aagaaaaaca 84300
aagtcggcgt acccatgctt cctgattcca aaccttatta caaagcagtg gtaatcaaga 84360
gtgtatggta ttggcataag gacaaacaga tcaataaatg gaatactatt gagaatccaa 84420
aagttaactc ttacatttaa gaccaattga ctttcaaaag tgttgctaag acatttcaat 84480
gaggaaagaa tagtcttttc aataaattgt actggaaaaa ttggatatcc acatgaaaat 84540
aaaagatttt ggaccacttc aaacctgcaa aaaaaataaa atgatctcat ggtgtatcat 84600
ggatctaaat gctatagagc taagatgata aatctcagaa gaaaatatca aagtaaatct 84660
ttatgacctt gaagtaggca atggtttttt ggctataaca ccaaaagcac aagcaataag 84720
agaaaaaaaa tttttttaaa aaaacccttg attattttat taaaattttg ttgtgggtac 84780
aaagtaggtg tgtatattta tggggtatat gagatatttt gatacaggca tacaatgttc 84840
aatgatcata ttaggataaa tgaagtatcc agtacctcaa gcatttatca tttgtgttac 84900
aaacaatcca attatactct tttagttatt tttaaatgta cagtacatta ttattgtagt 84960
cattcccttg tgctatcaaa tactatatgt tattcattct atctaactat attattgtac 85020
ccattaacca tccccactcc cctgcctccc agctacactt cgtagcatct ggtaaccatg 85080
atttcctctt atctccatga gttcagtagt ttcagctcat ggagatagac agaactaatt 85140
ttattagctc ccacaaatta gctcccatgt cagaacatgt aaagtttgtc tttctgtgcc 85200
aggtttattt cacataacat aacgaactct agttccaacc atgttggtgc aaatgacagg 85260
ctctctcttt ttttttttt ttttttttt tgagatggag tctggctgtc tcccaggctg 85320
gactgcagtg gtgcaatctc agctcactgc aagctccgcc tcccaggttc atgccattct 85380
cctgcctcag cctcctgagt agctgggact acaggcaccc gccaccatgc ccgactaatt 85440
ttatatatat atatatatat atatatttat tattattata ctttaagttt tagggtacat 85500
gtgcacaatg tgcaggttag ttacatatgt atacatgtgc catgcaggtg cgctgcaccc 85560
actaactcat catctagcat taggtatatc tcccaatgct atccctcccc cctcccccac 85620
cccacaacat tccccagagt gtgatgttcc ccttcctctg tccatgtgtt ctcattgttc 85680
aattcccacc tatgagtgag aacatgcggt gtttggtttt ttgttcttgc gatagtttac 85740
tgagaatgat gatttccaat ttcatccatg tccctacaaa ggacatgaac tcatcctttt 85800
ttatggctgc atagtattcc atggtgtata tgtgccacat tttcttaatc cagtctatca 85860
ttgttggaca tttgggttgg ttccaagtct ttgctattgt gaataatgcc gcaatgaaca 85920
tacgtgtgca tgtgtcttta tagcagcatg atttatagtc ctttgggtat atacccagta 85980
atgggatggc tggttcaaat ggtatttcta gttctagatc cctgaggaat caccacactg 86040
acttccacaa gggttgaact agtttacagt cccaccaaca gtgtcaaagt gttcctattt 86100

20262013390 25 Feb 2026

ctccacatcc tctccagcac ctgttgtttc ctgacttttt aatgattgcc attctaactg 86160
gcgtgagatg atatctcatt gtggttttga tttgcatttc tctgatggcc agtgatggtg 86220
agcatttttt catgtgtttt ttgggtgcat aaatgtcttc tttttagaag tgtctgttca 86280
tatccttcgc ccacttttttg atggggtcgt ttgtttttttt cttgtaaatt tgtttgagtt 86340
cattgtagat tctggatatt agcccttttgt cagatgagta cgttgcgaaa attttctctc 86400
attttgtagg ttgcctgttc aatctgatgg tagtttcttt tgctgtgcag aagctcttta 86460
gttgaattag atcccatttg tcaattttga cttttggtgt tttagacatg cttttggtgt 86520
tttagacatg aagtccttgc ccatgcctat gtcctgaatg gtaatgccta ggttttcttc 86580
tagggttttt atggttttag gtctaacgtt taagtcttta atccatctcg aattgatttt 86640
tgtataaggt gtaaggaagg gatccagttt cagctttcta catatggcta gccagttttt 86700
ccagcaccat ttattaaata gggaatcctt gccccattgc ttatttttgt caggtttgtc 86760
aaagatcaga tagttgtaga tatgcggcat tatttctgag ggctctgttc tgtttcattg 86820
atctatatct ctcttttggt accagtacca tgctgttttg attactgtag ccttgtagta 86880
tagttagaag tcagggagtg tgatgcctcc agctttgttc ttttggctta ggattgactt 86940
ggggatgtgg gctctttttt ggttccatat gaactttaaa gtagtttttt ccaattctgt 87000
gaagaaagtc atcagtagct tgatggggat ggcattgaat ctataaatta ccttgggcag 87060
tatggccatt ttcacgatat tgattcttcc tacccatgag catggaatgt tcttccattt 87120
gtttgtatcc tcttttattt ccttgagcag tggtttgtag ttctccttga agaggtcctt 87180
cacatccctt gaaagttgga ttcctaggta ttttattctc tttgaagcaa ttgtgaatgg 87240
gagttcactc atgatttggc tctctgtttg tctgttattg gtgtataaga atgctgtgat 87300
ttttgtacat tgattttgta tcctgagact ttgctgaagt tgcttatcag cttaaggaga 87360
ttttgggctg agacaacggg gttttctaga tatacaatca tgtcatctgc aaacagggac 87420
aatttgactt cctcttttcc taattgaata ccctttattt ccttcttctg cctaattgcc 87480
ctggccagaa cttccaacac tatgttgaat aggagtggtg agagagggca tccctgtctt 87540
gtgccagttt tcaaagagaa tgcttccagt ttttgaccat tcagtatgtt attggctgtg 87600
ggtttgtcat agatagctct tattatttta aaatacggcc catcaatacc taatttattg 87660
agagttttta gcatgaagcg ttattgaatt ttgtcaaagg ccttttctgc atctattgag 87720
ataatcatgt ggtttttgtc tttggttctg tttatatgct ggattacatt tattgatttg 87780
cgtatattga accagccttg catcccaagg atgaagccca cttgatcatg gtggataagc 87840
tttttgatgt gctgctggat tccgtttgcc agtattttat tgaggatttt tgcatcaatg 87900
ttcatcaagc atattggtct aaaattctct tttttggttg tgtctctgcc cgtctttggt 87960
atcaggatga tgctggcctc ataaaatgag ttagggagga ttccctcttt ttctattgat 88020
tggaatagtt tcagaaggaa tggtaccagt tcctccttgt acctctgata gaattcggct 88080
gtgaatccat ctggtcctgg actctttttg gttggtaagc tattgattat tgccacaatt 88140
tcagatcctg ttattggtct attcagagat tcaacttctt cctggtttag tcttgggagg 88200
gtgtatgtgt caaggaattt atccatttct tctagatttt ctagtttatt tgcgtagagg 88260
tgtttgtagt attctctgat ggtagtttgt atttctgtgg gatcggtggt gatatcccct 88320
ttatcatttt ttattgtgtc tatttgattc ttctctcttt ttttctttat tagtcttgct 88380
agcagtctat caattttgtt gatcctttca aaaaaccacc tcctggattc attaattttt 88440
tgaagggttt tttgtgtctc tatttccttt agttctgctc tgattttagt tatttcttgc 88500
cttctgctag cttttgaatg tgtttgctct tgcttttcta gttcttttaa ttgtgatgtt 88560
agggtgtcaa ttttggatct ttcctgcttt ctcttgcggg catttagtgc tataaatttc 88620
cctctacaca ctgctttgaa tgtgtcccag agattctggt atgttgtgtc tttgttctct 88680
ttggtttcaa agaacatctt tatttctgcc ttcatttcgt tatgtaccca gtagtcattc 88740
aggagcaggt tgttcagttt ccatgtagtt gagcggtttt gagtgagatt cttaatactg 88800
agttctagtt tgattgcacg gtggtctgag agatagtttg ttataatttc tgttctttta 88860
catttgctga ggagagcttt acttccaact atgtggtcaa ttttggaata ggtgtggtgt 88920
ggtgctgaaa aaaatgtata ttctgttgat ttggggtaga gagttctgta gatgtctatt 88980
aggtctgctt ggtgcagagc tgagttcaat tcctgggtat ccttgttaac tttctgtctc 89040
gttgatctgt ctaatgttga cagtggggtg ttaaagtctc ccattattaa tgtgtgagag 89100
tctaagtctc tttgtaggtc actaaggact tgctttatga atctgggtgc tcctgtattg 89160
ggtgcatata tatttaggat acttagctct tcttgttgaa ttgatccctt taccattatg 89220
taatggcctt ctttgtctct tttgatcttt gttggtttaa agtctgtttt atcagagact 89280
agaattgtaa cccctgcctt ttttttgttt tccatttgct tggtagatct tcctccatcc 89340
ttttattttg agcctatgtg tgtctctgca tatgagatgg gtttcctgaa tacagcacac 89400
tgatgggtct tgactcttta tccaatttgc cagtctgtgt cttttaattg gagcatttag 89460
tccatttaca tttaaagtta atattgttat gtgtgaattt tatcctgtca ttatgatttt 89520
agctggttat tttgctcgtt agttgatgca gtttcttcct agtctcgatg gtctttacat 89580
tttggcatga ttttgcagcg gctggtaccg gtcgttcctt tccatgttta gtgcttcctt 89640
caggacctct tttagggcag gcctggtggt gacaaaatct ctcggcattt gcttgtctgt 89700
aaaggatttt atttctcctt cacttatgaa gcttagtttg gctggatatg aaattctggg 89760
ttgaaaattc ttttctttat gaatgttgaa tattggcccc tactctcttc tggcttgtaa 89820
agtttctgcc gagagatctg ctgttagtct gatgggcttc cctttgaggg taacctgacc 89880
tttctctctg gctgccctta acatttttttc cttcatttca actttttga atctgacaat 89940
tatgtgtctt ggagttgctc ttctcaagga gtatctttgt ggcattctct gtatttcctg 90000
aatctgaatg ttggcctgcc ttgctagact ggggaggttc tcctggataa tatcctgcag 90060
agtgttttcc aacttggttc cattctcccc gtcactttca ggtacaccaa tcagacatag 90120
atttggtctt ttcccatagt cccatatttc ttggaggctt tgctcgtttc tttttattct 90180
tttttctcta aagttccctt ctcacttcat ttcattcatt tcatcttcca tcgctgatac 90240
cctttcttcc agttgatcgc attggctcct gaggtttctg cattcttcac gtagttctcg 90300
agccttagtt ttcagctcca tcagctcctt taagcacttc tctgtattgg ttattctagt 90360
tatacattct tctaaatttt tttcaaagtt ttcaacttct ttgcctttgg tttgaatgtc 90420
ctcccatagc ttggagtaat ttgattgtct gaagccttct tctctcatct catcaaagtc 90480
attctctgtc cagctttgtt ccgttgctgg tgaggaactg cgttcctttg gaggaggaga 90540
ggcgctctgc tttttagtgt ttccagtttt tctgctctgt ttttccccat ctttgtggtt 90600
ttatctactt ttggtgtttg atgatggtga tgtacagatg ggtttttggt gtggatgtcc 90660

20262013390 25 Feb 2026

```
tttctgtttt ttagttttcc ttctaagaga caggaccctc agctgcaggt ctgttggagt 90720
acccggccgt gtgaggtgtc agtctgcccc tgctgggggg tgcctcccag ttaggctgct 90780
caggggtcag gggtcaggga cccacttgag gaggcagtct gcccattctc agatctccag 90840
ctgcgtgctg ggagaaccac tgctctcttc aaagctgtcc aacagggaca tttaagtctg 90900
cagaggttac tgctgtcttt ttgtttgtct atgccctgcc cccagaggtg aagcctatag 90960
aggcaggcag gcctccttga gctgtggtgg gctccaccca gttcgagctt cccagctgct 91020
ttgtttacct aagcaagcct gggcaatggc aggtgcccct cccccagcct cgctgccacc 91080
ttgcagtttg atctcagact gctgtgctag caataagcaa gactccatgg gcgtaggacc 91140
ctctgagcca tgtgcgggat ataatctcct ggtgcgccgt tttttaagcc cgtcagaaaa 91200
acgcagtatt tgggtgggag tgacccaatt ttccaggtgc cgtctgtcac ccctttcttt 91260
gactaggaat gggaactccc tgaccccttg cgcttcccga gtgaggcaat gcctcgccct 91320
gcttcggctc acacacggtg cgctgcaccc actgacctgc gcccactgtc tggcactccc 91380
tagtgagatg agcccgctac ctcagatgga aatgcagaaa tcacccgtct tctgcttcgc 91440
tcatgctggg agctgtagac ctgagctgtt cctattcggc catcttggct ccagaaaaaa 91500
aaattgttaa attggacttc atcaaatttg aaatttttgt gctgcaaatg ataccatcaa 91560
gaaagtgaaa atctcaccca cagaatgaga gaaagtattt gcaaatcata tatctgataa 91620
gggtattgaa tttagaatat ataaagaact cttgcaactc aatataaaaa gacaacccaa 91680
ttttaaaatg ggcaaagtat ttgaatagaa atttcttgat agaagatata caaatttaaa 91740
aatgctcaac atcattagtc attagggaaa tgcagatcaa aaccaaattg agataccggt 91800
ttacacctat taagatggct atagaataaa agaacaaata acaagtattg gctttaatgt 91860
ggaggagcca gaacccttat atattgctgg taaaatgtaa agtcatgcag ccctttgaaa 91920
tacagtctgc aagtctttaa aaaattacta tttgttattt ggtttttctt cacttttaat 91980
ttaggttcag aggtacatat gcaggtttgc tatatagcta aattgtgtgt cacaggagtt 92040
tagtgtacac attatttcat cacccaggta ataagcatgg tacccaatag gtagtttttc 92100
tatcctcacc ctcctcctac cctccaccat caagtaggcc ctggtgcctc ttgttctttt 92160
ctttgtgttc atatgtactc aatatttagc ttccacttat cagtgagaac atgtggtatt 92220
tggttttctg ttcctgcttt agtttgctta ggatactggc ctccagattc atccacgttg 92280
ctgcaaagga catgatctca ttctttttgc atagtatact atggtgtaca tgtatcaaaa 92340
atgttactgt ttgacctagt aattctattc caaggtaaat actcaagaga aatgaaaaca 92400
tgtccacaca aatacttgta cacaaatgtt cattgcagca ttatttataa tagccaaaga 92460
gtggacgaca aatgtcttcc aaatgtgggc tccaaatgtc caccaactga taaatggaaa 92520
aacaaaatgt ggtatatcca tgccatggtt tatctgtcaa taataagaaa tgaagtactc 92580
atacatgctc caacatggat gaaccttgaa aacattatgc taggtgaaaa aagcaactca 92640
caaaagacta cactgtatga ttttatttgt attaaatgtc ataaaagaa aaatatttag 92700
agatagaaag gaaattagtt tttccagggt ctgggaggag acagtatgag gagtggctgc 92760
taatgggtac aggatttctt tttggagtga tataattgct ctaaaattag tttgcagtaa 92820
tagatgtgag tatgctaaaa tgggtgaatt ttatagtatg tgaaatataa ctcagtaagc 92880
ccattaaaaa caacctaatt aaattaaaac caagctataa cagaaatatt atatggcttt 92940
ggcagtttag aatagtggga aaatatggag taagggtggg gaaatagtcc caagtataat 93000
tctggttttg tcactactag tgtatggact tggacaagtc atttgctttc tctaagtatc 93060
agtttgcata tatgcaaaat agaggtaatg atacctacct cagtggtacc ttttcaaaac 93120
cttgttcttc ctcatctctc ctctaccact ttctcataat attattacag taataaccat 93180
ttattaagca ctgtgtccgc agtggtgtgg ggctgcttta cctccacaac ttcactgaat 93240
cctcactgca gtcttgtggg atctttattt ctttgcccat tttacatgta aataaattga 93300
agtcaaatga gttgttcaag gtccttctgt tagcaagtgg cagagatgga catgaaaact 93360
agatcttcta cctatgtgtc tttccacttc aactaaagaa tttattaaag agaattgaaa 93420
agctatgaac taaatttcgg taatactttt aatagtaaac attgctgccc tcgtgaatga 93480
acacacacta aatttcaaat ctcacggtgg cagggaataa agatgctacc tatcttaagc 93540
cattacttca ccaacttctc caccaaaata ttccttgtaa ccacaaataa gtaagcacaa 93600
tagatctata aggagagaat aattgtgaac tctgatttta tcttaaaaag tcatgtaggg 93660
atgtcatgtt ccacaatgtg attaataaaa tatattttgt tactaaacac aaggaaaaat 93720
attatgttcc ataaagatgt ttggtggttg cctcgacctc ttttagtttg aaaagtaggt 93780
atgtatgaga aagatatgtg tttacatgtt tacccttgcc ttctctctgt ctcttcccct 93840
ctctctccct ccctccccaa cccctatgcc ctacaccccc gcaacccccа catgtattta 93900
cctttctcta aaagctctgc atagccaaga aaagtgctct tttttatttt taggatatta 93960
gatatttcat tttcttatgg taagacaaaa gattaaggca accaagactt acaatgtgcc 94020
taccatgtgg caggcacaga ggcaagggct tttacatgtt atttaatgta attgtaattc 94080
tcacaaaagc cgtctagagt tgaaaatatt tccaactcta aatgaggcaa atggagcaca 94140
gagagcctta attatttcac ccaaagttca gtggtagagg caggattcca acccaggtct 94200
ggtgggctcc aaatccttgt tgggttgcca ttcctcttgc taacaaataa aactggtctg 94260
tgacttttgc atttcacccc gcttccacag tcactggtgg gacttactta agttaatcag 94320
attcttcaaa gtatccccaa gtcctccttt gaaaagaaag ttgggggaca ggaggaggag 94380
cagaggagag gagataaaaa ggaaaggagt cagggagaga gagagagaga gagaaacctg 94440
gtgatctcag ctgggtgcca aggtttccta agcccaagtt ccccatggtt gagcctgtat 94500
tgtcaggcca acagcttcta gtaatccact tttatttaat taatagtgaa actgttgaag 94560
aattgcaagt ggtgttctgg ttcagaaacc ttccgttcta tggggcactg cttttgcttc 94620
agattcataa aaccaaatgc tctgcctcaa gataataagt gaacgtgtaa ccctcgggag 94680
gtaagaaaaa acacaatgtc acgtgcaaat tctgcacttg ttctcaaagc aaacctctcc 94740
tgtgtttgca attaggatgt tatctaggag catattcaaa acttttgagg tttttatttt 94800
agtttttctt tcattatgtg ctgttttagt aatatcaaag aatacatgta atatataatt 94860
tatatgtcat aacaataaaa ttaatgttga tgagcccaga ttaaagaatc aacaacatta 94920
acatcatgat tgcatcaacc ctattagaat ggaagctctg tgaaggcatg gatttttgtc 94980
cattttgttc actgctatat ccccaggacc tagaggagtg tcagccacat aataggagct 95040
tagtcaatat tttaaaaata agagcataaa tctacttata tcctctttcc tcttaccatc 95100
actcccagcc tcccctcaga ggtaaccact atcctatatt tgggctttat tattcccttg 95160
cattttgata agttttcaca tgtatattcc caaataatat attgcttgct tttgcttctt 95220
```

20262013390 25 Feb 2026

tttaaacttt atataatgga atcatattgt atgtatccta ttgtgaatta tgtcttttac 95280
acaacattag tatttgagat tcaactatgt gtagctcgat tccattcctt ttcattgctg 95340
attgtagttt attggatatg tgtgccataa attatttttc tcctgtcagt taatgtttat 95400
catttatgct ttaataaaca aaactgctat gactgttcct gcatgtgcct cctagtacat 95460
atgtgaccaa ctttctctag gatataagcc tgagagaggg actgcagttg gaatttacat 95520
ttccaaagcc caaagtttag ctcatgagtc agagctgcaa tgtgcccttt gtccacacta 95580
ggtcaggatc agtgggagtg ctacccaaaa tattttgcta gctggggagt cagggagaag 95640
cagagactga cctagtgagg ccaggaggca ctatctcagg tctctagtca aaatgggttg 95700
caattagtaa aagtccagat tctgaatccc cttcactatt tatcttcctc ttcctccttt 95760
acagttattt ttgttcaagg tgcactttat taaactcatg cctaacaaac aaaactctaa 95820
tgaatatttt gtctttcatt gattgtaaat tcaattaatt agattgcttg aaaaaatttt 95880
aactgtattt tcactttagt atggatgaaa atttcgattt ctttaaaaaa catttttaa 95940
taataacaca acataaagtc taccctcata acaaaattta agggcacaac accatattgt 96000
ttttttttta ttttattatt attatacttt aagttttagg gtacatgtgc acaacgtgca 96060
ggtttgttgc atatgtatac atgtgccatg ttggtgtgct gcacccatta actcgtcatt 96120
tagcattagg tatatctcct aatgctatcc ctccccccctc cccccacccc acaacagtcc 96180
ccagtgtgtg atgttcccct tcctgtgtcc atgtgttctc aatgttcagt tcccacctat 96240
gagtgagaac atgtggtgtt tggtttttg tccttgccat agtttgctga ggatgatggt 96300
ttccagcttc atccatgtcc ctacaaagga catgaactca tccttttta tggctgcata 96360
gtattccacg gtgtatatgt gccacatttt cttaatccag tctatcattg ttggacattt 96420
gggttggttc caagtctttg ctattgtgaa tagtgccgca ataaacatac gtgtgcatga 96480
caacaccata ttgttaactg taggcacaat gttgtacagc agacgtctag aacttttct 96540
tcaggcttaa ctgaaacttt atagccattg aacagcaaca ctccatttcc gtttcttaaa 96600
ggtcctttac aaaatgagct ttctgcgtgt ttccattttg tttatctgat aacttttttt 96660
tctttttta ttatacttta agttctgggg tacatgtgca gaatgtacag gtttgttaca 96720
taggtacaca catgccaggg tgtttggctg cacctatcaa cctgtcatct acattagata 96780
tttctcctaa tgctattccc tcccttgccc ctcacccctc actggcccca gtgtgtgatg 96840
ttccctagcc tgtgtccaag tgttctcatt gttcaactcc cacttttgag tgagaacatg 96900
cagtgtttga ttttcttttc ttgtgttagt ttgctgagaa tgatggtttc cagcttcatc 96960
catgtccctg caaaggacat gaactcttcc ttttatatgg ctgcacaata ttccatggtg 97020
tatatgtgcc acaatttctt tatccaatct atcattgatg ggcatttcag ttgttccaag 97080
tctttgctat tgtgaatagt gccacagtag acataagtgt gcatgtgtct ttatggtaga 97140
atgatttata atcctttgtt tatataccca gtaatagaaa tgcttggtca aatggtattt 97200
ctagttctag atccttgagg aattgccaca ctgtcttcca caatggttga actaatttac 97260
actcccacca acaatgtaaa agcgttccta tttcttcaca tcctctccag cacctgttgt 97320
ttcctgactt tttaatgatc acgattctaa ctggcgtgag atggtatttc attgtggttt 97380
tgatttgcat ttctctaatg accagtgatg atgagctttt tttcatgttt gttgaccgca 97440
taaatgtctt cttttgagaa gtgcctgttc atttccttca cccacttttt gatggggttg 97500
tttgtctttt tcttgtaaat ttgtttaagt tcattgcaca ttctggatat taattaacct 97560
ttcgtcagat ggatagactg cagaaatttt ctcccattct gtaggttgct tgttcactct 97620
gatgatcgtt tcttttgctg tgcagaagct cttgagttta attagatcac atttgtcaat 97680
cttggctctt gttgccattg cttttggtgt tttagtcatg tagtctttgc ccatgcctat 97740
gtcctgaatg gtattgccta ggttttcttc tagggttttc atggttttag gtcttacgtg 97800
actcatcttg atttaatttt tgtgtaaggt gtaaggaagg ggtccagttt cagttttctg 97860
catatggcta gctagttttc ccaacaccat ttattaaata gggaatcctt tccccattgc 97920
ttgtctttgt caggtttgtc aaagattaga tggttgtaga tgtgtggtat tatttctgag 97980
acctctgttc tgttccattg gtctatatat ctgttttggt accagtaccg tgctattttg 98040
gttactgtag ccttgtagta tagtttgaag tcaggtagca tgatgcctcc agctttgtgc 98100
ttttggctta gaattgcctt ggctatgcag gctctttatt ggttccatat gaaatttaaa 98160
gtagtttttt tataattctg cgaagaaagt cattggcagc ttgatggggt tagtattgaa 98220
tctgtaaaac actttgggca gtttggccat tttcatgata atgattcttc ctatccatga 98280
gcatggaatg gttttccatt tatttttgtc ttctcttatt tccttgagca gtggtttgta 98340
attctccttg aagaggtcct tcacatccct tgtaagttgg attcctacat attttattct 98400
gtttgtagca attgtgaatg ggagttcact catgatttgg ctctctgttt gtctgttatt 98460
ggtgtatagg aatgcttgtg attttcgcac actgattttg tatcctgaga ctttgctgaa 98520
gttgcttgtc agcttaaggt gattttgggc tgagagaatg gggttttctg aatatacatt 98580
catgtcatct gcaaacagag acaatttgac ttcctgtttt cctatttgaa tatcctttat 98640
tgctttctct ttcctgattg ccctggccag aacttccaat actatgttga ataggggtgg 98700
tgagagacgg catccttgtc ttgttctggt tttcaaaggg agtgcttcca gtttttgacc 98760
attcagtatg atattgggtg tgggtttgtc ataaatagct cttattattt tgagatatat 98820
tccatcaata cctagtttat tgagagtttg agcatgaagc agtgttgtat tttgtcgaag 98880
gccttttctg catctattga gataatcata tggttttgtc attggttctg ttgatgtgat 98940
ggattatgtt tattgatttg tgtatgttga accagccttg catcccaggg gtgaagcgga 99000
cttgatcgtg gtggataagc tttttgatgt gctgctggat tgggtttgcc agtatttttt 99060
tattgaggat ttttgcactg atgttcatca gggttattgg cctgacgttt tctttttttg 99120
ttgtgtctct gccaggtttt ggtatcagga tgatgctggc ccataaaatg agttagggag 99180
gattccttct ttttctgttg tttggaatag tttcggaagg aatggtacca gctcctcttt 99240
gtacatctgg tagaattcat ctgtgaatcc ttctggttct ggacttttt tggttggtag 99300
gctattaatt acttcctcaa tttcagaact tgttatagtt ctattcaggt atttgacttc 99360
ctgctttagg cttgggaggg tatatgcgtt caggaattta tctatttctt ctagattttc 99420
tattttattt gccccagagg tgtttatagt attctctgat ggtaatttgt atttctgtgg 99480
gatccgtggt gatatcccct ttatcatttt ttattgcatc tgtgattctt ctctcttttc 99540
ttctttagta gtctggctag tggtctatct acaaaataga ctgtttatct gatatttatt 99600
ttgtaattat ctaataataa ccatcattat catcatcagc attatcatta tcatctcctt 99660
tacccataca tacatttgtg tctttcaaat aataatccca tctttgaagt gcatcctcat 99720
ctttagcagt ctgcactctg ctttcttata tcatttatta tcttatttta taattattta 99780

20262013390 25 Feb 2026

tttccagtcc ttcttctcta acagatagta gtttcttagg gccaaggaaa tatctcgatc 99840
accactatat ccccagcacc taaccctgtg cctggtccat agggccagat gctaagagtt 99900
gagttgaacc attgtaccta atcttaacct tcattagcac aacatggttt gtcagtggtt 99960
aagaatctac actttggagt cagactcacc caggatggaa tcctggcatt gccacttatt 100020
attaatagat gcgtgatctt gaacaagttt acttaattgt tctgagcatc agtttcctct 100080
tctgcaatat agggatgata cacagctacc tggtaggttg ttgggaaaat taaatgggat 100140
gatatgtatg aaatggcctg gcatatagag tgcctaaata catgttcttc tgattctatt 100200
tggacagttt gtgttagtaa cagaagtcaa aaaggtggag aaaggagaaa ggtacttgtg 100260
aaaattttct atttcttctc catgtttcat tcaggactga ggaagggggc acagttttta 100320
cccaaggaaa tgacattttt agccaaaaga aatgatctta gcatttagct gaattatata 100380
ttggaagtaa gctccttcca tgtggaactt atggccttgc tagccttggt ttgttggaag 100440
tgctcttgct ggctttctag ttagggtagg gaaaggaagg cttgtgggga atgaagatag 100500
gccatgatat caagccactg ggtttgcaaa tcagtagaat tttttattgc tttctgttgt 100560
acttgggact tgaataaagg ctgatatttg tgtcttgctg gtaaagtgct tgtaaagtga 100620
gtgaaagttt tctttgctct tgtcctgaca tagctgttca cttggggttg aggggaggat 100680
aacctttcat gttttttttt tttcttcatt ctgatgactg tgctgaacat tcaaaccaaa 100740
aggccattgg tggaaagtaa aggtgagtgg tgagaagaca atagggtaat ggaaactgtg 100800
ttggacttgt aatcaaattg tcctgcactt cccctctcca agtcttaacg tttttcatct 100860
gtacagtgga tattaaaatg agaaaataag cttgtcttca cagagttttc gttaggtgtt 100920
gacacaacaa acaggctccc attagggctc attttccttc attccttagt aaggaagaag 100980
tgcttataaa atatagcagt tgtgctcttg tgaatgatag catgggcagt tgtcatctcc 101040
ctgaagcaga tgtaacccag aatgtcactt gagttttgtt taatgcttag gcataagaca 101100
taggaatgac aaaagctgac ctttgggtag tgagaacaat gttccatttt gttcaaactt 101160
gaatttttta ctataggaga ctgagaatta accttccatg aaggttttag gattggcttt 101220
ctggcccttc tccttcatat ccacctgaaa gagcttgggc gcagaagttc ttgcagaaag 101280
gcagttagac aaggtgactt ctgaagctcc agtggccaag tattttgatg gtagcctaaa 101340
agatgtccag aatcattgta catcattttt tcaacagaag cttcaggcat agggattatg 101400
cttggtactt tatgttgtgg aatggaatct ggcggatgtc catgtgatct atagaaacac 101460
ctaaggaaag tgaagaaatg agggaaaaaa aagaacaaga cttttatgat aatactaatc 101520
acgatccttg tgtatttatt ccaatggcat tttatccatt atctgattta tattaccact 101580
cacagcagca gctcaatagg atgggagata ttatctctat tttatagatg agatttgagg 101640
ctcacgaagc taaagcaagg aacatcaaat cactttgata tttggtctgg ttttgttata 101700
ggtctccctt tggatgaggt aaagttacaa acctgggttc atatcattta attagtctga 101760
aaatgttgcc tggacaccac cttcagttag atatcttaac ctcaggcttc ctgccttcat 101820
tgctcccgca tatagacata gactatgaga ttggctaatc ccagagaact tccctaatcc 101880
cttggcaaga tccaaaaagg ctcagtcaca ccctacaacc atcatcttta ggagaagtct 101940
cagaaaattc agcttcacac taactaactt gagcaatgaa taatagtcat ttatgcctgc 102000
aggttaatgc tgaagacctg agacttcact tgcctatttc tgccattcag tgacatgtgt 102060
tgcattggtt ttttgtgtct ttccagtttg gagactgcca gggaccatgt tttgcccatt 102120
gactattact ttccacccca gaagacctgc ctgatctgtg gagatgaagc ttctgggtgt 102180
cactatggag ctctcacatg tggaagctgc aaggtcttct tcaaaagagc cgctgaaggt 102240
aaagggtctt gcacatgcac ttctctttcc ctttctcctt taccttccag agagagacac 102300
taacctttca gggcccagga ttttatcatc tcagaaatag agtcattggc aaggccctat 102360
caaataactt aggagcctaa ggaagcaaat ttttgtactt gctagttccc tggtttcagc 102420
agccttgttt gtacaggcaa tttaggcagt gaaggtggtc ccagctgggg cttggggctc 102480
agtgggtcct agaaatgaaa gaaaaattaa tgatttgaaa agatttaatt tcctcccttc 102540
ttgttttcta ctctgctggc tagtaaagga aaaatttgtc cttattagag aggttagaag 102600
tggagaaacc ccaactgagt ccccagcctg ttccttggga tgaatatgag actgttcctt 102660
agcaaaggct tcctggcctc ggccccagaa agggagtgtt ctcactcttc agcagactat 102720
cagtctctgc acctgctccc tcctgttgtg gcctccttgg gacctgtctt tgcattaata 102780
gttcctaggt aggtaagaac tcagagtgaa gaaacacatt tattctcctc tccagagacc 102840
tgatctcaaa gcctgtccat tagtccctaa ccttaatcta aggtagcatc ttatatctgg 102900
ctaaattggc tcaagcccta gctccttagt tttatttagc ttagaacaac tcatgtctgc 102960
tcaacctcta gaggcgctca gcccacattc tgcagtagaa actcccattt tcaggcctct 103020
tatatacggt aatgtctcct tcctctaacc acccagggct taagcttcct gcttatccac 103080
ttcaccctgt attgagggct ttcttctcaa agagacattg atgaggagcc cctagagaga 103140
gatgctgtgc tctgggacca gacccttgt taaacaccag tattcacctc tgccccaact 103200
ttccccaaag aggtacttcc tgccaaggcc tttctctttc ctctcactgg ctggaagtgt 103260
tgagttccac ttcagaacca gaacagagaa cctttccttc tataagagct ataaaccttg 103320
agaacagtct taaaacatag gtatgtaggc cacaccattc accacgaatg tactgatact 103380
catcagaata tggaagaagc accagagagt ttgaagcatc tagagaaaag gtagaaagag 103440
aatgcccttt aactgacctc ctcagtgata gccaatcaca atgatgagtg ttgattcatc 103500
attttggcta ggtggcagaa atatctataa aacagaagct gccatgttgt tttcttccag 103560
tcctcagggc ctacaagaag gcagctatca tttggtatta ctgaaaacat gccccatgtt 103620
cagctcatac ccccaaatta cccattgcta ctgtttatgc tgggctaata tgaagcccag 103680
ggccctaatg tctaggtcta ggcagtaagg cctagagcag tgcctaaaga gcctgagagc 103740
agtgccttcc tttcttcaga gtactcatga aaggatggct gtcagaaaag gaaatgagga 103800
tgggttccag agacttcaga ccaccccaac ttccccagtg agaccctggc acctccccat 103860
accctctcac ctagcgggcc ctgtctatag agcagagaat gaaacagagc actcatctag 103920
aggtagtgtg tcagcaagcc caggcactgc accacagtaa tagcagccat atcagatggg 103980
aaaggagttc aagtgaacaa acaagcaaat tcaatagtca gatagattag attatacttg 104040
atgcttcctc tgagttttac aaatatgggt cactaaattg ttattttcag aaaacagggg 104100
aaatgctcaa tcacattgtg aaagggaaga ttttgctgtc atatcataca tcccacatgg 104160
gagctttctg cagaagttag agctgaagga gggaggcagg cagaagggca actggcaggg 104220
ctgcctggga ggagctctgc aatgaggtgg atcctgtgcc atttgagaac agggaagaaa 104280
agaaatgagg ttttggggag ggaatcaccc aactcacaga acacacagaa atccagcaag 104340

20262013390 25 Feb 2026

gtttcaaaac gctctacacc ttagagtctg ttaagttagg gaaactctgt gagctcatag 104400
ggccaaatgc acttgcctgc ttgaaatatg aaaaatcagc aatggattcc ttgaaaaaca 104460
atgaaaaggg aaccttctga gccccttggt tattttgaca tatggaccat agatttcagt 104520
cctgagccct ttgaaggtag gagaaggtgg tttagaaaac acacacacac acgcacacaa 104580
acacacacca gaatgaagca aaaaaaaaat tactggtgtt ttctttctcc tcccatctgt 104640
gaagctgttg gattgatttt actgccatca ttatccctgt ttgaaggcag ggggctgtct 104700
tattacccaa agaggacatt tattgatttg gttttctttt tccattttta caatgcatct 104760
ttatcgccca tatggccttt ctggaggtgg ttttcagtct ggcttgttga aacatcaaat 104820
tatacctgtc ttagagaaaa tagaaacaaa aatctttctc ttccttactt gcttgttgta 104880
gtcagttaac tcggactgag tattcagagt cttgattatc acttaattca tagtttcata 104940
aatctctgga atgggcatag gtacaggact taaaagcctg gcatctcaga cagaaatatg 105000
tttttagctt tggtggttta taacagatgg gacttttagg ctgtcattgg tgcagggctc 105060
agcacagagt cagttgtaat ctggacaggt tttgttgttg aggaagagtg ggaagaggga 105120
gtcctacatt ttctccttgt cagtaatgtt ggagaattgg ggtgagggtg aggctgggca 105180
gggagggtct gcatagaaaa aagggtgcgg tgagaaaaaa taatgctact aagccatgag 105240
ggtaaaatga ccaaattctg gttgagagaa acttggtcaa agtgtgtatg gggagagaaa 105300
gttggtcaaa gtctgtgtct gagtgcttgg tgggatgaac tctgggttag aaacaggcat 105360
ggagggaaat agttggttta tggagtgggt aggatgagtg gggtggtgaa agggaaggca 105420
ttttggatgc taagagacca ggaagtcaaa gcaaggcaat acacataaac agaggtaagg 105480
gctcagagag gttttagttg tgtagacttg gataagaaat tttccctttt ggacctcagt 105540
tttccttgtt tgtaaaacaa cggacttgaa ctagatattt taaaatgtgc ttccagctta 105600
gacattttgt gaccgttcta caaattacaa acataatcat catcatttca gcaaactcac 105660
atgtatttat acctgcataa gtttttggtc ttgctttcct agaaggtgac taatcccaga 105720
tcctaatcaa ttaaagaagc aatcttcaga tggggataga gccagctgag agagtgtact 105780
atggatggag tgagttaaaa ctcaggactc agattttctc cttgtgatca ttgctgggta 105840
acttcctttc ttttctattt tctcatctgg aaaatcagga tatgaatccc catctctacc 105900
tcattatgtt tcaaagaggg ttaattaatc catcatgtgc attatgtgct caagaattta 105960
ctatttttca gacattttct agtaaaacat tgaagattat atgtccattt gttttgtaca 106020
catggagtgc tgtttggtac acatcataaa attgaaactg tagtttacat tctgaactca 106080
aagaattaca ccatcctcac tgatgtttac aataggtccc aatttagttt ctttagcaaa 106140
ttttatgtaa gtatggcttt gattctctct ctcactccag gtttttgtta gggaagaaat 106200
gcaagtgaac cctcattgaa ctctttctgt cctttaaatc cattctttcc cacctcaact 106260
catgtggaat tgaatgttgc ctctagtttg gagtctagca gagagttttt ggtgcatatc 106320
agtgtcccct tcactccctg acttttcaag taacatttcc cagaggcaaa ttaactctgc 106380
taagaggatc tgcttgcagc ttcaacagag ccttcatcag gtatctttgg ccaaggagtt 106440
gactgatcct gactttgcga gtcctagaga tcttttcaca aagctcctct catgtttctg 106500
cctctgattt tcttaaatgt cacagacaga ctttagattt aggggttggt taacttttt 106560
tgtaaagggc catgtagtaa atattttagg ctttgtagat catatggtct ctgtgtcaac 106620
tactcaactc tgcctttgta ggatgaaagc agccatagac aatactggaa ctaatgggag 106680
tagctgtgtt ccaataaaac tttatgggca ctgaaatttg aatttcactt aattttcaca 106740
tgtcgtttaa tattattttt ctttttacc atttaaaaat ttagaaatca ttcttagctc 106800
tttgggcctc acaaaaacag atggtagagt ggatttggtt tatgggctgc agtttgttga 106860
cctgtgcttt agctaatcac ttctgtactt ataaatctgc ataggtttta tgtttttcca 106920
tctcttggta tcttagtagg ccagtcaaag tttgaacaac ttgttagcac agaatacctg 106980
gcctagtggc ttcttggtcc tgagcttatt tactaaacaa gagaaaaaat aaataagtct 107040
agaaatgcta gaagaggata ctttttgtt ttaatgatct agtagatcac tcctccttgc 107100
aatacccaga ggagaaactg aaaatatttc aaacattttc tagacttctg tgttgtaaat 107160
ttgtggataa ctatgaacta tatatgaatg aacttttctg gatgacacat atattccaga 107220
tggtaaaaag gaagggcttt ggggactctc tggtaccaag tgtcatggaa aaactgtgtg 107280
tctcatagaa agtagatccc aggaggccag cagagttgtg gatctgccat atattacctc 107340
atgattctgt cttcgcacac tcaccggctt aattctgggc ctccccataa cacgactaga 107400
ccacaggctt gcagaagaaa taatttagct ctgtaactca ttgaagttgg tgcccaccca 107460
agtctctgtc agtgcccaat tcgggagcca tgccaagaat ttgccattgc tgcttcatgg 107520
tggccttgtg cctgcttatt tatagcctgt gcattttatg aaacagggat taataagaag 107580
ttgccatagc acttgcacca ttatgtaaat atctgtaatg cttacataac ttttgtcact 107640
tgcaagacct tttgagtcca ttgccttctg ctaccatgcc ttaccaattt cctagtccct 107700
tattattatt tttcaattca ttatatttaa cttctgtgat acacgttcag aatatgcagg 107760
tttcttatat aggtatacac gtgccgtggt ggtgtgctgc aaccaacaac ccgtcatcta 107820
cattaggtat ttctcctaat gctatccctc cactagccca ccacccccta ataagcccca 107880
gtgtgtgatg ttcccctccc tgtgtccatg tgttctcatt gttcaactcc cacttatgag 107940
tgagaacatg cagtgtttgg ttttctgttc ctgtgtttgt tttctgagaa tgatggtttc 108000
cagcttcatc cgtgtccctg caaaggacat gaactcatcc ttttttatga ctgcatagta 108060
ttccatggtg tatatgtgcc acattttctt tatccagtat atcattgatg ggcatttcgg 108120
ttggttccaa gtctgtgcta ttgtgaatag tgctgcaata aacatacgta tgcatgcgtc 108180
tttatagaag aatgacttat aatcctttgg gtatataccc agtaatggga tggctgggtc 108240
aaatggcatt tcaggttcta gatccttgag gaatctccac actgtcttcc acaatggttg 108300
aactgattta cacccccacc aacaatgtaa aagtgttcct atttctccat attctctcca 108360
gcatctgttg tttcctgact ttttaatgat cgccattcta actggcattg acatggtatc 108420
tcactgtggt tttgatttgc atttccctaa tgaccagtga tgataagctt tttttcatat 108480
gtttgttggc cgcataaatg tcttcttttg agaagtgtct gttcatatcc ttcacccact 108540
ttctggtgtg gttggttatt tttttcttgt aaatttgttt aagttccttg tagattctgg 108600
atattagccc tttgtcagat ggatagattg cgaaaatttt ctctcattct gtaggttggt 108660
tgttcactct gatgatagtt tcttttgctg tgcagaagct ctttagttta attagatttc 108720
atttgtcaat tttggctttt gttgccattg cttttggtgt tttagccatg aagactttgc 108780
ccattcacaa ttgctacaaa gagaataaaa tacctaggaa tacaactcac aagggatgtg 108840
aaggacctct tcaaggagaa ctacaaacca ctgctcaagg caataagaga ggacacaaac 108900

20262013390 25 Feb 2026

aaaaggagaa acattccatg ctcatggata ggaacaatca atatcgtgaa aattgccata 108960
ctgcccaaag taaattatag attcaatgct atccccatta agctaccatt gactttcttc 109020
acagaattag aaaatactac tttaaatttc atatggaacc aaaaagagcc catataccca 109080
agacaattct aagcaaaaag aataaagctg gaggtatcaa gctacctgac ttcaaactat 109140
actacaaggc tacagtaacc cttatcaatt ttttatgtgc ctctccatat tctgcagtca 109200
gaagcttctt cagtcctttc agggaattgc tgggtgacta tcaaactctg gtagttcatt 109260
tttgcagttg gctgctgttg tgaggataag agttagactc actttctctt cagagataga 109320
aattatgtat taattctctg ggttctagac ccacagcaag gagcatactg ctcctcaaaa 109380
taactgaatt ctgcgagaag ccatcattgt aaaacaacaa tatcttcagt tatagtagcc 109440
atgtgtgcaa cttctggaaa ctgttattca gattttcatg ttccttccct gtctcttcat 109500
agctaggcag ctgctttcag ccttgtacag atgctagtga gctttctacc tacaaacctg 109560
cagaaaattg aactgagatt tggaggtgaa agactcttga taaagggaac aaggtttaga 109620
attctcagtc cctttgctcc caggctgtgt tgtgactact gaggcactcc agtgaaatca 109680
ctattcctcc tatctagact aatgcctgtc tctgcagagc acctcataag aacaggcctg 109740
gtagtaatat cctcatgcat tcagtcagta aatatttaca gagtgcttac tacatatagg 109800
gtattgggct gacatatgca agatacaggg cctgcttcca ggaggttata gcttattgat 109860
cataaatgtg gcatttttt tttttgagac ggagtcttgc tctgtctgtc acccaggctg 109920
gagtgcagtg gcacgatctc ggctcactgc aacctccacc tcccaggttc atgtgatttt 109980
cctgcctcac cctcctgagc agctgagact acaggggctc atcaccacac ccagcttttt 110040
ttttttttc tgtatttta gtagagacag ggtttcacca tattggccag gctggtctcg 110100
aactcctgac ctcgtgatcc acccacctca gcctcccaaa gtgctgggat tacaggcgtg 110160
aaaatgtggc aatctttaaa gctcttcagt ggatgaaagg ccaccctatc tgctgtcctt 110220
ttgaacttcg caactttctt ggtacagagt gagaggttat tctcttggtt ttccatataa 110280
gtaaactgag gctttgccag ttcatcaaca ggtagtaaat aatatatttg gaatttgaac 110340
ccaagtcttc tggggtcaaa ggcagcattc actctgctct gtcacagcag ctcctcaaat 110400
aagccaacat agaaaccaag tactatgcct aggcaacaag aaaggcagca atgaagagca 110460
acagcagagt caaatatgag agaaggaagt taagaaagat gttaagtact gtggggagta 110520
actgagaaac caccaagtat cgctaacatc acagggaact tgtcttccta agaaaattcc 110580
aagcacttaa aaccgctggt agttcatcag caactctctt cattagatgt gcgagggaca 110640
tgtgggccat agtccttcta ctaacttata ttcttcaggg gaaagttctg attctgatga 110700
gacccagcat ggtagctctt aattcactgt tgtcacacga ctatagaaca ggaagcacaa 110760
cttaacacct gtgctcatga gaattttgct ccttatgacc aagctaaaga aagagcttag 110820
acaggatgtg tggctataaa tgtagattaa tggttccttg gctctttggt ttgagccttc 110880
tcagcagagc atcccacgga gtgttttcca tggggccacg agcaagagaa atccacttcc 110940
ctcctcctca atgtcagaaa atagagaata ttgtctttca ggatagaatt aaaaagtcat 111000
agaggcagca acttgttttc ctatattagg gttttaaaat tctgtttttc cttcctctcc 111060
tgggtcagat cattgtgtgg atggaccttg atttcattgt ggtatctgta tgtggaccct 111120
gaagaccatg gacttctaac aattccttaa gttacataag cacattccta caggtcacaa 111180
gctcatttac ttacaggatg gttgatttgg tcacaggtta tttcatgaaa atacttaaaa 111240
gatttgcagt gttcaaaact gcagtatctt taaacactaa aacttgaagg aagggaattt 111300
agaaatcaaa aaatctggtc aaaccatttc atggaaaagg aaagtgaggc tcagagagag 111360
gaaattactt tcctgggttt gtatagccta taaatggcag aaatgagagc ctccctgcca 111420
tttctagttt tctgtctgag agactctcct gcctaatagc taattagcag agtcacagag 111480
gtcattacct tgcaattctc aagaattatg tgaggcagca tagtaagcat ttatggccct 111540
tggttcctag aaggagctta gtccctgata gtcatctctg cctttgccat tgtgtgagac 111600
tgtcttctgt aactgtatgt cttcctccct agtaagttaa tgagtaataa aggtattcta 111660
tagtgagagg actctgtaag acatttcttg gtgtgaggat tgttccaagg ttgttttgtg 111720
tgtatgtgca tgtataaact tttttaggga gcatattcat agcttttaca tggatctcag 111780
aggctctata acccagagaa gattacagaa taccagtctt gtctttggta aggattttat 111840
agacccatcc tgactacagt gatatccaac atggctatgt aatgactggc actttcccca 111900
cataacatat atttattcca cactcagtgc ctactgtgta catgagacct ataccgggca 111960
ctgggataag agacatgaaa taacagctaa aattgtttat tgagcagtca gtatgcatta 112020
gatgctttgt agtcattttc ttattcaatc tgtataccct caatttacaa atgaggaaac 112080
tgaggcacag aagagttgag tgatttgccc aaagtcatac aaatagtcag tggctatgtg 112140
atgaatagtt accaacataa aagagtgaga ttactgctgt actaaaagta ggtacataat 112200
cccctgagca gacagtatga gagaatgatt tattttacct ggaaagttta ggaaggcttc 112260
acagaggagt taagggttga tctgggtctt gagggatgga taagagtttg ccagatacaa 112320
aaaggtagga agagaacttc aggaggaggg aacaggctga gcaaagacac ggcgatgtga 112380
aagtgggagg cttgtttggg gaacattatg gaatctggag gttattgtgg ggaatctcat 112440
cagatgcagc aagctgtttg acaggccttc agttggctct ttgtaccttg ctccctccgc 112500
atgctgagct gtccatagct gccctaggct ggtgtctggg attttcggaa gaaggttact 112560
atccaggtag tgtaacaaga tgcagtgcaa aagcaccaga ttggggctct ggctctgctg 112620
ctgacttacc acctggcctt aagcatgtct agttccctct ttgtacatta aaatctccat 112680
tggaacagta acatggttgt attaaatgat cttgaagatt ttacctgcac gttttgcaca 112740
tgtaccctaa aacttaaagt ataataaaaa aattaaaata aaaaataaaa atataacaat 112800
ataaatcttt aacaataatt ttagtagtaa atctctacaa ttttacagat aatccagatg 112860
catccattgg ccaatggttc actttgtatg cataatattt gggaaacagg cagacccaat 112920
ttcaatcctt agttgtaaga cttaatacat atgtgatctc gagcaaatca cttttgtatg 112980
cctctataag gataataata gctcacagaa ttattttaag aactaaatga tgtgtaataa 113040
agctactggt actcagtaag ttttgtatcc ttttcctaga gtgagtcttg gtcataggca 113100
tgcgtatact tgcagcgtcc ctgggtaggc cgaaagagca aataagagat ggtatctatg 113160
gtattcccca ggtaaaggag gccttgggtt ggcataagat ttcacttctc tttagagtta 113220
cttaattagg gaccagaaag gccatcagca tttgtatgag aatataacaa aggtcaatct 113280
cttcctcttt acttttacc tcccagtaca ctgtgagtaa cattccccag ccagcccagc 113340
cagcacgtgt tcattgcctc tcttgacttc cagactttgg acttgaaggt gtcagagctc 113400
tctgtgtatc tttgtcccca acaagataag tctgacctcc ccagcaaatt caagtcctaa 113460

20262013390 25 Feb 2026

gccactgtcc aggagaaaag ctagcaaggt cataaattat tctccatatt ttccagccat 113520
tggtttccct tgtccagcca gaggtgtgtc tcaaagtatg ctgaggccag attcaataga 113580
aacctgagcc agcacctgtg taaataattt ttaaagctcc ttttcctgaa gctggatgaa 113640
tatttttaaa aactaagctg gattgtcttt tatctagcat gccgtctcct acattcctag 113700
tgctatggac ctcttggagg aatgtggttt ggttatagtg gtattgtctt gtctgttgtg 113760
ggggagggag acatttcttt cagaagcaag gtaatacttt ggtctggtct atgactctat 113820
tttgtttaaa atgaaactat ggcagtatag tggtattcat tctgcttccc ataggttaac 113880
tttacatccc tctgtcttca cccactcttc agttctgatt cttttaaaag cagccaacca 113940
aaaccagcaa gtacatactg cttatctctg acttccacca gaatcaactt cagatcttgt 114000
ccaaagctcc atctgaagag aggggaataa cacccagcca agagccctca gggcccatca 114060
gtaagtagac atcctgtcct tgaggttcct taactctgct cagcttcaga atacagaagg 114120
ggttggttct tcatttgtgt tgtttataac taaaagcctc ctactcccca ctttttgca 114180
tagcttcttc tgccatccca cctgtgtagc ctcttcaact cccccaaaac tcctctgtag 114240
cccatgtcac ttggaaagag ttttctttgt ctcttttgca acttgacaat gactagccag 114300
caagtttaag ttcaaattat tgttccatgg gagcagagat agatatagga aacaaaaaaa 114360
agggatatgg aggtatagag tgatttccca cctacctagt gagcactact gagatattca 114420
agtactctct acccaagaat tctattgata taaaggtaaa aaacttgatc ttaggtctaa 114480
tatccgttag tagtgtgacc ttgggaaaat gataccaccc ccaaaggctt agttttctta 114540
actgtaaaat aggcatacag atgaccaccc ccagaggatt cataaggata acatgagata 114600
aggcaacttg aaatttccta gcatagtgat agactttcga aaataaaatg aatcaaacac 114660
tgataacagt acttcctagt acacaaatga gaaatcagtc cctcatcaaa ttacagcaca 114720
ttttcaatgc tccaattatg tcactgtaga aatgctaatg tggattaaat aatttgtctg 114780
ttgctattta tacggataat ttgatagtag ttatttttgg acatggatag ctttgaagcc 114840
ttacagatga gtccatcccc aagtacccaa aactaaagaa agttggctag agtgatgaca 114900
aggtggcagc acagagctcc ctgcgttctg ggccctgtcc cctagctaga gagaactcca 114960
ggctataagc atttgtattc tcatagtcca atggcaggga agaagggctg gaggtgagta 115020
gttttcactc atttatttttt tcaacaagca tgtatggtat caggccttgt atgcatccag 115080
agacaaatgt gaactagccg tgtcctcaag gagattccag tctggtgggc ctgccttcca 115140
aggtcagttg cagctttagc actataaaga gcacctacct gcggcagata caatgtgatg 115200
ggacatgaca gagaaaaaat ctataagcag agcctcccca ttcccaggca ttgaaacaat 115260
cctaaccaag actggcatag tacaatgagc ctgtccctat cagcaggttt ggaagcctta 115320
acaacaacaa caaaaacaat aataatggtg atgataatca tagagcctaa tgttaccaaa 115380
cattttccat gtgttaagta ctatactaag tgcatactta atcctcacaa caatgctata 115440
agatagtaga tactcttact actaccctga ttttacaaat gtggaaactg aggcacagaa 115500
gactaagaga acaggaatac acctaattca cctcagttca acaaacatca agcatctgtt 115560
ttatgtcagg cctcgtgctg gatggcaggg agagagagat gagtaaagca tagtttcagt 115620
ccagtgggag caaatgacag cacacagtgg ggcaggtata ttgcagccct tctgcttgat 115680
gctaagaact cagtgtcagt gatgaatgaa acacagtcat tctctcaaag atcttaaagc 115740
ttagtaggag atatctgtgt ggaaacaaaa attaaatact gctgtgataa gtgtcataag 115800
agataagtgg aaaatgagag agagagatca ctgtagcaat tgattggttt aaatcaaagc 115860
ccccaaaaaa atgttattga gaattataaa acaactaatt gatttaaatc aaagcccaaa 115920
cagaagtgtt tgctaatttt atttcaattt ggttgataat ttggttgaaa tgaatttatt 115980
tcatttttta ttccatcctt acaatggaag attagtgctt gtttcccacc caaggatacc 116040
aggatatttc aggggctgta ttacaatata gttaaattat tcctttatct caaagcacat 116100
ccacactttc ccctatcctt acctttactc agggtatctc ttctgcctca ggtgcttttt 116160
ctccacattt ccatattctt aagtcctacc ttccttcagg gcctcactca aatgcctcct 116220
cctccatgaa gcattcaccc gactgaaagg taccccgccc tctcctgtac tccacatcac 116280
ttcatgggtg tctccacttc ctgctttatc tttcagtaat acacttacag ttctctttcc 116340
tccactagac tgagctcttc agaggaagac tcacttggct gaaaccatga ttttacttta 116400
aacacattga aaacctctac tggagtgcat tgtgtctggt gggcttcaac cttaattctt 116460
aagtatgtga aaacacatca cctatctgga ggtttacact ttctgctaat gactttattt 116520
ttaagcccac caccctaaca caacaaatac ttaaaacttg tcttcatttc ctttaggtct 116580
ggccctcatg catgcatata atttatagag tcactgtttt gctcggttgt cctcatgcct 116640
ctatattatt ggaggtttag attgtttcca tatactcagg ttgtattcat gtccttttt 116700
tctttttaaa tttccttagc atccatttcc accattggaa attcagggtc aaaacagggg 116760
tttgggattg gagcatgtct atcacagata accaatcatg tgttatgact taagaattta 116820
tgaaagggcc ctctacctga agatatcttg ctactgatgc tgtctcacag tgtctgaaac 116880
tcccatcata tgtggaattg ttttggaagg ctttgcctcc tgggacacat tcagccataa 116940
tcaagaaata gtattgagca ttagactgtc agtatgtcca ttagcaagac tgtggaggaa 117000
tggaatcacc aatattatat tttatagggg atacagaata caagagaagt tctgaagaga 117060
aaattcttat gtagaatagg aaggcttaga tacagcatga aagctgcagg ctttgaggag 117120
ccagaggtca aatgaaagca ttgagtattt gtttagatga aagaacagaa agggaaaaag 117180
aagcagagga agggatagta gagagaaatg tataagtttt atccatttaa cttgtaattg 117240
tgtttggcta tgggcacaat agaagcagtg agatcacttt attttatttt attctttata 117300
gacagggtct tgctatgttg cccaggctgc agtgtgcagc tcttcacaag tgtgatcata 117360
gcgtactaca ccctcaaact cctggactca agcaatcctc ccatctcagc ctcctgagta 117420
gctgggacta caagtgcaca ccaccacgcc cagtgagatc acttgaaact agggagagat 117480
gtgtgagttc tgggcaacca gtagttggct ttacatagaa ctgtaggggt caaggccaaa 117540
ggggacgtcc tgttccaagt caccttcttt ggacattaga aaaccacgag gggtttggaa 117600
atcagaaaac cagcagaggc aggaaaactc agggcagcat gggagattca gtatatacaa 117660
aaaggttcac accagtaatc aaacagaatt ttaactgctg atgtggagta gaggcagctt 117720
tgtctgctgt gtgataacca aacctttacg aatagtaggt gtatatgggg aattggaggg 117780
agataggtgg ctgtgtttag taattggttg acttcactga gatggtttgg ggattgtggc 117840
ttccagatga tcagattttc ttttttaggt agagactcca acatcattac agaactataa 117900
attacatgtg gaaaagaaag gcctcctatg ttagaataga aaataaaatg ctgtggggtt 117960
gagggacaga ggtgctgtct aggaagtcag atagcgtttt ccagttctgt ccctcagagt 118020

2026201390 25 Feb 2026

tccttgtcct cattgagact caatttctct tacttttttt tttatacttt aagttttagg 118080
gtacatgtgc acaacatgca ggtttgttac atatgtatac atgtgccatg ttggtgtgct 118140
gcacccatta actcatcatt taacattagg tatatctcct aatgctatcc ttccctctc 118200
ccctctcccc accacaggcc ctagtgtgtg atgttcccct tcctgtgtcc atgtgttctc 118260
attgttcaat tctcacctgt gagtgagaac atgcggtgtt tggttttttg tccttgtgat 118320
agtttgctga gaatgatggt ttccagcttc atccatgtcc ctacaaagga catgaactct 118380
tcatttttta tggctgcgta gtattccatg gtatatatgt gccacatttt cttaatccag 118440
tttatcattg atggacattt gggttggttc caaggctttg ctattgtgaa tagtgccatg 118500
ataaacatac gtgtgcatgt gtctttatag cagcatgatt tataatcctt agggtatata 118560
cccagtaatg ggatggctgg gtcaaatggt atttctagtt ctagatccct gaggaatcgc 118620
cacactgact tccacaatgg ttcaactagt ttacagtccc accaacagtg taaaagggtt 118680
cctatttctc cacgtcctct ccagcacctg ttgtttcctg acttttaat gatcaccatt 118740
ctaattggtg tgagatggta tctcgtggtt ttgatttgca tttctctgat ggccagtgat 118800
gatgagcatt ttttcatgtg tctgttggct gtgtaaatgt cttctttgag acgtgtctgt 118860
tcatatcctt tgcccacttt ttgatagggt tgtttgtttt tttcttgtaa atttgtttga 118920
gttctttgta gattctggat attacccttt gtcagatgag tagattgcaa aagttttctc 118980
ccattctgta ggttgcctgt tcactctgat ggtagtttct tttgctatgc agaagttctt 119040
tagttgaatt agatcccatt tgtcaatttt ggcttttgtt gccattgctt ttggtgtttt 119100
agacatgaag tccttgccca tgcctatgtc ctgaatggta ttgcgtaggt tttcttctag 119160
ggtttttatg gttttaggtc taacatgtaa gtctttaatc catcttgaat taattttagt 119220
ataaggtgta aggaagggat ccagtttcag ctgtctacat atggctagcc agttttccca 119280
acaccattta ttaaataggg aatcctttcc ccatttcttg tttttgtcag gtttgtcaaa 119340
gatcagatgg ttgtatatat gcggcattat ttctcagggc tctgttctgt tccattggtc 119400
tatatctctg ttttggtacc agtaccatgc tgttttggct actgtagcct tgtagtatag 119460
tttgaagtca gatagcgtga tgcctccagc tctgttcttt tggcttaggg ttgacttggc 119520
gattcaggct ctttttggt tccatatgaa ctttaaagta gtttttttcca tttctgtgaa 119580
gaaagtcatg ggtagcttga tgaggatggc attgaatcta taaattacct tgggcagtat 119640
ggccattttc acaatattga ttcttcctac ccatgagcat ggaatgttct tccatttgtt 119700
tgtatcttct tttatttcat tgagcagtgg tttgtagttc tccttgaaga ggtccttcaa 119760
gtcccttgta agttggattc ctaggtattt tattctctta gaagcaattg caaatgggag 119820
ttcactcatg atttggctct ctgttttctg ttattggtgc ataagaatgc ttgtgatttt 119880
tgcacattga ttttgtatcc tgagactttg ctgaagttgc ttatcagctt aaggagattt 119940
tgggttgaga cgatggggtt ttctaggtat acaatcatgt catctgcaaa cagagacaat 120000
ttgacttcct cttttcctaa ttgaatgccc tttatttcct tctcctgcct gattgccctg 120060
gccagaactt ccaacagtat gttgaatagg agtggtgaga gagggcatcc ctgtcttgtg 120120
ccagttttca aagggaatgc ttccagtttt tgcccattca gtatgatatt ggctgtgggt 120180
ttgtcataga tagctcttat tattttgaga tacgtcccat caataactaa tttattgaga 120240
gtttttagca tgaagcgctg ttgaattttg ttaaaggcct tttctgcatc tattgagata 120300
atcatgtggt ttttgtcgtt ggttctgttt atatgctgga ttatgtttat tgatttgcgt 120360
atattgaacc agccttgcat cccagggatg aagcccactt gatcatagtg gatacgcttt 120420
ttgctggtat tttattgagg atttttgcat caatgtttat cagggatatc ggtctaaaat 120480
tctctttttt gttgtgtctc tgcctggctt tggtatcagg atgatgttgg cctcctaaaa 120540
tgagttaggg aggattccct ctttttctat ttattggaat agtttcagaa ggaagggtac 120600
cagctcctcc ttgtacctct ggtaggattc agctgtgaat ccatctggtt ctggactttt 120660
tttgattggt aagctattag ttatatcctc aatttcagag cctgttattg gtctattcag 120720
agattcaact tcttcctggt ttagtcttgg gatggtgtat gtgtcgagga atttatccat 120780
ttcttctaga ttttctagtt tatttgcata caggtgttta tagtatgctc tgatggtagt 120840
ttgtacttct gtgggatcgg tgattatatc ccctttatca ttttttattg cgtctatttg 120900
attcttctcc cttttcttct ttattagtct tgctagtggt ctatcaattt tgttgatctt 120960
ttcaaaaaac cagttcctgg attcattgat tttttgaagg gttttttaca tctctatttc 121020
cttcagttct gctctgatct tagttatttc ttgccttctg ctagcttttg aatgtgtttg 121080
cccttgcttc tctagttctt ttaattgtga tgttagggtt tcaattttgg atctttcctg 121140
ctttctcttg tgggcattta gtgctataaa tttccctctc cacactgctt tgaatgtgtc 121200
ccagagattc tggtatgttg tgtctttgtt ctcattggtt tcaaagaaca tctttatttc 121260
tgccttcatt tcattatgta cctagtagtc attaaggagt aggttgttca gtttccatgt 121320
agttgagcgg ttttgagtga gtttcttaat cctgagttct agtttgattg cactgtagtc 121380
tgagagacag tttgttataa tttctgttct tttacatttg ctgaggagtg ctttacttcc 121440
aactatgtgg tcaattttgg aataggtgtg gtgtggtgct gaaaagaatg tatattctgt 121500
tgatttgggg tggagagttc tgtagatgtc tgttaggtct gcttgacagt ggagtgttaa 121560
agtctcccat tattattgtg tgggagtcta agtctctttg taggtctcta aggacttgct 121620
ttatgaatct gggtgctcct gtattggttg catatatatt taggatagtt agctcttctt 121680
gttgaattga tccctttacc attatgtaat ggccttcttt gtctcttttg atctttgttg 121740
gtttaaagtc tgttttatct gagactagga ttgcaatccc tgccttttg tgttttccgt 121800
ttgcttgata aatcttcttc catcccttta ttttgagcct atgtgtgtct ctgcatgtta 121860
gacgggtttc ctgaatacag cacactgatg ggtcttgtct ctttatccaa tttgccagtc 121920
tgtgtctttt aattggagca tttagcccat ttacatttaa ggttaatatt gttatgtgtg 121980
aatttgatcc tgtcattatg atgttagctg gttattttgc tcgttagttg atgcagtttc 122040
ttcctagcct cgacggtctt tacaatttgg tatgtttttg cagtggctgg taccggttgt 122100
tcctttccat gtttagtgct tccttcagga gctcctgcag tgcaggcctg gtggtgacaa 122160
aatttctcag catttgcttg tctgtaaagg attttatttc tccttcacct atgaaggtta 122220
gtttggctgg atatgaaatt ctggttttaa aattcttttc tttaagaatg ttgaatattg 122280
gccccccactc tcttctggct tgtagagttt ctgctgagag atcagctctt aatctgatgg 122340
gcttcccttt gtggggaacc tgacctgttt ctctggctgc ctttaacatt ttttccttca 122400
tttcaacttt ggtgaatctg acaattatgt gtcttggagt tgctcttctc aaggagtatc 122460
tttgtggtgt tctctgtatt tcctgaattt gaatattggc ctgccttgct agattgggga 122520
agttgtcctg gataatatcc tacagagtgt tttccaactt ggttccattc tccccatcac 122580

20262013390 25 Feb 2026

tttcaggtac accaatcaga catagatttg gtcttttcac atagtcccat atttcttgga 122640
ggctttgttc atttcttttt attcttttttc ctctgaactt ctcgcttcat ttcattcatt 122700
tgatcttcaa tcactgatac cctttcttcc agttgatcta atcggctact gaggcttgtg 122760
catttgtcac gtagttctcg tgctgtgttt ttcagctcca tcaggtcctt taaggacttc 122820
tctgcattgg ttattctagt tagccatttg tctaattttt tttcaaggtt tttaacttct 122880
ttgccatgcg ttcgaacttc ctcctttagc tcagagtagt ttgattgtct gaagccttct 122940
tctctcaact cgtcaaagtc attctccatc cagctttgtt ccattgctgg tgaggagctg 123000
cattcctttg gaggaagaaa ggcactctga tttttagagt ttccggtttt tctgctctgt 123060
tttttcccca tctttgtggt tttatctccc tttggtcttt gaagatggtg atgtacagat 123120
gagcgtttgg tgtggatgtc ctttctgttt gttagttttc cttctgtcag gaccctcagc 123180
tgcaggtctg ttggagtttg ctgcaggtcc actccagacc ctgtttgcct ggttatcagc 123240
agcagaggct gcagaacagt ggatattggt gaacagaaaa tgttgctggt tgatcattcc 123300
tctggaagtt ttgtctcaga ggaatacccg gatgtgtgag gtgtcagtct gcccctactt 123360
gggggtgcct cccagttagg ctactcgggg ttcagggaac cacttgagga ggcagtctgt 123420
ccgttctcag atctccagct gcatactggg agaaccacta ctctcttcaa agctgtcaga 123480
cagggacatt taagtctgca gaggtttctg ctgccttttg ttcggctatg ccctgccccc 123540
agaggtggag tctacagagg caggcaggcc tccttgagct gtggtgggct ccacccagtt 123600
cgagcttccc agctgctttg tttacctact caagcttcag caatggcggg cacccctccc 123660
ccagcctcgc tgctgccttg cagtttggtc tcagactgct atactagcaa tgagcgaggc 123720
tctgtgggcg taggaccctc tgagccaggc acaggatata atctcctggt gtgccgtttg 123780
tgaagaccat tgaaaaagtg cagtattatg gtgggagtga cccgattttc caggtgccat 123840
ctgtcacccc tttctttgac taggaaaggg aattctctga tcccttgtgc ttcctgggtg 123900
aggcgatgtc tcgccctgct ttggctcatg ctcggtgcgc tgcacccact gtcctgcacc 123960
caccatttga cactcccctg tgagatgaac ccggtacctc agttggaaat gcagaaatca 124020
cccatcttct gtgttgctca cgctgggagc tgtagactgg agctgttcct attcggccat 124080
cttcacaaaa atcttacttt ggtttctagt gttaccaccc actgttcttt ctcatctcaa 124140
ccctgagtat aagtacagat cacattcctt gggttcttag aaaataatag aaatgaactc 124200
tcattcatca aaatgcccat tagtaaatac tgagggagaa caaactagaa atccagtata 124260
gaaaataaaa ataggattat attccttgga atctcagaaa aaaacaatga agagctttct 124320
ttgggcatta gacactttcc cataaggtgg ctgactctct tttagtcatg tcagcttggc 124380
ccaatcttca cttggtagcc cttctttctt cttcattaat ccatctccta tgctcctatg 124440
gggtcctaga gaaatgccca tcatgtacac acacatctaa taacacaaag atcactctcg 124500
actagcaagc ccttttatga tggtgtgagc atttgacacc cttgttgcta gtaacatcag 124560
tgagtgacct gacccatttt tggaacagaa tatgatcagt atgttgcctc aaggaggccc 124620
tcactgttct aggaaatata attccagagt ttgctgactc acaccatgga atatatgcat 124680
aaaatggatc ctgcagataa gcctttctct gactagtttc agacattttt ttctgggtaa 124740
ttttaaagtt atttttatt tttgtgggta caaagtaggt gtatatatgt atgaggtacc 124800
tgaggcattt tgatacaagc atacagtgta taataatcac cagagttaat ggggtatccc 124860
tcaccacaag catttatcct ttctttgtga tacaaacaat ccaattatat tcttttagtt 124920
attttaagat gtataataaa ttattgttga ctgcagtcac cctgttgagc tatcaaatac 124980
tagatcttat tcattctaac tatacttttg tacccagtag ccatcccact tcctcccctc 125040
ccactaccct tcccagcctc tgataaccat cattccactc tctatctcta tgagctcaat 125100
tgttttaagt tttagctccc acaaatatgt gagaaaatgc caagtttgtc tttctgtgcc 125160
tggcttattt cacataatat aatgtcctct agttccatcc atgttattgc aaatgacagg 125220
atctctttct tttttatggc ttaatagtac tttattgtat gtatgtacca cattttcttc 125280
atccatttgt ctgttgatag acaagagttg cttccaaata ttgactattg tgaatagtgc 125340
tgcaataaac gtgggaatgc agatctcttt gatatactga ttttctttct ttagggtgta 125400
tacccagcag tgggattgct gggtcatatg atagctctat ttttagtatt ttgtggaacc 125460
tcaaatctat tctacataat ggttttactg acttacatat ccaccaacag tgtatgagga 125520
tactcttttc tccacatcct caccagcatt cattactgcc tgttctttgg atgaaagcca 125580
ttttaactgt ggtgaaatga gatctcattg ttgttttgat gtgcacttct ctgatgatca 125640
gtgaggttga ggaccttgtc atatatctgt ttgtcatttg tatgttttat tttgagagat 125700
gtctacccag atcttttgcc catttttaa tcagattgtt agatttttt tttcctacag 125760
agtgcttgag ctctttatat gccctagtta ctagtccctg gtcagatggg tagtttgcaa 125820
atagttgctc tcattctgtg ggttgtctct tcactttgtt gatcgaatca cttgctgtgc 125880
agaaggtttt taacttgatg tgacctcatt tgtccatttt tagttgcctg tgctggtgcg 125940
gtattactca agaaattttt gcccagatta atgttctgga gagtttcccc aatgttttct 126000
tgaagtagtt tcatggattg atgtcttaga tttaagtctt taatatgttt tgattttatt 126060
tttgtatttg ctgagagata gggctctagt ttccttctgc atatggatat ccagtttttc 126120
tagcaccttt tgttaaagag actattcatt ctctaatata cgttcttggc acctttgttg 126180
aaaataagtt cactgtagat gtatggactt gtttctgggt tctctgttct gttccattgg 126240
tctatgtgtc tgcttttatg tgaataccat gttgttttgg ttgcaaaagc tctgtagtat 126300
aatttgaaat caggtaatgt gattcttcca gttttgctct gttctttttc ctcaagatag 126360
ctttgcctat cctgggtctc ttgtggttct atataaattt taggattatt ttttctattt 126420
atgtcaagaa tgtcattgat attttgatat aaattgcgtt gaatctgtag atagcttcag 126480
gtagtgtgga cattttaaca atatcaattc ttgaaatcca cgaacatgga atatccttct 126540
attatttgga tgtcttcttc aatttcttat attaattttt ttttagtttt cattgtagag 126600
atatttcatt tatttgacta agtttattgc taggtatttt attttatttt tacctattga 126660
caatgggatt gctttcttga tttctttttt agattgttca ctgttggcat acagaaatgc 126720
tactgatttt tatgtgatga ttttgtatcc cgcaacttta ctgaatttgt ttatcagttc 126780
taataggctt ttggtgcaga ctttaggctt ttccaaatat aagatcatat tatctgcaaa 126840
caagaataat ttgacttctt tcttttcaat ttggatgcct ttcatttctt tctcttgtct 126900
gattgctcta actaggactt ccagtactct gttgaataac agtggggaaa gttaacatcc 126960
ttgttttgtt tcagatctta tagccaaggc cttcagtttt tctgaattta gtatgatact 127020
agctatgggt ctgtcatata tggcttttat tatgttgaag tatgttccct agttttttga 127080
aggtttttat attttaagga agataaaaat tgaactttat caaatgcttt tcatgcaaca 127140

20262013390 25 Feb 2026

attgaaatga tcaagtgctt tttgtctttc attctgttga tacgatgtat cacactgatt 127200
gacttgtgta tttagaacca tccttgcatc ccgtggtaaa tcccacttag tcatggtgaa 127260
tgaacttttt aatgtgttgt tgaattcagt ttgctagtat tttgttgggg atttttgcat 127320
cagtgtttat cagggatatt ggcctatagt tttccttttt tttatgtgtc ttttgggttt 127380
tgttatcagg gtaatactgg ccttgtagaa tgagtttgga atgattctct cctctatttt 127440
ttgaaatact ttgaatagga ttgatgttac ttctttaaat gtttggtaaa attctgcact 127500
gaagccattg ggtcctgggc tttttactgc tggggagact tttcattaca gcttcaatct 127560
tattacttgt tattggtctg ttcaggcttt agattttttt catgaatcaa tcttcacaag 127620
ttgtctgttt ctcaaaattt atcaatttct tctaggtttt ccaatgtatt gtcatccagt 127680
tgctcataat gccctctaat gatgccttga atttttgcag taaccactgt aatgtttcct 127740
tttttaatct ctgattttat ttgagctttc tctttttttc ttagtctagc taaatatttg 127800
tcaatgttgt ttgttcatcc acaaaaccaa cttttcattt cactgatctt ttgtattatt 127860
ttttcctttt aattttattt atttctattc tgatatttat catttcattt cttccagtta 127920
tttgagtttg gtttgctctt gcttttccag ttctttaaga tgcattgtta ggttatttat 127980
ttgaactttt ttgatatagg tgcatattgc tataaacttt caccataata ttgcttttgc 128040
tgtatcccat aggttttagt atgttgttta gtatgtttcc aatttggtac atttcaataa 128100
atttttaaat tttcttcttt atttattgac atagtcattc cagagtatac tgtttaattt 128160
ccatgtggtt tgtatagttt ccaaaattcc tcttgttatt gatttctagt tttattccat 128220
tgtggtcaga gaagaagctt gatatgaatg caattgttaa taatttttt aaaacttgtt 128280
ttgtgaccta agatatgatc tgtcattgag aatgatccat atgctgagga aagaatgtat 128340
attctgcagc cattggataa aattgtcttt aaatatctat taggtccatt taagacataa 128400
tgcagattaa agccgatgtt tcattgttca tttttctgtc tggatgatct cttcagtgct 128460
gaaagtggtg tgttaaaatc tctaaatatt attgttttgg gatctttctc ttctttcaac 128520
tctgataata tttgctttag atacctgggt gctccagtgt tgggtgcata tatacttaaa 128580
attgttgtat cctcctgatg aattgacccc tttatcatta tataatgacc ttctttttct 128640
ctttgtgtag tgtttgtctt gaaatctatt ttgtcggata ttagtattgc tgctaatttt 128700
tttggtttcc atttgcatga aatatctttt tcattccttt attttcaggc agcgtgtttc 128760
tttatattta ataggtgaaa tatgtttctt gtaaataaaa attattattt taaaatattt 128820
ttaaaataat actatttttt aataagaaca attattattt tttaaaaaat ttcattagtt 128880
ttgggggcac aagtggattt tggttaaatg ggtgagttct ttagtagtgg attttgagat 128940
tttagtgcag cagccacctg agaagtgtac attacccata tattatatat atactatata 129000
tgctttatat atatagtgtg tatatataat atatatacaa ctacatattg ggtaatgtac 129060
acttctcagg tgactgctgc actaaaatct caaaatccac tactaaagaa ctcacccatt 129120
taaccaaaat ccacttgtgc ccccaaaact aatgaaattt tttaaaaaat aataattgtt 129180
cttattaaaa aatagtatta ttttaaaaat attttaaaat aataatttt atttacaaga 129240
aacataattc acctattaaa tataaagaaa cacgctgcct gaaagtaaag gaatgaaaaa 129300
gatatttcat gcaaatggaa accaaaaaaa ttagcagcta tactaatata ttatatatat 129360
actacataaa gcatatatat agtatagtat atatataata catttataaa gcatatatat 129420
agtatgtaga taatatatgt ttatatactt taagttctgg gatacatgtg cagaacgtgc 129480
aggtttctta cataggtata ctcgtgccat ggtggtttgc tgcacccatc aacctgccat 129540
atacattaag tatttctcct aatgctatct ttcccctagc cctaccccac tccctgacag 129600
gccctggtgt atgatgttcc cctccctgtg tccatgtgtt ctcattgttc aactgccact 129660
tatgagtgag aacatgtggt gtttggtttt ctgttcttgt gttttagttt gctgaggatg 129720
atggtttcca gcttcatcca tgtccctgca aaggacatga actcatcctt tttgatggct 129780
gcatagtatt ccatggtgta tatgtgccac gttttcttta tccagtatat cattgatggg 129840
catttggtt ggttccaagt ctttgctatt gtgaatagtg ctgcaataaa catacgtgtg 129900
catttgtctt tatagaagaa tgatttataa tcttttgggt atatacccag taatgggatt 129960
gctgagtcaa atgatatttc tggttctaga tccttaatga attgccacac tgtcttccac 130020
aatggttgaa ctaatttatg ctcccaccaa cagtgtaaaa gcgttcctat ttcttcaaat 130080
cctcaccagc atctgttgtt tcctgacttt ttaatcgcca ttctaactgg catgagatgg 130140
tatctcattg tggttttgat ttgcatttct ctaatgacca gtgatgatga gctttttttc 130200
atgtttgttg gcagcataaa tgtcttcttt tgagaagtgt ctgttcatat tcttcaccca 130260
ctttttgatg gagttatttg ttttcttctt gtaaatttgt ttaagttcct tgtcgattct 130320
ggatattagc tctttgtcag atgaatagat tgcaaaaatt ttctcccatt ctgtaagttg 130380
cctgttccct ctgctgatag tttcttctgc tgtgcagaag ctctttagtt taattagatc 130440
ccatttgtca attttggctt ttgttgccat tgcttctggt gttttagtca tgaagtctct 130500
acccatgcct atgtcctgga tggtattgcc ttggttttct tctacagttt ttatggtttt 130560
aggtcttgca tttaagtctt taatccatct tgagttaatt ttgtataacg tgtaaggaag 130620
aggtccactt tcagttttct gcatgaggct aacgagtttt cccaacacca tttattaaat 130680
agggaatcct ttccccattg tttgtttttg tcaagtttgt caaagatcag gtggttgtag 130740
atgtgtggtg ttatttctga ggcctctgct ctgttccacg tgtctatatc tctgttttgg 130800
taccagtacc atgctgtttt gggtactgta ccacttgatt ggtgagagag ggaatccttg 130860
tcttgcactg gttttcaaag ggaatgcttc agcttttgcc tattcagtat gaccaatatg 130920
tagtctttta ttcctcaccc tctctcaaca ccccaccccc acggagtcct caaagtccat 130980
tatatcactc tgtatgtttt tgcgttctca tagcttagct cccacttata aatgagaaaa 131040
tacagtattt ggttttccat tctttggtta cttaattagt ataatggcct ccagctccat 131100
ccaggtgtct tgtttttcat ccattcagcc agtctataac ttttgcttgg agagtttcgt 131160
ccatttagat tcagcgttat gattgataac taagggctta ctcctgccat ttggttgttt 131220
tctggttatt ctgtggtctt ctcttccttt tttccttctt tcctgtctcc cttttagtga 131280
aagtggtttt ctctggtggt gtattttatt ttcttccttt ttatttttt ttgtgtgtat 131340
ttgttgcatg ttattgattt gaggttacca tgaggcttgt acataatatt ttctaactca 131400
ttatttcaaa ctgatgacaa cactctatcg cataaaaaaa catggaaaga gaaaactaat 131460
aaaaactcta cattttaact tcatctctct gcttgttgtc actttgtcgt ttctatttac 131520
atcttattgt actgtttatg tcttgaaaag tagtttcagt tattactttt gattggttca 131580
tctcatagtc tttctactca agatatgagt agttcacaca ccacaattac agtgttacaa 131640
tattctgtgt ttttctgtgt actttcaatt acccatgagt tttgtatttt cagataattt 131700

20262013390 25 Feb 2026

gttattgctc actaacatcc tattctttca gattaaagag ctccctttag catttcttgt 131760
aggaaaagtc tggtgttaat gaattccttc agctcttgtt gatctgtgaa agtctttatt 131820
tttccttcat gtttcaagga tattttcact ggatagtcta ttctagggta aaagtttttt 131880
ttttttttct cttcagccct tcaggtaagt catgccactc tctcctggcc tataaggcta 131940
ccactgaaaa gtctgctgcc agacatatat gagttccatt ctatgttact tgtttatttt 132000
ctcttgttac ttttaggatc ctttctttat ctttgacctt tgggagtttg attattaaat 132060
gccttgaggt ggtctttttt ggattaaatc ttcttcgtgt tcttgtactt ggatattaat 132120
atctttctct aggtttggga agttctctgt tattatccct ttgaataaac tttctaccaa 132180
gatctctctt tctctctctg tctctctctc tctctctctc tccttcttaa ggccaataac 132240
ttttagattt gccctttga ggctgttttc tagatctcgt aggtgtgctt cattgtttgc 132300
tatttttttt tttttttgt ctcttctgac tacattttca aatagcctgt tttaaaactc 132360
actaattctt tcttttgcct ggtcaattat gctgttaaga gactctgagg cattcttcag 132420
tgtgtcagtt gcatttttca gcaccagaat gtctgcttat tttttttag attatttcca 132480
tctctttgtt aaatatatct gatagaattc tgaattcttt cttagtgtta tctttaattt 132540
ccttgaattt cctcaacaca actattttga attatctgtc tgaaaggtca catatctcta 132600
tttttccagg attgctatct ggtgctttat ttagttcatt ttgtgaggtc atgttttcct 132660
ggatggtgtt aatgctagta gatgtttttc agtgtctgag cattgaaaag ttagatgttt 132720
attgtagtct tcacagtctg ggcttgttca tacctgccct ccttgggaga ctttccaagt 132780
attcgaaggg atttggatgc tgtgatctta gtctttggtc actgcagcca tatctgcttt 132840
atggagcatc ccatgctcag taatgctgtg gctctttcag actcatagag ttactgcctg 132900
catgctcttg ggtaagagcc aggaaaattc cctggattac caagcagaga ctcttgttct 132960
cttctctcac tttcccccaa acaaatagag tctctctctc tctctctctt tctctctctc 133020
tctctccctc tcattctctg ccgacctgcc tgaatctggg gtagggatga cacaatcaca 133080
tttgtagtca acaccattgg gactgtgcta ggtcagaccc aaagctggca cagcactgag 133140
tctcgcccaa cgcccacaga gaccactccc tgggtaatgt ctgtgtttgc tcaaagccta 133200
agggctatac aatcagtcag tggtgaagcc agcctgtctt atgtccttcc cttcagggtg 133260
atgagttcct caagcaggtc cagggatggt gtccaggagc caaggcctcg agctgtgact 133320
gagctggcac ccaatccata agacaaagat tttttccaca ctttccttcc ttgtcctcaa 133380
gcaaaggagt ctctccctgt ggccaccacc acccccatgt tcatggcaag tattgtctgg 133440
ctaccaccaa tcttcactca aggcccaggg gttctttagt tagcttatgg tgaatgctac 133500
caaggctgag tctctccctt caaggaagtg ggctcctctc tggcccaggg caggtccgga 133560
aatactatcc aagagccaag gcctggaatc agtttcccca agagtccatt tggtgctcta 133620
cacccactgt ggcagaacca gtacccaagc tgcaagacaa agtcctcttt actcttcctt 133680
ctcctttaca gagactctcc ctatagccac cacagctggg aatatgctgg gtcactcttg 133740
aagcaagaac agctctgagt ctcactcaaa actcctggca agtactgcct ggctatcaca 133800
ctgattattc agggcccaag ggctctttag tcagcaggag atgaatcctg ccagtactga 133860
ttccttccct tcaaggcagc cggtttcttt ctggcccagt gtgtatctag aaatatcatt 133920
tgggagctag ggcctggcat ggtgacctca ggactctgcc tggtgccctg ttctactgtg 133980
gctgatgtag tatccaaatt gcaagaccaa gtcctcttta ctctcccctc tcctgtcttc 134040
aagcagaagg aatgagtccg ccctggagtt gggagctgca ttgcctggga ttggaggagg 134100
ggtggcacaa gcactctctt ggtcacccca gctggtgtct tactaggtcg catgttcccc 134160
aagtccactg gctctgaggc tagcacacca ggatttgacc aagaattgca attcttgtgg 134220
cttacactgc ctttcaagtt tatttgagat cccagagcac tttagcccac agtgacaggg 134280
cttgccagaa tttagtttct gactgctgag atggacaatt tgcgtctgat tagggctggt 134340
ctaagtgctc cttctgtggg cactggctga gttctgctcc atgttgcttt ctgctgtgac 134400
agggcaacat tgagtttcaa tgcaagtccc acagtcactg caatcttcct ctcccaagcc 134460
tgctctgaac accatgtggt tgctgctggg ggctgggggа gggatgttgt aggcaattca 134520
agaatgtctt tcctaccctt ttcggtgctt ctttccttgg tatgatatta aaaccagtta 134580
ctgtgattgc tcacctgatt tttggttctt atgaaggtgc ttttttgtgt ggatcactgt 134640
tcaatttgtg cctgcaagcg gggatggggg acaattgctg gaggcttctc tttggccatc 134700
ttgctccacc tctaccctag tattagcaat ttcaaagcag ttgggatgga ggtagaagga 134760
aagggcgctt ggaatcagaa aatccatgtc ttagctttga gccttagaaa attcatttga 134820
cccttgtaag cctcagttgc ttcatctgta aaagagaaat aatataatgg ctgaaaagat 134880
caaaggtgat aatgcttttg aaaacactat agaaaatgac aaaatatcac atgagtatta 134940
ttttctagtt tctaggagtc tccttaccat tgtacaggac aaccatgtct atttttaaat 135000
aaattattat ttgcctctga gcaaccctgc aaagagttgc ctgtaggaga aacagcttta 135060
cttgcaaatc actccactgt tttctttgtg cacagcttat taatacataa ggcacatgtc 135120
ctccagcctg cagtaacatt ggaatcatta cctctttgga gtacctacca gagcttctca 135180
aagtgaattt tgtttatcac cacaaaaaat agtctgttgc agagataacc tccaaattca 135240
atgacaatat ttccaatcac ttttgcatga tgcagaaata gacaaatata taattttgct 135300
tatagagaca attattgtct cccaacaagt gatcagtagt cagaaaatgg ccaagaaata 135360
ccatggggtg tgccttccca taacagctta tctttgtgtt ttagttgcaa ggttactaaa 135420
agcctgtgca gggtttatgg caaaagtaaa acttgctcca ggagcaagcc cttgtttcat 135480
tgtctaatgt tcttaatccc cagcagacag gatttggatc tggcatttgg taacagggca 135540
gtttccaaag ttgctgtacg caacttgagg aagagaggtg atattatcgg aatgaatttc 135600
tttgttgtaa gttataaatg tatgggcttt tccaatccca tcacccttaa aactttattt 135660
gttttctgca gtgagggtgt ctccgttgtc tttaatatgc ttgctttgag ttcatggatg 135720
aacattcctg cctggctgac atgtggactc tctgaaattg ttataaggtc tttttctttg 135780
tttttttctt gatgcccaag ctgccaaggg tagtactggc agtggtgggc agacaaggag 135840
gtgatagcaa actttgtcct ctggcctccc ttgacccatt ccattcatta tctaagggac 135900
tccaagccag cattccacag agtgccctca ccaaactcac taagactgaa ggcgaaccag 135960
gattccaaac agccattatg aaaggaaaga gagagagact tagggtttgc aaaataagat 136020
accctgttga ttctttttat tccatacaga tactactatt ctttaggaaa acgttaaaat 136080
cacatgatct tccaggacct gggctgcttc tttaagaagc atgttacaga aagctttatt 136140
ggccaacaac atattgaaag atagattaat caatcattca ttcaaataag gtatattcag 136200
aattgaggta tattgtagcc agacagtgag actacaaaaa aagaatgcac cgtaccctta 136260

20262013390 25 Feb 2026

tctcttgcac aatctaacga gggagataac cactctttca atttatagtg acctataaca 136320
tttcgtacac tgctgaatat ctttacatgg taataacaca atggaaagct tgcaaaatag 136380
acagaggcta ggggaagaag gattgagtgt gaatatagcc tcttataaat cgagaggaat 136440
ggtctgtgtc ttctgatcat acagagataa taaatatgga aatgatttca aactaacaaa 136500
gcaaatgtgc agaaaatact gagaatatag tgggcaggat acctgagttt tggttccatc 136560
tctgttattg actcattgtg taatctgagt caggtctgtt ctgctctctg gatctcaccc 136620
tttcctatct gtaaaatgag attgttggat tagatgatct ccatagaggt tctcacctat 136680
tctgacattc aaaaggactc ctaatttttc ttatataata ataatatata tgatctgtag 136740
agtgctttac actttatatg atatttttgc atctgttatc tcatgtgaga aaagcactgg 136800
actgctggac tggcaatgag gacacctgga ttcttgtctc tgttttgaca ctgattcatg 136860
gtgtgatctt caagcaaatt ctctgagttt cagtttctca atctgtaaaa taggggggta 136920
tgaagattgg actaaatcag taggtctcta aaatgttcca caaagccctg gggtgggggg 136980
ctcctacaga gtttcgctaa ggcaaaccac aacgctaagc ctgcatggaa gaggagaaaa 137040
agagtggcct gacaagagaa gttcccagtt tcctatgcca accccaggca gattacattt 137100
aattttatct gatttatata gagagtttct atgtaatgtt ttattcttaa aaatagttta 137160
ctataaaaaa ctcaactggt ttgattttta aagattgcac atataagtga gatcatgcag 137220
tcagtatttg tctttctatg cctggcttat ttcacttagc ataatgtctt ccagcatcat 137280
ctatgttgct gcaaatgaca gacttttctt ttcattaaag gctatatagt attccatcgt 137340
gtatgtacac cacattttct cttttgtaac tttcatttta ggttcagggg ttcatgtgca 137400
tgtttgatat ataggtaaac tgcatgtcag agaggtttct tgtacagatt atttcatcac 137460
ccaggtaata agcatagtat ctaatcaatt tttttctgat cctctccctt ctcccaccct 137520
acaacctcaa gtaggccctg gtgtctattg ttcccctctt tgtgtccatt acaccacatt 137580
ttctttatcc acttatccat ccatggacac ttagtttgct tccatatgtt ggctattgtg 137640
aataatgctg aaaaaagtca aactcataga agcagagagt agaatggtgg ttaccaggga 137700
ctgggaggca gttgactgag ctaggaaaag agagataata aaagggtaca atgtgtcagt 137760
tatatagaag gaataagtta tattgaacta ttgcacagca tggtgaccat agttaataat 137820
aatgtattat atgtctcagt attgctaaaa gagtaaattt aaatattcta accacaaaaa 137880
attattagta ggcaaggtga tggatatgtt aatttgcttg atttaatctt tctagaatgc 137940
atacatatat caaaacatcc cactgtaccc cataaatata tacaattatt atttgtcaat 138000
ttagaaattt aaaaacttga tttagatgag ctctaaggcc ttaagtatta aagtattaag 138060
tattaaagtg atatgtaacc aagtatattg tttggtaact tcatttttgt tattatttta 138120
acaaaccaat atattgtgaa tatacttcca agtgaaaaga aaaaagacat tgcagtcatc 138180
actaataact gcaaaacatt cctttgcaag aatatggaat aattcattta atcattcccc 138240
taatgttaga cattcaaatg tttccaactt tttctattta aataatgcta caataaactt 138300
ctattttgtg cttattgtat tattttctta caacacatcc ctagaagtgg aattcctaga 138360
agtttataca catttccaat ttttttccaa atatatggca aaatttctct ctaaagtatt 138420
tttattccta ccagaaatac ctcttcacca acacgtagta tttaatctgt accaatctgg 138480
cttaagacaa tgatatttaa tttgtatttc tgtgatttct agctaaatta aataatcttc 138540
atatgcttat tggtcatttg tacttctaac tgctttctcc tgtctgttgc ccatttttct 138600
attgtgctgt ttatttttat atatcgaata tattgaccat tggttttaca tacttgatgc 138660
taataattat tcttagttta tggtttgtct ttgagtttta taatggtgtt tatttcacat 138720
aagaaattat aaatgttttc taatgaaatt tatcaagtct gtcttcactt atgttttctt 138780
cattgtcaat aacttaaaat gacctttttct acctttaaaa attttgaaat tttcctctgt 138840
attgtctaat agtacttaca tgatttcctc ttttaaattg acatatttaa tccatttgga 138900
atttattttg attttaacta gtaatttaac tttattttct tctccaaatg attcactagt 138960
tgttctgaca ttatttagtg aataattcat cctttcttca ctgaattgga atggcatatt 139020
ccatatactg tgtctggttt tggcttttct gatctcttcc actgatcaac ctaagctgga 139080
gccagtatca aactgttgta atcattatgc ctttagatac tttaaatgta cagcagggaa 139140
tgtcttatta ctcttatttt tcacaaatat cttggcattg tctcatgttt tattccttca 139200
gataaatttt gggattattt tgtcaagatt ttgtttgagt tgttttaaat ttttagattt 139260
cattgggaaa gaactgaaat ccttgaaata ttgcttcttc ttagccagga atatggtaca 139320
actttgcatt taattcagtt ctttccttaa ataccaccat gaagtttttt gttttgttca 139380
tataggtcct gcattaacac catatatata aagtgtgaga aatactacat tcttcaggat 139440
tctctgtagg ttaacaatga agatgatgac tcaacccttt ctttgtttgc ataatgtgat 139500
gccactaata gtgggtaact tctctgcctt acctcctctg ttccaaacag gatttttcag 139560
aatgaacaaa ttaaaagaat cataatcaga cactaacccc aagccatact gcatggcagc 139620
accaatggga ctgacagaaa acaacagaaa taggaagaaa tcctacagag aaacaaactt 139680
gaaagctgtc tcatggcctt tgaatcatac ttaagtttta tgatggaagg atacgactat 139740
gaagaaagac acagagcaac atcagacagt caagaatttc agagccagct ggcatgcagt 139800
ggacctcatg ccagcccatt ttatgactat ttaggtagtc aagggtttaa gatttttcta 139860
ataagacagt tattatgcat ttcaatgagt gatttctttg cagctctaga gtgtggcctt 139920
acctacttca acatgagaag atttttgtat tttgtcagtc atttcacaat gacttttagt 139980
gagcccttca ttatagactg tggatacaac tttgctgttg gaaattaaca gtgtcaaaca 140040
actgggtata atgtttgtaa tatctgagga gggggagctg cctaggaagt tgtattccct 140100
gtgttaattt ttcagtctct taggttatag aggaccttct agaaccacct tacagcagga 140160
ttacatccca tttacacagt tctctgtcac ttgaatacag agaagggatc cacaaggcca 140220
tatgcttcct agacaaagag aaaagatttc tgccacactc agaacgcttt gtcttcagac 140280
tataatcacc cacaccatat ttcctttgga tccactttcc agatttttgt gctggcacta 140340
acaccaactt gctgtggctt ggggcatgta atttcaatac tttgtgccca ttttcataag 140400
tgaagtgtca ggcatcacat tggacatttt aagattcttt acagcccaat gattctgtgt 140460
ttctaattag gcccaatggg ttagagctaa aaggaaacag tgagtttcct ggaaggaaag 140520
gacatataac acagtccaga ggtaaaatgg gctgtattca agaaaagata ggacaatact 140580
ttgcagggat gctgcagaga ggattcaagc cttgtatgga ggaatggatg tgatacaacc 140640
aaaaagtctt taaaaattct ttccaactaa tctgagattt gtaaccttat ggactgtgat 140700
ttgcagcaaa ccaaggatgt gataaagact agtattgttt ctagaatgca aggatggttc 140760
aacatatgca aatcaatagt attaacagaa tgaaggacaa aaactatatg atcatctcaa 140820

20262013390 25 Feb 2026

tagatgcaga aaaataattt gacaaaattc aacatcattt tatgataaaa tctttcaaga 140880
aattgggtat tagaaggaat gtttctcaac acaataaagg ccatatcaga caagcccaca 140940
gctaacatta tattcaatga ccaggaatga gataaggatg ctcactctca ccacttctgt 141000
ttaacatagt actggaagtc ctagccaatt tcatattaat gagcctcatt ttcttcatca 141060
tagaatgaag tatataataa tccctgttat acttactttg cacagattat tattattatt 141120
taattattat tttgagacag ggtctcactc tgtcacccag gctggagtgc agtaccacaa 141180
tcacagctta cttcagccac gacctcccag gcataaagga tcctagcccc tcagcctcct 141240
gagtagctgg gagtacaggt gcacaccacc acacctagct aatttttttt tttcattttt 141300
ttatagagac ggagtctcac tatgctgccc aggctggtct caaactcctg tgctcaagca 141360
atctttccac cttggccttc caaagtgctg ggattacagg agtgagccac tgcacctggc 141420
cttgcagatt attattaaac tttgtaaact aatcaaatga gagtgattat tgttactgtt 141480
aagaactctg atagcctcat ccatatattt ggagaaattg aataaataat aggaaagaaa 141540
taatagcatc ccaatgattt taccttggct ctaccatcat ttggggaagt gataattcag 141600
ataggagaag tgacttggaa gcagtcttga gagattgcct gttccatccc ctatctttgt 141660
ccttaaacca aattgtacag ataaataagg tcttattttt aggacttaca gaaaaaagat 141720
tcctttcata tccatctttg caatcctcaa ccacttctgt cactattatg tgtcatttca 141780
aacattaaat tcctcattct gctttgaagg aacacatgtg tcatgtgtac ccatttgtat 141840
gttttggtgt gttttatgct ttatgtgatc acccacatat gcacagataa ttccaaaatc 141900
cagtgtgtgg gtgttgtatt ccctgtgtta attattcagt cacactcaaa cacctatgca 141960
ctcacacata catgaataca cacatgtaca ttagcatgtt tatgcttatg ttgcatgtga 142020
ctggcaacat cagtgccttt ctaaggcaat gttaactacc ttgagttttg ggagagcttt 142080
agagaacaaa gacaagagac taaatgattc tagatgtaag agacaatgtt gcaataagtt 142140
actatcctaa aaagacagaa tacagggaca agagactatt attttggata gtttcttgct 142200
taccagtaat acttaagtcc tttacattaa aaaaaaaaaa ctctgtaaat atattgcaga 142260
agaaatccag acatccttca agattcttag agctggaaaa gattttaatg actttccagt 142320
ccaatctatc tcatgtaatc aatggggccc agagaggcaa aaggtcttgt ccaaggtcat 142380
atagtgagtt agtgataagg ctgaacaagg attcagatgt tggggcttcc agcccactgc 142440
tctttctctc atctgggatt tgtgtatttt tgttcattag agattttcct ctgtaacctc 142500
aatatccaat gcagggcctt gcacataata gattatcagt aaatgttaaa ttaatatgtc 142560
atggctttgg ttgtactggg cttttgcact tactcctgag taaattgtaa agaatatcta 142620
cgttttaggt tgccttgttt tagaccaaga ggtacccaga gaaaaggtgt gaactatgct 142680
aaggaaatta tccgagttcc aaattgaaaa aaaaaaaaaa tcatgctttt ccgctataac 142740
ctctctcatt cacagagtga ttctctttca gaagggcaat ctagaactat tatgggagcc 142800
atattccatt ggtggtgcaa ccatttcttg acaaactagg gtccaagaaa gtattttcct 142860
ggggaagatg agatttctca aagaaggcac gcactttcta acctaagctt atttcagtaa 142920
tcaatgtaac aagctggtct tgatgattgc agcagtacca atactgtggg agtgtaccag 142980
ttctagaaca gctacaacat tggaattgaa cgcactagaa ttggatacag gacctgtttt 143040
tgaggagcta acacccaaag gctgaacagc actcgtagca ccgtcctttc tgtgcacata 143100
tggtagtcct cagtttgcaa cagaaataaa gctgttagca aattatgtgt tctatttatg 143160
caaataaaat cttgtggtat gctagaaaga gcactggcct ggagacctta gttttctcat 143220
atgttaaaaa cccctaacac aggcctggtt catagtaggc acccaataaa tagtagtttt 143280
cttcctttgg gggcctccga ttcagtgtgc ttcttcaggt aagtcacttc cctggaactc 143340
ctccttggaa tgagagttgt actgttgtga tttttaacag ttccttcaag ccaagcattt 143400
tggaatcctt tcataaaggg agaaaggaag gaaagaagaa aggaaaatta aaggaaaaag 143460
aacaaataaa acgttaaaaa ggaggaaagg aaaaaggatc ctttactaca ataaaactaa 143520
tcttatgttc ttgcaagtag cactttaagt aaaagaagtt ctttgctgac ctggttacta 143580
ctgaacctac tacataaaat agcctactat aatagatgca tttatgtgcc taatcttcac 143640
tttttaggct tagtaaaggg agaggaaagc tgatgtatag ttaaatttat gtttttagtt 143700
gttttttttt ctactctcaa atatcaatca ctctttagtt tctctttctt tttccgacca 143760
caagcattct tcctctgctt aaagaagctt ccctaaaatc ccagtctatc cagtaagcca 143820
aagcacagca ataaatttga ggaaaaaata ccagggactt agagacagaa aggagtgagg 143880
ggatgcagaa gctgaagctg gagcacggtt gcaagcatga gaagttctgc gtgtttcaga 143940
gcagccaagg atgtattttt gcctattcct gctggtgact ctgtgtgtct atgcatccat 144000
ctgctatatt tacatgttta gtcagtcaat ccacgtttgc tgagagcctg ctgtgtgcca 144060
ggattgtgct agcgtaaagg agcaaagtat tgagcaaaat atgtttgagc agctgtaatt 144120
ctgaggatct ctaggtctga gcatgtgtat gtgtgtgcgc ttctatgtat ctgtgacaac 144180
tccaggtgtt catgacagtg atctttgtta ctctgttggc ttcatcgaac ttccttttac 144240
ttgctgtgat tcactacata gagtgggctt tatctctgat ttttataacc tgcaagactg 144300
ggggtatgat caccagcaat ctaaaaacag ttagaaatcc catggagtta tcttttgtag 144360
aaattttcct ctactaatat tatgaaaaat aagcatctta ttagctcgag tgtaattcta 144420
tgcatgatta caggtatcaa taggaagaaa cattgactga gttcaaatct cttctacgcc 144480
atgctaaagg ggtgacaagt tccacaatgg atcattttct catgggcatt tctgacttt 144540
ggtaaaagta gagcacctta ttttaaaaac cattgagtag tcctaatagt ggagatatca 144600
tcaggatctg aattgttcat ccctaaaaaa aacaccaatg gaaatcaaac aatatagtgc 144660
caaattaaac tgtttgaata tttaggttct gtatgatcaa attgtttggt gccatactct 144720
gtccacttt ttcatgtggt aggatataat ttcatatctt ttctgttcta gaaatacccg 144780
aagaaagaga ctctggaaac tcattatcag gtctatcaac tcttgtattt gttctcccag 144840
ggaaacagaa gtacctgtgc gccagcagaa atgattgcac tattgataaa ttccgaagga 144900
aaaattgtcc atcttgtcgt cttcggaaat gttatgaagc agggatgact ctgggaggta 144960
agatactttt ctttctcttc ctcctccttc ctctctcccc cttctccctc attttctagt 145020
ctctctttag accagatttt cttctttgat gcttccaagg ggaccagcca tgctctagac 145080
acaggctgac cctttcatag gcaacgtggc catcagccag ctggtgcctt ttttttaatc 145140
cttatctata ccaatcccca ttccggggct cagcattaga gcaggcggtg tgaagcaggg 145200
atcaggagcc aacagaaggt gagtgaggat gcatctgact gggcagggcc cccaggggac 145260
ttaatgatac tggcctgatg ttgttcagtg gtagctagga tgagagaact aagaaatcca 145320
gaacagtcag aggtgcagga tgacccaggc ataggcgcag gatgacccag gcacaggctg 145380

20262013390 25 Feb 2026

atcctgaaca cctgggaata tcccttagct aactgctgcc tatgttgtag ggccagccac 145440
ctcgaatgag aagctacttc tctttggagc ctgtgactag gctgccacac agagccaatt 145500
tcctatccta tctctcccaa agatgagcag gtgttttaat aatttccttt tctttgcaaa 145560
gctattgacc atttccaaaa gcatttttt tcagtagcac agtaacgtga tagatggaag 145620
atacagctct ttcaagggcg ttcctctatc ataaggctct ctgtcccaca aacctgtcta 145680
ccatgagtgt tgtcaccatt ccagaaaggc ttgacatcag ttgattgaga cttatatttt 145740
ccctctccaa actcccccat ctcttcatgt ttacatctgc ccaatgccag ggtcctcgct 145800
gctgcctgct acttccaaaa agatgtgtct ttcatgagaa aaacaagatc attaatccac 145860
ttcgatttgg aaatggaatt tgaagaaagg caagcctatt tctgagtgcc tgcaactgta 145920
gcctcatacc caattattca ttattagcct ggaaaaccca agtgcctaga atccaaccct 145980
ctccctctc ctcttaagtc taatttagac cagttgtcta tctctggctt tctgtgaggt 146040
gttcaatacc ttgtctgcct atgtgcacat ttatagacaa caactagttc tcttatcctg 146100
gagcagggcc atgtgtggat cttcatatag ataactatat cctccccatc ctcacagggc 146160
agtagtatta tttaaacaga acaaagtacc tcacatgaat tgacccaggc tggatgagag 146220
acaatttcaa aagaatcatc tcaagtagcg tccagtactc ccaaacatca caggtagatg 146280
ttctgtgagt ggctttccaa gcatccacat caaatgagac tcagatatct gagaaaactc 146340
aaccttgttt tggtttgctt ggtgcacccc aaagaaatcc aacaattgag gtctacagtg 146400
gagaagaagt aggactgggg tcagggagta cagaggcaaa ggcaggaagg gtgacaaagt 146460
gattgacaag aaaaaatgtt ctccatatga atgttgcagc cccatgttga gggttcttat 146520
acactcaact gtcaattatt tagccttctg tgaattatgt atagtataaa agatagggac 146580
tctcaagtag ggaacctctt ggcttgccat ctggcaatat gaattgcaag tccactttga 146640
tgcaggtaaa gtttaatggt aacaaaagtc ctcataacat ttggatgcaa atcttaacat 146700
taattccatg tctcagccaa cattctccat tattaagcag cctgtgatgt gattacagtg 146760
aaccactttt gaaaaggagc ctgtgtataa cagatagttt cactatacta tataaccgtc 146820
agatgcaggc ttgtaaatta atttgttggt gacaatgttt cagtacattt tcaaattgat 146880
tcattggtat agtactcaaa tttgagtggg cttggtgaac acaatgaaga caagctgaga 146940
agtgctgtga ctggccttca tttcagttgc aggcccatga tattttgagt gtcttccatg 147000
tacaaggcac catgctaggc attagagctt gaggctggca aacttcagga agtgttcaca 147060
agataccagg attcttgatg ttgtgtaaat ggccttgcct ttagagtcag gcagatctag 147120
tttaaaggct cagctccttt atttactgtg tgcccctctg agcctcaatt tcctcatctc 147180
tgatttagaa ataccatcct catagagtta taatgagtat cagatgacat gatgaatgtg 147240
aacatccttg ataaatagca aaatgctaga caaatatggg ggcttaatat gacattgagg 147300
tcactagtaa tttagctgga aagtctgtaa cacagcactt cccgatggct tttaccctaa 147360
gtaacttggt atgccatata atatgtaaca gcaccaacag gcagagaatc gccagaaaac 147420
actcttgatt acctcaaacg aaaaagtacc accaggatcc tgttcagaag ctaattttag 147480
taattaaggg aatcatatgc tatgttcaaa taccatgcca gtaaaaaccc aattgtttac 147540
cttcttaaat cactgcttga agagcaaatc tttccatttt gctgaatgaa cttatctcca 147600
cgttccctgc cctactgaca caacccccctc ccaagtttat tgttaactta cacattcaat 147660
gcacagcaca cctttactca aacaatggaa aagaaagaaa gtgtcaattc aaagtggccc 147720
ttgtctattc cttaaggagt agacttccat tttcatcaga tttggattta gcatagacat 147780
attgattacc ttgaagaaga attcatataa ttttatcttc tgattcccat cactcaaatc 147840
aaaattacat aatatattcc aaaatggcaa ctaggaatgt ggccttgggc aagtcccttc 147900
tctcctctga tgcttggttt tcccatcata gaactggaat tgtggcttca ccgaggacct 147960
ttctggtgct aacattttgt gattctatgt aaaaagccac acagaaagga ttgtttttca 148020
gccctttctt agattgtctg ttccctgctc ccagaagtat agatagtgag acttgagtgc 148080
tttgatacat cgtaattgta tctacctcca ttcacaccta cttaagatat ctgtctaaaa 148140
gtagactaga cagattattc agagagtgga gggcagaagg gctgtctctg tatcttaaag 148200
aagctggcac tcttcagctg atggctgctt ggtcttgagg cctcaagatc tttaatctgg 148260
ctttctctat agtgtttcat tcactgtttg gtgatggaat ctcttcagtt cagagatact 148320
taatagatat agctttttct ttcctgcttc caggcctacc tacctgtttc ttgctttttt 148380
ttctagcagc tgttgttgtt tctgaaagaa tcttgagggt gtttggagtc tcagaatggc 148440
ttccttaaag actaccttca gactctcagc tgctcatcca caacagagat cagcctttct 148500
ttgtagatga ttcattcctg gctgcatttg aaaaccacat attgttaatt gcttgacgaa 148560
tttaaatccc ttgactactt ttcatttcag aaaacactta caaaaaaagt ccaaatgagg 148620
accttccctc cagtgaatta gctgtggctt tctcacagtc catagttagg ataaatgtaa 148680
agccatttct cattttttctc cgcactttcc aagggtacac tccttgtttc caagatggaa 148740
tgagaaataa agaagtgccc ttcctgccat cttctcccct gacccttttcc tccttcccac 148800
tttcctccta ttcctcccca aacatgattt atttctgcgt tttgcaactc ttgagttctc 148860
agcatttagt aaatggtgtt ggtccctgtt gattccttcc tctcctggac catggaaggt 148920
agtaggcctt tcagaaattt caggtagcag ccaaacccca gaagaagaga aggaacacag 148980
agacctagac catgtgagaa cctgaggtgt gcagcattta cttcacagat tcgtctagca 149040
tatttgagag gtgtctttcc tactaggaga ctgaactctg catctgagaa taaaaactta 149100
acatatctac aggttttgac aacctctgtg aattatctag ttgagaggat ggctcaagga 149160
gcctattgcc atggtctgat gtcgttatgg acgctatgaa catccttgca gtttccattg 149220
ttgaagacag ccctgatgcc agctgtctca tcattcccca tgttcaagag catcccagca 149280
ttgctacctc aggatcccat gtcctgaatg caacagagtg atttcgctgc tgaattacta 149340
ttcatggcat ggctcttcac agcatttatt catccatgta tctatccatt catccttcca 149400
gccagccaag aagttcacgc tttcatcttt tcatccattt actcacctat ttattcattt 149460
agcaaatatt tattgagtac caactatgtg ccagacactc tgctaggcat tttggggaag 149520
cagaactgaa taagatacta ttccttttcct caaaaatttg agcaagagga gaaaggaagt 149580
aatgaggaat attccttagc ataaaggaa aaataagaaa tcacttggaa gaagttaggt 149640
gagatggaag gaaaaggaca tctaaggtaa agcgtacagt ttgaataaag gcacagagac 149700
atgaacaaaa tgcattgagg gtttgaggaa cagcaattgg tttaacatgg ccagagctgg 149760
ggaaatggta agggcaagct gaaaccacat tgaaagcaaa cttggttatt atactaggta 149820
gtttagactt caagcagttg aaaatctttg agcatgggat aggcatgatg acattgtgtt 149880
tatttgcatg tttctttaaa gaaaactggc agcagcacaa atgttttgtt gatgagggtt 149940

20262013390 25 Feb 2026

taaattgtag aaagtgagac aattttagga aggccagcta gagagaaatt tctagcatca 150000
aattttgcta aacacctagg atttgtagtt acctccattt gggttgttac ctgcaagtac 150060
tgaccacgta tatgaagaag tactggttta gaccaaggca attggcttgt ataagaggcc 150120
taccctcata ccaaaagcca gtttccttgg tctaggccag tgtttactgg tatgtgtcct 150180
gagaaaacta gttccatgac atgttccatg aaaaatatga tttctattgt caaataagtg 150240
agggaaactt gcatatcatg gtcctgctca ggaagattta caatccttat tagcatatca 150300
caggtcctgg tgaatactgc ggtaaagtaa ccgaggagct ttgtaactca ggattcccga 150360
agttgattca accacaggac ctcatttatt cacataacac ctgttatcct acaaaaccac 150420
tgttctctgg aatacacttt cgaaaacatg ggtatagaca aaaactctat cctataggca 150480
gagaatacct atacctctag ctcaggtcat cattttgcag atgtgtgtgt cattaagaat 150540
cagtcaataa tgcattaatg atcaaaagca gaccatcctt accacatggt gcataagatt 150600
atgctattat gctattagct actaatgcca ctaaagttaa ttatgttggg tctgcaacgt 150660
tgtcatacac aaaggatagg atgcaaaact gtcctaggcc aaagcatggt tattgcccaa 150720
gttatctaat gtctgcaggt acatattcct ggcctaagga ttgtgctaaa gaagttattt 150780
ctaagaaata tagtgacttc cagcatcatg cagaatgacc atttaatatt ttgaatatct 150840
agacattctg ctgtagaatt taatagtcct tttatacact gtctgaccaa cattttgaca 150900
tttactcaga accccatcac agtgctacca cataacctca ttgctaaagt gggaggccta 150960
gaaatcacag atttgtagaa accatccaat gattgaatcc cctctacttc ctgttcagca 151020
ggcagcagag tgtcataaag aattaacaac gtggaactca gttactggga tttcttccat 151080
tctcctttga ttctctagac tagaattcca aagaccctca ggctggtgat gcaagtggga 151140
agtctcattt ctgagaagtg ctgcttccta cccacaattc tttgatagct gagtgcttta 151200
gctgatctgc ataactgagg tgtgcaccaa ggagcagaat tactctataa attttggcat 151260
caacatgtgc aacttgtgac tcagcacttt gaaactctgg ggatttttt gtttggttgg 151320
tttttgtttt aagatgtcct gtggtatagt ggaaatagta caatagactc agatacagag 151380
aggccttgtt tctagtcttg gttctgtcac ttactatctt gatgtccttg cacaaatcac 151440
cagacctctc tgagcctcag tttctccaac cacactgtgg gaataataaa atctttttta 151500
cggcattgtt gtaagtatgt agagaaactg gtacacagta ggcacacaat caatgtcacc 151560
gtaccttca gcccttcttt tgtggatgaa aaatggtctt tgtgctccca gtcaccactg 151620
gggtctgttc tctctctctc tgctgttaca gtgtggcttt tggttcttgt ttctttgttc 151680
tttggtctgt aaattaccct tgaaacaacc cttgaaattt ccactccatg acctaaatcg 151740
tcatccctaa attggttaca tacatatttg gtgacacttt ggaggggaaa agctttatgt 151800
ctctctaact gtagttctta agggaatttg catatggaaa aaacagagac tgcgtctctt 151860
aattcctcca aaccaaatta tctgggatag cacatatatg ttgtactctg tctctgagca 151920
tttgctctta gagaactatg gttagagcga agtaaatttt tctaatcata aaaattaatg 151980
ataccgcata tctgatactt gaatgagtac ctccttgtaa aatttatact taaatccttg 152040
agtttttaaa gtgtaatagc aatagaaaga ttttattgtt gtttactttt actgtgagtg 152100
ctccaaaatc cctcagttgc tcttgaaaga gcaagatgat gccataggca atattttcca 152160
aaggtagtag gcagaaaact gagtacacag cacacaatag gccatatata caaaagcaag 152220
tattttgcaa ataataataa ttcaggaaaa aagcttcact ttcgttggta acctgtttgt 152280
ttaaaaccat tttattattt attatttaaa aagagtgtca cttgttacag attgtgggat 152340
gtgttcctta agatcacaaa aatgtaaaat attttctttt tatactgaac acatgcatag 152400
acaacttacc tgagcaagct gcttttgga gacatttgca catcttttgg gatcacgttg 152460
ttaagaagta gaactaaggg aaaaacacgc agccacccag aaatcggtag agccttcagc 152520
tcatctgtta ttaatatttc tgtgacaaca gatatctagg aagtaaacag gaaattgcat 152580
cgctatcctg catcaccttt tttggaatca ggttccattc ttctcagtcc agttcaacct 152640
tgtgatactt tttagatctc aaccaaggca tagaaatata ttttcccttg cttaataccc 152700
catggaacca atgcccctgt ggttgaagta aaaattgatt gttgagggac atttcagccc 152760
tctagcagtc aacaattaaa aacatgtaag caccgagcac ctgcagaaaa cttggactgg 152820
catttggatc taagaagaaa atctgcatct tgaccaagat gaaaagtcac cagcccaagc 152880
ttgtgcagtg aagtgtcatg ttggccacaa tgaaactgaa agagactgat gactctcctc 152940
agggtggaaa atgaggcatg gaagctttga ttagtgagct gttaggcaca cagacattaa 153000
tttcaaagca ttctcatctc cagtctgagt aataatgctt atagtattat gcaattgttt 153060
ggctgctgca agaaattcag cagactccaa caagtagtct ttcttggtct ctgagtgact 153120
gtaacttaaa ttctacctcc cttctcttct cctacatctt ctcactcccc accccacccc 153180
cacatacaca caattcttgt ccactatgtt cagagagatg cacgcacaca tatatatgta 153240
tatatatagt atatttgtca ataaagcaga aaagaagaaa aaactccaag taaacaattt 153300
tccatttccc catctcactt ctgtcttaca agtggatagg aaaagaaaaa cccccagtaa 153360
aaaatggcaa ccgcccacct ccccaacttt acatgctgct tcctatgtta gaggatctgt 153420
cttaggcatc tgattatgga gcctgctaga tacaagcccg tatttagact gctacagtca 153480
acaatgtctc tctttcatac tagaaaaatt ccgggttggc aattgcaagc atctcaaaat 153540
gaccagaccc tgaagaaagg ctgacttgcc tcattcaaaa tgagggctct agagggctct 153600
agtggatagt ctggagaaac ctggcgtctg aggcttagga gcttaggttt ttgctcctca 153660
acacagactt tgacgttggg gttgggggct actctcttga ttgctgactc cctccagcgg 153720
gaccaatagt gttttcctac ctcacaggga tgttgtgagg acgggctgta gaagtaatag 153780
tggttaccat tcatgtagtt gtgagtatca tgattattgt ttcctgtaat gtggcttggc 153840
attggcaaag tgctttttga ttgttcttga tcacatatga tgggggccag gcactgactc 153900
aggcggatgc agtgaagctc tggctcagtc gcttgctttt cgtggtgtgc tgccaggaag 153960
aaactttgct gatgggactc aaggtgtcac cttggacaag aagcaactgt gtctgtctga 154020
ggttcctgtg gccatcttta tttgtgtatt aggcaattcg tatttccccc ttaggttcta 154080
gccttctgga tcccagccag tgacctagat cttagcctca ggccctgtca ctgagctgaa 154140
ggtagtagct gatccacaga agttcagtaa acaaggacca gatttctgct tctccaggag 154200
aagaagccag ccaacccctc tcttcaaaca cactgagaga ctacagtccg actttccctc 154260
ttacatctag ccttactgta gccacactcc ttgattgctc tctcacatca catgcttctc 154320
ttcatcagtt gtaagcctct cattcttctc ccaagccaga ctcaaatatt gtattgatgt 154380
caaagaagaa tcacttagag tttggaatat cttgttctct ctctgctcca tagcttccat 154440
attgacacca gtttctttct agtggagaag tggagtctgt gaagccaggg aaacacacat 154500

20262013390 25 Feb 2026

gtgagagtca gaaggactct ccctgacttg cctggggcct gtctttccca ccttctccag 154560
tctgtctaaa cacacacaca cacacacaca cacacacaca cacgctctct ctctctctcc 154620
ccccccaaca cacacacact ctctctctct ctcacacaca cacacataca cacacacttc 154680
tttctctttc ccctgactca gcaacattct ggagaaaagc caaggaagga cttcaggagg 154740
ggagtttccc ccttctcagg gcagaatttt aatctccaga ccaacaagaa gttccctaat 154800
gtggattgaa aggctaatga ggtttatttt taactacttt ctatttgttt gaatgttgca 154860
tatttctact agtgaaattt tcccttaata aagccattaa tacaccaatc gtattttctt 154920
atttacaaca gactgagaga attaatgctg ttaacattgg atctttttc ttttttttt 154980
ttccttttt ttctctctcg tttgctttcc aggtcatgct gacctgttca gcttggactg 155040
tttcacattt gtttttaatg tcagtttaaa tgtaattgta aaagcatgta tgctctaaaa 155100
tcatgtagtt actttttca gtggaaaagc ctggtattcg aaagcatttc caggctctgc 155160
aatttcatat gagcaggttt ttggtaaaat cttttgtccc tcactcaggg tggtatctgg 155220
acagtgagcc cctttcttct ggctcagtag tcagagagag gagacttgga gacagtttct 155280
gctggatcct gtgctttggc aaggatgtgc agcattgcat atcattctat cattaattat 155340
gtttactcct ccatgaacta aaaaccatta gactaaatag tccaacataa accttgaaag 155400
ataaaatttg atattctttt gcctggccat ttctctgacc cagaattggg gctgggaggg 155460
gattggagac ttgggggaaa gaatcaagga gccttcttgc ctgggggaat ttggcatgca 155520
cttattaatc ccatttggtt gcactcccta ctaatccctc actccatacc tgccaaggat 155580
tggctctgct ccctgcttct catccctgtc ctagttcttc ctcacctatc tccatttccc 155640
actactgatc cttctctcca gtaagatgct attcaacccg atgaaatata aagagtagca 155700
ccaccctgga agtcaggata ccttagtttt agctcctgct ctaccattat ctagctgtgt 155760
gacctggggc atgacttaac ctttgctctt cagtctgaac agtctttaag aattggtttg 155820
gaggaggaag gaagggatag acaagatcca aggcctttga actcttttt ggaaatgggt 155880
ccttttcttc aaacaaaatt tgatgcagag tcccaaattt acctacagaa taaaatactg 155940
ctgttcttgt ttgaaaggaa gtggggtgct tggagccaca tgctcaggcc cactttgccc 156000
cctctcagga accctcgaaa aaacttatag gacttatagg actgttgggg atctgccaag 156060
tctctcttat gttacatttc agtccttgtg aaactctata tgtttcatca gttcactttt 156120
tcagaaagtt cacctgcttg gggtaaaggt catgaagtgg agaatgtggg gctcagtaac 156180
tagcaatagt aaaaaacatc attgattggc ttgcagaatt tactctgttc taagcatctt 156240
acacacatac tcatccgaaa actcacaaca accttgtgag gtagatctgt tattatctta 156300
agattctgaa acctgccagc atgactctca atctttgact tgagaccagt tgcccaacat 156360
ggaaggttat acttttcaca gtttaccacc ataagcagtc tttcagagtg atttctagct 156420
agagatccat tcttagaaaa agtcagaacc tgcccattag catacactgt cacatggtgc 156480
agagtacctt cactgggttc atctcatttc ctcctaaaaa tagtcctatg cagtagtcca 156540
gtcatatcat caccattata tagatgagaa aaactgaggt gtaggagaaa tcaagagatc 156600
tgttcaaggt cacacattcc ataagactct gaataccacc atcaagaata ataaaccttt 156660
tatgtgaaaa gcattttaga acttcagtgt cattattgca ttctgcctcc tggagttcag 156720
tgcacttttt caccatgctt taatcttgga gtcctggtgg tacagaatct gccttctact 156780
ctcagacaac accacagtgt ctttatccct cataacaaac ttatgaatta agtaatgata 156840
ttatccccat tttacaaatt agttaactga gataccaaga ggctaagtct tgcccaaagt 156900
cacacagcta gtcagtgata gagccggagt tacaaatgag gcatcctgac tccagaatat 156960
ttgctcttaa ctactactct ttatacatat gtaaggaaac taaaagcaaa agagggaaag 157020
atgtccctga ggccccacag tgagctcccc tgactcacaa tccagtattc ctctgacctt 157080
ctaatcctaa agttatacag taaggtccct tgactctaat cctagtagat ggaaagatgg 157140
ctggcatgat ttaagccaga ggccacaaac tggcttcccc agagccagaa ttcacctgca 157200
gaattctgtt tgtccagcac agtgtttgtt tagaaaattg acgtagactg cccctaggca 157260
gggcatcaat cactgtcatt gtccccagcc ctccttattt atgtttgcca ggctttttta 157320
ctcatttatg tgtctgcctg acttgtgaag gtatttgagt ttatgacttt tagatttaag 157380
cattgcaata tataagcact gcacacatgc attcacaaaa gtatagccta gtctagcttc 157440
acaaagaatt tgtagcccta caccaaacac acctttatgt ttacttagtg tttagaatta 157500
gatttaagat cagaatttag tttcacaggc attcatgtgt ggaagaacct cagttattgt 157560
tttttgtttc atactgtctc acccttgctt tccctgctgt gtctggaccc ctgtcaatcc 157620
tgctttctgc cattcttcat gcctgagtta gggcccctgc aagccattca ctggttaatc 157680
tttaggaatg aatggagagt gaaaaccagt ttggagggtt cactgtgtcc caagcatcct 157740
ctcatttagt tctcataagt gtcctaagag acaggtagca gcacattcgt tttataaatg 157800
aggaaactaa atctcagaga agctgaacaa agacctcaaa gtcattaagg tagtaattaa 157860
cggagccggg atttgaacgc aagactgttg gactccagag cctattcttt tgccctacac 157920
cacagttcct tacaaggaag atgtattcat tttctattac tgcataacac attgccacaa 157980
atttagcagc ttcaaacatt tatcagctca ctgttttgta agtcagaagt ctggcacagc 158040
atggctagat tctcagttca gggtctctga aggatgaaac tgatgtgttt accaggatgc 158100
attctaatct gaagctcagg gttctcttcc aagctcatgt aattattgca ggattcagtt 158160
atttgtggtt gtaggactaa ggctccctct tcctttctgg ctaccagcca agggccattc 158220
tcagctcttg gaggctgccc tctttcctta tcatgtggac cccaacgcct tcaaagccaa 158280
caacagagac tcttccttgt gttgaatgtt tctcactcta cggatgtctt tcctggagga 158340
tcccagtccc gtaagggctc acctgatgag gtcaggtaca tcaagaatag ccacccttca 158400
aattcaactg aattagcacc ttcattacat ctacctagcc tttttacaac agcatctagg 158460
ttagtgcttg actgaatgac tggaaactaa ggtctcagaa tctcggggac cgtcttagaa 158520
gtcagcctac tacagatgtt gattcttttc atgtgtcaaa tttcatagtg agatagggag 158580
aacagaaaca tcacatcctt gaccttaggt aaagggattc aaacttccta agactttgga 158640
aacttcacgc cactttcacc ttttccttaa tcatggttga gaaggcctat atcttggagt 158700
ggccaggagt gagactggaa cagtacctaa aggttaagga cgctaaagaa gttacagatt 158760
ggttacatct gctcctccct aggaatgatc catggaacct gatttgaaat ttttttctct 158820
ggtgctatag atagctccca caggggtcta atgccccagg gctgaaaagt tagttcccca 158880
taggatccat ccaggcatga tatcaggcca ggtgttacaa tctcctaaag aggaggtatg 158940
gactggaaag ccccttgcca atggcccttt cttgtcactg ctctgaccca agactaacag 159000
ggcagagata gtgaactcac atactattaa aactatccac ttatacttcc ccctttctct 159060

20262013390 25 Feb 2026

ttgctttatc actccattta agtaaaccaa tgagtctctg ccttgacaca gtggcaagct 159120
gacctgtatc ttatatgaaa gaattagatt tgactctggg gctcaggtgc agagggcagg 159180
aggggcataa ggatggcctt catggaagaa aagaagtcct tggatactga gtaacagctg 159240
agactagcaa gcctcattgt ccaggattcc aagtcgtcta gcaacatcct ggtctctgct 159300
gcagacagaa cagaggatcc cccggcagaa tgaatggagt ctgatttcaa ttacgttcag 159360
tatagtcact ctctttaggc agagaagcca gaacacctgg tgcagctagg gccactgtgg 159420
tcacagggac aagcacacta cctgggtcct ggaggcaagt gggaatgcag tttttcttcc 159480
ttaagcagat gccatatagg cctggggagg aggatgtgag aataccagcc aagttctcat 159540
tggcactata cagagaaagg ggaattattt catcttgatg gattctcccc acagtctctg 159600
cacatattga tcttacttgt aatgagtttg cttaggttca cgagtcatca tcccagggag 159660
atctgagtca ttggtgggaa agtcgaggcg acagattata tctcactgat ctcactgtca 159720
ccaattgctc tgtgtgtccc tccacctttt gaaaaagtcc atggattcat ttgtgtgtaa 159780
ttcatttgga tttatttctt ctttatcaat agctttagtg gggtattgca aatgggaaag 159840
ttgccccaga gaacagtgta cattcacagc attattcagt agaactttct gagatgatga 159900
aaatcttcta tatcttatgt tgtacaatat aatacagcca ctaactacat gtagcttttg 159960
aacactggaa atgtggcagg tgagactgag ggattatatt tttaattttt taatgttgta 160020
attaatttaa ttttttaaaa tttttgcttt ctattttata gtttaataat taaactaaac 160080
ttacgtagcc cacatgtggc tagttggcta ctatactgga cagtacaagt ctagaaggat 160140
ctcagagaga cacatgctga gatacagcag gaataagtca aaaagagagc caatgtaaca 160200
tagggaattc tggattggga attagagccc tggctctaat ctcagctctg ccactaggtg 160260
accttgccct ctctggcttc agcctcccca tctttgactt gaaaggttaa actaactaac 160320
gtcgaaagtc ccaaaatggt ggctatggac tgaattcaat tttgggatac acaagtttca 160380
ggaatttttt aaaaatctat taatgccttc taggtgtgtg tatgcacgct tgcagacatg 160440
tgcccatgca caagcatggg aaggcagtaa ggcattcatt tcaattcacc agtgtactaa 160500
ccattcacac acacacacac acacacacac acacacacac atgcacacac accctactgt 160560
attgcctatg tagagcctga agatctttta atctgtcacc attggataag ataatttcta 160620
aggacccttc ctgttttgtc atgctgaaaa tctttaagcc actatagtgt cccaaatcta 160680
ttccagtttg ggcagatgac tggagtattc tcatagcctc ctgtctattc ccttctggat 160740
ttgatactag ttatgaagtt tggagtcaag ggtgaagaag ggaggcaggg atgatataac 160800
cccagcccca ctcctcaact ctgcttttga gttagaagta gggttcaggg cttcagattc 160860
cttggggagg cagtagagag aatatgggct ttataatcag aagatgaggt tcagatgatt 160920
gggttctcac ctttttata gctgtgttac ctcagtttat tcatttgtaa aatagggata 160980
agaaatatct ttaacctcct aagatcatgt ggaattaagt gatgtaatgt gatgaagcga 161040
ggcacgcaga aggccctgaa aaaattagta gttaccctta aggggactaa atggtctggc 161100
aactcccgag ctcaaagcta gaaaggtcca gtaatgggga agatggggtc tttctgtagg 161160
aactgtagca ggggagcaga tcctgtaggc caccagtctg tggagctgtg tccaagaact 161220
catgtttgca ataagcccac caaatgacaa gttattgtgg ggttcaggcc tctaactcaa 161280
gaagatggtc ttggcccaga tcataccttg cagcctgtgc ctttggtggg atgtgggtgt 161340
tggcagtggc tatgcatatc tccttattac tggctgtgcc aaagccccgc agaaatgatt 161400
gttggacaaa gtcatcttgc actcagggct ggttttccag gcttccttgt tattttcccc 161460
tgagttcttc tgtgttcctc ttgcaacacc aaccccacta ttttcctctt ccctacccta 161520
gttgttggtc caaacatgta atccattctt gcagtgattt attgggtgac accatgactg 161580
gagtttgcat tgaaggactt ctttttctaa ttagaactaa aagtcagttc caggctgggt 161640
gtggtggctc acgcctataa tcccagcact ttgggaggcc gagatgggag gattgcttaa 161700
ggccaggagt ttgagtccag cctggacaac atagtgagat cccatctcta caaaaaatgt 161760
taaccaggag tggtagtgta caactctggt cccagctact tgggagactg aggagggaga 161820
attgcttgag cccaggaagt tgaggctaca gtgagctttg atcgtgccac tgctctccag 161880
ctgggtgaca gaggaagatc ctccttcaaa aaataaataa aaactaaaaa aaaagtcagt 161940
tccaggttgt atctttttttc acaggggcca gacacagatg agagcaggtt ttgttgtatt 162000
tatccattta aattgagcaa taaaattctc tctttggttt ctacctttct tatttattat 162060
tattatgtta aagggattaa agtggttcat ggtctttctc agtgcaactg cttatgctag 162120
acctcagaat tatgaccttt tcaattattt atatttctgt ctatataaat actggaaaaa 162180
atagtacaaa gtaagcatcg gaatgcctaa ggacctctaa attgtgtgtg tgagcacatg 162240
gggaagatgg ttcttaaggt ttgagttttg gattattgtg gttgtcttaa ataatgttat 162300
ttctatcatt ctttccaatg actgtctcct agcatagttc ccatttttaca gactgatggc 162360
agaggcagaa agattctctc acttctttga tactattgag gacttcagcc tttcaccgct 162420
cttctcccct ttgctaaaaa agaaaaaaat caatatgtat gttacagtgc attttttaa 162480
atatttttta ttatacttta agttctaggg tacgtgtgca caacttgcag gtttgttaca 162540
tatgtataca tgtgccaagt tggtgtgctg cacccattaa ctccttattt acattaagta 162600
tatctcctaa tgctatccct ccacccttcc ccaaccccac aacaggcccc agtgtgtgat 162660
gttccccttc ctgtgtccag gtgttctcat tgttcaattc ccacctgtga gtgagaacat 162720
gcagtgtttg gctttttgtc cttgagatag tttgctgaga atgatggttt ccagcttcat 162780
ccatgtccct acaaaggaca tgaactcatc atttttatg gctgcatagt attccatggt 162840
gtatatatgc cacattttct taatccagtc tatcattgat ggacatttgg gttggttcca 162900
aggctttgct attgtgaata gtgccacaat aaacatatgt gtgcatgtac ctttagagca 162960
gcatgacata taatcctttg ggtatatacc caataatggg atggctgggt gcaatggtat 163020
ttctagttct agatccctga ggaatcacca cactgacttc cacaatggtt gaactagttt 163080
acagtcccac caacagtgta aaagtgttcc tatttctcca catcctttcc agcacctgtt 163140
gtttcctgac tttttaatga tcgccattct aactggtgtg agatggtatc tcattgtggt 163200
tttgatttgc atttctctga tggccagtga tgatgagcat tttttcatgt gtctgttggc 163260
tgcataaatg tctttttttg agaagtatct gttaatatcc tctgcccact ttttgatggg 163320
gttgtttgtt tttttcttgt aaatttgttt gagttctttg tagattctgg gtatttgccc 163380
tttgtcagat gagtagatgg aaaaaatttt ctcccattct gtaggttgcc tgttcactct 163440
gatggtagtt tcttttgctg tgtagaagct ctttagttta attagatccc atttgtcaat 163500
tttggctttt gttgccattg cttttggtgt tttagacatg aagtccttgc cggtgcctat 163560
gtcatgaatg gtattgccta ggttttcttc tagggtttta tggttttagg tctaacattt 163620

20262013390 25 Feb 2026

aagtcttgaa tccatcttga attaattttt ctataaggtg taaggaaggg atccagtttc 163680
agctttctac atatggctaa ccagttttca cagcaccatt tgttaaatag ggaatctttt 163740
cccaatttct tgtttttgtc aggtttgtca aagatcagat ggttgtagat acgcagcatt 163800
atttctgagg gctctgttct gttccattga tctatatctc tgttttggta ccagtatcat 163860
gctgttttgg ttactgtagc cttgtagtat agtttgaagt caggtagcgt gatacctcca 163920
gctttgttct tttggcttag gattgtcttg gcaatgcagg ctctttttg gttccatatg 163980
aactttaaag tagttttctc caattctgtg gagaaagtca ttgatagctt gatggggatg 164040
gcattgaatc tatgaattac cttgggcagt atggccattt tcacgatatt gattcttcct 164100
acccatgagc atggaatgtt cttccatttc tttgtatcct cttttatttc attgagcagt 164160
ggtttgtagt tctccttgaa gaggtccttc acgtcccttg taagttggat tcctaggtat 164220
tttattctct tagaagcagt tgtgaatggg agttcactca tgatttggct tctgtttgtg 164280
tgttattggt gtataagaat gcttgtgatt tttgcacatt gattttgtat cctgagactt 164340
tgctgaagtt gcttatcagc ttaaggagat tttgggctga gacaatgggg ttttctagat 164400
atacaatcat gtcatcggca aacagggaca atttgacttc ctcttttcct aattgaatac 164460
cctttatttc tttctgctgc ctgattgtcc tagccagaac ttccaacact atgttgaata 164520
ggaatggtga gagagggcat ccctgtcttg tgccagtttt caaagggagt gcttccagtt 164580
tttgcctatt cagtatgata ttggctgtgg gtttgtcata aatagctctt attattttga 164640
gatacgtccc atcaatacct aatttattga gagtttttag catgaagggc tgttgaattt 164700
tgtcaaaggc cttttctgca tctattgaga taatcatgtg gtttttgtct ttggttctgt 164760
ttgtatgctc aattacattt attgatttgc atatgtggaa ccagtcttgc atcccaggga 164820
tgaagcccac ttgatcatgg tggataagct ttttgatgtg ctgctggatt cagtttgcca 164880
gtattgtatt gaggtttttt gcatcgatat tcatcaggga tattggtgta aaattctctt 164940
tttttgttgt gtctctgcca ggctttggta tcaggatgat gctggcctca taaaatgagt 165000
tagggaggat tccctctttt tctagtgatt ggaatggttt cagaaggaat ggtaccagct 165060
cctccttgta cctctggtag aattcagctg tgaaatccat ctagtcctgg actttttttg 165120
gctggtaagc tattaattat tgcctcaatt tcagaacctg ttattggtct attaagagat 165180
tcaacttcct cctagtttag tcttgggagg gtgtatgtgt cgaggaattt atccatttct 165240
tctagatttt ctagtttatt tgcatagagg tatttatagt attctctgat ggtagtttgt 165300
atttctgtgg gatcggtggt gatctcccct ttatcatttt ttattgcatc tatttgattt 165360
ttctctcttt tcttctttat tagtcttgcc agcagtctat caattttgtt gatcttttca 165420
aaaaaccagc tcctggattc attgattttt tgaagggttt cccatgtctc tatctccttc 165480
agttcttctc tgatcttggt tatttcttgc cttctgctag cttttgaatg tgtttgctct 165540
tccttctcta gttcttttaa ttgtgatgtt agggtgtcaa ttttagatct ttcctgcttt 165600
ctcttgtggg aatttggtgc tataaatttc cctctacaca ctactttaaa tgtgtcccag 165660
agattctggt atgttgtgtc tttgttctca ttggtttcaa ggaacatctt tatttctgcc 165720
ttcatttcat tatgtaccca gtagtcattc aggagcaggt tgttcagttt ccatgtagta 165780
gagtggtttt gagtgagttt cttaatcctg agttccagtt tgattgcact gtggtctgag 165840
agacagtttg ttataatttc tgttctttta catttgctga ggagtgtttt acttccaact 165900
cagtggtcaa ttttggaata ggtgtggtgt ggtgctgaga agaatgtata ttctgttgat 165960
ttggggtgga gagttctgta taagtctatt aggtccactt ggtacagagc tgagttcaat 166020
tcctggatat cctttgtgtc ttgttgatct gtctaatgtt gacagtgggg tgttaaagtc 166080
tcccttgatt attgtgtggg agtctaagtc tctttgtagg tctctaagta atcactttat 166140
gaatctggtt gttcctgtat tggtgcatat atatttagga tagttagttc ttcttgttga 166200
actgatccct ttaccattat gtaatggcct tctttgtctc ttttgatctt tgttggttta 166260
aagtctgttt tatcagagac tagcattgca atccctgcct cttttggttt tccatttgct 166320
tggtagatct tcctccatcc ctttgttttg agcctatatg tgtctctgca catgagatgg 166380
gtttcctgaa tacagcacac tgatgggtct tgactcttta tccaatttgc cagtctgtgt 166440
cttttaattg gagcatttag gttaatattt acgtttaagg ttaatattgt tatatgtgaa 166500
tttgatcctg tcattgtgat gttagctggt tcttttgctc gttggttgat gcagtttctt 166560
cctagcctcg atggtcttta caatttggca tgtttttgca gtggctggta ccggttgttc 166620
ctttccatgt ttagtgcttc cttcaggagc tcctgtagtg caggcctggt ggtgacaaaa 166680
tctctcagca tttgcttgtt tttaaagtat tttatttctc cttcacttat gaagcttagt 166740
ttggctggat atgaaattct gggttgaaaa ttcttttctt taagaatgat gaatattggc 166800
ccccactctc ttctggcttg tagagtttct gccaagaaat ccactgttag tctgatggct 166860
tccctttgtg ggtaacccga cctttctctc tggctgccct taacattgta tccttcattt 166920
caactttggc gaatctgata attatgtgtc ttggagttgc tcttctcgag gagtatcttt 166980
gtggcgttct ctgtatttcc tgaatgtgaa tgttggcctg tcttgctagg ttgggtaagt 167040
tctcctgggg aatatcctgc agagtgtttt ccaacttggt tccattctcc ctgtcacttt 167100
caggtacacc aatcagatgt agatttggtc ttttcacata gtcccatatt tcttggaggc 167160
tttgttcgtt tctttttact ctttttttct ctaaacttct cttctcgctt catttcattc 167220
atttgatctt caatcactga tacccttttt tccagttgat cgaatcagct actgaagctt 167280
gtgcattcgt catatagttc tcgtgccatg gttttcagct ccatcaggtc atttaaggcc 167340
gtctctacat tgattattct agttagccat tcgtctaatc ttttttcaag gtttttaact 167400
tctttgcgat gggttcaaac ttcctccttt agcttggaga aatttggtca tctgaagcct 167460
tctctcaact catcaaagtc attctccgtc caggtttgtt ctgttgctgg tgaggagctg 167520
tgttcctttg gaggagaaga ggggctctga tttttagaat gtttcagttt ttctgctctg 167580
ttttttcccc atctttgtgg ttttatctac ctttggtctt tgatgatggt gacatacaga 167640
tgggattttg gtgtggatgt cctttctgtt tgttagtttt ccttctaaca gtcaggaccc 167700
tcagctgcag gtctgttgga gtttgctgga ggtccactct agaccctgtt tgcctgggtg 167760
tcggcagcag aggctcagaa cagcgaatat tgctgaacag caaatgttgc tgcctactca 167820
ttcttctgga agtttcgtct cagaggggta cctagccatg tgaggtatca gtctgcccct 167880
actggtgggt gtctcccagt taggctactc gggggtcagg gagccacttg aggaggcagt 167940
ctgtccgttc tcagatctcc agctgtgtgc tgggagaacc actactctct tcaaagctgt 168000
cagacaggga catttaagtc tgcagaggtt tctgctgcct tttgttcggc tatgccctgc 168060
ccccagaggt ggagtctaca gaggcatgca ggcctccttg agttgcggta ggctccaccc 168120
agttcgagct tcccagctgc tttgtttacc tactcaagcc tcagcaatgg cgggtgcccc 168180

20262013390 25 Feb 2026

tcccccagcc tcactgctgc cttgcagttc gatttcagac tgctctgcta gcagtgagcg 168240
atgctccatg ggcgtgggac cctccgagcc aggtgtggga tataatctcc tggtgtgccg 168300
tttgctaaga ccattggaaa agtgcagtat tagggtggga gtgacccaat tttccaggtg 168360
ccatctgtca cagctttgct tggctaggaa agggaatttc ctgacccttt gcacttcccg 168420
ggtgaggcga tgcctctccc tgctttggct cacacttggt gcactgcacc cactgtcctg 168480
tacccactgt ccaacaagcc ccagtgagat gaacccggta cctcagtcgg aaatgcagaa 168540
atcactcatc ttctgcgtca ctcacgctgg gagctgtaga ctggagctgt tcctattcgg 168600
ccatcttatg aatcatgcat gttcaactat gagcaactat gtgtattcaa tgggaaatgg 168660
aataccataa aattgtcata tgttgagccc aaaatgatag gatagaattt gatagtctga 168720
ggatggaaag gaccttcaag gccactttta aaaaccccat tcccatatga tgcttgaatt 168780
cttaaccact gtgtgtctag tattttctca tttccagtga tatgtgtgcc tgccaacctt 168840
tccgtctcca agagctttaa ctatcaaaat gtatgtgtgt gtgtttttgt gtgtgcatgt 168900
gtgtgtgagt gtgcgtgtgt gtgtgtgtgt gtttagagag agagagagag acagaaagag 168960
aaggagagac taaaatccaa ttcactgttc tttctgggac ccaaagaaca agtctagtca 169020
ttctccattt ctagtctctt tccctagcaa tcggctagac atgctagaca tagacacatg 169080
tacatcactc ctttgaatta caacattcag tatttgtcta tcacttatat gataaaatac 169140
aaacttagct tttatttta ttttttaga gacagtgttt tactatgtca cccaggctag 169200
agcatcagtg gcacaatcat agcccactgc agcctggaac ccctgggctc aaggaatcct 169260
tccacctctg cctcctgagt agcagagact acagatgtgc accaccagac ccagctaatt 169320
tggtttttta ctatttttg tggagatggt gtattgtctt gtggtgttgc tcaggctgat 169380
cttgagctcc tggcctcaag cactcctccc atctcagcct cccaaaatgc tgggattaca 169440
ggcatgaacc accttaccca gccaaatttc ttaatatgat atacatgctc ctttaaaatc 169500
aagcaccatc tttgctttca acctcattat taaccacttt cccatatatg caacatatgt 169560
ttcagccata ctagtgtcta gtttttccct gaacactcct tggtgctttt gtttatgccc 169620
tttctgccca cctttgcctg gtgaaatcct catcaatctt caaattctat caaatactat 169680
cttccatata aagcattttc taaacccacc tatgtaaaaa gattagtgtt ttcctatttt 169740
gttgatgcct ccattgcagc attttccagt ccaacgtttt ctagaattga ttgtggccag 169800
gctaccagac tgggccaggg cctgtgtctt ttctgtcacc cagaagcaaa ggtctaacaa 169860
tggatatctg ctgaatgaat gaacgaaaat gaatcattaa tatattagta aatacgttaa 169920
ttaaagttcc aggtatgaat actgaaggct gcattcaggc agagctggat ccaaggatat 169980
gctaggttgg tctagcacaa gaatcagagt tttcctctgc aagctatgaa aaatttgggt 170040
ttagcaggta tttgggatga tgaattatac atttaaccag tgttgaatga gcacttgtcc 170100
ttaaggagtt tagagtctgt gaccagggag aatggtgatt ttcttagcta gggcagtttt 170160
tctaaaaagg tagttgcatt gtgtgttttt gaccactgat gataaattca agtctctctt 170220
ccttcccaat agcccggaag ctgaagaaac ttggtaatct gaaactacag gaggaaggag 170280
aggcttccag caccaccagc cccactgagg agacaaccca gaagctgaca gtgtcacaca 170340
ttgaaggcta tgaatgtcag cccatctttc tgaatgtcct ggaagccatt gagccaggtg 170400
tagtgtgtgc tggacacgac aacaaccagc ccgactcctt tgcagccttg ctctctagcc 170460
tcaatgaact gggagagaga cagcttgtac acgtggtcaa gtgggccaag gccttgcctg 170520
gtaaggaaaa gggaagtggg agcatgagat aaggggatc atatttagtg aacgctccta 170580
tggaccagcc accatgtctg gtgcttttct gcccattaac tcaggcagtc ttcatcataa 170640
ccctgtggga gagggattgt tacaagtctc aatttaaaca tacagggatc gaaactcaga 170700
aagcaaagag aaagatagta ttatcgggtg tcttatgtgg cccacattga tgcacagcag 170760
tcatgctttc atattcaact cacaaaaatg gtcagcaaat tttccattaa tcacaaatca 170820
catagacata cccatatatg ccttaggatg ctcttctata tttgcacaca caggctcacc 170880
ccaaagataa tctctagttt gactgacatt ctgtcttcaa tgtcatcttt aggagctata 170940
tcatgggaac tctcataata tggtatggtg gaaagaacat gaggttggga atcagaacac 171000
ttcgggtctg ctcttagctc tgctagtaac ttattgtgtg atcccttccc cttctgggtc 171060
tcaatttctc tatctgtata atgtataaag cgtggtttgt atcaaattga tggtttccag 171120
tttttgaaaa aaggaacgct ttttgcacct taaactacct aaggaatcat aatgagagga 171180
aagattaggt aatagtgaaa gaattaccaa gtgttggtct aacagaagtt ggataacaga 171240
agttcctcag tgatggggaa ctcacttctt tcttatgtca tctgttgttt aaacaagtct 171300
ggttattaaa atattacagc ttaaggaatt cttagagatc ctctatccaa tgattcacaa 171360
actttccttt agcagccaag tgctttattt ctcaaaagaa ttgtacacag atacaagtgg 171420
agctagttta tttaaagcca gagcctgtag cttgggcctc accagttcag cctctttctc 171480
tctatcccag ggaagcccta ggtcactctt gcaaaatctt agggctccaa ggaacacagt 171540
ttgaaaacca gtgaagtata tgccctttaa aggttctcct aatcctgcaa ttatgattca 171600
aagattcttt tgaaataaca acaaccaaac cttctcttgt ggagtcaaag attaacctgc 171660
ctttcaataa taactgccat tcaggtagaa atttatagtg aacagagcaa ttttgtatgt 171720
attacctgaa ttgattctta taggaatcct ataacatgag attctttctc ttattttaca 171780
gaccaaatag ggaagctgtg agaatgatgt gattggccta tagttacata gtcagaaaat 171840
agcaggacca gaacttgagc ccaggttctc tcctgattcc aaattctctc tattccactc 171900
cacctgtagg ctgtagcacc actgcagttc tgtagctctg ggctttacag tgaggggcca 171960
aggcttcatt gaaggccact tgggtcatag tatgggcttg ttgcatttga agacatttca 172020
tgttggctgt caagtcttag atttgtattt ccaactcaca gggcctggtc acagccctaa 172080
ccatctctta taccttctca gcttgggaag ctgaggtcga ctagccaata agaacactgg 172140
gaaggaaacc caaggactct gactggatat gctctgtgcc aaaacagagg gttcactcag 172200
agaggaaaaa tataaaaaag aaaaaggaga aggttgcttt aattcttatc acttttcat 172260
ctggatattt tgatatcatg tgtttgacag agattcaaag tttaatcttc ccaagcagtt 172320
tccaaacact tatctcattt tataggctac agagcttttt catatatatg atcccactta 172380
atctttacaa caattctatg aatcatagag actattattt ccatttcaca tgccaaggct 172440
caaagaggtt aactaacttg ctccatttgg tcacttaaca catggaacca gaacttgacc 172500
tagaccttcg ggtttctaaa ttggttatct tgacaataac ctagtgcaaa acactatagc 172560
agaatttgta tgacttggga tcactggggc tttccttggc ccaaccacca agatggaaag 172620
ccccctcccc ttacattaac aaatctgcaa gccaatatca gttcaccatc tagcttgcca 172680
gactaaatga tttctgaccc caagtctttt aaaagaatag cttcaaaaga aagccaatta 172740

20262013390 25 Feb 2026

ccacattcac aagaactgtt cttcatatta tctataatta cctacaagta caagtaattt 172800
gctaattcaa tagattgagt tcttgacctg taagatgaac tgtgctaggc ccctaataag 172860
ataaattttg ttttaagttt tctgtgacag taaagatgta tgaaaattgc ctagtagagt 172920
acctggcaca ttaataaatg ataactgtta atttggagtg ggtgagtaga ctgggtgtgc 172980
acagtatatt tagaatcaaa tttatctggt ttggaatcct agctatggac tagttctgtg 173040
accttgagca aatcacatgt cttctctgtg cttctgtgtc ctcatttgta agatgataga 173100
ataatcacta cctttcaaat tgttgtcaac aaaaagatta tgtataaaga gcacctagta 173160
acgtagcctg aaacatagtc aatgctctgt aaatggtggt ttattattat gagacttgaa 173220
tgctaagcca ctgctttcac gaaactcaat tttagctacc acttgccttg cctagaagct 173280
catgcatgga ccccaaggtg aaattgtgtt ctctgaagac ctcggctggc agatgtacta 173340
cagcagcaaa gatttccaaa ctggcctttc tttgagccca ttctcccaga ctagacagga 173400
gactacaagt ttctgctgca catgaaaaaa atatgatgtc aatcggattc tagtgagaaa 173460
acagagtctc aaagaaactg cttctgctcc ctagcgtgtt taatgtgttt cagaacctga 173520
gaatgactcc tctctgtttc tccagaacag cctaacacag tggcaaatgg gtgttgagtg 173580
aatgcatact taaggaaatc tgtagggttg cagctactct ttcctcaagt aatcccttga 173640
tagtcatgta ggctacttca gagattgggc attagagaac agagtcaggt attataatca 173700
gattagactc tagggaggtt agccagccat attgctgata tgtgcacagt tactgggttt 173760
gagtgctaag cagctctcat taaggacggt taattaatat tatggccaaa ttaagctttc 173820
ccttttctct cctctttgtt agttcggtgg cattttaggg agaaaaaaat aagcatcagt 173880
atggacaatt tgcttgatac ctgtacaatt taattctcat ccttccatgt gccttcacat 173940
tcacacattc caccagaaga ccaaggttca ccagccaaaa gcttttcttg ctccccactg 174000
cctcctaccc aagatattca gggtcaacct cccaggcctc ttctctaaga gatccttggt 174060
tgctacatgc ttagaccctg cttcttattt cctgctgaga agggtcagtc caaggcattc 174120
tgtgctacag aagggttcca agcaggaact actctgggat ctgaggctcc agccggtctg 174180
tcagcgtgtc attacagtga aggtgggaag cacaggcctg ggagctaaga ctgctaagat 174240
gagggactct agaatccctg atacctggaa ggcctaggat ctaaaagaaa agaacaggga 174300
aatggggcta tatgagtgga cagggaccaa ccaagcagaa caatgtgtct ggataatgta 174360
gacttcagac ctgatcctat ggctgacaaa agctggtgac cttggtagtt cctgagctgt 174420
aaccttcatt agtggagtag aaaaaacact ggagaagaga atcagaacac ctgggttcta 174480
gtattagttc agccacatat aaaccatatg accttgggta agtcagttta tttctctggc 174540
cctcatgttc cttgttggta aaataagtgc cacatcacct aacctctggg attattgtga 174600
gagttaaatt aggtcatcaa caggaaagtg agaagtttga tctaaatttg gggaagcatt 174660
cctaatgagg tatgatgaca aaatttcaga taattctgga tttgttggtg agaagagaga 174720
gtgttggtag ggacgagctc tgaggtgatg cctttataac tttaagcatc caactgtttc 174780
aaaaactcca ggagaacatg gccatgtctg ttctacctgt gtattattgt agacgtagct 174840
tctgggagcc tctgctctct gagcttaagg gaggtaattt ggagatcatt taattctcat 174900
tttacaaaag gaaaaaaaat tgagggtctt taggccattt gtttaggtaa tatttcttaa 174960
gtgcccactc aaatacgtgg actgtactaa gtactaggga ggtaaagata aataagaaga 175020
tatggtccct gtcttcaaga agctccaagt cttgtggggg agacagacat gtatatacat 175080
agacttcaat gctgtgtaat gactgctata attgggtgag gctacacaag gtgcaatgag 175140
aatgtaaaag aagaatcttt aagccttctt cttggatgag ttgggaaagc cttcacagaa 175200
gaggtagcct ttgagtgaag acttgaaaga tgagtagtgt ttaccggatg aaaggcctga 175260
gaaggaggaa tgcattctag gcaaaagtaa ctgcctgtgc agagataaca gagatataga 175320
ggcatgtgag agcgcaagtg gcaagagatc agtctaggta ggcaggtcat aaagggccta 175380
ttcatgtata atgatggcag taagatgagg atggcagtag ggtgggaaat tagtagggcc 175440
agggtaccta ttgagtagaa aagaatggag aggaaatgcc aggcagaaag aggatggacg 175500
caagagaggg aacatgaaag tggtgaacag gtggcagtgg ctgtcaagac atctctccat 175560
accctgtaca ctgtatgtaa tatccatctc ccagggttgt tagaagggtc aaaccagatc 175620
gtagctggaa aacagctttg tgaagtgaaa actgctgttt atgtgggggа aatgattgtt 175680
aaactgcatc tttggaaagg tgaagtgatc aagagcacag accttggaat ctgactgctt 175740
tgctttgtaa cttggtctgc caattactag ctgtatgatc ttggacaagt tccttaacct 175800
ctctctgact cacttgtact ggttcacaga atggagataa taatagtact taccttactc 175860
attgttgtga atgttaaatg agataatata agtaaagtgc ttagaaaaga gttaaatgta 175920
ccccataaat acatacaact atcatgtacc caaaattatt tttaattttt ttaaaaaaga 175980
gcaatccaat agcaaaagaa aaaaagagtt cactcatata agcagtcaat aagtgttaga 176040
ttatttttct cttacaactg acaatgccct ttttgtctcc atcatcatct catttgagca 176100
gctcagggaa gtagggagga taaggaatat tatcctcacc atatagtttg tgcttttccc 176160
caccacccct taatggccag cctggatggt ccctggggat ccttagggga tgcccgaata 176220
ccagagcatc tctgcccaac agggactcag acttagctca acccgtcagt acccagactg 176280
accactgcct ctgcctcttc ttctccaggc ttccgcaact tacacgtgga cgaccagatg 176340
gctgtcattc agtactcctg gatggggctc atggtgtttg ccatgggctg gcgatccttc 176400
accaatgtca actccaggat gctctacttc gcccctgatc tggttttcaa tgagtaagtg 176460
ctcctggggc ccagacctca ctaaaataca gcagcttggc cagacctggt tggtggtgat 176520
ggtgatgggg tgacagtgaa gcttagctca tttgatctgc agttgtcgca gcggatgccc 176580
cagccagcca atccagtatg aggcggcttt gccctggctt tcagccaact ggcaggagcc 176640
caggaggatg gtgctgagac cacccctttc acacccaaga accaatccta gtcatatttc 176700
tggtctgctt tgcagcttat ctcaaaacca catggaaaga ttcctcccct tcacatataa 176760
aagaggcaga aagactctgg ctttaagggc tggagtttct tgggttcttt tgctaccacc 176820
aaaggctact tctagtcacc atttgctgag caactagttt gtgccaagac tatgctagat 176880
actttctaaa tcctagctca ttgagtcctc atggtgacct gacctcacct ttttatagat 176940
aacactattt ttttatggat ggggaaaatc aggctcagca aaataaagtg actcacccaa 177000
agtcacagag ctagtgcctg ttggagacaa gattcaaacg tatgtccctg tcgatctcag 177060
ctcttctgcg tcatggtggt aactgatggg aaggagtacc tctaccgctc tctggctgtg 177120
tgaccttggt actgccattt tccttccctt aaacagcttt aattaatacc tgccctgcca 177180
ccagctccat ataacatcat gaatttggcc agtggctcag attttggaat tacatttttc 177240
tccactaaaa tctcagttct actattttct tagtcagcat ctttgggaaa gacctttaac 177300

20262013390 25 Feb 2026

ttttccgacc ctcaatttct tcatccatta atgataacag aaccttcata agtaatttct 177360
tatgataact aaatgggaat tgacagatgt ggaatgtctg gcccatagta ggcaagaagg 177420
aaaaaaaaag tccctttctg attcaccctt tccctaatag tgatacattt tttttccccg 177480
agatggggtt ttgctctgcc acccaggctg gagggcagtg gcgcaatgat ctcagcccag 177540
tgcaacctcc acctccctgg ttcaagcaat tctcctgcct cagcttcccg agtagctggg 177600
attatagatg cccgccaccg tgtccatcta atttttgtat ttttggtaga gacgggattt 177660
caccatgtta gccaggctgg tctcaaactc ctgacctcat gatctgcccg cctcagccgg 177720
gcatgataat cttttctatg tctgctgtat gaggtccctc gatggcattg tgaatggagc 177780
tggccagaga aatcttccca aggaccttga gctagtctca ccacagagaa tccttccagt 177840
caggacagga attgaccttc ccccctcttc agccctctaa cccagaagag tcttaaaata 177900
aaatctacag gccaatggtt ccttccagta cagcactgca atgcgaggga gagtgagcgt 177960
ccccagctgc cctctcccaa ccctgccagc ctggtagcca aaagctaaga ataaccacta 178020
ggcttttggc acaaactgct ttgtggtttt cagatctccg caaagttgcc tatgatgcca 178080
tcttctgggg caggccttga aaagcccccc aactgttcat ctcccatcct taaacccctg 178140
ctgcccttaa gcagttgaat caactccatg agcacctgct ctaccttccc cagagccctg 178200
agacctttgg agctttgaaa agtgataatt ggttgttctc taaatcctca tttccttctc 178260
tgcctctaag taagcatgtg gcatcccacc tcggcttcct ggtccagtct tgttcatctt 178320
ataaaaaggc ctccctacgg ggtcagaggc ctagacccat caaacccagg gctcctgaaa 178380
caataggacc cctattcctc ctgtaggaag ccactgtgtt agagctctca gggtgtctac 178440
aaacatctag ataagtgttt ctcaacatgg attctgttga catattggga aaaataattt 178500
tgtcattatg tagaatatgg ttaacatacc tggcaccagc ctactctata ccaaatagga 178560
ttccagtcat tctgacagcc caaactgctc ccacacattt ctgacaccca ctgaagaggc 178620
agtactctcc agttgagtgc aactaatccc tgccagcctt cctaaggtgc taatggggag 178680
cctcagaccc aaagagagag agaagaactt gtccaatgta ggtcaaccca tttgctgatc 178740
tcttcaacac caagctctat tatcagccct gttttttttct ttctttctct ctttgtagag 178800
atcacatgtt gtgaggataa tgagcttgaa ccttagctgt gtgaccttgg gcaaattact 178860
gaacttctat gtgccgcaaa ttttatctgg agactgctga agagtattat aatagcacct 178920
ttctatatgt catttattga acacctgcta tgtgtcaggc actgtgctca gtgttttcca 178980
atcttcattt ctcctcttat tttctctctt gcactcccac caaccttgtt ctcttcctaa 179040
attccattcc tgcctcattt ttctaccctc cattctcctc tctcttcctt cctttaactg 179100
tctccctagt atttttcccc ttttccccct ttcttttccc cttcccccat gaatttcttc 179160
tctttccttt ccccttctct ttcctccatt ccccactttt tctgcccctg aggcctgcag 179220
caatgttaaa ggaatcctca ttccagcatt gtgatttcaa tggtaaaaag attgcagcat 179280
tgtcatcaac agaggtggga aagtacattg gagactggag cagagccaga cctcagggtc 179340
agccaatctt actaaaaaat tctctacagt gaaagagctt ggagcaacac tgttctgctc 179400
aattgatttg tgataccatc taaacacttc ctctttctag ttgggcttca gcctgagttg 179460
aataattcta caccatctgc cctcttctct ctttctccag gacagccaag atctctctga 179520
gataggatgc tgagcttcca cccagacaat accaggcctg ctcatcctat ggagtaggct 179580
agtggcttgg aaaccaaaat gtcaaaccat agcctttagg ctccatctgg gaggtctttg 179640
tcctcaccac ttaagtgggt gtcaaatttc cttccctttc tgcacacgct gcacaatcaa 179700
tttctgtctt acacacacac acacacacac acacacacac gatttttgaa gtgctgaaaa 179760
ctggaaggcc tactagcatg aggatgctgt gtcttctctt agaggtatgc catggtcagc 179820
catggaaccg agaggttgct cttccttgaa aagctggcca agcattggcc acttccccat 179880
ataatttata ggtgataatg tggtgatctg ttcagaagtg actataataa atgcaactca 179940
catatgtcta cagtttccaa actgtggtaa ggagcagcca gcatatgagg gaatgggctc 180000
cccttcagca ggggacattt aaactagaca ttcaaaaaca ctccctggca gatttaacat 180060
tggaactcgt tttgaaagaa caatgtggaa tctccttcac tgggagtttt tgaataagta 180120
tgaaatttct agtattccag gccagaggca aaggggtcaa caggatgacc aaacacttcg 180180
ggtcatttgc aaatcttgat gtcctgatgt taagagctga ctactggggc ttctcctaaa 180240
aatccttcat gttgagctgc ctggaaggca ggttctcatt ctggctgtag ctgagatgtt 180300
agaactgtag tcagggagac catgtgcctc ccccattgtg ttcatttggt taggctttcc 180360
tgtccctgac tcagaaaaca gaaggggcac agagacctgg aaattccatg tgctaaccca 180420
tatcctggcc agagaagatg agtagttatc agggtgtcag gattttggaa aacagagaga 180480
gaaaaaaaac aaacaaacag acaaacaaac aaaaaaacct tttcctggtc cctggagcac 180540
cagcaggaga aacagcaagc tcttcttgga aaacctggcg agggatggca atcagagaca 180600
ttccctctgg gcttattgta aacttcccct cattcctttt tcctctgtgt atctccttcc 180660
caggtaccgc atgcacaagt cccggatgta cagccagtgt gtccgaatga ggcacctctc 180720
tcaagagttt ggatggctcc aaatcacccc ccaggaattc ctgtgcatga aagcactgct 180780
actcttcagc attagtaagt gcctagaagt gcagggaatg ccccctgagg gcacagagat 180840
tcagagagga ccacttttgc cattaaaaca ttattaggga aaagccagct cctggacatt 180900
tcccttcttc attccccctc cccatcccca ctctactctc tctcagcatc attttcctaa 180960
caagaaacaa tttcatgact agaagccaat ttatttgcta gaagtcaacc tccatcagat 181020
tccccaccta tccccagtct gtctttggga caaggccttt ttgactggtt acagcaggtc 181080
tctgaatttt tccatagctt ctgctataga aacagacatg ggccaccttg tattctttgc 181140
agggcagtag agcaggaggc atttcctcct ggaaagattt cctcttctgc caacaggagg 181200
agatctatgt aagcaactca gataggattt gtatggcagc caaggaactt ttctttaata 181260
tcttttctaa gagccctctc ttagccccta cggagggaga agggcaaaat ttgatattca 181320
aagctatgtg ttttggttat ctaaatcagg gttttactgt gaatgacata aaagcttagg 181380
tcctaaaaaa tgagtatctg agaagagtag aaaaagaaaa ggttcaggaa atttgattta 181440
cttgactcct ttcagatcgg atccagctat cctttcccct gagatctccc tgacagactg 181500
aaggccccaa gcacacagac ttcaactaac aggaagccaa gtagatggtt ccctgtgggg 181560
gtgggggtca agtctgtggt cagaaaactt ggtgctttgt ctaatgctcc ttcgtgggca 181620
tgcttcccct ccccattctg tcttcatccc acatcagttc cagtggatgg gctgaaaaat 181680
caaaaattct ttgatgaact tcgaatgaac tacatcaagg aactcgatcg tatcattgca 181740
tgcaaaagaa aaaatcccac atcctgctca agacgcttct accagctcac caagctcctg 181800
gactccgtgc agcctgtaag caaacgatgg agggtgcttt atcagggaga acagcctgat 181860

20262013390 25 Feb 2026

agagccaatg ataatatgct tctctagagt ctggcaccac ctgttgggag gtgcttccat 181920
tcccctctgg ctttgagtgt ggtccaggaa gaaaatgtgg tgaagaaaag aacacgggtc 181980
acagtgtccc agctggatat tgtgaaaggg gtggaggagt tgagaacaga gcagttggga 182040
ctcagggaag ggacttgcag cagatgaatt ctctaggcag acaaaacaga cctggatgtt 182100
tttcccctct tctttgagtc atgttcatgt gagtttgtct gtctgtgtgt gtgtgtgtgt 182160
gtgtgtgtgt gtgtgtgtgt gtgtcagaga gagagagaga gagagagaga tggagtgcgg 182220
aggcttgggt gagagcacaa gctggagaag tcttgagtca gagagcttac aatggtataa 182280
gacatctctt gggagccctc agtgactcca tggagaccat ttctttctct ctctctcgct 182340
gtctctctct aacacacaca cacacacaca cgacctcatg ggggaggacc aaggaagtac 182400
ggggaagggg gaggaaacaa aaggctgaaa gaccaaaaat cagaggttgg ggaagaggct 182460
agcagaggcc acctccttgt caaccctgtt tttctccctc ttattgttcc ctacagattg 182520
cgagagagct gcatcagttc acttttgacc tgctaatcaa gtcacacatg gtgagcgtgg 182580
actttccgga aatgatggca gagatcatct ctgtgcaagt gcccaagatc ctttctggga 182640
aagtcaagcc catctatttc cacacccagt gaagcattgg aaaccctatt tccccacccc 182700
agctcatgcc ccctttcaga tgtcttctgc ctgttataac tctgcactac tcctctgcag 182760
tgccttgggg aatttcctct attgatgtac agtctgtcat gaacatgttc ctgaattcta 182820
tttgctgggc ttttttttttc tctttctctc ctttcttttt cttcttccct ccctatctaa 182880
ccctcccatg gcaccttcag actttgcttc ccattgtggc tcctatctgt gttttgaatg 182940
gtgttgtatg cctttaaatc tgtgatgatc ctcatatggc ccagtgtcaa gttgtgcttg 183000
tttacagcac tactctgtgc cagccacaca aacgtttact tatcttatgc cacgggaagt 183060
ttagagagct aagattatct ggggaaatca aaacaaaaac aagcaaacaa aaaaaaaaag 183120
caaaaacaaa acaaaaaata agccaaaaaa ccttgctagt gtttttcct caaaaataaa 183180
taaataaata aataaatacg tacatacata cacacataca tacaaacata tagaaatccc 183240
caaagaggcc aatagtgacg agaaggtgaa aattgcaggc ccatggggag ttactgattt 183300
tttcatctcc tccctccacg ggagacttta ttttctgcca atggctattg ccattagagg 183360
gcagagtgac cccagagctg agttgggcag gggggtggac agagaggaga ggacaaggag 183420
ggcaatggag catcagtacc tgcccacagc cttggtccct gggggctaga ctgctcaact 183480
gtggagcaat tcattatact gaaaatgtgc ttgttgttga aaatttgtct gcatgttaat 183540
gcctcacccc caaacccttt tctctctcac tctctgcctc caacttcaga ttgactttca 183600
atagtttttc taagaccttt gaactgaatg ttctcttcag ccaaaacttg gcgacttcca 183660
cagaaaagtc tgaccactga gaagaaggag agcagagatt taacccttta taaggcccca 183720
tttggatcca ggtctgcttt ctcatgtgtg agtcagggag gagctggagc cagaggagaa 183780
gaaaatgata gcttggctgt tctcctgctt aggacactga ctgaatagtt aaactctcac 183840
tgccactacc ttttccccac ctttaaaaga cctgaatgaa gttttctgcc aaactccgtg 183900
aagccacaag caccttatgt cctcccttca gtgttttgtg ggcctgaatt tcatcacact 183960
gcatttcagc catggtcatc aagcctgttt gcttcttttg ggcatgttca cagattctct 184020
gttaagagcc cccaccacca agaaggttag caggccaaca gctctgacat ctatctgtag 184080
atgccagtag tcacaaagat ttcttaccaa ctctcagatc gctggagccc ttagacaaac 184140
tggaaagaag gcatcaaagg gatcaggcaa gctgggcgtc ttgcccttgt cccccagaga 184200
tgataccctc ccagcaagtg gagaagttct cacttccttc tttagagcag ctaaaggggc 184260
tacccagatc agggttgaag agaaaactca attaccaggg tgggaagaat gaaggcacta 184320
gaaccagaaa ccctgcaaat gctcttcttg tcacccagca tatccacctg cagaagtcat 184380
gagaagagag aaggaacaaa gaggagactc tgactactga attaaaatct tcagcggcaa 184440
agcctaaagc cagatggaca ccatctggtg agtttactca tcatcctcct ctgctgctga 184500
ttctgggctc tgacattgcc catactcact cagattcccc acctttgttg ctgcctctta 184560
gtcagaggga ggccaaacca ttgagacttt ctacagaacc atggcttctt tcggaaaggt 184620
ctggttggtg tggctccaat actttgccac ccatgaactc agggtgtgcc ctgggacact 184680
ggttttatat agtcttttgg cacacctgtg ttctgttgac ttcgttcttc aagcccaagt 184740
gcaagggaaa atgtccacct actttctcat cttggcctct gcctccttac ttagctctta 184800
atctcatctg ttgaactcaa gaaatcaagg gccagtcatc aagctgccca ttttaattga 184860
ttcactctgt ttgttgagag gatagtttct gagtgacatg atatgatcca caagggtttc 184920
cttccctgat ttctgcattg atattaatag ccaaacgaac ttcaaaacag ctttaaataa 184980
caagggagag gggaacctaa gatgagtaat atgccaatcc aagactgctg gagaaaacta 185040
aagctgacag gttccctttt tggggtggga tagacatgtt ctggttttct ttattattac 185100
acaatctggc tcatgtacag gatcactttt agctgtttta aacagaaaaa aatatccacc 185160
actcttttca gttacactag gttacatttt aataggtcct ttacatctgt tttggaatga 185220
ttttcatctt ttgtgataca cagattgaat tatatcattt tcatatctct ccttgtaaat 185280
actagaagct ctcctttaca tttctctatc aaatttttca tctttatggg tttcccaatt 185340
gtgactcttg tcttcatgaa tatatgtttt tcatttgcaa aagccaaaaa tcagtgaaac 185400
agcagtgtaa ttaaaagcaa caactggatt actccaaatt tccaaatgac aaaactaggg 185460
aaaaatagcc tacacaagcc tttaggccta ctctttctgt gcttgggttt gagtgaacaa 185520
aggagatttt agcttggctc tgttctccca tggatgaaag gaggaggatt tttttttttct 185580
tttggccatt gatgttctag ccaatgtaat tgacagaagt ctcattttgc atgcgctctg 185640
ctctacaaac agagttggta tggttggtat actgtactca cctgtgaggg actggccact 185700
cagacccact tagctggtga gctagaagat gaggatcact cactggaaaa gtcacaagga 185760
ccatctccaa acaagttggc agtgctcgat gtggacgaag agtgaggaag agaaaaagaa 185820
ggagcaccag ggagaaggct ccgtctgtgc tgggcagcag acagctgcca ggatcacgaa 185880
ctctgtagtc aaagaaaaga gtcgtgtggc agtttcagct ctcgttcatt gggcagctcg 185940
cctaggccca gcctctgagc tgacatggga gttgttggat tctttgtttc atagcttttt 186000
ctatgccata ggcaatattg ttgttcttgg aaagtttatt attttttaa ctcccttact 186060
ctgagaaagg gatattttga aggactgtca tatatctttg aaaaaagaaa atctgtaata 186120
catatatttt tatgtatgtt cactggcact aaaaaatata gagagcttca ttctgtcctt 186180
tgggtagttg ctgaggtaat tgtccaggtt gaaaaataat gtgctgatgc tagagtccct 186240
ctctgtccat actctacttc taaatacata taggcataca tagcaagttt tatttgactt 186300
gtactttaag agaaaatatg tccaccatcc acatgatgca caaatgagct aacattgagc 186360
ttcaagtagc ttctaagtgt ttgtttcatt aggcacagca cagatgtggc ctttcccccc 186420

20262013390 25 Feb 2026

ttctctccct tgatatctgg cagggcataa aggcccaggc cacttcctct gccccttccc 186480
agccctgcac caaagctgca tttcaggaga ctctctccag acagcccagt aactacccga 186540
gcatggcccc tgcatagccc tggaaaaata agaggctgac tgtctacgaa ttatcttgtg 186600
ccagttgccc aggtgagagg gcactgggcc aagggagtgg ttttcatgtt tgacccacta 186660
caaggggtca tgggaatcag gaatgccaaa gcaccagatc aaatccaaaa cttaaagtca 186720
aaataagcca ttcagcatgt tcagtttctt ggaaaaggaa gtttctaccc ctgatgcctt 186780
tgtaggcaga tctgttctca ccattaatct ttttgaaaat cttttaaagc agtttttaaa 186840
aagagagatg aaagcatcac attatataac caaagattac attgtacctg ctaagatacc 186900
aaaattcata agggcagggg gggagcaagc attagtgcct ctttgataag ctgtccaaag 186960
acagactaaa ggactctgct ggtgactgac ttataagagc tttgtgggtt ttttttccc 187020
taataatata catgtttaga agaattgaaa ataatttcgg gaaaatggga ttatgggtcc 187080
ttcactaagt gattttataa gcagaactgg ctttccttt ctctagtagt tgctgagcaa 187140
attgttgaag ctccatcatt gcatggttgg aaatggagct gttcttagcc actgtgtttg 187200
ctagtgccca tgttagctta tctgaagatg tgaaaccctt gctgataagg gagcatttaa 187260
agtactagat tttgcactag agggacagca ggcagaaatc cttatttctg cccactttgg 187320
atggcacaaa aagttatctg cagttgaagg cagaaagttg aaatacattg taaatgaata 187380
tttgtatcca tgtttcaaaa ttgaaatata tatatatata tatatatata tatatatata 187440
tatatagtgt gtgtgtgtgt tctgatagct ttaactttct ctgcatcttt atatttggtt 187500
ccagatcaca cctgatgcca tgtacttgtg agagaggatg cagttttgtt ttggaagctc 187560
tctcagaaca aacaagacac ctggattgat cagttaacta aaagttttct cccctattgg 187620
gtttgaccca caggtcctgt gaaggagcag agggataaaa agagtagagg acatgataca 187680
ttgtacttta ctagttcaag acagatgaat gtggaaagca taaaaactca atggaactga 187740
ctgagattta ccacagggaa ggcccaaact tggggccaaa agcctaccca agtgattgac 187800
cagtggcccc ctaatgggac ctgagctgtt ggaagaagag aactgttcct tggtcttcac 187860
catccttgtg agagaagggc agtttcctgc attggaacct ggagcaagcg ctctatcttt 187920
cacacaaatt ccctcacctg agattgaggt gctcttgtta ctgggtgtct gtgtgctgta 187980
attctggttt tggatatgtt ctgtaaagat tttgacaaat gaaaatgtgt ttttctctgt 188040
taaaacttgt cagagtacta gaagttgtat ctctgtaggt gcaggtccat ttctgcccac 188100
aggtagggtg tttttctttg attaagagat tgacacttct gttgcctagg acctcccaac 188160
tcaaccattt ctaggtgaag gcagaaaaat ccacattagt tactcctctt cagacatttc 188220
agctgagata acaaatcttt tggaattttt tcacccatag aaagagtggt agatatttga 188280
atttagcagg tggagtttca tagtaaaaac agcttttgac tcagctttga tttatcctca 188340
tttgatttgg ccagaaagta ggtaatatgc attgattggc ttctgattcc aattcagtat 188400
agcaaggtgc taggtttttt cctttcccca cctgtctctt agcctgggga attaaatgag 188460
aagccttaga atgggtggcc cttgtgacct gaaacacttc ccacataagc tacttaacaa 188520
gattgtcatg gagctgcaga ttccattgcc caccaaagac tagaacacac acatatccat 188580
acaccaaagg aaagacaatt ctgaaatgct gtttctctgg tggttccctc tctggctgct 188640
gcctcacagt atgggaacct gtactctgca gaggtgacag gccagatttg cattatctca 188700
caaccttagc ccttggtgct aactgtccta cagtgaagtg cctggggggt tgtcctatcc 188760
cataagccac ttggatgctg acagcagcca ccatcagaat gacccacgca aaaaaaagaa 188820
aaaaaaaatt aaaaagtccc ctcacaaccc agtgacacct ttctgctttc ctctagactg 188880
gaacattgat tagggagtgc ctcagacatg acattcttgt gctgtccttg gaattaatct 188940
ggcagcagga gggagcagac tatgtaaaca gagataaaaa ttaattttca atattgaagg 189000
aaaaaagaaa taagaagaga gagagaaaga aagcatcaca caaagatttt cttaaaagaa 189060
acaattttgc ttgaaatctc tttagatggg gctcatttct cacggtggca cttggcctcc 189120
actgggcagc aggaccagct ccaagcgcta gtgttctgtt ctctttttgt aatcttggaa 189180
tcttttgttg ctctaaatac aattaaaaat ggcagaaact tgtttgttgg actacatgtg 189240
tgactttggg tctgtctctg cctctgcttt cagaaatgtc atccattgtg taaaatattg 189300
gcttactggt ctgccagcta aaacttggcc acatcccctg ttatggctgc aggatcgagt 189360
tattgttaac aaagagaccc aagaaaagct gctaatgtcc tcttatcatt gttgttaatt 189420
tgttaaaaca taaagaaatc taaaatttca gatgaatgtc atcagagttc ttttaattag 189480
ctctttttat tggctgtttt tattgaagtc aagagttggt atcatgcccg gttgcgtttt 189540
atgctatttt gattttcata tatttttaaa agtctttgca caagggttac aaatttgccc 189600
tgtggtggcc ttagcataag ctgacctggg accaccaaaa taacaaggaa tttgggctag 189660
aaagcacaga tggacactgg tgacccatca caacttctct tgaaaaaccc caaacttgtc 189720
agctggggaa aagccacaca aagcccagct gcccaccttc acatccttat ccttgtagga 189780
gcataaaatg gtgtcatcac tgcccagttc taaccaagct tcagttaaag aatgggtacc 189840
ttcacatctt cactattttt caggggcctt accgtccttg accacccaag taaaatctaa 189900
atcagccttc ttttgggttc ttcagttcaa gcaaggcctc ttcttgtggc ctctcagtat 189960
taatatttat gaggttgcag attgaatttt tgggcctgag atacaagcca tcaatgaggt 190020
gtgacaaagc atgtcaatga ataataagaa aattatctat tcttccatat cctcccctgt 190080
aataagggtt gtcagaatgc cttctttctg ggctgggttg aggattcagt gagaacatat 190140
gtgacacagc tggtgggcta ttaagctctg gctttgctcc ctgttaaaat gccagaaccc 190200
ttgagaggga tcccacattg agccatgttt atcactgacc accttagaat ggatggattt 190260
ctcagatttt tcctgagatc aatgcttgat ggagaggaga ggagaacaat agattcttgg 190320
gatgtgtgtt atgcatgtgt ttaagtaaga gacagagagt atgtttattt gcaggttgtg 190380
tgtgtaaagt cagagcctgc ctccagagga tcttctctaa ccaccattgc ttaggtcctg 190440
ttcgtttgca tctacagcga atgaccttac agccatctga cttggcttca ctcaccactc 190500
agctcctgcc taaacagacg aggtggttag catccaccat aagttttcca aggagtagca 190560
aagcacaaag gacacctatt gggttgaaaa gagcctagag gcatgagtcc tgtgtgtgac 190620
ttgttcatag tcatgcagct agtgtatagc taggattctc ccctgctgat ttactatgtg 190680
acactaggca gcaatctgcc cttgctggac ctcggttttc taatctgtaa aatgtgtgga 190740
gtaaaactac atgagatggg aagtcccttc tagtgcagat gccatggtta ttgaaaactg 190800
cagcaacatc tttcttaatc gtaaggggaa agaaaaagac catttactac tcctagaaca 190860
gttttggagc tagaatattc acatttgcac tcaataatta tttacaaaac aactagtgtg 190920
gagagggtca aaacaacagc tgagtcctgt gtaatagata ttgtcaaccc cttgatggat 190980

2026201390 25 Feb 2026

		gaggaagggg ctcaaaggga a 191001
3-2	**Sequences**	
3-2-1	Sequence Number [ID]	2
3-2-2	Molecule Type	RNA
3-2-3	Length	6489
3-2-4	Features	**source 1..6489**
	Location/Qualifiers	mol_type=mRNA
		organism=Homo sapiens
	NonEnglishQualifier Value	
3-2-5	Residues	aggtaccttt ggggctggct ttctcaagga agcccagctc cctgtgattg agaatgaagt 60 gtgcaatcgc tatgactggg attgggacac actttctggg cactgctggc cagtcccaaa 120 atggaacata aggaagtggt tcttctactt cttttatttc tgaaatcagc agcacctgag 180 caaagccatg tggtccagga ttgctaccat ggtgatggac agagttatcg aggcacgtac 240 tccaccactg tcacaggaag gacctgccaa gcttggtcat ctatgacacc acatcaacat 300 aataggacca cagaaaacta cccaaatgct ggcttgatca tgaactactg caggaatcca 360 gatgctgtgg cagctcctta ttgttatacg agggatcccg gtgtcaggtg ggagtactgc 420 aacctgacgc aatgctcaga cgcagaaggg actgccgtcg cgcctccgac tgttaccccg 480 gttccaagcc tagaggctcc ttccgaacaa gcaccgactg agcaaaggcc tggggtgcag 540 gagtgctacc atggtaatgg acagagttat cgaggcacat actccaccac tgtcacagga 600 agaacctgcc aagcttggtc atctatgaca ccacactcgc atagtcggac cccagaatac 660 tacccaaatg ctggcttgat catgaactac tgcaggaatc cagatgctgt ggcagctcct 720 tattgttata cgagggatcc cggtgtcagg tgggagtact gcaacctgac gcaatgctca 780 gacgcagaag ggactgccgt cgcgcctccg actgttaccc cggttccaag cctagaggct 840 ccttccgaac aagcaccgac tgagcaaagg cctggggtgc aggagtgcta ccatggtaat 900 ggacagagtt atcgaggcac atactccacc actgtcacag gaagaacctg ccaagcttgg 960 tcatctatga caccacactc gcatagtcgg accccagaat actacccaaa tgctggcttg 1020 atcatgaact actgcaggaa tccagatgct gtggcagctc cttattgtta tacgagggat 1080 cccggtgtca ggtgggagta ctgcaacctg acgcaatgct cagacgcaga agggactgcc 1140 gtcgcgcctc cgactgttac cccggttcca agcctagagg ctccttccga acaagcaccg 1200 actgagcaga ggcctggggt gcaggagtgc taccacggta atggacagag ttatcgaggc 1260 acatactcca ccactgtcac tggaagaacc tgccaagctt ggtcatctat gacaccacac 1320 tcgcatagtc ggaccccaga atactaccca aatgctggct tgatcatgaa ctactgcagg 1380 aatccagatg ctgtggcagc tccttattgt tatacgaggg atcccggtgt caggtgggag 1440 tactgcaacc tgacgcaatg ctcagacgca gaagggactg ccgtcgcgcc tccgactgtt 1500 accccggttc caagcctaga ggctccttcc gaacaagcac cgactgagca aaggcctggg 1560 gtgcaggagt gctaccatgg taatggacag agttatcgag gcacatactc caccactgtc 1620 acaggaagaa cctgccaagc ttggtcatct atgacaccac actcgcatag tcggacccca 1680 gaatactacc caaatgctgg cttgatcatg aactactgca ggaatccaga tgctgtggca 1740 gctccttatt gttatacgag ggatcccggt gtcaggtggg agtactgcaa cctgacgcaa 1800 tgctcagacg cagaagggac tgccgtcgcg cctccgactg ttaccccggt tccaagccta 1860 gaggctcctt ccgaacaagc accgactgag caaaggcctg gggtgcagga gtgctaccat 1920 ggtaatggac agagttatcg aggcacatac tccaccactg tcacaggaag aacctgccaa 1980 gcttggtcat ctatgacacc acactcgcat agtcggaccc cagaatacta cccaaatgct 2040 ggcttgatca tgaactactg caggaatcca gatgctgtgg cagctcctta ttgttatacg 2100 agggatcccg gtgtcaggtg ggagtactgc aacctgacgc aatgctcaga cgcagaaggg 2160 actgccgtcg cgcctccgac tgttaccccg gttccaagcc tagaggctcc ttccgaacaa 2220 gcaccgactg agcaaaggcc tggggtgcag gagtgctacc atggtaatgg acagagttat 2280 cgaggcacat actccaccac tgtcacagga agaacctgcc aagcttggtc atctatgaca 2340 ccacactcgc atagtcggac cccagaatac tacccaaatg ctggcttgat catgaactac 2400 tgcaggaatc cagatgctgt ggcagctcct tattgttata cgagggatcc cggtgtcagg 2460 tgggagtact gcaacctgac gcaatgctca gacgcagaag ggactgccgt cgcgcctccg 2520 actgttaccc cggttccaag cctagaggct ccttccgaac aagcaccgac tgagcagagg 2580 cctggggtgc aggagtgcta ccacggtaat ggacagagtt atcgaggcac atactccacc 2640 actgtcactg gaagaacctg ccaagcttgg tcatctatga caccacactc gcatagtcgg 2700 accccagaat actacccaaa tgctggcttg atcatgaact actgcaggaa tccagatcct 2760 gtggcagccc cttattgtta tacgagggat cccagtgtca ggtgggagta ctgcaacctg 2820 acacaatgct cagacgcaga agggactgcc gtcgcgcctc caactattac cccgattcca 2880 agcctagagg ctccttctga acaagcacca actgagcaaa ggcctggggt gcaggagtgc 2940 taccacggaa atggacagag ttatcaaggc acatacttca ttactgtcac aggaagaacc 3000 tgccaagctt ggtcatctat gacaccacac tcgcatagtc ggaccccagc atactaccca 3060 aatgctggct tgatcaagaa ctactgccga aatccagatc ctgtggcagc cccttggtgt 3120 tatacaacag atcccagtgt caggtgggag tactgcaacc tgacacgatg ctcagatgca 3180 gaatggactg ccttcgtccc tccgaatgtt attctggctc caagcctaga ggctttttt 3240 gaacaagcac tgactgagga aacccccggg gtacaggact gctactacca ttatggacag 3300 agttaccgag gcacatactc caccactgtc acaggaagaa cttgccaagc ttggtcatct 3360 atgacaccac accagcatag tcggacccca gaaaactacc caaatgctgg cctgaccagg 3420 aactactgca ggaatccaga tgctgagatt cgcccttggt gttacaccat ggatcccagt 3480 gtcaggtggg agtactgcaa cctgacacaa tgcctggtga cagaatcaag tgtccttgca 3540 actctcacgg tggtcccaga tccaagcaca gaggcttctt ctgaagaagc accaacggag 3600 caaagccccg gggtccagga ttgctaccat ggtgatggac agagttatcg aggctcattc 3660 tctaccactg tcacaggaag gacatgtcag tcttggtcct ctatgacacc acactggcat 3720 cagaggacaa cagaatatta tccaaatggt ggcctgacca ggaactactg caggaatcca 3780 gatgctgaga ttagtccttg gtgttatacc atggatccca atgtcagatg ggagtactgc 3840 aacctgacac aatgtccagt gacagaatca agtgtccttg cgacgtccac ggctgtttct 3900 gaacaagcac caacggagca aagccccaca gtccaggact gctaccatgg tgatggacag 3960

2026201390 25 Feb 2026

		agttatcgag gctcattctc caccactgtt acaggaagga catgtcagtc ttggtcctct 4020 atgacaccac actggcatca gagaaccaca gaatactacc caaatggtgg cctgaccagg 4080 aactactgca ggaatccaga tgctgagatt cgcccttggt gttataccat ggatcccagt 4140 gtcagatggg agtactgcaa cctgacgcaa tgtccagtga tggaatcaac tctcctcaca 4200 actcccacgg tggtcccagt tccaagcaca gagcttcctt ctgaagaagc accaactgaa 4260 aacagcactg gggtccagga ctgctaccga ggtgatggac agagttatcg aggcacactc 4320 tccaccacta tcacaggaag aacatgtcag tcttggtcgt ctatgacacc acattggcat 4380 cggaggatcc cattatacta tccaaatgct ggcctgacca ggaactactg caggaatcca 4440 gatgctgaga ttcgcccttg gtgttacacc atggatccca gtgtcaggtg ggagtactgc 4500 aacctgacac gatgtccagt gacagaatcg agtgtcctca caactcccac agtggccccg 4560 gttccaagca cagaggctcc ttctgaacaa gcaccacctg agaaaagccc tgtggtccag 4620 gattgctacc atggtgatgg acggagttat cgaggcatat cctccaccac tgtcacagga 4680 aggacctgtc aatcttggtc atctatgata ccacactggc atcagaggac cccagaaaac 4740 tacccaaatg ctggcctgac cgagaactac tgcaggaatc cagattctgg gaaacaaccc 4800 tggtgttaca caaccgatcc gtgtgtgagg tgggagtact gcaatctgac acaatgctca 4860 gaaacagaat caggtgtcct agagactccc actgttgttc cagttccaag catggaggct 4920 cattctgaag cagcaccaac tgagcaaacc cctgtggtcc ggcagtgcta ccatggtaat 4980 ggccagagtt atcgaggcac attctccacc actgtcacag gaaggacatg tcaatcttgg 5040 tcatccatga caccacaccg gcatcagagg accccagaaa actacccaaa tgatggcctg 5100 acaatgaact actgcaggaa tccagatgcc gatacaggcc cttggtgttt taccatggac 5160 cccagcatca ggtgggagta ctgcaacctg acgcgatgct cagacacaga agggactgtg 5220 gtcgctcctc cgactgtcat ccaggttcca agcctagggc ctccttctga acaagactgt 5280 atgtttggga atgggaaagg ataccggggc aagaaggcaa ccactgttac tgggacgcca 5340 tgccaggaat gggctgccca ggagccccat agacacagca cgttcattcc agggacaaat 5400 aaatgggcag gtctggaaaa aaattactgc cgtaaccctg atggtgacat caatggtccc 5460 tggtgctaca caatgaatcc aagaaaactt tttgactact gtgatatccc tctctgtgca 5520 tcctcttcat ttgattgtgg gaagcctcaa gtggagccga agaaatgtcc tggaagcatt 5580 gtaggggggt gtgtggccca cccacattcc tggccctggc aagtcagtct cagaacaagg 5640 tttggaaagc acttctgtgg aggcacctta atatccccag agtgggtgct gactgctgct 5700 cactgcttga agaagtcctc aaggccttca tcctacaagg tcatcctggg tgcacaccaa 5760 gaagtgaacc tcgaatctca tgttcaggaa atagaagtgt ctaggctgtt cttggagccc 5820 acacaagcag atattgcctt gctaaagcta agcaggcctg ccgtcatcac tgacaaagta 5880 atgccagctt gtctgccatc cccagactac atggtcaccg ccaggactga atgttacatc 5940 actggctggg gagaaaccca aggtaccttt gggactggcc ttctcaagga agcccagctc 6000 cttgttattg agaatgaagt gtgcaatcac tataagtata tttgtgctga gcatttggcc 6060 agaggcactg acagttgcca gggtgacagt ggagggcctc tggtttgctt cgagaaggac 6120 aaatacattt tacaaggagt cacttcttgg ggtcttggct gtgcacgccc caataagcct 6180 ggtgtctatg ctcgtgtttc aaggtttgtt acttggattg agggaatgat gagaaataat 6240 taattggacg ggagacagag tgaagcatca acctacttag aagctgaaac gtgggtaagg 6300 atttagcatg ctggaaataa tagacagcaa tcaaacgaag acactgttcc cagctaccag 6360 ctatgccaaa ccttggcatt tttggtattt ttgtgtataa gcttttaagg tctgactgac 6420 aaattctgta ttaaggtgtc atagctatga catttgttaa aaataaactc tgcacttatt 6480 ttgatttga 6489
3-3	**Sequences**	
3-3-1	Sequence Number [ID]	3
3-3-2	Molecule Type	RNA
3-3-3	Length	14121
3-3-4	Features	**source 1..14121**
	Location/Qualifiers	mol_type=mRNA organism=Homo sapiens
	NonEnglishQualifier Value	
3-3-5	Residues	attcccaccg ggacctgcgg ggctgagtgc ccttctcggt tgctgccgct gaggagcccg 60 cccagccagc cagggccgcg aggccgaggc caggccgcag cccaggagcc gccccaccgc 120 agctggcgat ggacccgccg aggcccgcgc tgctggcgct gctggcgctg cctgcgctgc 180 tgctgctgct gctggcgggc gccagggccg aagaggaaat gctggaaaat gtcagcctgg 240 tctgtccaaa agatgcgacc cgattcaagc acctccggaa gtacacatac aactatgagg 300 ctgagagttc cagtggagtc cctgggactg ctgattcaag aagtgccacc aggatcaact 360 gcaaggttga gctggaggtt ccccagctct gcagcttcat cctgaagacc agccagtgca 420 ccctgaaaga ggtgtatggc ttcaaccctg agggcaaagc cttgctgaag aaaaccaaga 480 actctgagga gtttgctgca gccatgtcca ggtatgagct caagctggcc attccagaag 540 ggaagcaggt tttcctttac ccggagaaag atgaacctac ttacatcctg aacatcaaga 600 ggggcatcat ttctgccctc ctggttcccc cagagacaga agaagccaag caagtgttgt 660 ttctggatac cgtgtatgga aactgctcca ctcactttac cgtcaagacg aggaagggca 720 atgtggcaac agaaatatcc actgaaagag acctggggca gtgtgatcgc ttcaagccca 780 tccgcacagg catcagccca cttgctctca tcaaaggcat gacccgcccc ttgtcaactc 840 tgatcagcag cagccagtcc tgtcagtaca cactggacgc taagaggaag catgtggcag 900 aagccatctg caaggagcaa cacctcttcc tgcctttctc ctacaacaat aagtatggga 960 tggtagcaca agtgacacag actttgaaac ttgaagacac accaaagatc aacagccgct 1020 tctttggtga aggtactaag aagatgggcc tcgcatttga gagcaccaaa tccacatcac 1080 ctccaaagca ggccgaagct gttttgaaga ctctccagga actgaaaaaa ctaaccatct 1140 ctgagcaaaa tatccagaga gctaatctct tcaataagct ggttactgag ctgagaggcc 1200 tcagtgatga agcagtcaca tctctcttgc cacagctgat tgaggtgtcc agccccatca 1260 ctttacaagc cttggttcag tgtggacagc ctcagtgctc cactcacatc ctccagtggc 1320 tgaaacgtgt gcatgccaac ccccttctga tagatgtggt cacctacctg gtggccctga 1380 tccccgagcc ctcagcacag cagctgcgag agatcttcaa catggcgagg gatcagcgca 1440

2026201390 25 Feb 2026

gccgagccac cttgtatgcg ctgagccacg cggtcaacaa ctatcataag acaaacccta 1500
cagggaccca ggagctgctg gacattgcta attacctgat ggaacagatt caagatgact 1560
gcactgggga tgaagattac acctatttga ttctgcgggt cattggaaat atgggccaaa 1620
ccatggagca gttaactcca gaactcaagt cttcaatcct caaatgtgtc caaagtacaa 1680
agccatcact gatgatccag aaagctgcca tccaggctct gcggaaaatg gagcctaaag 1740
acaaggacca ggaggttctt cttcagactt tccttgatga tgcttctccg ggagataagc 1800
gactggctgc ctatcttatg ttgatgagga gtccttcaca ggcagatatt aacaaaattg 1860
tccaaattct accatgggaa cagaatgagc aagtgaagaa ctttgtggct tcccatattg 1920
ccaatatctt gaactcagaa gaattggata tccaagatct gaaaaagtta gtgaaagaag 1980
ctctgaaaga atctcaactt ccaactgtca tggacttcag aaaattctct cggaactatc 2040
aactctacaa atctgtttct cttccatcac ttgacccagc ctcagccaaa atagaaggga 2100
atcttatatt tgatccaaat aactaccttc ctaaagaaag catgctgaaa actaccctca 2160
ctgcctttgg atttgcttca gctgacctca tcgagattgg cttggaagga aaaggctttg 2220
agccaacatt ggaagctctt tttgggaagc aaggattttt cccagacagt gtcaacaaag 2280
ctttgtactg ggttaatggt caagttcctg atggtgtctc taaggtctta gtggaccact 2340
ttggctatac caaagatgat aaacatgagc aggatatggt aaatggaata atgctcagtg 2400
ttgagaagct gattaaagat ttgaaatcca aagaagtccc ggaagccaga gcctacctcc 2460
gcatcttggg agaggagctt ggttttgcca gtctccatga cctccagctc ctgggaaagc 2520
tgcttctgat gggtgcccgc actctgcagg ggatccccca gatgattgga gaggtcatca 2580
ggaagggctc aaagaatgac ttttttcttc actacatctt catggagaat gcctttgaac 2640
tccccactgg agctggatta cagttgcaaa tatcttcatc tggagtcatt gctcccggag 2700
ccaaggctgg agtaaaactg gaagtagcca acatgcaggc tgaactggtg gcaaaaccct 2760
ccgtgtctgt ggagtttgtg acaaatatgg gcatcatcat tccggacttc gctaggagtg 2820
gggtccagat gaacaccaac ttcttccacg agtcgggtct ggaggctcat gttgccctaa 2880
aagctgggaa gctgaagttt atcattcctt ccccaaagag accagtcaag ctgctcagtg 2940
gaggcaacac attacatttg gtctctacca ccaaaacgga ggtgatccca cctctcattg 3000
agaacaggca gtcctggtca gtttgcaagc aagtctttcc tggcctgaat tactgcacct 3060
caggcgctta ctccaacgcc agctccacag actccgcctc ctactatccg ctgaccgggg 3120
acaccagatt agagctggaa ctgaggccta caggagagat tgagcagtat tctgtcagcg 3180
caacctatga gctccagaga gaggacagag ccttggtgga taccctgaag tttgtaactc 3240
aagcagaagg tgcgaagcag actgaggcta ccatgacatt caaatataat cggcagagta 3300
tgaccttgtc cagtgaagtc caaattccgg attttgatgt tgacctcgga acaatcctca 3360
gagttaatga tgaatctact gagggcaaaa cgtcttacag actcaccctg gacattcaga 3420
acaagaaaat tactgaggtc gccctcatgg gccacctaag ttgtgacaca aaggaagaaa 3480
gaaaaatcaa gggtgttatt tccatacccc gtttgcaagc agaagccaga agtgagatcc 3540
tcgcccactg gtcgcctgcc aaactgcttc tccaaatgga ctcatctgct acagcttatg 3600
gctccacagt ttccaagagg gtggcatggc attatgatga agagaagatt gaatttgaat 3660
ggaacacagg caccaatgta gataccaaaa aaatgacttc caatttccct gtggatctct 3720
ccgattatcc taagagcttg catatgtatg ctaatagact cctggatcac agagtccctg 3780
aaacagacat gactttccgg cacgtgggtt ccaaattaat agttgcaatg agctcatggc 3840
ttcagaaggc atctgggagt cttccttata cccagacttt gcaagaccac ctcaatagcc 3900
tgaaggagtt caacctccag aacatgggat tgccagactt ccacatccca gaaaacctct 3960
tcttaaaaag cgatggccgg gtcaaatata ccttgaacaa gaacagtttg aaaattgaga 4020
ttcctttgcc ttttggtggc aaatcctcca gagatctaaa gatgttagag actgttagga 4080
caccagccct ccacttcaag tctgtgggat tccatctgcc atctcgagag ttccaagtcc 4140
ctacttttac cattcccaag ttgtatcaac tgcaagtgcc tctcctgggt gttctagacc 4200
tctccacgaa tgtctacagc aacttgtaca actggtccgc ctcctacagt ggtggcaaca 4260
ccagcacaga ccatttcagc cttcgggctc gttaccacat gaaggctgac tctgtggttg 4320
acctgctttc ctacaatgtg caaggatctg gagaaacaac atatgaccac aagaatacgt 4380
tcacactatc atgtgatggg tctctacgcc acaaatttct agattcgaat atcaaattca 4440
gtcatgtaga aaaacttgga aacaacccag tctcaaaagg tttactaata ttcgatgcat 4500
ctagttcctg gggaccacag atgtctgctt cagttcattt ggactccaaa aagaaacagc 4560
atttgtttgt caaagaagtc aagattgatg ggcagttcag agtctcttcg ttctatgcta 4620
aaggcacata tggcctgtct tgtcagaggg atcctaacac tggccggctc aatggagagt 4680
ccaacctgag gtttaactcc tcctacctcc aaggcaccaa ccagataaca ggaagatatg 4740
aagatggaac cctctccctc acctccacct ctgatctgca aagtggcatc attaaaaata 4800
ctgcttccct aaagtatgag aactacgagc tgactttaaa atctgacacc aatgggaagt 4860
ataagaactt tgccacttct aacaagatgg atatgacctt ctctaagcaa aatgcactgc 4920
tgcgttctga atatcaggct gattacgagt cattgaggtt cttcagcctg ctttctggat 4980
cactaaattc ccatggtctt gagttaaatg ctgacatctt aggcactgac aaaattaata 5040
gtggtgctca caaggcgaca ctaaggattg gccaagatgg aatatctacc agtgcaacga 5100
ccaacttgaa gtgtagtctc ctggtgctgg agaatgagct gaatgcagag cttggcctct 5160
ctggggcatc tatgaaatta acaacaaatg gccgcttcag ggaacacaat gcaaaattca 5220
gtctggatgg gaaagccgcc ctcacagagc tatcactggg aagtgcttat caggccatga 5280
ttctgggtgt cgacagcaaa aacattttca acttcaaggt cagtcaagaa ggacttaagc 5340
tctcaaatga catgatgggc tcatatgctg aaatgaaatt tgaccacaca aacagtctga 5400
acattgcagg cttatcactg gacttctctt caaaacttga caacatttac agctctgaca 5460
agttttataa gcaaactgtt aatttacagc tacagcccta ttctctggta actactttaa 5520
acagtgacct gaaatacaat gctctggatc tcaccaacaa tgggaaacta cggctagaac 5580
ccctgaagct gcatgtggct ggtaacctaa aaggagccta ccaaaataat gaaataaaac 5640
acatctatgc catctcttct gctgccttat cagcaagcta taaagcagac actgttgcta 5700
aggttcaggg tgtggagttt agccatcggc tcaacacaga catcgctggg ctggcttcag 5760
ccattgacat gagcacaaac tataattcag actcactgca tttcagcaat gtcttccgtt 5820
ctgtaatggc cccgtttacc atgaccatcg atgcacatac aaatggcaat gggaaactcg 5880
ctctctgggg agaacatact gggcagctgt atagcaaatt cctgttgaaa gcagaacctc 5940
tggcatttac tttctctcat gattacaaag gctccacaag tcatcatctc gtgtctagga 6000

20262013390 25 Feb 2026

aaagcatcag tgcagctctt gaacacaaag tcagtgccct gcttactcca gctgagcaga 6060
caggcacctg gaaactcaag acccaattta acaacaatga atacagccag gacttggatg 6120
cttacaacac taaagataaa attggcgtgg agcttactgg acgaactctg gctgacctaa 6180
ctctactaga ctccccaatt aaagtgccac ttttactcag tgagcccatc aatatcattg 6240
atgctttaga gatgagagat gccgttgaga agccccaaga atttacaatt gttgcttttg 6300
taaagtatga taaaaaccaa gatgttcact ccattaacct cccatttttt gagaccttgc 6360
aagaatattt tgagaggaat cgacaaacca ttatagttgt agtggaaaac gtacagagaa 6420
acctgaagca catcaatatt gatcaatttg taagaaaata cagagcagcc ctgggaaaac 6480
tcccacagca agctaatgat tatctgaatt cattcaattg ggagagacaa gtttcacatg 6540
ccaaggagaa actgactgct ctcacaaaaa agtatagaat tacagaaaat gatatacaaa 6600
ttgcattaga tgatgccaaa atcaacttta atgaaaaact atctcaactg cagacatata 6660
tgatacaatt tgatcagtat attaaagata gttatgattt acatgatttg aaaatagcta 6720
ttgctaatat tattgatgaa atcattgaaa aattaaaaag tcttgatgag cactatcata 6780
tccgtgtaaa tttagtaaaa acaatccatg atctacattt gtttattgaa aatattgatt 6840
ttaacaaaag tggaagtagt actgcatcct ggattcaaaa tgtggatact aagtaccaaa 6900
tcagaatcca gatacaagaa aaactgcagc agcttaagag acacatacag aatatagaca 6960
tccagcacct agctggaaag ttaaaacaac acattgaggc tattgatgtt agagtgcttt 7020
tagatcaatt gggaactaca atttcatttg aaagaataaa tgatgttctt gagcatgtca 7080
aacactttgt tataaatctt attggggatt ttgaagtagc tgagaaaatc aatgccttca 7140
gagccaaagt ccatgagtta atcgagaggt atgaagtaga ccaacaaatc caggttttaa 7200
tggataaatt agtagagttg acccaccaat acaagttgaa ggagactatt cagaagctaa 7260
gcaatgtcct acaacaagtt aagataaaag attactttga gaaattggtt ggatttattg 7320
atgatgctgt gaagaagctt aatgaattat cttttaaaac attcattgaa gatgttaaca 7380
aattccttga catgttgata aagaaattaa agtcatttga ttaccaccag tttgtagatg 7440
aaaccaatga caaaatccgt gaggtgactc agagactcaa tggtgaaatt caggctctgg 7500
aactaccaca aaaagctgaa gcattaaaac tgtttttaga ggaaaccaag gccacagttg 7560
cagtgtatct ggaaagccta caggacacca aaataacctt aatcatcaat tggttacagg 7620
aggctttaag ttcagcatct ttggctcaca tgaaggccaa attccgagag actctagaag 7680
atacacgaga ccgaatgtat caaatggaca ttcagcagga acttcaacga tacctgtctc 7740
tggtaggcca ggtttatagc acacttgtca cctacatttc tgattggtgg actcttgctg 7800
ctaagaacct tactgacttt gcagagcaat attctatcca agattgggct aaacgtatga 7860
aagcattggt agagcaaggg ttcactgttc ctgaaatcaa gaccatcctt gggaccatgc 7920
ctgcctttga agtcagtctt caggctcttc agaaagctac cttccagaca cctgatttta 7980
tagtccccct aacagatttg aggattccat cagttcagat aaacttcaaa gacttaaaaa 8040
atataaaaat cccatccagg ttttccacac cagaatttac catccttaac accttccaca 8100
ttccttcctt tacaattgac tttgtcgaaa tgaaagtaaa gatcatcaga accattgacc 8160
agatgcagaa cagtgagctg cagtggcccg ttccagatat atatctcagg gatctgaagg 8220
tggaggacat tcctctagcg agaatcaccc tgccagactt ccgtttacca gaaatcgcaa 8280
ttccagaatt cataatccca actctcaacc ttaatgattt tcaagttcct gaccttcaca 8340
taccagaatt ccagcttccc cacatctcac acacaattga agtacctact tttggcaagc 8400
tatacagtat tctgaaaatc caatctcctc ttttcacatt agatgcaaat gctgacatag 8460
ggaatggaac cacctcagca aacgaagcag gtatcgcagc ttccatcact gccaaaggag 8520
agtccaaatt agaagttctc aattttgatt ttcaagcaaa tgcacaactc tcaaacccta 8580
agattaatcc gctggctctg aaggagtcag tgaagttctc cagcaagtac ctgagaacgg 8640
agcatgggag tgaaatgctg ttttttggaa atgctattga gggaaaatca aacacagtgg 8700
caagtttaca cacagaaaaa aatacactgg agcttagtaa tggagtgatt gtcaagataa 8760
acaatcagct taccctggat agcaacacta aatacttcca caaattgaac atccccaaac 8820
tggacttctc tagtcaggct gacctgcgca acgagatcaa gacactgttg aaagctggcc 8880
acatagcatg gacttcttct ggaaaagggt catggaaatg ggcctgcccc agattctcag 8940
atgagggaac acatgaatca caaattagtt tcaccataga aggacccctc acttcctttg 9000
gactgtccaa taagatcaat agcaaacacc taagagtaaa ccaaaacttg gtttatgaat 9060
ctggctccct caacttttct aaacttgaaa ttcaatcaca agtcgattcc cagcatgtgg 9120
gccacagtgt tctaactgct aaaggcatgg cactgtttgg agaagggaag gcagagttta 9180
ctgggaggca tgatgctcat ttaaatggaa aggttattgg aactttgaaa aattctcttt 9240
tcttttcagc ccagccattt gagatcacgg catccacaaa caatgaaggg aatttgaaag 9300
ttcgttttcc attaaggtta acagggaaga tagacttcct gaataactat gcactgtttc 9360
tgagtcccag tgcccagcaa gcaagttggc aagtaagtgc taggttcaat cagtataagt 9420
acaaccaaaa tttctctgct ggaaacaacg agaacattat ggaggcccat gtaggaataa 9480
atggagaagc aaatctggat ttcttaaaca ttcctttaac aattcctgaa atgcgtctac 9540
cttacacaat aatcacaact cctccactga aagatttctc tctatgggaa aaaacaggct 9600
tgaaggaatt cttgaaaacg acaaagcaat catttgattt aagtgtaaaa gctcagtata 9660
agaaaaacaa acacaggcat tccatcacaa atcctttggc tgtgctttgt gagtttatca 9720
gtcagagcat caaatccttt gacaggcatt ttgaaaaaaa cagaaacaat gcattagatt 9780
ttgtcaccaa atcctataat gaaacaaaaa ttaagtttga taagtacaaa gctgaaaaat 9840
ctcacgacga gctccccagg acctttcaaa ttcctggata cactgttcca gttgtcaatg 9900
ttgaagtgtc tccattcacc atagagatgt cggcattcgg ctatgtgttc ccaaaagcag 9960
tcagcatgcc tagtttctcc atcctaggtt ctgacgtccg tgtgccttca tacacattaa 10020
tcctgccatc attagagctg ccagtccttc atgtccctag aaatctcaag ctttctcttc 10080
cacatttcaa ggaattgtgt accataagcc atatttttat tcctgccatg ggcaatatta 10140
cctatgattt ctcctttaaa tcaagtgtca tcacactgaa taccaatgct gaacttttta 10200
accagtcaga tattgttgct catctccttt cttcatcttc atctgtcatt gatgcactgc 10260
agtacaaatt agagggcacc acaagattga caagaaaaag gggattgaag ttagccacag 10320
ctctgtctct gagcaacaaa tttgtggagg gtagtcataa cagtactgtg agcttaacca 10380
cgaaaaatat ggaagtgtca gtggcaaaaa ccacaaaagc cgaaattcca attttgagaa 10440
tgaatttcaa gcaagaactt aatggaaata ccaagtcaaa acctactgtc tcttcctcca 10500
tggaatttaa gtatgatttc aattcttcaa tgctgtactc taccgctaaa ggagcagttg 10560

2026201390 25 Feb 2026

		accacaagct tagcttggaa agcctcacct cttacttttc cattgagtca tctaccaaag 10620 gagatgtcaa gggttcggtt ctttctcggg aatattcagg aactattgct agtgaggcca 10680 acacttactt gaattccaag agcacacggt cttcagtgaa gctgcagggc acttccaaaa 10740 ttgatgatat ctggaacctt gaagtaaaag aaaattttgc tggagaagcc acactccaac 10800 gcatatattc cctctgggag cacagtacga aaaaccactt acagctagag ggcctctttt 10860 tcaccaacgg agaacataca agcaaagcca ccctggaact ctctccatgg caaatgtcag 10920 ctcttgttca ggtccatgca agtcagccca gttccttcca tgatttccct gaccttggcc 10980 aggaagtggc cctgaatgct aacactaaga accagaagat cagatggaaa aatgaagtcc 11040 ggattcattc tgggtctttc cagagccagg tcgagctttc caatgaccaa gaaaaggcac 11100 accttgacat tgcaggatcc ttagaaggac acctaaggtt cctcaaaaat atcatcctac 11160 cagtctatga caagagctta tgggatttcc taaagctgga tgtaaccacc agcattggta 11220 ggagacagca tcttcgtgtt tcaactgcct ttgtgtacac caaaaacccc aatggctatt 11280 cattctccat ccctgtaaaa gttttggctg ataaattcat tactcctggg ctgaaactaa 11340 atgatctaaa ttcagttctt gtcatgccta cgttccatgt cccatttaca gatcttcagg 11400 ttccatcgtg caaacttgac ttcagagaaa tacaaatcta taagaagctg agaacttcat 11460 catttgccct caacctacca acactccccg aggtaaaatt ccctgaagtt gatgtgttaa 11520 caaaatattc tcaaccagaa gactccttga ttccctttt tgagataacc gtgcctgaat 11580 ctcagttaac tgtgtcccag ttcacgcttc caaaaagtgt ttcagatggc attgctgctt 11640 tggatctaaa tgcagtagcc aacaagatcg cagactttga gttgcccacc atcatcgtgc 11700 ctgagcagac cattgagatt ccctccatta agttctctgt acctgctgga attgtcattc 11760 cttcctttca agcactgact gcacgctttg aggtagactc tcccgtgtat aatgccactt 11820 ggagtgccag tttgaaaaac aaagcagatt atgttgaaac agtcctggat tccacatgca 11880 gctcaaccgt acagttccta gaatatgaac taaatgtttt gggaacacac aaaatcgaag 11940 atggtacgtt agcctctaag actaaaggaa cacttgcaca ccgtgacttc agtgcagaat 12000 atgaagaaga tggcaaattt gaaggacttc aggaatggga aggaaaagcg cacctcaata 12060 tcaaaagccc agcgttcacc gatctccatc tgcgctacca gaaagacaag aaaggcatct 12120 ccacctcagc agcctcccca gccgtaggca ccgtgggcat ggatatggat gaagatgacg 12180 acttttctaa atggaacttc tactacagcc ctcagtcctc tccagataaa aaactcacca 12240 tattcaaaac tgagttgagg gtccgggaat ctgatgagga aactcagatc aaagttaatt 12300 gggaagaaga ggcagcttct ggcttgctaa cctctctgaa agacaacgtg cccaaggcca 12360 caggggtcct ttatgattat gtcaacaagt accactggga acacacaggg ctcaccctga 12420 gagaagtgtc ttcaaagctg agaagaaatc tgcagaacaa tgctgagtgg gtttatcaag 12480 gggccattag gcaaattgat gatatcgacg tgaggttcca gaaagcagcc agtggcacca 12540 ctgggaccta ccaagagtgg aaggacaagg cccagaatct gtaccaggaa ctgttgactc 12600 aggaaggcca agccagtttc cagggactca aggataacgt gtttgatggc ttggtacgag 12660 ttactcaaaa attccatatg aaagtcaagc atctgattga ctcactcatt gattttctga 12720 acttccccag attccagttt ccggggaaac ctgggatata cactagggag gaactttgca 12780 ctatgttcat aagggaggta gggacggtac tgtcccaggt atattcgaaa gtccataatg 12840 gttcagaaat actgttttcc tatttccaag acctagtgat tacacttcct ttcgagttaa 12900 ggaaacataa actaatagat gtaatctcga tgtataggga actgttgaaa gatttatcaa 12960 aagaagccca agaggtattt aaagccattc agtctctcaa gaccacagag gtgctacgta 13020 atcttcagga ccttttacaa ttcattttcc aactaataga agataacatt aaacagctga 13080 aagagatgaa atttacttat cttattaatt atatccaaga tgagatcaac acaatcttca 13140 atgattatat cccatatgtt tttaaattgt tgaaagaaaa cctatgcctt aatcttcata 13200 agttcaatga atttattcaa aacgagcttc aggaagcttc tcaagagtta cagcagatcc 13260 atcaatacat tatggccctt cgtgaagaat attttgatcc aagtatagtt ggctggacag 13320 tgaaatatta tgaacttgaa gaaaagatag tcagtctgat caagaacctg ttagttgctc 13380 ttaaggactt ccattctgaa tatattgtca gtgcctctaa ctttacttcc caactctcaa 13440 gtcaagttga gcaatttctg cacagaaata ttcaggaata tcttagcatc cttaccgatc 13500 cagatggaaa agggaaagag aagattgcag agctttctgc cactgctcag gaaataatta 13560 aaagccaggc cattgcgacg aagaaaataa tttctgatta ccaccagcag tttagatata 13620 aactgcaaga tttttcagac caactctctg attactatga aaaatttatt gctgaatcca 13680 aaagattgat tgacctgtcc attcaaaact accacacatt tctgatatac atcacggagt 13740 tactgaaaaa gctgcaatca accacagtca tgaaccccta catgaagctt gctccaggag 13800 aacttactat catcctctaa ttttttaaaa gaaatcttca tttattcttc ttttccaatt 13860 gaactttcac atagcacaga aaaaattcaa actgcctata ttgataaaac catacagtga 13920 gccagccttg cagtaggcag tagactataa gcagaagcac atatgaactg gacctgcacc 13980 aaagctggca ccagggctcg gaaggtctct gaactcagaa ggatggcatt ttttgcaagt 14040 taaagaaaat caggatctga gttattttgc taaacttggg ggaggaggaa caaataaatg 14100 gagtctttat tgtgtatcat a 14121
3-4	**Sequences**	
3-4-1	Sequence Number [ID]	4
3-4-2	Molecule Type	DNA
3-4-3	Length	3964
3-4-4	Features	**source 1..3964**
	Location/Qualifiers	mol_type=genomic DNA organism=Homo sapiens
	NonEnglishQualifier Value	
3-4-5	Residues	ctactccagg ctgtgttcag ggcttggggc tggtggaggg aggggcctga aattccagtg 60 tgaaaggctg agatgggccc gaggcccctg gcctatgtcc aagccatttc ccctctcacc 120 agcctctccc tggggagcca gtcagctagg aaggaatgag ggctccccag gcccaccccc 180 agttcctgag ctcatctggg ctgcagggct ggcgggacag cagcgtggac tcagtctcct 240 agggatttcc caactctccc gcccgcttgc tgcatctgga caccctgcct caggccctca 300 tctccactgg tcagcaggtg acctttgccc agcgccctgg gtcctcagtg cctgctgccc 360 tggagatgat ataaaacagg tcagaaccct cctgcctgtc tgctcagttc atccctagag 420

2026201390 25 Feb 2026

		gcagctgctc caggtaatgc cctctgggga ggggaaagag gaggggagga ggatgaagag 480 gggcaagagg agctccctgc ccagcccagc cagcaagcct ggagaagcac ttgctagagc 540 taaggaagcc tcggagctgg acgggtgccc cccacccctc atcataacct gaagaacatg 600 gaggcccggg aggggtgtca cttgcccaaa gctacacagg gggtggggct ggaagtggct 660 ccaagtgcag gttccccccc cattcttcag gcttagggct ggaggaagcc ttagacagcc 720 cagtcctacc ccagacaggg aaactgaggc ctggagaggg ccagaaatca cccaaagaca 780 cacagcatgt tggctggact ggacggagat cagtccagac cgcaggtgcc ttgatgttca 840 gtctggtggg ttttctgctc catcccaccc acctcccttt gggcctcgat ccctcgcccc 900 tcaccagtcc cccttctgag agcccgtatt agcagggagc cggcccctac tccttctggc 960 agacccagct aaggttctac cttaggggcc acgccacctc cccagggagg ggtccagagg 1020 catggggacc tggggtgccc ctcacaggac acttccttgc aggaacagag gtgccatgca 1080 gccccgggta ctccttgttg ttgccctcct ggcgctcctg gcctctgccc gtaagcactt 1140 ggtgggactg ggctgggggc agggtggagg caacttgggg atcccagtcc caatgggtgg 1200 tcaagcagga gcccagggct cgtccagagg ccgatccacc ccactcagcc ctgctctttc 1260 ctcaggagct tcagaggccg aggatgcctc ccttctcagc ttcatgcagg gttacatgaa 1320 gcacgccacc aagaccgcca aggatgcact gagcagcgtg caggagtccc aggtggccca 1380 gcaggccagg tacacccgct ggcctccctc cccatccccc ctgccagctg cctccattcc 1440 cacccgcccc tgccctggtg agatcccaac aatggaatgg aggtgctcca gcctcccctg 1500 ggcctgtgcc tcttcagcct cctctttcct cacagggcct ttgtcaggct gctgcgggag 1560 agatgacaga gttgagactg cattcctccc aggtccctcc tttctccccg gagcagtcct 1620 agggcgtgcc gttttagccc tcatttccat tttcctttcc tttccctttc tttctctttc 1680 tatttctttc tttctttctt tctttctttc tttctttctt tctttctttc tttctttctt 1740 tctttctttc ctttctttct ttcctttctt tctttccttt ctttctttct ttcctttctt 1800 tctctttctt tctttctttc ctttttcttt ctttccctct cttcctttct ctctttcttt 1860 cttcttcttt ttttttttaat ggagtctccc tctgtcacct aggctggagt gcagtggtgc 1920 catctcggct cactgcaacc tccgtctccc gggttcaacc cattctcctg cctcagcctc 1980 ccaagtagct gggattacag gcacgcgcca ccacacccag ctaatttttg tatttttagc 2040 agagatgggg tttcaccatg ttggccaggt tggtcttgaa ttcctgacct caggggatcc 2100 tcctgcctcg gcctcccaaa gtgctgggat tacaggcatg agccactgcg cctggcccca 2160 ttttcctttt ctgaaggtct ggctagagca gtggtcctca gccttttttgg caccagggac 2220 cagttttgtg gtggacaatt tttccatggg ccagcgggga tggttttggg atgaagctgt 2280 tccacctcag atcatcaggc attagattct cataaggagc cctccaccta gatccctggc 2340 atgtgcagtt cacaataggg ttcacactcc tatgagaatg taaggccact tgatctgaca 2400 ggaggcggag ctcaggcggt attgctcact cacccaccac tcacttcgtg ctgtgcagcc 2460 cggctcctaa cagtccatgg accagtacct atctatgact tgggggttgg ggacccctgg 2520 gctaggggtt tgccttggga ggccccacct gacccaattc aagcccgtga gtgcttctgc 2580 tttgttctaa gacctggggc cagtgtgagc agaagtgtgt ccttcctctc ccatcctgcc 2640 cctgcccatc agtactctcc tctcccctac tcccttctcc acctcaccct gactggcatt 2700 agctggcata gcagaggtgt tcataaacat tcttagtccc cagaaccggc tttggggtag 2760 gtgttatttt ctcactttgc agatgagaaa attgaggctc agagcgatta ggtgacctgc 2820 cccagatcac acaactaatc aatcctccaa tgactttcca aatgagaggc tgcctccctc 2880 tgtcctaccc tgctcagagc caccaggttg tgcaactcca ggcggtgctg tttgcacaga 2940 aaacaatgac agccttgacc tttcacatct ccccaccctg tcactttgtg cctcaggccc 3000 aggggcataa acatctgagg tgacctggag atggcagggt ttgacttgtg ctggggttcc 3060 tgcaaggata tctcttctcc cagggtggca gctgtggggg attcctgcct gaggtctcag 3120 ggctgtcgtc cagtgaagtt gagagggtgg tgtggtcctg actggtgtcg tccagtgggg 3180 acatgggtgt gggtcccatg gttgcctaca gaggagttct catgccctgc tctgttgctt 3240 cccctgactg atttaggggc tgggtgaccg atggcttcag ttccctgaaa gactactgga 3300 gcaccgttaa ggacaagttc tctgagttct gggatttgga ccctgaggtc agaccaactt 3360 cagccgtggc tgcctgagac ctcaataccc caagtccacc tgcctatcca tcctgcgagc 3420 tccttgggtc ctgcaatctc cagggctgcc cctgtaggtt gcttaaaagg gacagtattc 3480 tcagtgctct cctaccccac ctcatgcctg gccccctctc aggcatgctg gcctcccaat 3540 aaagctggac aagaagctgc tatgagtggg ccgtcgcaag tgtgccatct gtgtctgggc 3600 atgggaaagg gccgaggctg ttctgtgggt gggcactgga cagactccag gtcaggcagg 3660 catggaggcc agcgctctat ccaccttctg gtagctgggc agtctctggg cctcagtttc 3720 ttcatctcta aggtaggaat caccctccgt accctgcctt ccttgacagc tttgtgcgga 3780 aggtcaaaca ggacaataag tttgctgata ctttgataaa ctgttaggtg ctgcacaaca 3840 tgacttgagt gtgtgcccca tgccagccac tatgcctggc acttaagttg tcatcagagt 3900 tgagactgtg tgtgtttact caaaactgtg gagctgacct cccctatcca ggccccctag 3960 ccct 3964
3-5	**Sequences**	
3-5-1	Sequence Number [ID]	5
3-5-2	Molecule Type	RNA
3-5-3	Length	533
3-5-4	Features	**source 1..533**
	Location/Qualifiers	mol_type=mRNA organism=Homo sapiens
	NonEnglishQualifier Value	
3-5-5	Residues	tgctcagttc atccctagag gcagctgctc caggaacaga ggtgccatgc agccccgggt 60 actccttgtt gttgccctcc tggcgctcct ggcctctgcc cgagcttcag aggccgagga 120 tgcctccctt ctcagcttca tgcagggtta catgaagcac gccaccaaga ccgccaagga 180 tgcactgagc agcgtgcagg agtcccaggt ggcccagcag gccaggggct gggtgaccga 240 tggcttcagt tccctgaaag actactggag caccgttaag gacaagttct ctgagttctg 300 ggatttggac cctgaggtca gaccaacttc agccgtggct gcctgagacc tcaataccc 360 aagtccacct gcctatccat cctgcgagct ccttgggtcc tgcaatctcc agggctgccc 420

2026201390 25 Feb 2026

		ctgtaggttg cttaaaaggg acagtattct cagtgctctc ctaccccacc tcatgcctgg 480 ccccccctcca ggcatgctgg cctcccaata aagctggaca agaagctgct atg 533
3-6	**Sequences**	
3-6-1	Sequence Number [ID]	6
3-6-2	Molecule Type	DNA
3-6-3	Length	2480
3-6-4	Features	**source 1..2480**
	Location/Qualifiers	mol_type=genomic DNA
		organism=Homo sapiens
	NonEnglishQualifier Value	
3-6-5	Residues	tttgcttccc ctcttcccga agctctgaca cctgccccaa caagcaatgt tggaaaatta 60 tttacatagt ggcgcaaact cccttactgc tttggatata aatccaggca ggaggaggta 120 gctctaaggc aagagatctg ggacttctag cccctgaact ttcagccgaa tacatctttt 180 ccaaaggagt gaattcaggc ccttgtatca ctggcagcag gacgtgacca tggagaagct 240 gttgtgtttc ttggtcttga ccagcctctc tcatgctttt ggccagacag gtaagggcca 300 ccccaggcta tgggagagtt ttgatctgag gtatgggggt ggggtctaag actgcatgaa 360 cagtctcaaa aaaaaaaaaa aaagactgta tgaacagaac agtggagcat ccttcatggt 420 gtgtgtgtgt gtgtgtgtgt gtgtgtgtgg tgtgtaactg gagaaggggt cagtctgttt 480 ctcaatctta aattctatac gtaagtgagg ggatagatct gtgtgatctg agaaacctct 540 cacatttgct tgtttttctg gctcacagac atgtcgagga aggcttttgt gtttcccaaa 600 gagtcggata cttcctatgt atccctcaaa gcaccgttaa cgaagcctct caaagccttc 660 actgtgtgcc tccacttcta cacggaactg tcctcgaccc gtgggtacag tattttctcg 720 tatgccacca agagacaaga caatgagatt ctcatatttt ggtctaagga tataggatac 780 agttttacag tgggtgggtc tgaaatatta ttcgaggttc ctgaagtcac agtagctcca 840 gtacacattt gtacaagctg ggagtccgcc tcagggatcg tggagttctg ggtagatggg 900 aagcccaggg tgaggaagag tctgaagaag ggatacactg tgggggcaga agcaagcatc 960 atcttggggc aggagcagga ttccttcggt gggaactttg aaggaagcca gtccctggtg 1020 ggagacattg gaaatgtgaa catgtgggac tttgtgctgt caccagatga gattaacacc 1080 atctatcttg gcgggccctt cagtcctaat gtcctgaact ggcgggcact gaagtatgaa 1140 gtgcaaggcg aagtgttcac caaaccccag ctgtggccct gaggccagct gtgggtcctg 1200 aaggtacctc ccggtttttt acaccgcatg ggccccacgt ctctgtctct ggtacctccc 1260 gctttttac actgcatggt tcccacgtct ctgtctctgg gcctttgttc ccctatatgc 1320 attgaggcct gctccaccct cctcagcgcc tgagaatgga ggtaaagtgt ctggtctggg 1380 agctcgttaa ctatgctggg aaatggtcca aaagaatcag aatttgaggt gttttgtttt 1440 catttttatt tcaagttgga cagatcttgg agataatttc ttacctcaca tagatgagaa 1500 aactaacacc cagaaaggag aaatgatgtt ataaaaaact cataaggcaa gagctgagaa 1560 ggaagcgctg atcttctatt taattcccca cccatgaccc ccagaaagca ggagcattgc 1620 ccacattcac agggctcttc agtctcagaa tcaggacact ggccaggtgt ctggtttggg 1680 tccagagtgc tcatcatcat gtcatagaac tgctgggccc aggtctcctg aaatgggaag 1740 cccagcaata ccacgcagtc cctccacttt ctcaaagcac actggaaagg ccattagaat 1800 tgccccagca gagcagatct gctttttttc cagagcaaaa tgaagcacta ggtataaata 1860 tgttgttact gccaagaact taaatgactg gtttttgttt gcttgcagtg ctttcttaat 1920 tttatggctc ttctgggaaa ctcctcccct tttccacacg aaccttgtgg ggctgtgaat 1980 tctttcttca tccccgcatt cccaatatac ccaggccaca agagtggacg tgaaccacag 2040 ggtgtcctgt cagaggagcc catctcccat ctccccagct ccctatctgg aggatagttg 2100 gatagttacg tgttcctagc aggaccaact acagtcttcc caaggattga gttatggact 2160 ttgggagtga gacatcttct tgctgctgga tttccaagct gagaggacgt gaacctggga 2220 ccaccagtag ccatcttgtt tgccacatgg agagagactg tgaggacaga agccaaactg 2280 gaagtggagg agccaaggga ttgacaaaca acagagcctt gaccacgtgg agtctctgaa 2340 tcagccttgt ctggaaccag atctacacct ggactgccca ggtctataag ccaataaagc 2400 ccctgtttac ttgagtgagt ccaagctgtt ttctgatagt tgctttagaa gttgtgacta 2460 acttctctat gacctttgaa 2480
3-7	**Sequences**	
3-7-1	Sequence Number [ID]	7
3-7-2	Molecule Type	RNA
3-7-3	Length	1842
3-7-4	Features	**source 1..1842**
	Location/Qualifiers	mol_type=genomic RNA
		organism=Homo sapiens
	NonEnglishQualifier Value	
3-7-5	Residues	cgatcagatc gatctaagat ggcgactgtc gaaccggaaa ccacccctac tcctaatccc 60 ccgactacag aagaggagaa aacggaatct aatcaggagg ttgctaaccc agaacactat 120 attaaacatc ccctacagaa cagatgggca ctctggtttt ttaaaaatga taaaagcaaa 180 acttggcaag caaacctgcg gctgatctcc aagtttgata ctgttgaaga cttttgggct 240 ctgtacaacc atatccagtt gtctagtaat ttaatgcctg gctgtgacta ctcacttttt 300 aaggatggta ttgagcctat gtgggaagat gagaaaaaca aacggggagg acgatggcta 360 attacattga acaaacagca gagacgaagt gacctcgatc gcttttggct agagacactt 420 ctgtgcctta ttggagaatc ttttgatgac tacagtgatg atgtatgtgg cgctgttgtt 480 aatgttagag ctaaaggtga taagatagca atatggacta ctgaatgtga aaacagagaa 540 gctgttacac atatagggag ggtatacaag gaaaggttag gacttcctcc aaagatagtg 600 attggttatc agtcccacgc agacacagct actaagagcg gctccaccac taaaaatagg 660 tttgttgttt aagaagacac cttctgagta ttctcatagg agactgcgtc aagcaatcga 720 gatttgggag ctgaaccaaa gcctcttcaa aaagcagagt ggactgcatt taaatttgat 780 ttccatctta atgttactca gatataagag aagtctcatt cgcctttgtc ttgtacttct 840

25 Feb 2026
20262013390

		gtgttcattt ttttttttt tttttggcta gagtttccac tatcccaatc aaagaattac 900 agtacacatc cccagaatcc ataaatgtgt tcctggccca ctctgtaata gttcagtaga 960 attaccatta attacataca gattttacct atccacaata gtcagaaaac aacttggcat 1020 ttctatactt tacaggaaaa aaaattctgt tgttccattt tatgcagaag catattttgc 1080 tggtttgaaa gattatgatg catacagttt tctagcaatt ttctttgttt ctttttacag 1140 cattgtcttt gctgtactct tgctgatggc tgctagattt taatttattt gtttccctac 1200 ttgataatat tagtgattct gatttcagtt tttcatttgt tttgcttaaa ttttttttt 1260 ttttttcctc atgtaacatt ggtgaaggat ccaggaatat gacacaaagg tggaataaac 1320 attaattttg tgcattcttt ggtaattttt tttgtttttt gtaactacaa agctttgcta 1380 caaatttatg catttcattc aaatcagtga tctatgtttg tgtgatttcc taaacataat 1440 tgtggattat aaaaaatgta acatcataat tacattccta actagaatta gtatgtctgt 1500 ttttgtatct ttatgctgta ttttaacact ttgtattact taggttattt tgctttggtt 1560 aaaaatggct caagtagaaa agcagtccca ttcatattaa gacagtgtac aaaactgtaa 1620 ataaaatgtg tacagtgaat tgtcttttag acaactagat ttgtcctttt atttctccat 1680 ctttatagaa ggaatttgta cttcttattg caggcaagtc tctatattat gtcctctttt 1740 gtggtgtctt ccatgtgaac agcataagtt tggagcacta gtttgattat tatgtttatt 1800 acaatttta ataaattgaa taggtagtat catatatatg ga 1842
3-8	**Sequences**	
3-8-1	Sequence Number [ID]	8
3-8-2	Molecule Type	DNA
3-8-3	Length	18001
3-8-4	Features	**source 1..18001**
	Location/Qualifiers	mol_type=genomic DNA organism=Homo sapiens
	NonEnglishQualifier Value	
3-8-5	Residues	gaagtcatca gcaatgcaac tgttcacatg gaggatactc cctgcttgag gggtcagaca 60 ggcctgctgg gcaacccagg aggcttggat gaccgtctac cccagtgttt ttgggatgga 120 aagttccaca ttctgagaac cctcagtccc tgggcaacct ggggtggtta gtcaccacag 180 cttgtggctt gggcccatga cagcaggtag aaatgacgtg gactgccgcc agccgggcac 240 agtggctcac gcctgtaatc ccagcacttt gggaggctga ggcatgtgga tcacttgagg 300 tcaggagttc gaaaccagcc tggtcaacac ggtgaaaccc catctctgct aaaaaaaaaa 360 aatatatata tataaattag ccaggcatgg tgacgtgcac ctgtggtccc agctactcag 420 gaggctgagg cacaagaatc acttgaaccc gggaggtgga ggttgcagtg agattgcacc 480 agtgcactct ccagcctggc aacagagcaa gactctgtct caaacaaaca aaacaaaaca 540 aacaaaaaga cgtaagatgt ggaccgctgg agaatggggg tgctgcctgc agtcaaaacg 600 gagtgggggt gcccagctca gggccagaat gatcctattc ccggcacttc tcagtgaggc 660 tctgtggctc acctaagaaa ccagcctccc ttgcaggcaa cggcctagct ggcctggtct 720 ggaggctctc ttcaaatatt tacatccaca cccaagatac agtcttgaga tttgactcgc 780 atgattgcta tgggacaagt tttcatctgc agtttaaatc tgtttcccaa cttacattag 840 gggtttggaa ttctagatcg tatttgaagt gttggtgcca cacacacctt aacacctgca 900 cgctggcaac aaaaccgtcc gctctgcagc acagctgggg tcacctgacc tttctcctgt 960 ccccccccact tgagctcagt ggctgggcag caggggatgc atggccactg gccggccagg 1020 tgcagctctc agctggggtg ttcagaggac gcctgtgtcc tcccctcccc catccctctg 1080 tcaccttgg aggcagagaa ctttgcccgt cagtcccatg gggaatgtca acaggcaggg 1140 gcagcactgc agagatttca tcatggtctc ccaggccctc aggctcctct gccttctgct 1200 tgggcttcag ggctgcctgg ctgcaggtgc gtccggggag gttttctcca taaacttggt 1260 ggaagggcag tgggcaaatc caggagccag cccgggcttc ccaaaccccg cccttgctcc 1320 ggacaccccc atccaccagg agggttttct ggcggctcct gttcaatttc tttccttcta 1380 gaaaccagca tccaggcaca ggaggggagg cccttcttgg tggcccaggc tttggcggga 1440 ttatttttca aagaacttta ggagtgggtg gtgctttcct ggcccccatg ggcccctgcc 1500 tgtgaggtcg gacaagcgca gggagtctgg ggcctctcag agtgcaggaa gtgcgcacag 1560 ggtgctccca ggctggggag cacaggtagg ggacggtgcg tgggggatgg cgcctggggc 1620 atgggggatg gggtgtggga aacggcatgt ggggcgtagg ggatggggtg tggaggatcg 1680 ggggtgggga tggcgtgtgg ggtgtggggg atgggccgtg ggggggtggg gcctgggaaa 1740 cagcatgtgg ggcatggggt gtgggggtga ggtgtgggaa agtgtgtggg gtgtggggga 1800 tggggcatgg aaagggcgtg tggggtgcag gggatggggc atggaggtgt gggggatggg 1860 gtgtgtgggg tgtcggggat ggggcatgtg gggtgtgggg gatggggcat ggaaagggcg 1920 tgtggggtgc agaggatggg gcatgggggg gtggggatgg cgagtggggc tggggcctgg 1980 gaatggtgag tggggcatgg ggatggcgag tagggggtgt ggcgtgagga tggctagtgg 2040 ggcgtgggga tggcgtgtgg ggatggcgag tgggggggtgg gctgtgaggg acagtgcctg 2100 ggatgtgggg ctgcagccct agctcacagc atggccttat gaccccggcc accttcctgc 2160 cccaggcggg gtcgctaagg cctcaggagg agaaacacgg gacatgccgt ggaagccggg 2220 gcctcacaga ggtgagcagg gactgccact ggttttgtcc tggggcccag tgggggccaa 2280 catcacctcc ttcccctccc atggcaaaga gccagcccgc ggggtggcta ctgcagtgcc 2340 ccccaaggag ggtgttccct gctcgagagg aagtgaccgc tccagcttgg ccttccctgg 2400 gactggggtg caggcgattt tatcttcttt gctccattct gttccttcca gataatcgtg 2460 tgttcttcat caggttttcc tcagttcttg agagcttttc tgatgcaaat ctgctttcac 2520 cccagggcgg tcaccggctc tgctcacacc agcctccaag ggtgtgggtg tcccgggagt 2580 gtgggtgtcc cgggggcgtg ggtgtcccag gagtgtgggt gtcccggggg cgtgggtgtc 2640 ccgggagtgt gggtgtcccg ggggcgtggg tgtcccggga gtgtgggtgt cccggaggcg 2700 agggtgtccc gggagtgtgg gtgtcccggg ggagtgggtg tcccgggagt gtgggtgtcc 2760 cggaggcgag ggtgtcccgg gagtgtgggt gtcccggggg cgtgggtgtc ccgggagtgt 2820 gggtgtcccg ggggagtggg tgtcccggga gtgtgggtgt cccggaggcg agggtgtccc 2880 gggagtgtgg gtgtcccggg ggagtgggtg tcccgggagt gtgggtgtcc cggaggcgag 2940 ggtgtcccgg gagtgtgggt gtcccggggg cgtgggtgtc ccgggagcgt gggtgtcccg 3000

20262013390 25 Feb 2026

ggggcgtggg tgtcccggga gtgtgggtgt cccgggggcg tgggtgtccc gggagtgtgg 3060
gtgtcccggg ggcgtgggtg tcccgggagt gtgggtgtcc cgggagtgtg ggtgttccgg 3120
aggcgagggt gtcccgggag tgtgcgtgtc ccgggggcgt gggtgtcccg ggggcgtggg 3180
tgtcccgggg gcgtgggtgt tccggaggcg agggtatccc agaagtgtga gtgtcccagg 3240
ggcgtgggtg tcccgggggt gtgggtgtcc cgggggcgtg ggtgtcccgg gagtgtgggt 3300
gttccggagg tgagggtgtc ccgggagtgt gggtgttccg gaggcgaggg tgtcccggga 3360
gtgtgggtgt cccgggggcg tgggtgtccc gggagtgtgg gtgttccgga ggtgagggtg 3420
tcccgggagt gtgggtgttc cggaggcgag ggtgtcccgg gagtgtgggt gtcccagggg 3480
cgtgggtgtc ccgggagtgt gggtgttccg gaggcgaggg tgtcccggga gtgtgggtgt 3540
tccggaggcg agggtgtccc gggagtgtgg gtgtcccggg ggcgtgggtg tcccgggggt 3600
tgtgggtgtc ccgggagtgt gggtgttccg gaggcgaggg tgtcccggga gtgtgggtgt 3660
tccggaggcg agggtgtccc gggagtgtgg gtgtcccggg ggtgtgggtg tcccgggggt 3720
gtgggtgtcc cgggagtgtg ggtgtcccgg gggagtgggt gtcccgggag tgtgggtgtt 3780
ccggaggcga gggtgtccca ggagcgtggg tgtcccggag gcgagggtgt cccgggagcg 3840
tgggtgtccc gggggcgtgg gtgtcccggg agtgtgggtg tcccgggggа gtgggtgtcc 3900
cgggagtgtg ggtgtcccgg aggcgagggt gtcccaggag tgtgggtgtc ccgggggcgt 3960
gggtgtcccg ggagtgtggg tgttccagag gcgagggtat cccagaagtg tgagtgtccc 4020
gggggtgtgg gtgtcccggg ggtcgtgggt gtcccgggag tgtgggtgtt ccagaggcga 4080
gggtgtcccg ggagtgtggg tgtcccaggg gtgtgggtgt cccgggggcg tgggtgtccc 4140
gggagtgtgg gtgtcccggg ggagtgggtg tcccgggagt gtgggtgttc cggaggcgag 4200
ggtgtcccgg gagtgtgggt gttccggagg cgagggtgtc ccgggagcgt gggtgtcccg 4260
ggggcgtggg tgtcccggga gcgtgggtgt cccaggggtg tgggtgtccc gggggcgtgg 4320
gtgtcccggg agtgtgggtg tcccgggggа gtggatgtcc cgggagtgtg ggtgttccgg 4380
aggcgagggt gtcccgggag tgtgggtgtt ccggaggcga gggtgtcccg ggagtgtggg 4440
tgtcccgggg gcgtgggtgt cccgggagtg tgggtgtccc gggggcgtgg gtatcccaga 4500
agtgtgagtg tcccaggggc gtgggtgtcc ggggggcgtg ggtgtcccgg gggtgtgggt 4560
gtcccggggg tcgtgggtgt cccgggagcg tgggtgtcgg ggactgcagg gacatgggcc 4620
tcccctccca ctcctgccgc ccagggcacc tcctgtgagg actcggagtc cgtgagttcc 4680
cacctccttg agcccgattc tttggtgtcc ccgcctgcat cctcagcctc cttccaaacc 4740
agaccagttc tctaggggcg tcgacgtgtg aaactgattt taaagaaaac aggcagtggc 4800
ctttctctcg gccccacgtg gcccagtagc gctcaccttc cgtcccttct tccgcgctca 4860
gtaaccaatt taggccgctc ctgcagaact cgggctcctg cccaccggcc cacagcgtcc 4920
acctgaggcc tcgtcctccc agcaaaggtc gtccctccgg aacgcgcctc ctgcggcctc 4980
tccagagccc ctcccgcgcg tcctctcagc cccgctcgcc tcctcccggg gcctccctct 5040
cccgcctgcc cccaggcccg tctcccctcg cgggctgagg caggttcggg cagcacggcc 5100
gccccggggc gggggtcact ctccaccacc gcgtggtgcc cacagctcac ggcgctcccg 5160
ggtgacggtc ccctcggctg tagggcgtcc tgaagagcgg cctgctcgga gctgagcgca 5220
cggggttgcc tcgccctggg cgtctctggc cctcaccagc cccgtcttcc catgggcaaa 5280
acggcggtcc tgtttgtcca caagtaaccg tcggggttac ggaggggcca ggagctgcgg 5340
cgggggggctg tgctctcagg accggcccca ggaggatccg cgcgaggtct ggagctctca 5400
ggggtcgcgg gggacagagg ggccccaagc ggaggcgggg aaggcggcag aagcccagga 5460
ccgccaagag ctggcgagga agcccggggc tcgctgtcgg gggagccggg caggggccgc 5520
gcctcggacc aggacggagg cctggggaag gcggatctgg ccgccggaga cgcggtgcgg 5580
gtggagacga gggatttgga tttccgcggg cggctgtacg gatttccacg cgcggttcac 5640
gtgggcccca gggggttgcc cggcacccgg ggccgcgccg ccttctcctc gccggcatcg 5700
acccgcagcc tcacgtttac gcggcggcgc ccgcagcccc cttcggcccg gcttccgcgc 5760
gtgcccccga gcgcgccctc gggatcagcc cccggaagca gagaggccag gccgggaagg 5820
atgggcgacg ggggtggctg acccgggagc acggcaggga ggacacccag ccaggcccgc 5880
gagcagcgcc gctcccctcc tccaggacgg gcgggaacct gcgatgcccc cgccgcgtgg 5940
gccgtggggc ggtctccgag gcactgggcg gggcacgcgg tgggcgcttc acggaactcg 6000
catttcccag tcttcgtaac ccaggaggaa gcccacggcg tcctgcaccg gcgccggcgc 6060
gccaacgcgt tcctggagga gctgcggccg ggctccctgg agagggagtg caaggaggag 6120
cagtgctcct tcgaggaggc ccgggagatc ttcaaggacg cggagaggac ggtgagccca 6180
gcctcggggc gccccgcgcc gcggacactg caggcggcgg tgaaccaggc cgcgtggggc 6240
cgcctgcgtc tctttggctg cggctgtggg cggcgaacac gcagcggcgc ccgcgcggcg 6300
ctttctgcgg gggtcgcttt ccgcccgggg tgactccgct ttcctgggcg atgccccca 6360
cccccaggca cgcgctctcc ccgtgcggcc gcaccgcgca tgccggtttt cacatcagaa 6420
aatacgattt gcaaagcaca cttagggtgt cccccttaac ttcccaaggg agtcccccca 6480
gtccccgaag ggtccagggc agcctgcgca tcgcagacgc gcgcggctcg cagaagggac 6540
gtggtgagaa gctggcccac agcatgccac cagcggcacc tcctcagggc acgtgtcggg 6600
gagaaacaac acttagggac ctgggacttt ctccagctca cgctcacggg tcacctcaca 6660
ctccaagatc acctcaaaga ggacacctca cacagggcac acttcacact cacaggtcac 6720
ctcacactca caggacacct cacactcaca gggcacactt cacactcacg ggtcacctca 6780
cactccaaga tcacctcaaa gaggacacct cacacagggc acacttcaca ctcacaggtc 6840
acctcacact cacaggacac ctcacactca cagggcacac ttcacactca cgggtcacct 6900
cacactccaa gatcacctca aagaggacac ctcacacagg gcacacttca cactcacggg 6960
tcacctcaca ctcacaggac acctcacaca agacacctca cacggggcac acttcacact 7020
cacaggtcac ctcacaccca caggacacct cacacagggc acacttcaca ctcacgggtc 7080
acctcacact cacaggacac ctcacacaag acacctcaca cggggcacac ttcacactca 7140
caggtcacct cacacccaca ggacacctca cacagggcac acttcacact cacgggtcac 7200
ctcacactca caggacacct cacactcagg gcgcacttca cactcacggg tcacctcaca 7260
cccacaggac acctcacaga ggtcacctca cacaggacac ctcacactca gggtgcactt 7320
caaacccaca ggtcatttca cctcacactc acaggacacc tcacacaaga taccacacgg 7380
ggcacacttc acactcacag gtcacctcac actcacagga cacctcacag aggtcacctc 7440
acacggggca cacttcacac tcacaggtca cctcacaccc acaggacacc tcacagaggt 7500
cacctcacac ccacaggaca cctcacacag gacacctcac agaggtcacc tcacacccac 7560

20262013390 25 Feb 2026

```
aggacacctc acactcatag gtcacctcag tcttacagga caactcacac tcacaggtca 7620
ccttactctc acaggacacc tcacactcac aggtcacctt actctcacag gacacctcac 7680
tctcacagga cacctcacac agggcacact tcactcccac aggtcaccat acctcacaca 7740
gatcacctca tactcacaga tcacttcatt ctcacaggat acctcacact cagggcacac 7800
ttcacactca caggtcacac ctcacacaga tcatctcatt ctcacaggac acctccctct 7860
cacaggtcac ctcacactca caggacacct cacagaggtc acctcacacc cacaggacac 7920
ctcacagagg tcacctcaca cggggcacac ttcacactca ggtcacctca cacccacagg 7980
acacctcaca gaggtcacct cacacccaca ggacaactca cagaggtcac ctcacacagg 8040
acacctcaca aaggtcacct cacacccaca ggacacctca cactcatagg tcacctcagt 8100
cttacaggac aactcacact cacaggtcac cttactctca caggacacct cacactcaca 8160
ggtcacctta ctctcacagg acacctcaca cagggcacac ttcactccca caggtcacca 8220
tacctcacac agatcacctc atactcacag atcacttcat tctcacagga tacctcacac 8280
tcagggcaca cttcacactc acaggtcaca cctcacacag atcatctcat tctcacagga 8340
cacctccctc tcacaggtca ccttacactc atctcacact cacaggtcgc cacacctcac 8400
actcacagga tgcctcacac tcacagaacc acatctcata tgcacaagac acctcacact 8460
caggacacct catgctcaaa gaagcctcac actcacagga ggtccagctg tctgaggcaa 8520
aggctaacat gacccttcc agacaaattg aggatggtca tgcctagcat ttttatacac 8580
ctagttttga aagcatttct catctgttgt attctcacag caccccgtga gtttaagttc 8640
aggtggccaa cagtttcttc agcaatcact tttttctgtg gagtgctttt gctgtttgtg 8700
gaatattttg catctgctac tgcaccctct ccccgtatgt gtggccaccc tgtcagaggt 8760
ggagctgtgg ctcagagcct gtgtacctcg tcccaggtcc acagctcagc gacagaagag 8820
tcagggttga acctcgggtg ttctgacttg ggagcaggaa atgtgtggtc acccatagtt 8880
ccagatgtcc tggggagggg ccaagattag aagaaaccta cctcagctcc agaggaaagt 8940
ctggcttcct gagcccaccc cgccagaccc aggtccaagt cccccaaccc cagttcatgg 9000
tgtgtccagt gcttaccgtt gggtgctctg gtgaaggtgc atctcacgag gcttgctctc 9060
ttgttccttc agaagctgtt ctggatttct tacagtggtg agtggatgat caccaccagt 9120
cctgcctgca acccttctca gcttactgac accagcccac tccacagatg gggaccagtg 9180
tgcctcaagt ccatgccaga atgggggctc ctgcaaggac cagctccagt cctatatctg 9240
cttctgcctc cctgccttcg agggccggaa ctgtgagacg cgtaaggccc cactttgggt 9300
cccatatttg cagagggccc tggggagctg gtggaggtgg cctggccaac cgggctgcag 9360
ggtgcacaac ctggtggggt gtgtaggccg ggcattcagg gctcagcccc agttggaaat 9420
tggtctaggt gaccttgaaa tcccttccag tctgaggtct ttgacaggga cccaaggttc 9480
tgattatcag actcagtggc cccttgggct cccggccctg ggcaattctc agccctcgag 9540
atggcccagc tgagagtccc tgtgtccctg tcccacttcc acatcccacc acgcaggacc 9600
gcttggtaaa cttccccttc tctactttcc attacaaagg tttgaggggt ttgtttttt 9660
tttaaccatc tgaatattaa attatcacaa agtttgaggc ccccaacctc ccttgggttc 9720
agtaattcac tagaaggact catagaatcc actgaagtgg atacactcac aggtaccgtt 9780
tattacagca aaggatgcag gcttaagtct gcagagggac caggcacaag cttccccttg 9840
tcctctccct gtggggtcat gtggacagtc cttaattctc ccagaatgac gtgtgacgag 9900
acgtgggaag tactgccaac ttgggaagct ctacgagccc cggtgtccag aggttttatc 9960
agggctcaat cacatagacc cagctgacca cccgcatggc tgacctcagt ctcagcccct 10020
ccagaggcta cgccgatagt gcggcccaag gccccaccat acatcacatt gtcagctaga 10080
ccatccagca tggctcaagg cccaggtaaa caccaacatt ccctcaggca agaccttcca 10140
agggcttagc ggtcatttcc caggagccaa ggcaaaggct acccttttctc tggcacagca 10200
gttcatcctt gaccacccaa gaccacattc ttacactgaa tgagctctcc tgtgcagcag 10260
ccattttctt ctctaagcag aagagagccc agcaagctgg aggaggctga agagagaggc 10320
ttcctgctgg tcatctgggt ccagaatgcc tggagatctc tgctcagccc tggtgcccag 10380
cagccctggt gtgcatcctg cagggcaggc cttcccgccg gagtcctgga cttgctcagg 10440
gccactcccc ttgcccatgt caaccaaagt caggctgccg gttctgcttc ttctgtctga 10500
gcccatgacc agtgctggga ctaactgtcc ccaggcgggc tcacggtggt acgaggccag 10560
cttggagaac tgtctcagct ctctggtcct ctcgtcagtt gggtctctga ttggaaagtc 10620
ccttggacac ttttaccatc cccattggac tttcactttc ccccaggctc ccatcagctg 10680
ctcggaagag tggtcaccct ggaggccact gcccaccagc caggcacccc ccaaatgcaa 10740
ccgcagccag cactgccagc cactggcaag gctgttcaga catgtggctc ctctgatcca 10800
cgccttgtcc tttggatcag tccacggagc aggtggtgcc aagctcaggc tctgtcaccc 10860
acagctcagt gccaccttcc aggcagaaca ccactgctga cccagggcat ggccaccccg 10920
ggggctggct ctcgctgacc cccagaagcc cctctcaggg tgtccccttc ctgtccccag 10980
acaaggatga ccagctgatc tgtgtgaacg agaacggcgg ctgtgagcag tactgcagtg 11040
accacacggg caccaagcgc tcctgtcggt gccacgaggg gtactctctg ctggcagacg 11100
gggtgtcctg cacacccaca ggtgaccagg cttcatgtcc cagtcccaga tgacaccagt 11160
ccctgtccca ctacggatta tcttactgga caaaagacgg gtgggagtgg cttcacatct 11220
actgagcact aactatgcac tgaccaattg tgaggtggga tctgggcacc aagggtggca 11280
caggccagag cgacagtgac taggatgggc accctggggg caatccctga atggcctcag 11340
gccccctgcc aattctaggc agaccagggg agccaagcaa ggcactatct cacgtccaac 11400
tcccactcgc aggacctccg ccagggttca tgaatctact tcggcacagc caatgtctgt 11460
actgactgct gcccactctg cattccaaaa ctcgtaaagg ctcctgggaa aatgggatgt 11520
ttctccaaac cagcctggaa cgaatgggct gcacttccaa aagcagggac accccacacc 11580
cactgtgtct caaagaggcg gacgtgccca ccctggccac acagcctggg actcagcctg 11640
ccacctcctc gggcttcctt tctggcccaa gaccttgatt gaagcagatc aaaactaagc 11700
atgggatcaa aacaacacag tttgattcat ctttaggtag aatttcattc accttctact 11760
aaagtcaaac aacacatctt ctccctgaaa agtgagcaga gggcggtttt aagacgtaag 11820
ccctctgttt cctccaaaac cagccctgac cattgtctcc tcagccagcc acttcttcaa 11880
gggcctctca tggccgggcc ccaccagtca ggcccagccg aggccctgcc ttccaccacc 11940
cctgggccct gggagctcct gctcctgggg gcctcccata gcctcggcct caaggcctct 12000
cagaggatgg gtgtttctga atctttccta gtggcacgtt catccctcac aaatctctgc 12060
atctttctga cttttgtttt acacagttga atatccatgt ggaaaaatac ctattctaga 12120
```

20262013390 25 Feb 2026

aaaaagaaat gccagcaaac cccaaggccg aattgtgggg ggcaaggtgt gccccaaagg 12180
ggagtgtcca tggcaggtaa ggcttcccct ggcttcagga ttccaagccc tgagggtctt 12240
gaagccтttt gaatgtgaac aacagctctg gaagggaaaa tgggcaggtc agccccaagc 12300
ccaccaggct ccaagtcagc acacctagca cctccagctc gcggcacccc catgctttta 12360
gtggggcaag gaaggagaaa agaaaacgac actcactgag ggtctaccct gtgcagagaa 12420
ccctgcgaga tgccccatcc gagttgtcac gtcgtcctca cggttactct ttgaggtggg 12480
atctttgcct gatctttgca aaatcaggag cattggatca aagctatgtg aagatcctgt 12540
gaggtgaaca gtgaaatctc acagcgacat ttgtattctt gggccgtgcc caagagcacg 12600
tctcggctag agaggggcac agcctcccag agccaggtct gagcagcttt gcctgggagg 12660
gatctgcaaa gaccccagga tttcagaaag aaattgtgca atgccagagg ttccttggca 12720
tgcccgggag ggcgagtcat cagagaaaca atgacagcaa tgtgacttcc acacctcctg 12780
tccccccgcc caggtcctgt tgttggtgaa tggagctcag ttgtgtgggg ggaccctgat 12840
caacaccatc tgggtggtct ccgcggccca ctgtttcgac aaaatcaaga actggaggaa 12900
cctgatcgcg gtgctgggtg ggtaccactc tcccctgtcc gaccgcggtg ctgggtgggt 12960
gccactcttc cctgtccgac cgcggtgctg ggtgggtgcc actctcccct gtccgaccgc 13020
ggtgctgggt gggtgccact ctcccctgtc cgaccgcggt gctgggtggg tgccactctc 13080
cgctgtccga ccgcggtgct gggtgggtac cactctcccc tgtctgaccg cagctctcaa 13140
gtgtctcagg ggctgtggct ctgggcttcg tgctgtcact tccacagaca gacagacatc 13200
cccaaaaggg gagcaaccat gctgggcacg actgctgtgg ccaccgtgct ctcagccact 13260
ttcccatgcc caaataaaac gataaaagac tgggggcttc tgcccatcct gcctcacttg 13320
accaagagcc cagaagagga tgcgacaccc agggcctcat gggaccaccg gctggcaggg 13380
gttctgctca ctgggtttat gggtgagacg agcactccca ggagggccac tgggccggga 13440
agaactgtgg agaatcgggg cacgccctgt cctcccagct gccagggcac agcatccctt 13500
ccccacctca acacccagac cccagattca ccccagttca cttgtcccca cacgagccac 13560
aggctgccac ctggggcagg ctggccccac cttggggtta gatgcaggtc cccttgcccc 13620
agaaggagac tgcagcccct gcagacctag aaatggccac agcccatccc catgcaccag 13680
ggggtgaggt ggcaggtggt ggaaagggcc tgaggggggc ttcttccttc caggcgagca 13740
cgacctcagc gagcacgacg gggatgagca gagccggcgg gtggcgcagg tcatcatccc 13800
cagcacgtac gtcccgggca ccaccaacca cgacatcgcg ctgctccgcc tgcaccagcc 13860
cgtggtcctc actgaccatg tggtgcccct ctgcctgccc gaacggacgt tctctgagag 13920
gacgctggcc ttcgtgcgct tctcattggt cagcggctgg ggccagctgc tggaccgtgg 13980
cgccacggcc ctggagctca tggtcctcaa cgtgccccgg ctgatgaccc aggactgcct 14040
gcagcagtca cggaaggtgg gagactcccc aaatatcacg gagtacatgt tctgtgccgg 14100
ctactcggat ggcagcaagg actcctgcaa gggggacagt ggaggcccac atgccaccca 14160
ctaccggggc acgtggtacc tgacgggcat cgtcagctgg ggccagggct gcgcaaccgt 14220
gggccacttt ggggtgtaca ccagggtctc ccagtacatc gagtggctgc aaaagctcat 14280
gcgctcagag ccacgcccag gagtcctcct gcgagcccca tttccctagc ccagcagccc 14340
tggcctgtgg agagaaagcc aaggctgcgt cgaactgtcc tggcaccaaa tcccatatat 14400
tcttctgcag ttaatggggt agaggagggc atgggaggga gggagaggtg gggagggaga 14460
cagagacaga aacagagaga gacagagaca gagagagact gagggagaga ctctgaggac 14520
atggagagag actcaaagag actccaagat tcaaagagac taatagagac acagagatgg 14580
aatagaaaag atgagaggca gaggcagaca ggcgctggac agaggggcag gggagtgcca 14640
aggttgtcct ggaggcagac agcccagctg agcctcctta cctcccttca gccaagccca 14700
cctgcacgtg atctgctggc ctcaggctgc tgctctgcct tcattgctgg agacagtaga 14760
ggcatgaaca cacatggatg cacacacaca cacgccaatg cacacacaca gagatatgca 14820
cacacacgga tgcacacaca gatggtcaca cagagatacg caaacacacc gatgcacacg 14880
cacatagaga tatgcacaca cagatgcaca cacagatata cacatggatg cacgcacatg 14940
ccaatgcacg cacacatcag tgcacacgga tgcacagaga tatgcacaca ccgatgtgcg 15000
cacacacaga tatgcacaca catggatgag cacacacaca ccaatgcgca cacacaccga 15060
tgtacacaca cagatgcaca cacagatgca cacacaccga tgctgactcc atgtgtgctg 15120
tcctctgaag gcggttgttt agctctcact tttctggttc ttatccatta tcatcttcac 15180
ttcagacaat tcagaagcat caccatgcat ggtggcgaat gcccccaaac tctcccccaa 15240
atgtatttct cccttcgctg ggtgccgggc tgcacagact attccccacc tgcttcccag 15300
cttcacaata aacggctgcg tctcctccgc acacctgtgg tgcctgccac ccactgggtt 15360
gcccatgatt cattttgga gcccccggtg ctcatcctct gagatgctct tttctttcac 15420
aattttcaac atcactgaaa tgaaccctca catggaagct atttttaaa aacaaaagct 15480
gtttgataga tgtttgaggc tgtagctccc aggatcctgt ggaattggat gttctctccc 15540
tgccacagcc cttgtcaatg atatttcaca gagaccctgg gagcacctgc tcaagagtca 15600
gggacacacg catcactaaa tgcaagttcc caggccctgg ctgcagtggg aggacctggc 15660
aagctgcact cttgctgagt ccccagggtg gtggaagaag aatgagaaac acatgaacag 15720
agaaatgggg aggtgacaaa cagtgccccc actcagactc cggcaagcac ggctcagaga 15780
gtggactcga tgccatccct gcagggccgt cctgggcacc actggcactc acagcagcaa 15840
ggtgggcacc attggcactc acagcagcaa ggcaggcacc agcaacccac ctcgggggca 15900
ctcaggcatc atctacttca gagcagacag ggtctatgaa ctacagccgt gggctgcttc 15960
caaggcaccc tgctcttgta aataaagttt tatgggaaca cacccatatt agtgtccatg 16020
gagtggccgt ggcagagacg tccagccgga cagaccagct gacccgccaa gcccagcatg 16080
gttagtgtca ggacctctgc tgaagatgct tgctgaccct ggccagaccc cggttcctaa 16140
tgccccctaa acgggacggg agccagtggc gggccctgat ccaggtcaga gctggctctg 16200
ctttctcttt tgtccgagtg accatgcctc agtttcctca tgtgtaaaac aggagcccac 16260
cgtgatgctt atggtgggat gagatcagca tggatggaac aaggccctgg aagggcccat 16320
gccatggtca tcgacagcaa agccactctg cagacagatg cttcagtgaa ttggtagaaa 16380
attctgcaac cagaatgccc ggggctcctg agggcctaag cccagcccag ggttctggaa 16440
gccactctga cttcttggga gtggaagttg gcaggactct tcctgggaag aagcggaggg 16500
tggggatgag aggacagttc aggagcccac ccagacccac aggaggaaac taggggagtc 16560
atgcggggtc ctggtggagc gccagcctcc cttcctgcca atgggaaatg caggcgccca 16620
cctcatggtg ctgccggagg agggggcccg ggactcccca gaggcttcgc tgaagggcct 16680

25 Feb 2026
2026201390

		gggcgccccc aaaggctaca tgtttcatat gggacgtgcc acctgccacg gctcagctcc 16740 agctttctgt gagtggcgag atagaatacg gggaggccac tggccatggg cctgggacag 16800 ggtgggatga ggcggcaggc ttgggccacc aaagccagca tcgccaccca gcattgatga 16860 caaagactgc gtgtctgcca tgagcatcct gctgttggtg cacacaccgc attggtctct 16920 ccatacaaac atgcctagag gcgatgtcag agggtggaga ccaggagagg caggagtcag 16980 acatctggtg ccaccaggaa ggcccttctc agaggaccag gctgtgcgtg gtgcccgccg 17040 tgggaggcca gcctggcgtt ggcatccagc atcatcagtt tgtgcagtcg ggtggggctc 17100 agtgagtgcc tcctgtgtgc caggcacaat gacgcacaat gtgtgcacac caggctcatg 17160 tgcaggtggc tgcgagacag ggcgacccat caaggcagat gcaccatgag gcagtggcca 17220 gtgctgtggg tgttaggggc attgctcccc ggccactacg gcatagcagg cagtgatcgc 17280 cacactggcc aagctttaga ccatttattc cagagacccc agaggcaaaa agcccggctg 17340 cacctcccag tgactcccac agccattgag cagagacact caggaccttg tgatgggagg 17400 tttctgcact ggagaacgag cccagaagcc ctctcagcct cggaacagtg tggccagtgg 17460 tgggcaggtc aggaggggct tcagacacag cctgtccctc cagatggtca cgggaaggtc 17520 actccccaca gaagtacgtt ttggggccat gcgggcacag aaggtttggg ggtgggtggg 17580 gcaggtgcca gcctggcctg tgggaggcca tggtgcagat gccaagcccc ccccgtgaca 17640 tgagaccacc tgataccacc cagagagtgg ctgtgagcgg aagggcccgc ccagaaacaa 17700 gcagggcctt ggggcagaag tcctgggctc agatcccacg ctcactgcca gcggcctcgg 17760 ctcaggcttc tgcgctctct aaacttagtt ttctcttctg gaaaaatgat ggggaaaatg 17820 atatttgtat gtgaggactg agagttaaat gtaaacatct ggaaactaca aaatgagcac 17880 gaaatgatgt ttttattctt agaacagaaa gtccccacac ccgcggccct ggtgactgat 17940 gaggatgagg ttctgcgggg cctctctggc cgcccagctc tgcctgggga aggtggggcc 18000 a 18001
3-9	**Sequences**	
3-9-1	Sequence Number [ID]	9
3-9-2	Molecule Type	RNA
3-9-3	Length	3278
3-9-4	Features	**source 1..3278**
	Location/Qualifiers	mol_type=mRNA
		organism=Homo sapiens
	NonEnglishQualifier Value	
3-9-5	Residues	aggcacacag gcaaaatcaa gttctacatc tgtccctgtg tatgtcactt gtttgaatac 60 gaaataaaat taaaaaaata aattcagtgt attgagaaag caagcaattc tctcaaggta 120 tatttctgac atactaagat tttaacgact ttcacaaata tgctgtactg agagagaatg 180 ttacataaca ttgagaacta gtacaagtaa atattaaagt gaagtgacca tttcctacac 240 aagctcattc agaggaggat gaagaccatt ttggaggaag aaaagcaccc ttattaagaa 300 ttgcagcaag taagccaaca aggtcttttc aggatgattt tcttatatca agtggtacat 360 ttcattttat ttacttcagt ttctggtgaa tgtgtgactc agttgttgaa ggacacctgc 420 tttgaaggag gggacattac tacggtcttc acaccaagcg ccaagtactg ccaggtagtc 480 tgcacttacc acccaagatg tttactcttc actttcacgg cggaatcacc atctgaggat 540 cccacccgat ggtttacttg tgtcctgaaa gacagtgtta cagaaacact gccaagagtg 600 aataggacag cagcgatttc tgggtattct ttcaagcaat gctcacacca aataagcgct 660 tgcaacaaag acatttatgt ggacctagac atgaagggca taaactataa cagctcagtt 720 gccaagagtg ctcaagaatg ccaagaaaga tgcacggatg acgtccactg ccacttttc 780 acgtacgcca caaggcagtt tcccagcctg gagcatcgta acatttgtct actgaagcac 840 acccaaacag ggacaccaac cagaataacg aagctcgata aagtggtgtc tggattttca 900 ctgaaatcct gtgcactttc taatctggct tgtattaggg acattttccc taatacggtg 960 tttgcagaca gcaacatcga cagtgtcatg gctcccgatg cttttgtctg tggccgaatc 1020 tgcactcatc atcccggttg cttgtttttt accttctttt cccaggaatg gcccaaagaa 1080 tctcaaagaa atctttgtct ccttaaaaca tctgagagtg gattgcccag tacacgcatt 1140 aaaaagagca aagctctttc tggtttcagt ctacaaagct gcaggcacag catcccagtg 1200 ttctgccatt cttcatttta ccatgacact gatttcttgg gagaagaact ggatattgtt 1260 gctgcaaaaa gtcacgaggc ctgccagaaa ctgtgcacca atgccgtccg ctgccagttt 1320 tttacctata ccccagccca agcatcctgc aacgaaggga agggcaagtg ttacttaaag 1380 ctttcttcaa acggatctcc aactaaaata cttcacggga gaggaggcat ctctggatac 1440 acattaaggt tgtgtaaaat ggataatgag tgtaccacca aaatcaagcc caggatcgtt 1500 ggaggaactg cgtctgttcg tggtgagtgg ccgtggcagg tgaccctgca cacaacctca 1560 cccactcaga gacacctgtg tggaggctcc atcattggaa accagtggat attaacagcc 1620 gctcactgtt tctatggggt agagtcacct aagattttgc gtgtctacag tggcatttta 1680 aatcaatctg aaataaaaga ggacacatct ttctttgggg ttcaagaaat aataatccat 1740 gatcagtata aaatggcaga aagcgggtat gatattgcct tgttgaaact ggaaaccaca 1800 gtgaattaca cagattctca acgacccata tgcctgcctt ccaaaggaga tagaaatgta 1860 atatacactg attgctgggt gactggatgg gggtacagaa aactaagaga caaaatacaa 1920 aatactctcc agaaagccaa gataccctta gtgaccaacg aagagtgcca gaagagatac 1980 agaggacata aaataaccca taagatgatc tgtgccggct acagggaagg agggaaggac 2040 gcttgcaagg gagattcggg aggccctctg tcctgcaaac acaatgaggt ctggcatctg 2100 gtaggcatca cgagctgggg cgaaggctgt gctcaaaggg agcggccagg tgtttacacc 2160 aacgtggtcg agtacgtgga ctggattctg gagaaaactc aagcagtgtg aatgggttcc 2220 caggggccat tggagtccct gaaggaccca ggatttgctg ggagagggtg ttgagttcac 2280 tgtgccagca tgcttcctcc acagtaacac gctgaagggg cttggtgttt gtaagaaaat 2340 gctagaagaa aacaaactgt cacaagttgt tatgtccaaa actcccgttc tatgatcgtt 2400 gtagtttgtt tgagcattca gtctctttgt ttttgatcac gcttctatgg agtccaagaa 2460 ttaccataag gcaatatttc tgaagattac tatataggca gatatagcag aaaataacca 2520 agtagtggca gtggggatca ggcagaagaa ctggtaaaag aagccaccat aaatagattt 2580 gttcgatgaa agatgaaaac tggaagaaag gagaacaaag acagtcttca ccattttgca 2640

2026201390 25 Feb 2026

		ggaatctaca ctctgcctat gtgaacacat ttcttttgta aagaaagaaa ttgattgcat 2700 ttaatggcag attttcagaa tagtcaggaa ttcttgtcat ttccatttta aaatatatat 2760 taaaaaaaat cagttcgagt agacacgagc taagagtgaa tgtgaagata acagaatttc 2820 tgtgtggaag aggattacaa gcagcaattt acctggaagt gataccttag gggcaatctt 2880 gaagatacac tttcctgaaa aatgatttgt gatggattgt atatttattt aaaatatctt 2940 gggaggggag gctgatggag atagggagca tgctcaaacc tccctaagac aagctgctgc 3000 tgtgactatg ggctcccaaa gagctagatc gtatatttat ttgacaaaaa tcaccataga 3060 ctgcatccat actacagaga aaaaacaatt agggcgcaaa tggatagtta cagtaaagtc 3120 ttcagcaagc agctgcctgt attctaagca ctgggatttt ctgtttcgtg caaatattta 3180 tctcattatt gttgtgatct agttcaataa cctagaattt gaattgtcac cacatagctt 3240 tcaatctgtg ccaacaacta tacaattcat caagtgtg 3278
3-10	**Sequences**	
3-10-1	Sequence Number [ID]	10
3-10-2	Molecule Type	DNA
3-10-3	Length	162001
3-10-4	Features	**source 1..162001**
	Location/Qualifiers	mol_type=genomic DNA
		organism=Homo sapiens
	NonEnglishQualifier Value	
3-10-5	Residues	aggctgttgc gtatgtgagt ctggagttcg gaagagacat ccaagttgct gacataaatt 60 tcggtcttca gtgtagaaat ttgatttaaa gccattgggt taaacaaacc aaccaaggta 120 agagtatttg caggtaagag aagagaccca aggacttagc cctaaggcac tccagcatta 180 tgatgtaggg gagatgagga accagcaaag gaggctgaat ggaaacagag aaggaatggc 240 gagttctgtg caagagacag gaagaaagag aatgcaaaat ggtcaaacaa taaataatta 300 agttgaatta gatggtaaag aaataaatgc aaggaaatgc aaggccatag tcactgggca 360 gacagagtaa aagaacatga tgaatcaggt gagattaatc acccctcctg gaactatcag 420 aaaaagatac tcactgacag tgaggcagtc atgttagtcc ccaagttgat gactaatgga 480 aactaaggtc acagtgcaca ttaatttctt ttgaagcaaa ggataaaaac aaacaaaata 540 taaaagatta agatgtaaac gttagtgtac actaattcag agaagaatta aatgattttt 600 aaaacttcaa gaaggaggac agcattctaa atgcattgtt ctaaaacgat agtaagatgg 660 gataaatagt cacactaggg tgatgatttt ggatgtgtta aatttgtcac tttgagacca 720 gatatgctcc atttcacttc atgccagctt ttaagaacat atatcataga aaaagagaaa 780 agaaacagtt gaatcaaagt gaagagaaat attgtgaagc aaataaatcc agggaaaaat 840 taataaaacc ctattcccac cctaaaaaaa agaaactaaa agaagtgcaa atataaagtt 900 caataggagt cattagagat tgtaaattgg gctctgagct tcctaccaac aaaagcacaa 960 aggaaaatat gatcactggt attaaaaaaa aacacctatg gtttccaaaa gattaaaaca 1020 aaccagcagt tttatagaag ctaacactaa aatctaaagg aactacgttc tatggagcca 1080 cttaatatgg ataaacactt tgacaatatt ctttcaacaa ctacagtaac aagtttctta 1140 gagtccattt ctttttacat ccataatgaa ttgtaaatct tttctacttc ttaagtaaaa 1200 catcaccact taattctggt aacttttcca tattaacttt ttagaacaat tgcaaacgta 1260 ccataaatga ttgttgtcac agtggtaact atttgaccct gactgttatt ttgtatatag 1320 cagcttttaa aataaaaagg caacaagttt ctaggcgtaa tttccacaga tcttttatgt 1380 aaaacaatga catcctttgc aacttctgcc atttaatcta tctcaagcaa gctctctgga 1440 aacaaatcta tttgaaagat tctattgtaa ttagaaatca gggtaactga atgcactaga 1500 tgaaaacctt ctgactgggg ccaatgaagt caataaagtc aaaactgctg tgaatgctca 1560 actgtctgca gatcagatgt cttgggatgg aatccgttct cgaggccacc atcattaata 1620 tcaatttggc catgtaatac aagcctcact tgttccactg ttacaaatgt gcttaaaact 1680 gagctcattt acaatccaaa tacatatgta ggatggtaac caaggcatca cactaattta 1740 ggtattatgt tttaggggga acaaaaggta tgttaatatt ttattcatct ccaaattaac 1800 tataaattgt gcattcttgc atagatcctc cttgggaatg agaaattagg aaaatccagt 1860 tgttaaaatg aatgcctaaa atcaaaataa aatttgtttt tctggcacct gcttgatgac 1920 acagactaat aaccaatgac aaaattgccc ttgaacccaa gttttcattt cctcctattg 1980 tgtggtcagg ttatgtaagg gtttgctttc accccattca aaaggtacct cttcctcttc 2040 tcttgctccc tctcgccctc attcttgtgc ctatgcagac atttgagtag aggcgaatca 2100 ctttcacttc tgctggggaa attgcaacac gcttctttaa atggcagaga gaaggagaaa 2160 acttagatct tctgatacca aatcactgga ccttagaagg tcagaaatct ttcaagccct 2220 gcaggaccgt aaaatgcgca tgtgtccaac ggaagcactg gggcatgagt ggggaaggaa 2280 tagaaacaga aagagggtaa gagaagaaaa aagggaaagt ggtgaaggca gggaggaaaa 2340 ttgcttagtg tgaatatgca cgcattcatt tagttttcaa atccttgttg agcatgataa 2400 aattcccagc atcagacctc acatgttggt ttccattagg atctgcctgg gggaatatct 2460 gctgaatcag tggctctgag ctgaactagg aaattcacca taattaggag agtcactgta 2520 tttctctcca aaaaaaaaaa agttataccc gagagacagg atcttctgat ctgaaatttt 2580 cttcacttct gaaattctct ggtttgtgct catcgttggt agctatttgt tcatcaagag 2640 ttgtgtagct ggcttcttct gaaaaaagga atctgcgtca tatctaagtc agatttcatt 2700 ctggtgctct cagagcagtt agcccaggaa aggggccagc ttctgtgacg actgctgcag 2760 aggcaggtgc agtttgtgtg ccacagatat taactttgat aagcacttaa tgagtgcctt 2820 ctctgtgcga gaatggggag gaacaaaatg cagctcctac cctcctcggg ctttagttgt 2880 accttaataa caggaatttt catctgcctg gctcctttcc tcaaagaaca aagaagactt 2940 tgcttcatta aagtgtctga gaaggaaggt aggttatatt tttattccca ttctatagct 3000 gggtaaagtg agttctaaca aagttacttg ttaaaggtca ctcagaggtc agagcatcag 3060 aaaaaaagac aatcacaagg ctgatgttgt gtgctggata gtttaaactg aacaggaaga 3120 aaacattttt gtgggcttta tctaaaaaga aatagtttgc tctgagtttc tcagtttcat 3180 ttattcagca agtatgtgcc aagtgctatt gtaggcaatg aagatacagc agggaacaaa 3240 acaaaactga catggagctt ccaactagaa aggagaacga gacaacgcgt tttaaaatat 3300 atataatgtg ttaggtaaaa agtgctataa ggagagctaa aacacaatga gaggctagaa 3360

20262013390 25 Feb 2026

gagtgatagt ggcggagggg cttctctgag gagatgacat ttgatcaggg gtctgaataa 3420
agtaaagagg ccagttatgt gaatatctgg aagactcaag gggcagggcg gaaatagcca 3480
gtagaaaggc cctgaggtag gaaggtgtgt ggcaagtttg aggaaaagga aagacagtct 3540
gactggagca aagagaactg gagctgaggc catcaaggca gccaggagcc aggtgcagac 3600
tgggctttga ctctgcctgc agggaggaac tgctgaaggt tccaagcaaa ggaccgccct 3660
gacctgcctt aggtttgaac aggatccctc tggctggtgt gtgaagaatt aactgtagat 3720
gggcaagtgt ggaaggaagg agagcagtca ggaagctgcc ataaccatct acatgagaga 3780
ggtaaggcct cagatggagg ggagcagtgg aatggtggaa agtgtttatt ttgaatgtta 3840
agcctgcagg agttgctgga ggattggaca tgggggatga gaaaaagaga gaggcttaca 3900
gatcaggtaa tttagctgat cttaagcccc ttacagctta atattattcc aaggtgccaa 3960
taacagccaa ggtaaacaac cttgtcttgg acattctgcc tttatttgcc cacacaagat 4020
gaaattaaat atatatatat atatataatt taaataaata aattatatat atatataatt 4080
taaataaata aattatatat atatatattt agtgctgttt ccatcagcta ctagctgaga 4140
cacttgggca aatgagggtg atctccagtc ctcagtatcc ttgctgttaa tgagagatgg 4200
tcatttcttc tctgcctagc tcaaaagaat atgttaaata aaactctgtg aactttaggc 4260
agcacaggct tagggcttct tagtaacatc atcagcacca tcagagttaa cttcatgagt 4320
cagttgagtt gcctttgggg tatatcatta acagattcca ggaagctccc ctgcccaaaa 4380
gcctcccacc aatggcctgc cttgttgaaa gaattacaca attagcccaa ttccctttcca 4440
ttaaggcatt gtggactcca aacatcctcc tttaaaatgg aaactaaatc gagctactgt 4500
cagtcatttg tccttttagg tgacgttata tatcagatca cttttctgcc attagagcta 4560
gttgaagttt gaatagggaa aaggaacgaa tgaacgtggg gcagagaacg caatagtcgg 4620
tgggttactc agtaggctgt ggacagatgg agaggatccc ggtgggagga gcctctaaag 4680
ataaactttc tatgggaaaa tgttgacaga tttacctgag tcatggtttt tcttacacct 4740
cataaaaatg aaggcttcca agggcagctc cttgaaatag ctgtaacaag tagccacaga 4800
agttgagttg cttaaagaaa aacattgaat tcatggggaa ccgtacgctt taatagcccc 4860
tttggcttac tttgtttaaa caaactcatc ccgagcatct cacacttcac caattttgag 4920
tgtccctgct ttacctcagc cttttaaaga gtgtctttcc cctaaatatt tctggaaatg 4980
cctaagggtg ctgacgtgca gccagaaata gttcacttct gtccccacta tggcaggaat 5040
ccatggacca aggctctgat gtttccacaa agatgcccct caggactaga aatctgtccc 5100
catccccgtt gccaccacag tcaccatcac ctggaaatcc tgcaggacca atgtttgtga 5160
atttggaata tatgctagat gccttactac cttgttatga ccttatttct ttatagcact 5220
tttaacctag cgcattacat attttaaatg tataattcag cgatccagat cactggtcca 5280
gtgtcacctc ccactcagca aagtgagatg aacacacttg gtgctacatt cagctaggct 5340
ggcactgtag atgcacccag tcccaggtat tctagtggct catgacaggg cttcctcact 5400
ggagacatgc tgagccaagc aaggcagttt ttaccaccaa ccctgatagt cgtacacata 5460
ttctgctcct ccacccccac caaggttgaa actccgctcc tgtcagcttt gcagctacca 5520
ccacccccctc agggagagtc atctctgttc ccaaacccat ataaatgtca ttcaaagcca 5580
gaggatgtaa ttgctgtagt aattgttata gtccactcat ccaggggccc cactgcaaag 5640
ctgattaaac catagtgtta ctacctttta cagagttatt attcttccaa atcaacccac 5700
tgcacctttc tccaaggcta caaaagtgcc cctagggtgg ctgtgtacag gcaagttttg 5760
atgtcagctg ggaaactacc tataaccccc actctctgct aacaccaact tttctttttc 5820
tattttattt tattttattt tactttaagt tctgggatac atgtgcagaa cgtgccggtt 5880
tgttacacag gtatgcatgt gccatggtgg cttgctgcac ctatcaaccc accacctagg 5940
ttttaagcct cgcatgcatt aggtatttgt cctgatgctc tccctccccc taccccccac 6000
cccctgacag gcccgggtat gtgatgttcc cctccctgtg tccacatgtt ctcattgttc 6060
aactcccact tatgagtgag aacatgcata acaccaattt ttcttattgg aattgtagtg 6120
ccagtttagt tcttcagtgg aagcacttgt tcttctctat aatctgttct ccatctggga 6180
acaccctact ttctcagaca taggtttgca gtgcattggt gggcaggatt tcagtccttt 6240
ctctgaaagt tcctaagccc tattgaaaaa tgaatgcact ggggaagggt gtggcccatc 6300
tctctcccca gaagctcctg agccacattt cttacccagt cccggaaccc tggtatccta 6360
aaccatgtct gaacctgtac ccctgtggcc ccagaaaggg accaaacagt acatcccatg 6420
aaaccacaaa gagatcataa ccttctcctc tctcctccca catctctaca taaacaacat 6480
ttatatagat gactgaattc aagatacgtt tatttggtac tgatggtcaa ctggaagttc 6540
ctaagcagaa ttacttataa tgtgggactg tgtttttagt ggttgcagtg aaggctcaac 6600
acccctaaac acggtgggaa cttgctgagg aggcaggctg tgaagggcag ggtattagca 6660
tctttcctta aaataacatg tgtcttagtg tgctcaggat gctacagtaa aaataccata 6720
gatttggtgg cttaaacaac aaacatttat ttctcacagt ctggaggctg tgaagtccaa 6780
gatcaaggca ctgacagatc cagtgtctgg taaaggcctg catcctagtt catagcccgc 6840
tgtcttctca ctgtcctcaa gaggctgaaa gggtgagaga gctcttccga gactctttca 6900
taagggcact aatcccattc atagggctcc accttcatga cctaattact tacaaaggcc 6960
ctacctccta ataccatcat attgggggtt aggatttcaa cgtatgaatt ttggggagac 7020
acaaacattc agtctatata acaacacgta ccgtgaaact ttcctactca taaaagtaat 7080
atatcttcac tggagaaagt aaaaaagtac agaaaaatat gtagaagaaa atctaccatc 7140
atctcacatc cagagatatc catggtaaat attttaatac aattcctgtg aagttattca 7200
gtacacatta atagagtttg aaaacataat ctaatataaa agcatgaaat tcataaagat 7260
attttaaaat aaagttaata tgtatgtgtg tatatgtatt tttatatata cacaaacata 7320
tatgcttatt atttttattg tgagcattcc cccatattat tagaaaacca tgatttttg 7380
ttctttttct ttttcttttc ttttcttttt ttttttgga gatggagtct cactctctca 7440
cccaggctgg agtgcagtgg tgcaatcttg gcttactgca acctccacct cccaggctca 7500
agcaattctc ctgcctcagc ctcccgagta acagggatta caggcccctg ccaccatgcc 7560
catctaattt ttttgtattt ttagtagaga tggggtttca ccatgttggc caggctggtc 7620
ttgaactcct gacctcaggt gatctgccca cctcggcctc ccaaagtgct ggaattacag 7680
gcataagcca ccgcaccaga ccaaaaacca tgatttttga tggcatcatc ttatggatgc 7740
aatataatta atttaaccat tcttctacta gttaatatta aggtcatttc caacttttat 7800
tgttgttaca ttgcctctca ttttctttat aaatatttgg ctctttttat tttggatatg 7860
ttgtagctaa aatgccatcc agatagttta ttctgattta gtgcccacca ggttctaggt 7920

20262013390 25 Feb 2026

gcatgactgc catagcagag atagttgcat acagttcaag tttagatttt gtttgtgagc 7980
gggagaatcc aaagaccaag ttcctaatat tcttttgcct gaaaaatggc tacataacct 8040
tgccaaatct cttaacattt tcatgccttt gtttctaata tggaaaatga agatactcac 8100
caatttgtaa ctgtaaacta ctacacaaga atgaggtatt catttaacca tatggtgaga 8160
ttttgtagtt aaaattaatt aattgtgctc agtggtcaga ctactggctt taaatcctgg 8220
atccattatt cattacttcc tattgtgtaa cctgggcaag ttacttaact tctcttctcc 8280
ttagtttcct catctataaa atgaataaca gaagcactta ccataagtga ggatgagata 8340
agatggtggt atatgtgagt ggtacacatc tgttactatt attatcattg ttatttatta 8400
ttaagcagtg aatttagact caatgtgaaa tggtttagaa gtcatcagct tcccgtttca 8460
tgttcttaaa gcactggtga taagagtatg cctgtatcat gcagttataa ctttaatcaa 8520
aatatgaaag taactttaat caaaatgcca agtcaaatta gcaaagtcag ccctttcaa 8580
aatgtgtgcc ctaaagtaat aaggtctgca gggtgtgccc cagggacctt tggtggggag 8640
tgggtggtag tcagaatggc gaaaacagtg gggattttta gggcccccac tcacattgct 8700
ttgcttttat agcaaaaatt gttggctgat gaacaaaatc atttcctttt cttggactca 8760
cagctagacc taacttccca agtcctgtac agttaaatgt taccatacaa ttacagtgga 8820
gccatatgtg tctgtctcaa ccacccaagc ctgccattgc agtgtgaaag cagccatagg 8880
caatacttaa acaaagggat gtgctgtgtt ccaataaaat gttaccaaac tttcctatag 8940
tttgccagcc cctgaactag agcatggtaa ggcaagagag aattgtagaa cgtggttgga 9000
aaggcagaag gagtcaggga ggaaagacct tgtggaactc tagcacaaag tttggatttt 9060
atcctaaaag cagaagggaa gcctttgaag ggttttagaa aagggtatga cctgaattac 9120
agaagctcag tcctcagcag atcagtattt caacattcac tcaccatgtg aaccattgat 9180
cccattttgt tacttcctct gtagaatctc ctcttaagga aattgaaagc aagctcctga 9240
atgagatggc attttcaggg aaagaccagg aggcagaccc caaggggctt cacaagatgg 9300
catttttgtg gccttggtgg atttgccatg accttggctt ggcaggatca gaaacctgaa 9360
tctattcgcc tgtaagtcct cttttcttgt aagtcctata agacttacac taagttcagg 9420
tgattaacat attaagtcaa aaagcccatt ttagtaattt ttaatgaaaa acataattgc 9480
cacatgtgag aagcccattc tattttcata gacatactta tattagaata acaatgacca 9540
taatggttag catttattaa caataacatt gtgccaggca cagtgtcaag cattttccat 9600
gatgacctca caagtctatc ggtaggaatt gtggttaaaa ccctcttata gataaagtca 9660
gaggttctaa acttataaga tcacaatgct agtgagtggt agagatgaga tttgaaccca 9720
cacagtgtaa accagagtgt ggatacctag ccactacaac atagtgtctc ataggagaca 9780
tgttcagaag gttgctagtg gacattgaat ccatggggga aaagaaggca gaaaaatctg 9840
attttaatgt tatcaggtta atggggcctg atgcagccat cttgcagaag aacggtattg 9900
ctagcaggtc ctccatgttt gtttacaaca ctggctacgg ccttcccact aggatgggaa 9960
ttcccaaatc ctataatttc ctagatggtg ctggaagagg cactgctgag gtttgttttg 10020
ccaactatct ttcccctctt cttcttgcct tatttgtcat tctatccatt aaggtgactt 10080
ttcatccatt ttatatgaat ttcataatta acctctcagg gtaattcccc cagcccaccc 10140
tactatcagg gcagtcccca atatgactaa tcattcccac atactaagac cacagactgc 10200
ttcagaatct gtatttatat tttcactatt aaaaaactat gctatcgttt cctgaaatct 10260
ctatgaaaaa aaaatactaa gctatatctg gagtgaaatg gtcagtaaga acacagtttg 10320
tcacacaaaa taatgaaaat gctatttctt acttatagtg cagactgggg ttcttcctct 10380
agaattagaa atattaggct tgctaagatg tgatggggag ttcattgggg ctagtgtttt 10440
agcttttgaa ctcttcaaaa ggaacagaaa tgaagaaaaa gacctgcttt aataaacaag 10500
gttaagtctg tatgatttat ggacttatga gcaaatctga catccactca catgggtggt 10560
cctcccaagg gataaacttc gtaaaagcac atttaagaaa aagggagcag atactgttgg 10620
tgccctcttc accaggagac acactgaaag gctgcagtag cacatcagag cctcacaggt 10680
cagcatcagc caaacagctg ttctgtgcat cacaagaatt cgtacatatt tcaaaatgac 10740
taatttgtac ctatgagaca ggatttgacc cactaatttt tgtaccgtaa cgttttaata 10800
aaaattgttt tttcaaagcg aagctttgct gagcagatga attatcatgt gggagtttaa 10860
aaattagtca aaggagtctt gacaactaag tcctttaagc ttggccttcc cttggcctct 10920
gcctactcct gatcataatc tgaataaact ttaacttttc gactagaatg caaaacacgt 10980
gtttttgtaa aacgaatatt aatggcataa ctcgtgcttt attattttag ctgatttgta 11040
tcaatgtatc aacattccaa agaaaatagg gagcatatgt tggttaataa tttttgttat 11100
gactattgac atgtaattca catgacataa actttaccat tttaaaaagt acaattcagt 11160
gagtttgagt atgttcttaa ttttgtacaa ccatccccgc tatcaaattt caaagcatat 11220
ccatcacacc aacaataaac tctggttcta ttagtagtca ctcccaattc ccttttccct 11280
agccccctgg cgaccactaa ttaattattt ctctgtctct atggatttgc ctaccatgaa 11340
cattgcatat aaatggaatc acacaatatg tagtcttttg tgtctggcac cttccactca 11400
acatactgta ttaaaggttt ctccatgtta tagcatgcat cgatccacac ttcatttcct 11460
gttatggctg aataacattt tgtcctctga atctaccata tttgtttatc cactcatgag 11520
ctgatcactt aggctgttgc cacttattag ctattatgaa taatgttgtt atgaacgttc 11580
atgtacaagt ttttgggcag acatgttatt tctcctgggt aaattcctag gagttgaatt 11640
gctgggtcat atagtaactc tatgtttacc tttttgagaa aactgccaat atgttttcca 11700
cagtgtctga accattttat aatttcgctg gcaatgtatg agagttccac tttctccaca 11760
tcttcaccaa catttatttt ccttttttta aaaaacaatt attgctgtcc tagtgggtat 11820
gaagtgatat ctcctgtatt ttcaatttgc atttctgtaa tgaataatga tattgtgcat 11880
cttttatgtg cttattggct agttgcacat cttctttaga gaactatcag gtcatttgcc 11940
tttttttgaa atgttggttg tctttttatt gttgaaatat aaaagttctt tatatattct 12000
agatctagac ctttactgga tatatgactt gcaaattcta ccatttctgt acgttgtcta 12060
caatttcaac cattctgtgg gttgtctttt tattttcttc acaacgtctt ttgaagcaga 12120
atagtttttc attgtgatga agtccagttt gactatttt ttcttgtgct tttggtattg 12180
taactaacaa accattgact aatccgagat tctgatgtac atacatgctt tcttctaagt 12240
tttataattt tagcttttac atttaagttt ttaatccatt ttgagttaat tttttaaata 12300
ttcttttgca tgtagctatc cagttgtccc aatgctattt gttgaatagg tgattctttc 12360
ctcattgaat ggtcttggta ttcttgtaaa aaatcagttg actgtaggca tatgggtttc 12420
tggactctca attctacccg actgatctga atgcctatcc tcatgccagt actacactgt 12480

20262013390 25 Feb 2026

cttgattact gcagctttgt agtatgtaag tagtagtacg ttttgtgagt cctcgaactt 12540
tgccttttt tatagattgt tttgctattt tgagttaagt attttttaa aacatcaagt 12600
taaaaatgaa gctgccactc tctaaaggag gacaatttca gaaaggcact gagacctgtg 12660
cttggtatgt agtaggtgct tttgaaaatg tttgttgcat ggaatggatt gatttcatct 12720
ctattctaac actcaatgcc atgttcattt ccccttggga gcctttcatc tctcccttct 12780
cttttctaag aaaatcagta actctctcat tcatacattg tacacataca tatctttatt 12840
tgtttatgtg tctattttcc actaattaga ctataatgcc atataaggct agaattacat 12900
ctaattcatt gctgggtccc aaagccatgc ttaagaccat aagtatatag gggttttttt 12960
tcttttaaaa agtttttatt tttaattatt atggatacat aagagttaca gatatgtaaa 13020
gggtacatgt gacattttga tacaagcata caccatataa tgatcaaatc agggtaactg 13080
ggatatccgt cacctcaagc atttgtaatg tatttgtgtt agaagcattg caattccact 13140
cttagttatt ttgaaatata caataaattt ttgttaactg tagtcaccct gttgtctact 13200
gaacactaga tcttattcct catatctgac tgcattttcg tatccattaa acacccctct 13260
tttttatttt ttatttttatt tattattatt atactataag ttttagggta catgtgcaca 13320
atgtgcaggt tagttacata tgtatacatg tgccatggtg gtgcgctgca cccattaact 13380
cgtcatctag cattaggtat atctcccaat gctatccctc ccccctcccc acaccccaca 13440
acagtcccca gagtgtgatg ttccccttcc tgtgtccatg tgttctcatt gttcaattcc 13500
cacctacgag tgagaatatg cggttaaaca ccccctcttt atccccccctc cccactaccc 13560
ttcccagacc ctagtaacca tcattctatt ctttctctct ctgagttccc acatatgagc 13620
aagaaatgtg atatttgtct ttctgtgcct ggcttatttc tcttgcataa tgtcctccag 13680
ttccatccat gttgatgaaa gagacataat ttcattcttt tttatggctg aataacattt 13740
cattgtgtat atgtacaaca ttttctttat tcatctgttg gtggacactt aggttgattc 13800
cataccttgg ctattgtgaa tagtgctgcg gtaaacatgg gagtgcagat atctcttcga 13860
tatactgatt ttctttcttt tgggtatatg tccagcagtg ggattgctgg gtaatatggt 13920
agctctattt tgttgttgtt gttgtttttа ggaaccttca tactgttctc catagtggct 13980
gtactaattt acgttcccac caacagtgta tgagggttcc cctttctcca cacttttgag 14040
agcatccgta attccctgtc tttttgatag aagcaatttt cactgggatg agatgatatc 14100
tcattgtagt ttagacttat atttctctga tgattaagga tgttgagtat ttttggccat 14160
tcgtatgtca tctattcaga tcttttgacc atttttaaat caaattattt tttcctattg 14220
agttgtttac acaacttata tattctgttt attaatccct tatcagatag gtagcttcca 14280
gatattttat tccattctgt gagttgtctc ttcactttgt tgatggtttc ctttgctgtg 14340
cagaagcctt ttagcttgag gtgatctcat ttgtccactt ttgcactggt tgactgtgct 14400
tttgatgtct tattcaaaaa atatttggcc agaccaatgt catctcttgc catatacaaa 14460
aatcaaatca aattggatta aaaacctaaa tcgaaggcct gcaagtatga aaccactaga 14520
ataaaacaat atatatgtgt tggagggaga gaagaaagta atgaagaaag aaaggccagg 14580
tgagaaagta agagagaagg gaaaatgaac aagaaagaca aaagtcattc caggcactgt 14640
tttaaggggc atctcattta ttcttacaac cttatgagat aagcactctt actttcagtt 14700
tgttcaggat gctataacag aatcccatag actgcgtggg ttataaacaa tagaaattta 14760
tttctcttag ttctagtgac tgggaagtcc atgatcaagg cactgacaga actgttatct 14820
ggtgaggacc tgcttcctgg tttacaaatg gacagccatc ttctcttctt gctttgtcct 14880
cacatggtgg gaaggggtaa agaagctccc tgaggcctct tttatatggg cactaatccc 14940
attcatgagg gctctgccct catgaccaaa tcacctccca aaggttccac ctcctaatgc 15000
catcaccatg gggttaggat ttcaacagga atttggaaag gacacagaca ttcagaacat 15060
agcaccccca ttttacagat aagaacagtg agaaacagag agttaaataa ttttctcaag 15120
gtcatacaac gaacccgtag cctaggcagc ctggctcttt ggtcatgttc ttaaatacta 15180
tgccatactg tctctcaaat aaacactaaa atcaagatac ttgggatgat cgttgggagg 15240
cagagcccag atatctatac tttaaacaaa ttcccaaatg atctgatggg caactcagat 15300
gaaaatcaat gcttcaagaa atagccaaat aaaactctat ggaaggtaaa gatggggaga 15360
gcttggtgag atgtcatact tgggaggaaa agccagggaa agtaagagaa aactgggtat 15420
tagtaaagat catggagaag ggaaaacaca agatattgct aggctaaaaa agaggcagac 15480
ctgatgaagc agtgaacacc acttcagcca ctccctacct tggccccagc tggccctggc 15540
tgtgactgtg ttccatactc tgcaatgaca tgtaacttcc accacgtcca tatcatacct 15600
aaagcctact tcagtgtgtc cacaaaagca agtaagaata aaaagtaaga gaaacaactc 15660
acatttattt gctgcttatt atgtgccagg ctatgtcctt ttttttttga gatagagtct 15720
cactctgtca cccaggctgg agtgcagtgg tgtgagcttg gctcactgca acttctgcct 15780
cctggggtca agtgattctc ctgcctcagc ctcccaagtg gctgaaatta caggcacgtt 15840
tagtagagat ggggttttgc tatgttggcc aggctgatct tcaattccag acctcaagtg 15900
atgtgcccac ctcagcctca caaagtgctg ggattacagg tgtgagcctc cacacccatg 15960
tgccaggcta tgttttaagt gctctaccca tgagaactca cttagtcctc ataacaatcc 16020
tgtgaggtag gtactattgt ttccccccat tttacaggga aggactctga agcacacaga 16080
ggttaaggag tttatcaagg tcactgtagc taacaagcag cagaaccaga ttcaaacccg 16140
gagcccacac tcttaatcac tatgttgctt ctagaagaaa gaaaataagg gatgaaggat 16200
agtaaaaaca tgcaagccct tctgagcccc ctgttgttgg ccccactttg gcaggagtgt 16260
taggaagact atgggaactc aaaggtgaca cttagcactc tcctccagag gctacaggag 16320
ccatcattgg tagctagcca tttgtatccc ccgtgatggt ggagaaaagc ccacactgtt 16380
gcaagtttcc agaattttct ctgctctgga aaagactccc aaactagggt taatcaagta 16440
tctttttgg tgaatttcat taaaattacc acataaaaaa agaagaattt gtcctgaatt 16500
atacatatag gagaaaaatg ataaaataaa ataatttcca ttatctttgt agcaaaaaaa 16560
gttggaatga ttccaccagg ttctctgaag gactttgttt tcaaaggaga tgttaaaatg 16620
tgtaaaatat ccaaaggata cacttttgca gctgaattta ggatcttaag aaacatggtt 16680
ttaccgtgtt tcccaatgat tgttgaaaag aagcagtgac tgggttacat ctagggcagg 16740
gtttctcagc ctcggcacta ttgacatttt gggccgggta attctttgtt gtgggggct 16800
gtgctatgca ttgcaggatg tttagcagga tccctggctt ctacccacta gatgccaata 16860
agattctccc tttccatctg tgacaaccaa aaatgtctcc aggaatttcc aaatatcccc 16920
tagggccaaa atcacccagt tgaaaactag tgttctaggg aaaaccatta taattaatag 16980
catgtctatg atctcccctg ttgcgggaag tcagggaccc caaacggagg gaccagctga 17040

20262013390 25 Feb 2026

agccatggca gaagaacgtg gattgtgaag atttcatgga catttattag ttccccaaat 17100
taatacttct ataatttcct atgcctgtct tcactgcaat ctctaaacac aaattgtgaa 17160
gatttcatgg acacttatca cttccccaat caataccctt gtgatttcct atacctgtct 17220
ttactttaat ctcttaatcc tgtcatctcc taaactgagg aggatgtatg ttgcctcagg 17280
accctgtgat aattgtgtta actgcacaaa ttgtagagca tgtgtgtttg aacaatatga 17340
aatctgggca ccttgaaaaa agaacaggat aacagcaatt gttcaggtaa taagagagat 17400
aaccttaaac tctgaccgcc ggtgagccag ggggaacaga gccatatttc tcttctttca 17460
aaagcaaatg ggagaaatat tgctgaattc tttttctcag caaggaacat ccctgagaaa 17520
gagaatatgc ccctgagggt gggtctctga aatggccccc ttgggtgtgg ctgtcttcta 17580
tggttgaaac tgtagggatg aaataaaccc cagtctccca tagcgctccc aggcttatta 17640
ggaagaggaa attcctgcct aatatatttt ggtcagacca gttgctctca aaccctgtct 17700
cctgataaga tgttatcaaa gacaatggtg cccaaaactt tgttagcaat tttaatttcg 17760
cccccgtcct gtggtcctgt gatttcgccc tgcctccatt tgccttgtga tattctatta 17820
ccttgtgaag cgcgtgatct ctgtgaccca cacctattcg tacattccct ccccttttga 17880
aagtccctaa taaaaacttg ctggttttgc ggcttgtggg gcatcacgga acctaccaac 17940
atgtgatgtc tcccccagac gcccagcttt aaaatttctc tcttttgaac tctgtccctt 18000
tatttctcaa actggctgac gcttagggaa aatagaaaag aacctatgtg actatcgggg 18060
caggttcccc gatactcccc aaagtattgc atggaatgcc acatttcttt tatcatagtg 18120
cttcaaataa gtatttcagt gtgttactga aaatatttat aaacaaaata tatttgatag 18180
cagggtatga atatgcccgt gtccttggaa gagaaagagg ggacaagaga acaggtataa 18240
cagcatgttg ttggtgaaaa taaattggta gtaatataga ttgaatatcc cttatccaaa 18300
atgcttccga caggaagggt tttggatttc agatattttc agattttgaa atatttgcag 18360
aatacataca ggtagagcat ccctaatcca aaaatccaaa atctgaaatg ttccaatgag 18420
catttccttt gagcatcatg atagcactca aaaagctttg gattttggag catttccgat 18480
ttcagaattt gggattaggg atatttgacc tatagtaatg ccaaatactg cactaaaatt 18540
agcaaatgta atctcattga attgtgacaa cagccttaag aggaaacccg atcattatgc 18600
ctacttagta gatgaggaaa cagaggtaac taggtcaagg tcacacaact tggagtgtca 18660
gagtctggat tctttctagt tctgccctcg tccaagccag ttctgttaac actattcttc 18720
ctttcagcat aatctgtgtc atcactggag cttatgtcta cctgcctgcc acccagcacc 18780
aactgtttac cctttaagtc tcattctgcc tcctccagga gccttccctg acccctgcct 18840
tcaccttctg acctgtgccc cttcacaccc tgtgccctct taactgggaa agccctgagg 18900
gcaggggcca taccttattt acctctatct ccagctcact gcacagaggc attcagcaga 18960
tgaccagtaa atatgggctg tctagtaaaa actttgcagt tagagataat gaaagaaaca 19020
taattacttc tgtgtgggtt gagaaagaag ggaagggaaa gtccagatac ttaagcagaa 19080
aaaggcaaac agtccaaaag gggaaaagta acttgcccaa atcatgcagt tgagggcagg 19140
aagaaagggg gacaaagcca aaaccaaaac ccagtccctt gtcccagccc agtgctttgt 19200
ctgctacgtt acacaaactg tgattgtgaa attaaagggt ttttgatggc actgatataa 19260
gtaaataaat ggctttatga gttaacacat gacaagcaat aaactcataa aaggtaaata 19320
ttgacaactg aagattatat atcactatgt ttagtgtgtg gagaacccaa ctaggaatta 19380
ggaaagcttg cacattcagt ctggtttctt ggcaaatcaa tgagacttca aacaaatcat 19440
tttatttctc tgtgcttctg tttcttttgg ctgtagtatt ttgctggtta aagagcacgt 19500
gatcaatgtc tatgctttta aatgtctgtc tttatttgag catgctcagc tggatgtgga 19560
aaacctatgg ttctcttggg tttcataagg atcaaatccc acagtgatat gtaaacttgt 19620
gtggtttata gaattatagg acctcaaagc tgggagaggc ctgataaatc atatagtgaa 19680
aatttccagc cagtgcctgg atttctttta cagaatcttt cttttattgg acaggtgctc 19740
ccttcacaat ccatgatgta aggagaaaag gggcttcgtt tgaaggaagt tagtgtattg 19800
tgtatgggcg tgtactttct gcttggggtg tgcctacagg gctatctcac tttctgaaag 19860
cgtaataata agttacttta ccatgcatta attaaatgtc agagaccatg ctaaatgctt 19920
tacagagaat atctttttta atctgtataa gaacctcctg aggcagataa tattattaac 19980
cttacttttc agataaggaa actaacattc agaaaagtta agtaacttgc taaagacatg 20040
tgtctactag gaggtagagt ctcaagtcta tttcaagctc ctaataagta aataaatgtc 20100
tattgaatcc aactaatgac atcccactcc atattcccct gccactgatg agagagagaa 20160
gtataaagtt tatgtaaata agacagaagc aatgttttat ataagcattg tggatttaat 20220
tccactaagg gattgatttt tcatcttaat ggaacttttt cttcagctat caagtttcag 20280
tttcaagatc gcaaatgcta agaagatatt aaaatatttt aatacataat tccactagat 20340
catatttata ggtactgtta atatattacc aaatctacta taaacaaaac aataaaacaa 20400
aaggctggat caatatggaa agtagagtaa taatttaggc cctaaagaaa aactacgtaa 20460
gacatttctt agaggattac caggtttctc tctctctctc tttttaaaca cagcctaaaa 20520
tagaaaagca atttatgtat taataaaaaa aatagaaacc tgaggcagat gtaaccagaa 20580
taggtgaatt aactgaagac tgatattctt atttatgttt gtgtatttta aataaagaag 20640
gagtttgacc atctcatcta gttaatcatt aaaaggaaac tcgagccaaa cttgtgaagc 20700
aggtaaagtt tatttttaga cattcaactg gcttctcttt tgggctcccc ttttcttttg 20760
gggtcatcct ccatgtctgg taaccttaac ctccctgtct cttccagaag gagcaacacc 20820
cccatgtttt agacctttac ttctgatgtc aggacccttt ctgatgcaag tgttagctaa 20880
ctccagctgg ctgaagagga aggaggagga agagaaggag ggggaataat gtattgaagt 20940
gtgtaatagt caagtctagg agcagccctc accttaggat ctagacattc atattatata 21000
attgggaatc tatttccaga tctctttgct ttttttttt gcaaacctca atccaatgga 21060
gtctctaagt ggtagaccac agctgctcca agcttgcatc gtatcagctt agctattcct 21120
gttgagaaac aagacaagtt tccaagtagt cccagaaagc caagaattaa ggtgtatctg 21180
tccctgtcat gtgcctatct ctgatattac cagacctggc ccatgcagag ttacagatgg 21240
gttaatacca ccataagcgc atggaccaaa gttagggaaa ggatagtttt ccaaaggaaa 21300
tgttaggtcc tagtatcata tgtggagagg ggatacttgg caagtaaaac agtacctatc 21360
taccatgtgg ccacaacagg gcagatcagg gtccctggta ggatggaggc agccatcaag 21420
cattatggta tccctgaata atcccttccc agttcatatg taaaccaatc ctcttaaatt 21480
gttaatgcat ttaacataag gatggattca gcaaaactgt atcaatagca aaacatgagg 21540
ggtctccagc tagtagcctg tcctgcatag ccatccatga ctactgctct aattgatttt 21600

20262013390 25 Feb 2026

ttctagaatg tctaaaggaa gatgaaagta gaaaatgagc tgtagtggac aagcattttt 21660
aaaatgagcc caataatgta gcacttttgg gtgcttgata attgttgcaa atcacatttg 21720
cctgagaaat ttcaattcta taataattgt acaatagcag aaagatctag atacaaaaat 21780
attcattgca gcatggcttg caatagtgaa aaattgaaaa caatttacat atacttcaat 21840
aaggaaaggt taaaacaatg gtatactatg ctactattac ctgaaaatat tgaaaagatg 21900
aaaagatgtc caataacatt tgatgaataa aggttgaaaa atacatgtag taaaatctca 21960
tttttgtttt taaaaaacat atatgcatgc atgcatccat gtatagacaa aaaggatttg 22020
aaaatataca ataaattata gttaatcaca tttaccttat ggtactgcag aacatcagaa 22080
ctcattcctc ttatctagct gtaattttgt aatcgttaac taatctctcc ccatcctccc 22140
cttccccctg cccttcccag cctctgatag tcacaattct actttctatt tcacataata 22200
aaagttttta aagaggggaa taatggggtg ggggatctgg aatatacata aaaactcaaa 22260
aataattaca aatttgttgc catcaaaata taaaaagaaa aaaatagtta catctgcaaa 22320
atgggattgt gtgaggaagt ttttaccttt atacatttct accttctgta tgtttggatt 22380
tttacaataa gtatgtgtta ttttctagca tcttttgaag tttttttctt aaaggcataa 22440
gtaatatcta aagttatttt tcatccttct aatgccgtct acacaaagat aacgattttt 22500
cttggatggc cccaatctct cttctgtaag atctttcccc atttgtcata tccataactc 22560
ataacctcct cacccttcac tgctctccat tttctctata aagtgagccc agtcagtact 22620
tgtaggcttg ttaagcatta cttctaataa gaaagactaa cttgtaaagc aaatgtggaa 22680
atgtactaat atagcatcaa gcacaaaata gccattcaat aaccgaacta tttaattcct 22740
ttttttcac acttcatcct ttccctaatt ccagaaagaa cttgaactgg gtcataacaa 22800
agacaaattt agacagacag ataaagatat ctcataggta gaaataaaac tgagtgatta 22860
taaactaatc acaggaggct ctgttagtct gatgaacaga aacacacgtg ataaaatcac 22920
agagaggtaa aatagaaaat gaaaatcagg atcaagaaaa gggaaataaa aatatgctgg 22980
acatcattca ataactattt gctgatggta attataggga tggaaaaccc atcaggccta 23040
tggagctaaa attaatcagc aagtattcac agagtgccta ctgcttctat tactggttct 23100
ggcttcctgc ctgcccagtg cagaggcttg agacatttgc gtgacattca gcttgtcaag 23160
acagaaggag caaaataagc agacagaggc tcactgcagc cgcctatacc catcatattg 23220
ttggaatcat attcaagtga gacaaactcc ttcagtggaa gacgataaaa ctagcttaaa 23280
agttgtaaac atcacttcat cacccaaaaa aggcccaatt aagtggagat actatttctg 23340
caaagcaatc atcaattcat ttgtgtaaca tttgaaattt caaagtacaa acccacattc 23400
tattaaaggc aggaagtgaa accaataaaa cttgtaacaa ctatacttaa ttttcagggt 23460
tctttccatt gctgacaaac attttaagtc atgtctattc tcttaaaatg taaaatatga 23520
tgtttatgtc actgttaata ttttgataaa aagctattgt catggacatc tgggtttttt 23580
tctgcatgcc cagaaatccc ttttctccta tttaaattta aaatctccaa ttatttggag 23640
aagcacctcc tcttctctct ctttcatttg taccccattc ttaggtgtca gtggtgggca 23700
cttgagctag gctttgccca tcatagtaca cattcctgac atcccttggt catagttatt 23760
ggtccaggga taagcatttg aaccaactag accagtgaaa cccctcccag gaacaactac 23820
taaaattatg ggaaaagaac tctttccact gaagttacta acctggcagg atgtgttaaa 23880
tccaggtgcc acaggccacc aggtggagag gtggagataa tctttccaga aaacaaaaca 23940
aaacaaaaca ggaaaatgaa gctaagggat aaaatttaag ccctttggac ttcatttgag 24000
cccctgaatc cagtcatgcc tcctgaaatt aaacttcccc tggacttttc agtgaatcaa 24060
aaaactctgt ttttaacagt ggggtttctt ataaatgcac caaaaaatga cctaatgaat 24120
gttgtctaca agcttccatt agaagtatta tcttcaagag aaaaaaaaaa caaataactt 24180
gaagaaaacc cttcataatt caagtcagtc ctgctaacct ctaggaaacc ctccgtgacc 24240
accatctcca tatccacacc catttcctа accttaaaca ccagatgact tcttgaagct 24300
tatgaagtgc cctatgcatc taacacattt ctgtaagtct gcattgttct ataatgactt 24360
gtaaccgtat ctgtctccat ttcctccaga gaagagattg ttatcatttt gatatccctg 24420
cagccttata ctggggccta acatataata gttgctattt tgttgaagga attgtatttt 24480
gttgaaggaa ttctcttttg ttgaaggaat gaatggagag aatattaatt aagaaagtct 24540
cttctattaa taaacattcc ctgattgatt gaaaccatgc ctaaaatagc taatcatcag 24600
aagaccaaag taaacaacat atccaaactg aatcctcaaa gtgttagtca ttggtagctg 24660
tatagctgag aatctttcct tcttctggtc attagggttg aaagggtggg tgaatgtgga 24720
gacatgattc tttcttttgc aaaacattta ctatttttta aactccataa aatgtaataa 24780
cttctcttga aaaatgttaa aacccaaaca aaaaaacctg taatgtggaa tatagattgt 24840
aggttataat ggaggaagca gggaaagtgg ggaaaactgt ggttgccaga agttttctga 24900
taactaatag gcaagacaat agggtggctt ttggtagggt ccttctttat ggcatagcaa 24960
agaaaaatag gaatgaagaa gtgagaagca tgaaagggga cagcaatata tgtgtaacac 25020
agggtgattc agtgtgagag ttttataatt aaaattgcca aatgtgagaa aaaaaaatct 25080
actataaatt gggataggct caaggcatgg agatgaacaa ataacccctc catgtgggca 25140
aaaatcaatg aaattactag atgagtagct tagtatgtga gttccagttg caacatgtta 25200
ctggtatttg gggcttcccc tccccccctcc ccccctgcac tttgaggcaa ttcgacattt 25260
gactaacaat ccagcctaac tttctccatc tgatataaag atatttacct tgaaatccta 25320
gaactgccaa catctcctac ttcctactac aaccctccct gactcctttt ctctggcaca 25380
gctttctatg cactcacccc attcaactaa gcctgcttac tcttcaccag aaggtcttct 25440
cttagcataa aaagttcctg gaagtccatc tctttcatag agctgctgga tgactgcttt 25500
gcttaccttt ggccttcaaa atacctctcc tgtccaacca tagctcccca gctcccctgc 25560
cattgcaacc aatacaaact tcgtcatctt tccttgggcc aatgtgcctg tctcctcact 25620
gctctccctg ctttctccct tagcccctac aactcatact ccacatcgca agcagaacga 25680
gcttttcaaa tagtaaatta gattatgtcc attagtgtgt tagtaaatgt ttaacagctc 25740
ctgaggggaa cagagtatct atgtgtttta taatttttac atatatgtat cacataattt 25800
acaaaaagca agaaaaaata taacactctt aatagtaaat tctatatggc catgtgattt 25860
tcacagaacc atttcagtga tttttgcaga atatttgtgt ccatagccaa cctacagcta 25920
aaattcaaac acgtttggca aaatcagacc acaaataaat atctgattaa tatccaatca 25980
gcaaagaagt cattcatggt actgaagtcc caacatgaat gttggttgat atttttacat 26040
taatgagcga gataaaagtg aagcaacaaa aatggatgtt ggaactaaac tcgttcatta 26100
atgacagaag tgacttcttt tgctgataat agctttcaag tactagaaaa atatttcctc 26160

20262013390 25 Feb 2026

aagtttttgt gttcacaaac taaggcactt ttaagttcaa tcttcattat taaaatttct 26220
tctactctgt cagtctagac aatcaacaaa acaaatcaag ctctggtttg tcatgtttcc 26280
caatttctat agtataggta ctccaccatg gttgatttca aactaccaaa ataacatttc 26340
tgaatgcagc gttaggaagg gatacgctgc atcataccat cgtatggtat gttcttatac 26400
agaacagaca gaaataactt taagaacata gataatagta aaatggagta aaataattag 26460
gcagtaaagt cttcagcatt tatttttgtt gttaaaatat ttgattgtga gtttataaat 26520
aatttggttt ttaataatga ctgtgattaa caaccaactt acaaaatctc tgaaaattta 26580
acagtcagtg cttgcaagct ggtacaattg tttccggtgc actactgaat tatcactccc 26640
ctgcctaaaa ttccagactg cccattgcac tgattccctg ggaaataagt gaaaagagac 26700
aatgataatt ttcatttttg ttgtggtgaa gtgatagtgc aaaaattcca taagctcctc 26760
taagttttcc aaataaagct tagtgtttaa aaacgtttga acacatgatc ccatgtaagg 26820
cctacattac ttcctgtgtg ataggtgggg tagatatcat tatccttcct ttacagattg 26880
aaaaacaagg ctgagaaaaa tcaaatgcct accccaggct cattcaagta agtaaatggc 26940
agaatagggt ctaaaaacca ggtcttgtat tgaaaattca acaagaggat agagaaaatt 27000
taattgacaa atactgatct caaaacaatt ttttttcaa tggtgacaaa tgtcctttgt 27060
agcactttgg agtttgatat gaagtatctt cttatcttgt taagggatcc ctataccaag 27120
aatgttttca tctcaacccc actatttcta agttagctta aaaacaaaac aaaaccctgt 27180
gtgctctaat aagaagatat aagaaccaaa atggaaatgc aggttctcaa atgagctgaa 27240
agattccaca tagcagcggg gcagattgaa acactcttta ccaaaggaac atgggagaga 27300
aaaggagatt aaatcaagaa aggaagaaag ctaatgacat atgaggagcc acaaatgcca 27360
caaatgaaaa aacaaagtac gtaatacttg ttgcaattat tcagtgtgct tgctctaatg 27420
cctccaaaca ttaaaaacat tgagttcctg cttatggcaa catttatctc atttatctgc 27480
tgatagctgc ctcatccttg aatcaggtat tgcttaaact aagttctgcc agcataaaga 27540
ataaagtcaa ccaggacacc cattgggcat ttcacgcata tgagcacaaa ttgtgatatt 27600
ttaggttgct tatgatgaaa tcattgaaag catcatgaaa gacagcaaaa cagcaggaaa 27660
gctagtaata atttagcatt tcccagtcca ggcgggaatg ttaattctaa ttacaacgag 27720
gaataccaaa gtggagttca ttatgattaa gaacttgctg tactagtgtg aattgtttat 27780
aataggcatg tctggcataa aatacaaata ttgaagcaga cagagatggc tcattcaaag 27840
ctcagctggg ttcccttgaa cctcttacct tataaagtta aataggaata gaagtatttt 27900
ccaaagtcaa gatattattt taaagagaca aataatagct atgatagctg caggaataat 27960
tttttaaagt aagttctaac caccaataaa agctgtttgt gtgggcttaa catgttcaaa 28020
atacacaata cacatgtaca caatacacgt atacatggtt cccatttata tttaacatca 28080
cacatttaaa gtgagagagt acagaaaaaa agaataaatg gaaactgaag ccatgacaaa 28140
gaatcacgga ctataggaaa ataagtcaca aagaagtatg cttatgtaag aggaaatata 28200
tgtgataaac aacaggagac atgggaatga atgtggtgtc ttatgtcctt tctttaacag 28260
aatcgtgtaa cagacactac tcaatatcga tctcaactga tccagttctc cagtctccct 28320
ggaaaacaat ggattgatgc ccagggtgcg ctgaacactg gaaccatggt cacttctgca 28380
cttcacacga ttctgctccc accagttgag ctaccaacag ttcctggtgc ttttgcttcc 28440
caaacatgtt tatgccattt gttgcttatt actgtactta cttaatttga ttaaatatta 28500
agtaaaatga tgaaatgagt gtaaaaaatt gttctataaa atctaaatgg aaagatgccc 28560
tatagccttc cttgacttac agttgcgtca agtaaggtgg atgtaagaca attttaaaag 28620
actggtgtgg gggcaggagt gaggaatcat aaaaatttag aaatctgcac gaaaattatt 28680
ctaaaagtac acattgaaca tccctaactt gaaaatctga attttgaagt gctccaaaat 28740
ccaaaacttt ttgagcattg ttatgatacc acaaatgaaa aatcctacat ggaagtactt 28800
accacaaact ttgcttcatg ccccaaatta ttttaaatat tgtataaaat tatcttcagg 28860
ctataaggtg tatatgaaac aaaaaatgaa tttcctattt agacttgggt cccatggccg 28920
agatatctca ttataatgca aatattccaa aatcagaaaa aaaaaaatcc aaaatctaaa 28980
acactttcag tattaagcat ttcaggtcat ggatactgaa tgtgtatctt taatttcttg 29040
ttctactttg tttaaaaaaa agggggaaaa tagtaattct acagatgaat aataattgct 29100
aatgatgagc aaatacttcc tatgacccag gaattcgtct aagcacttca catatatcaa 29160
actggtttaa tctttataaa tcagtactat tattatcccc attttacaga tgatggaaaa 29220
aggcacagag agttagcctg cccaaggtta cattcctttt agtggtggag actgtatttg 29280
gcctttatag tctggctttt aactgctaca ctatatcaat gcattacagg tatagtttat 29340
acacacacta aagaagacat ggaactccag tcagtgggct cataaaagct ttagaccttc 29400
atcaaaagat tagaaaataa atgttcaatc acaggtttta ggtttcaaaa gtttcaaaag 29460
tttaaagttt gcaagttatc tttcttaaaa ttatttcctt cttttaacta atttttaaat 29520
taaactccag ttcaatcaca tccactagaa ggcttcactt tctacaaagg ggtaggtaaa 29580
ggtgatgatc ttaaatacca tactgggagt tgggatctgt gtagcactag aatcaagagt 29640
tattgtatat acttgagaag gagcacagcc tgatttagtt gatgttttgg aggggtaatc 29700
tggcagtaca gcttggatta ttttagtggg aatggagatg acaaaacatg aagagaatgg 29760
gagaactcac ttgggtaata tatcagtttc tgaaatcaat gtatcaagtg gtttggttat 29820
tagtcaggct taaggtttta ttggccttag gacatagtct ctaagaccat atattatctt 29880
cattcattca tttaaccaac acccactgag caccaactat gcactagtga tacaggggtg 29940
aacaaacaga cacagtccct gcctttgcag aacttatgtt ctggtgggtg atacagagaa 30000
ataacaaatg agggcacaaa taatgaacta tcattgtaat gtgctaacaa agtatgcaga 30060
atactataag aacatacaat caagaatcta atctagttta ttttaaaaaa aagtgggggg 30120
agcactcaga tgtttaaaca caaaacaata aaaatgagga tcttgagggt tatctgtaca 30180
ctttttatta acccatttgg ccacaacaat aacccagtaa aagtgatttt acatctagtt 30240
aactagttga ctcaatgtta ttataaccct gtaatgtatt tgttgggtgc ctgctatgta 30300
gtgggctgtg ttccaggagt gggacataaa gctatgacaa gatagatcag gtccttgcct 30360
tgactgagtc tgaatacatc accttcattt ccacctctgc ttctaagaca atcaaatacc 30420
ttcccactca gatagggatt catcctattt cttgtagtaa ttataagttc ccagggttac 30480
agattagtaa atgccatacc taaagactta ggatactgtg cataaaacac tttcaatagt 30540
gtctgtcaga cagcagatgc gcaataaatg ttgactttcg ttagaattgt gttattatta 30600
taatgctaaa tctcacgtcc tttctggcac actggagttc atctcttcaa ttaaattccg 30660
taagcacata ttgtaagtag tctatcagaa ttgatatact acttcatgtt aatgattgag 30720

20262013390 25 Feb 2026

atcagtgagg aaaaccactt taatattgtc taattcctct cttaatgcat aggagccatg 30780
tgaacttaga caagcatcaa cctctgtaag cctgttgtcc tcatattgaa aaatcgaata 30840
acaataccta tctcatttaa ttgttgtcag caaaagtggg cagcagaaga gtggggatca 30900
ataaatgtta gccacaaatc ataactattt gtattactct gaaaaagagg ggttaactta 30960
tagttcatgc atgcttccaa atgaatgtga aagactaaag aatgagaatt tttttgctat 31020
caaattaaaa aattaacagg cacatttaga ttgctgaaga gagaaattag gataagtttt 31080
ttttttttt tgctcaatta aaaacgtttt caatggcata tttaaaacta cgtattcttc 31140
cccattaaga tctgcagaga aaaaaaaatg aagggagaat aattgggaac tcttgtgaaa 31200
tcataaatta tttaagcaga gtacctacca ctaaggattt gagcatgtat gagcgatgag 31260
gtggattctt agagcagaga ttcagcagtg agacaggcta atggcatggg gagatgtgtt 31320
ctattagaca actgtattgt ccccttaatt atatacatat atatgtatat aatatatatg 31380
tgtatacata tgtatacata catgtatata taaatagaat tcttaatcat tttaagcagt 31440
gtacaaggat aattattagc atgggctatt taactcactt ttaaaacgtg taaaacatta 31500
ttgtagggtt gggtcttgat ttgtttccca tgaaactgtt ggtagtttag gggccaaatt 31560
aacgaaagac atctcattct agtgcttgag gctcagaaat tggaaaaacg ggcaactagg 31620
tcaagcagtg ttctcatagc ctcacagatg agcatccaaa gcaagggcct ccttctagtt 31680
gacttgtgcc aagggacagg agaagcggag tctgccttct gggtccagaa gggggttttg 31740
ttaacatgga gttgctcagc gcccttcata aaaattcttc tggctgaggg ttctacgttg 31800
gcatacggtt ggttccctct tcttttccga ggtggcgagt atctcttcct ttgccaagat 31860
ggcggctcca gaatcctctg gaggcggccc ccgtagatcg tctccggaca agaggcttgc 31920
tgaaagccta cttctttcct ttcacatcag acaatgcaca gggaaccgtt tacccttgag 31980
aaccaaggaa ggacggctta ggctacccgc gatcgcgaac ctttgccaag atggtggccg 32040
cggggacggg ctggcgacac tgtaccctac caagatggcg gcgggcggct tccgggacgc 32100
gcttccccaa tcgtcttcaa gatgtcagag caggggggagc cgccgtcagt ctgagcgcgg 32160
cgggaggtga gagagtggct gtggccgagc gcccgagcag gattaggtgg agctgcggca 32220
gcccccgccc gtgtcaggag ctggcaagcg atgtcacctg tgggggcgca aaagttacct 32280
ccccaaaccc taaacccaca cagcacaacc tttcccagag tcacaaaaat cataatctgt 32340
gccgcacaag gtaggaggct cggtcccggc atcgtccaag ccttcccgac gcggcgagct 32400
ggggaaggga gctggggcgg gggcttcccg cacgggcacc cctcgcccca cggccctctc 32460
ctttctcagg acggaccacg agttcccttc cccttggact gaggggggaag ctcctaacag 32520
gaacatctgt agggagttga acgctggcat tttaaagctg cctgtatttt gttttatttg 32580
taggggcagg ggtcctatga acgtgatagg gtgagcaacg cacagagtcg agggcagcaa 32640
atgtcaagat tcgggggtgg ggcctgcacc gggaacttgg acgcgggccc tggccggggt 32700
ggaagaagag gtcaggagtt tcggaagggg ggctatattt cgccagcaac ttactatttc 32760
gcctgcaact tgcttttaag cctgccgccc cctgctttcc ttaatcataa taataaaaaa 32820
aaagtgcaaa gaaatccagc tcgctggagg ttttgcattt ggcgtgcaac ttccttcgag 32880
tgtgagcaca ttgggcggga ggggtggggg ttgaacttgg caggcggcgc ctccttctgc 32940
cgccgccgcc gcctcgcaga ctcggggaag agggtggggg acggtcgggg cgcgggggag 33000
ggtgggttct gctttgcaac ttctctccca gtgcgagagc gcggcggcgg cagctgaaga 33060
cccggccgcc cagatgatgc ggtggtgggg gacctgccgg cacgcgactc cccccgggcc 33120
caaagtacgt atgcgccgac ccccgctatc ccgtcccttc cctgaagcct ccccagaggg 33180
cgtgtcaggc cgcccggccc cgagcgcggc cgagacgctg cggcaccgtt tccgtgcaac 33240
cccgtagccc ctttcgaagt gacacacttc acgcaactcg gcccggcggc ggcggcgcgg 33300
gccactcacg cagctcagcc gcgggaggcg ccccggctct tgtggcccgc ccgctgtcac 33360
ccgcaggggc actggcggcg cttgccgcca aggggcagag cgagctcccg agtgggtctg 33420
gagccgcgga gctgggcggg ggcgggaagg aggtagcgag aaaagaaact ggagaaactc 33480
ggtggccctc ttaacgccgc cccagagaga ccaggtcggc ccccgccgct gccgccgcca 33540
ccctttttcc tggggagttg ggggcggggg gcgaagcgcg gcgcaccggg cggggcggcc 33600
acgccagggg acgcgggcgt gcaggcgccg tcggggccgg ggtggcgggg cccgcgcgga 33660
gggcgtgggg gcagggaccg cgggcgcccc tgcagttgcc aagcgtcacc aacaggttgc 33720
atcgttcccc gcggccgccg cgcggcccct cgggcgggga gcggccgggg gtggagtggg 33780
agcgcgtgtg tgcgagtgtg tgcgcgccgt ggcgccgcct ccacccgctc cccgctcggt 33840
cccgctcgct cgcccaggcc gggctgccct ttcgcgtgtc cgcgctctct tccctccgcc 33900
gccgcctcct ccattttgcg agctcgtgtc tgtgacggga gcccgagtca ccgcctgccc 33960
gtcggggacg gattctgtgg gtggaaggag acgccgcagc cggagcggcc gaagcagctg 34020
ggaccgggac ggggcacgcg cgcccggaac ctcgacccgc ggagcccggc gcggggcgga 34080
gggctggctt gtcagctggg caatgggaga ctttcttaaa taggggctct ccccccaccc 34140
atggagaaag gggcggctgt ttacttcctt tttttagaaa aaaaaaatat atttccctcc 34200
tgctccttct gcgttcacaa gctaagttgt ttatctcggc tgcggcggga actgcggacg 34260
gtggcgggcg agcggctcct ctgccagagg taagaagcga ggcgggaggg ggccggggcg 34320
cgctcgctcc cccgaggtgc cgctgggacc ggagacaact cgggggccgc cgcgggagcc 34380
tacaaacttt tattagcctc ggggagtggg ggtgggggggc tggcaagggc cgggcgacgg 34440
tgacgaaagg gcagcgcgcg ggtgacagcg ctggcctctt cctctccctc cgcaggcgtc 34500
ccctggccgg gccgaggggg aggaacctga cctcggacgg cgagcggagc cctgtcgaac 34560
tgccgggggc ttcgagcctc tcattcctcg cgggaatcct ggcctctttt ctccccctag 34620
tgtccccttt ccctccaagg gggtcgcccg acacccgttt tcgtggtgaa cgctaagccg 34680
cgtctgaatt ttactcgccc gaatatttgc acgccacccc ggcgcgcccg agcgcgagcc 34740
cgggctccgg ggaggccccg gcggcgcctg gcttgaggag ggcgtgcggg gcgcgtgagg 34800
gtgcacacgc ggggggctga cagcccgcaa cttggagact gcggccgggg ccggcgttat 34860
ctgttagaag tgggcgtgtc ggagagagaa ctcaacaggt ctggacgtac ttctctttta 34920
acctcgcact tttttctctt ctccacccca gccccgcaag ggcttgctct ttagcgtttg 34980
ttgttaattc gcgcctgagg tttctaagtg gccccttta gaaaaagacc ccctgtaacc 35040
gtaatggttt tgtgctgcga tttttacaag tgctagtttg acgtttgggg ttgcagactt 35100
gataattgca accttgtaat accacttaag accctctggc atggttcatt agggccaatt 35160
aatgtggctg ggttatttgc aacttaaact gggggataat gtcgcttgag ggagcgtttt 35220
cgttttagga aatattgttt tggtttcggg tttgaaggca gctgtcaaaa aagcggcatg 35280

20262013390 25 Feb 2026

gaaattcatt gggctccatt cgatacctcg tgtttagaga tcgttatcgc ctcagataaa 35340
cggggcagag aggtggggag ataagcagtt taccctcaag atttgtagtg gcaagtccac 35400
acccctctct ctaccttcat attcactttt cagtgagggc cagtgacatt tatgctgcct 35460
aacgtcatcg cataggaaaa gttacctttt attggacggg atttgactat agtgtcccaa 35520
atgcgcttct ccgtcttagc ccatctctta aaacaccctg attaacgata tactaacagt 35580
cttactctct tgagaatagg ctgagaattg ggataggtga aggtttggat aggtgaaggc 35640
agagaaaatt attttgaaca ttttactgga tacagttgta cctgaattta tatgaatgtg 35700
attttacggt tctgtgtttt tccatttttc agtacttcga tatttgtttg gaaaggaaag 35760
aacttagaga tgtaatagca tttcatattg aggatctcaa gcaatgtaaa caaatgtagc 35820
ttaatctaga tgtttttgtg agttatgata agggtcagct atatttaagt tatgtaagct 35880
aacaacgtag tgagaaacta ctacaccttc tcttctgctc tttaaaatct aaattttagt 35940
tggcctatat aaagtgtatc tcatttcata tatccaaaat ttggaggtag gcacatccag 36000
tcagaagtat gggttaaaaa gccttttccc agcctgtcgg aagataagca gatcagcatt 36060
gtttatttct caaagaaaac gtgcatggtt caccagttgg ttgtactcaa aggtttggat 36120
gtgtgactag ctggtaggag ggaaatttgg aagtaattag ggattgagaa ttctagcata 36180
gtatttatca aatgttatat gtattggttc tcagaaaagc aaacagccgt gattgaaaag 36240
aggtaggaat tttaatgatc acacttcctt tttttgaaat taaatacttt gacatcaact 36300
tgaaccttca gaataatcag atgtaatgaa ttataatgtc tgtgattaac aaagctacac 36360
gttcagtgag cggcaggatg aatagccaag cttagttcga tacacttttg ccctcagctg 36420
tgcaaatgga ttgcattgta cttttaaatg tggcatgctg aatgggagca ggggacatgg 36480
ctttttattc tggaagatag aaactactct tctggtaaca aagaatttga ttcggagtta 36540
actaaaaggt tcatttaaca agctgcctct tactaatcgg atcaggaaga taatgtgact 36600
ttagagctta tgatgttttc cccccgtttt tgtttttttgt tttgtagttg atattcactg 36660
atggactcca aagaatcatt aactcctggt agagaagaaa accccagcag tgtgcttgct 36720
caggagaggg gagatgtgat ggacttctat aaaaccctaa gaggaggagc tactgtgaag 36780
gtttctgcgt cttcaccctc actggctgtc gcttctcaat cagactccaa gcagcgaaga 36840
cttttggttg attttccaaa aggctcagta agcaatgcgc agcagccaga tctgtccaaa 36900
gcagtttcac tctcaatggg actgtatatg ggagagacag aaacaaaagt gatgggaaat 36960
gacctgggat tcccacagca gggccaaatc agcctttcct cgggggaaac agacttaaag 37020
cttttggaag aaagcattgc aaacctcaat aggtcgacca gtgttccaga gaaccccaag 37080
agttcagcat ccactgctgt gtctgctgcc cccacagaga aggagtttcc aaaaactcac 37140
tctgatgtat cttcagaaca gcaacatttg aagggccaga ctggcaccaa cggtggcaat 37200
gtgaaattgt ataccacaga ccaaagcacc tttgacattt tgcaggattt ggagttttct 37260
tctgggtccc caggtaaaga gacgaatgag agtccttgga gatcagacct gttgatagat 37320
gaaaactgtt tgctttctcc tctggcggga gaagacgatt cattcctttt ggaaggaaac 37380
tcgaatgagg actgcaagcc tctcatttta ccggacacta aacccaaaat taaggataat 37440
ggagatctgg ttttgtcaag ccccagtaat gtaacactgc cccaagtgaa aacagaaaaa 37500
gaagatttca tcgaactctg caccctgggg gtaattaagc aagagaaact gggcacagtt 37560
tactgtcagg caagctttcc tggagcaaat ataattggta ataaaatgtc tgccatttct 37620
gttcatggtg tgagtacctc tggaggacag atgtaccact atgacatgaa tacagcatcc 37680
ctttctcaac agcaggatca gaagcctatt tttaatgtca ttccaccaat tcccgttggt 37740
tccgaaaatt ggaataggtg ccaaggatct ggagatgaca acttgacttc tctggggact 37800
ctgaacttcc ctggtcgaac agtttttttct aatggctatt caaggtaaga tcagtgtttt 37860
tctgtttctt aagaatggta catttaaggt agattaatag atgtaaatct tcattgattt 37920
atatgtgttc tctaaagatt catgtgcttt tttatatgaa taagtttaag tggccttttg 37980
aaagtaggaa aggtagacaa cctaagtgac atctgtacgt aaccatttca ggtttttttcc 38040
ttaaatagtg gttttcagta tcccattggc caacggtgag gattttattt aacatttttа 38100
aaataatgtt gctcattaac agatatctta acgaaaaatt atataaattc aggagagtat 38160
aatgtctcat aatatcatat tgtgttgtgc atggtcattc agctgtttta gaatatgttc 38220
ttatattaca ataaatgata cccttactta catagtcaaa agttgtgctg ccttatttgt 38280
aaattcgtta agtgttagct tgagattaaa gagttaaaag cagaagtact aacaaagagc 38340
cctattcttc aaactgaatc ttctgttaaa gaatttgagt tttgaagttg ctaaagcaat 38400
gcagtgaaca gtgtaccaga ccatagtatt agacacaggt cttgctcaca gggttcttgc 38460
cataaagtag acaagttatg tctgctgatc aatctcttta agagaggaat tggtgtcaac 38520
atggtgcaaa acaaaatttt acgttcaaat gttcctgcaa gttctcaagt agataactga 38580
tggccaaaat tgttaagctt caattttcag ctttcgtttg atttttctct ttttttact 38640
cagtcgttta taagcatact gatatttttg tctgacccaa aaaggtcaga aaatggaatt 38700
atcagaaaaa agttctaaat gtagatatac gtgttggtag gggtgaattt ctctaccccg 38760
taacctcatc cccaattcag ataaatgcta ggttttatat ccattttagt tgtgaaggaa 38820
aatataaaaa tgtggattgt agtgacacaa gattgattaa tcagcgggtt tttttaaaag 38880
aagacatggt agacagtgat ttatttgtat gtaactattg aagtttttc ttaaatgtta 38940
gtgatattca tcgttcccat taactagtta ttcagatttt tgaaaatcct ttttctgtga 39000
aagctatcct aacctggagg atgtctcttt tctttcctct gtacttaaga agcttttctt 39060
gttagggaaa taatttagaa ttagatttag gctatgttct gttcttctaa aaggcttagt 39120
tgtcaaaaaa aaaaaaaaaa aaaccaaaaa accttggttc ttacatgtct taatgtgaac 39180
tacctcctaa tctattgttt aaataattat cctttattta gaagaacact acttcaacct 39240
gagttgaagg tttaaaatct tttcagtaag gagatttgag atctttatta ttgcataagc 39300
tgttgtgttt taaatgctaa aagacatgct gtgttttaaa attttcaatt gcaaattttt 39360
ggcaatagaa ttcgcatact tggttttctt aaaagagtta agtacggttg atttgactaa 39420
gctatctgta ggaaactctt aaattgattt ataaaacatg taattataca aagaaaaata 39480
aaacatctta ggaaactctt ggggattatt aatggatttt gccctgataa tcatcatggc 39540
atggttttca ttttccttac tataaagaaa aggcaaggga caaaacttat tttccatttg 39600
ctatgaactt ttaaacccta taaaatctgg gatatagagt ataagtagat gaacatagtt 39660
actcttaaat cactaaaggt gattttaatg ctttaacttt tatagtactt catgacataa 39720
agtatcttta cgtatttttа atttgggtcc cataacctta tggaggtagt aggcaaggca 39780
atgatgatgc ggctctttag aagttcttta atatcaaatg aaattattat ttttatgcca 39840

20262013390 25 Feb 2026

atctgtgatt gggaaatata atcagtagtc tgtgtcctaa caagaaggta taatacttta 39900
tacagggtat tttgttaata tttgaagatt ttatacctta tggcattaac ttagcactgg 39960
gaactatgat tacccaaaac aaagcttcat ccaaataaat tgaaacagtg tttcttttaa 40020
accatcattg aattagtcta ttgtttccaa acaacagccc tgatatagct aaaattagtt 40080
gctttctctt ctctatatgt tacatgactg tagccaaaca tttgctatga ccagtgaccc 40140
tgagtgatca gcaaataatc aacacattga gaccacaact tgaatactga ccttctgact 40200
ttacgaagaa aaatattaaa tgccactaat aacttgaatt ccttttaaat taaaaaaagt 40260
tataaattgc aatttgactt tttaaaatgc cacctaaaat tgtttttatc agaatactta 40320
aaaaaaaatc ctcactttat tctctggggg tgggaagagg caattccttc cttccaccac 40380
aacattgaat tatcacataa aattgtaaaa ttatgaatat tatgattgag cttagtaaag 40440
cattttctaa gttcatttat agtaaaacaa gagaaacctt attctcaaaa tctattcttt 40500
aagtaaaaca aactagtcat tctaacttaa tatgctttta aaaatactga agttcagtac 40560
atttagcata aacttattga cgaaggcaca tttctgcatt atttgatttt cagccttgtt 40620
tcatttaagc attaatgaca gaggtagaga acagaaatgg ttttaggtgg tattagagct 40680
tttattggga ttatgttgaa attttagtgt taaaaaattg ttcgtatcct gaagggaggg 40740
attattggag agaatgaatg atgtaggatg aacttgtaaa ttcagttttc ggcagagtct 40800
aaaattaagt gatgattggc acttaatgaa gctactaaaa tttatgtaga ttttaatgtc 40860
tcattagtaa tcgcatctgt atctggtttt ataaaagtaa tgaaattgaa gacctgtaca 40920
aatacagaat gaatgaagca aattctgcta acatcatgtt gaatgttttc tcagaaaaag 40980
aggaaatacg aagagaagag atttgttttg actgtgattt accctcaccc ccatggatac 41040
tttctttact tcctaccttt tttctttttc ttttccttct aaagattctg gcaatgggtg 41100
tttcagtgtt ttttaagctt aatatttctg gtactcattt atgtaaagtg atttctgaat 41160
gttaaaggag atttcttttt aaatatattt tcacttattt ttagctttat gatgagaatc 41220
ttatttttta aatctgtaac ttgttatggc tacatgatta gtaaaaaaag tttttaaaac 41280
acactgtgta ttcaggtgtg tcattttagt gtgaaatgac taatgcagaa atatgtgact 41340
agcatgtggt cagattttat tgaaattact tacgatgttt ctatggctag tccccttgta 41400
tttttataat tggtaacata attcatatgt tattttggtc ttgtctattt gtgttacatg 41460
tattttagtc tgaccacttt tgctacttat ttaatgttta tacattttat gaaagactta 41520
ttctgaaata taccttgcat aaatgtaggt taaatgcaaa ttgtattaat agtgaaatgg 41580
atatgtgggt agagatcact ttaggggcct tttgagattt agtgaaggaa agattggatc 41640
aaaagggttt actttaatgt gactgcctaa tgtgaaagtc ggaacatctg cattaattgg 41700
ttagttacat aaatcttagt ctactctggc ctgcaggtga ctgaaacagc ccaggaaatc 41760
ttaatttaca ttaagcttag acaaggtctg aggcttaggc ttagttctta aagcacattc 41820
ttttttactt taatgattat tcctaatttt aatgagcagt gggttctcat tgtgtactag 41880
tacttaggtg ggcaaattaa ataagcaaaa taggtttgtg ctgaatagca tttacccttc 41940
tgaggacatc ctggtaatat tttcatcaag agtaattgtg taatgcaata tttacaggta 42000
tttgccagat taatgggcac ttgttttcat atttctgagt catggaaaat atacattgat 42060
gattcctgtt gcataaagag ttttcaagaa aattttgttg aattaagcta taactacaaa 42120
aaaaaatcca ttacatattg acctttagaa aggatttta aaagcccatg ctgtccttat 42180
ttctgcagct tcagagagcc gactgctctt attttcttct ggcatattct attaatactt 42240
gggttttgta tttttcaagt aaataaaata ttcctattga gaatttcaat tttaaaaaag 42300
aaaaggtcta ctaagtgttc ctttccctgt tgaattatgt gtgatcattt ctatgctaaa 42360
ctagattagg gtgtgacttg tgatggtgat ttttgttcat tttacatatt aagaaagaaa 42420
tagaatttta ttgcagttca aaattatttg tagacagtgg ttttaacccc cagacaccta 42480
attgtgacag gttgctttcc ttagtgctca atactgttgt aaatgtctct aaatacagaa 42540
tttccagtgg agttcatgaa ttaattgggg gtggagggtg aagagggagg agcaacagag 42600
atgtgggatg ctatagataa gtttaggaat atccagatca gttctgaaaa ctaacagttt 42660
ggatcaactg tcatgaatta gaggtttaag aaaagaaaaa tttaggacta taggtacaag 42720
ggaatgcatc aatcagaatt acaatttaat ttcttttatt tcaggtagaa atctaaaact 42780
gaccatggct atataatact aatttttgag ttatgttgtt tcttactatg ctttattatc 42840
aaaaaaggat aaaatgcaca ttttacttga agattatttt agctaagatt aagttcatat 42900
ttttctcatt tttatttaag ctgctgttta ataaatgaaa atctaatgac ttgaatgtag 42960
tcgacctaat gtcttaatgt tgatataatc atttcatata tcatagtgcc cttttacagc 43020
cattgtcaac tgactggaga gcaacccttt tctttggtaa tatatttcta tgggttatgt 43080
atttttctgc tggaatattg agaaaattaa tttttcataa tatgcagaat aaattatggg 43140
gttctgcaag tgctagacag tcacttaaac catttatatt gcaatacatt ccttaaattc 43200
agtattttga atgaaagtgt gttatccccg aattttatca cttgtccaat ttaaatatta 43260
attacatccc aatagagctg catgcttaaa catgcttttt cagagtaacc caagtattaa 43320
tttcgagtgc ttttaaatat tttttctttt tagcaagttt caacaacatt aatcctgtct 43380
ataatgcagc aagttcagtg aaagtacctg ttgttttata attttttttt cattctcact 43440
gtagggcacc aaaaatatat ataaggggaa aaaagtttta atgatatgat tagttgtaaa 43500
tgtttacgca ttatcttacc ttgaattttt atttttgtaa ctaataattt gagagttcaa 43560
taagtatgca gtgtttaaga catagtttgt tgcaaaaagt gttaacttac tatttctttt 43620
tacaataaaa ttagccttta ttctagttga tttcataact gtccataata tttagctgtg 43680
gctattatga aagtatattt gatagccaaa ttttgaaagc tattatgaaa tgatacaatt 43740
cactacatga tttattattt catgctggtt ggggcagtgc tgtgacttat gaccttatga 43800
ttgtcacatg ctgaacacta aagctctacc agtttgttat ggacactgtt ttactttatg 43860
ttatcgtttt aatgttttct tttataatta ttgaggataa gagcttcctt aattttaaga 43920
ctatttaaat tgcagatttt gctttttttat ttttttaacc atcccttcca aagaatttga 43980
tttagatatt cagtagtaga aacagaagaa aaatactcaa ctaaaagtcc aaagacctag 44040
tttctaatgc taagggagac agtccatggc ctccaactag gtactttgga gtcaaaaata 44100
ctttctttac aactgtgttt gaattgtttt caaaacacct gtgtgtgtgt ttctaaaatt 44160
ccacaatcct tttaacccgt caatttgatg agggaagtaa ttagggtagg gaatggtata 44220
acaaagttgg ttctttgaca ttttctttat agattatcga atgtaagaca aatagatgtg 44280
aatgcagatt tggtgttttt ataagataag gatttaaaat aatgtagttg gtgatatata 44340
aaaataaact attgctgctg ttagcacccg agaggtgggg ctcttgggtt ctcagagctt 44400

2026201390 25 Feb 2026

gttttctatg ttcgttacag ttattttaga ttagaactta aaagaacttg agagtttccc 44460
taattctacc ccctaatttt ttcgaatgag aaattgagat ccatagaaag tgttgaggta 44520
aagatcacaa aacacttaat gagcggtgtt gccagtttga atatctcaat tcttagttat 44580
ctaagttccc tggtaggctt ctttaattat ctgggtctct tctagacatc tggaacaaat 44640
agttgattga cataatacag actagccaca tattttataa gagttacttt tgactcattt 44700
agatttttaa aatatacagt gtctgtattc ttctctattc attttgttaa ttttttttta 44760
cctaataatg attaagcacc aattatgtga cagcactatg ctaagcactt tgcatgcatt 44820
catctcattt aaatctcaac tctgtgaaag tttttattct agttactgta ttaagtctca 44880
attctgtcaa tatccatgaa gcacagaagg cagctgttat ttaccttaat tttacagatg 44940
tgaaaactaa aggcatttaa agagaaaaag aaaaaaaaaa ccaggaaacc ttaacactta 45000
tctgaaggga aatatttaat attgggtatg ttagttcctc atgtatcttt aataattttt 45060
gtcaacagcg aatctttaaa taaaatataa aggatcaggc ctctgctctc ctgcatatat 45120
ttgtaaagtc acttactgct ttttgtcaca gtttcaattt ctgtaaaata gtgagagggt 45180
ttttacctga caggatttgt gcatgtacgt ttactttgaa aattaaaaag cattaggcca 45240
ggcgcggtgg ctcacgcctg taatcccagc actttgggag gccgaggcgg gcagatcatg 45300
aggtcaggag attgagacca tcctggctaa cacggtgaaa ccctgtctct actaaaaata 45360
cagaaaatta gccgggcatg gtggctggtg cctgtagtcc cagctactcg ggagcctgag 45420
gcaggagaat ggtgtgaacc tgggaggcgg agcttgcagt gagccgaggt tgcaccactg 45480
cactccagcc tgggcgacag agcgagtctc cgtctcaaaa aaaagaaaaa aaaaagaaaa 45540
gaaaattaaa aagcattata aaaatgcaag gtggaatttt taaagctctg ccaagtccac 45600
ttagcttaaa ccagcatgac tctcattggc taagtacgtt atgacatctg tgactgtggt 45660
gtaggtattg cctataatca agaatctttt agggtctgct atgtgcaatc cctgaagggt 45720
catggatcgc agtttcataa agactgctgt attttaaagc cttcaaatgc caacgtagta 45780
tcttcacaat gatttttttt ttcagtttta ttatttttg aaagcgcctt cgacaaagtt 45840
ttcagtggat tttgttgagg gatattaagt atgccatcta cataatagcc atagtgataa 45900
ctccaaccac attgttatat ttttattaat aaatgctaga gtattctctt tctggtattt 45960
cctattctga tatttttata taatcaagta tgcaaagatt ctttgtcatt ggaaacctta 46020
atttgcctga aaatgggaat gaaattttca ggtttaaaat ttttttacat ttattacatt 46080
tattgaagct gtctgaaaaa gctcttgagt atattgaata ccaaaattta tcctaactgc 46140
ataaagttgg gaggattgtg aaacttgact gcactgactt gttttcttta ttgatcaaat 46200
ggttgaaaaa aacttcagtt aaacaaattt gatctattaa accaaagtta taaaagcaga 46260
ggaaagcata gaattattaa acggcagttt aaattggtaa acataccgat gtagaaccta 46320
agtttgtagg cagctttctt agatggaaac ttaaaaaaat tttaatcaga acattatgtg 46380
aaatttgtca tctggaattc agctgggttt attaaggaca aagtgtatgg ctataaaata 46440
gattgagttt ttttttaaa acagaaaacc caaaataaat gttctaagtt tccaccttag 46500
gaggctatgt atattgctcc tctttgaaac tgccttcaga accaccttgt aagccataaa 46560
agaaaatcgg actcattgca ctatagtaac acctaactgt tcttgctcaa agaaaatgta 46620
tttatccctt agctttattt gtgtgactcc aaatcatatg agtattgcca gatatttaga 46680
aatttaatcc tctctcgaat gataacattt attttctttg agggttttta aaagagccca 46740
catagatatt tctacagaaa atgtttaatt ctgttttgaa tatgcctgga ataagtgaat 46800
agcttcccag ggtgactatt ctgaaatggg tgatgcttag tggttaagtt ctgatttgtg 46860
ttttcttgaa gttattaagg aactttatga taacagttta tatattccct cttcttggca 46920
tagtaatgaa gtaatagaga ctattcacct ctaagcctga ttttttaaat aagtgtttat 46980
tttatgttta agtaaggtag gtctgctttt ggcttggact tgaatttggc aatagcagat 47040
ataaagtaaa cataatgtga attcctacaa cagtctccca aacagtttaa tttctcattc 47100
atacacattt cccttagtgt atcagggaat taagtatctg attatcagta tagcaagaac 47160
aactcaagta tactgaagtt atttatactc ataaaatagt ttgagttata gctacaatat 47220
aaaattaata tatttttgac ttttattcct cacaacctga aaaaaacctc tgcgattact 47280
gatagtactt ttaaaaacta aatgaatttt gttactacta tttgctaaat ttagtcatgt 47340
ttactgttca aaaaatgcta ggttaaaatg gatcctaatc tttgaaatga tgaagacatg 47400
tgtagtggtg tcaaaaatag gatattcatt ttgtaactat tctgttagtg ccgaagttct 47460
tagaatttct ttgtgacaac agcctgctta agaactttag attttttaga attgtactaa 47520
aagcaaactg ttttcttgga tatttgttct ttctccccaa aagatgattt ataagttttc 47580
agagctaaga aatgggaagg aagagccatc ctagcatggc aggtaatgtt ttactgctaa 47640
caggttttct ctgcactgct ttatttgcct tgaacctctt actttgttct gtcagctggg 47700
aggctggtag attttctatt aggtagcaaa tgcttctcat cactaaacac atatcatggg 47760
ctggtgttag tgcagtctgt ggatgggcac tacattttta atcaagaaat gtttttaaag 47820
gaaagacaaa ttggtgaagt aatttctaat tcagtatttt agggatgagt gacctttaa 47880
ttgataatga tatttaacag agctgtacag tgctttgggg gtcccacaga catgtttaaa 47940
caagaaaaca gtaaataagg aagccagaag gaaaagttat aaaactatta agaaagaaaa 48000
tgaaaattct aaacttcaat tctggtgcct ggctaaattt gatttttgta tgcctcagtg 48060
tttctctatg gacactggga aatcaataag caacctagct acgttattat gttcgtaagt 48120
ggaagaacta aagaactaca aagacatgtt ctaggccaag aattctggtg gtaggtagag 48180
tgggaggtta actagatgat ctccaaggtc cttctaattg cacttggcag cagcaagcat 48240
ttatcaagct agacactggg catatggaga tgaagaagat gaatatcccc agcagcatgg 48300
agagcactct gatgatagtc atccctgcct ccccctccct cagtttgctt tttgaaatgt 48360
gagcttgaaa gatctcaaac tccttcctgg gaagacataa ctgaaacttc atggaggaaa 48420
gtgcatgaat gaatgggaaa caagatttga ttcaactatt tggaataaga aaaggggcaa 48480
caaggagtct gaaacaaatg aaagaaaaga tggaaagaat tagttgacta gatgaggact 48540
gagtacatag gaatgagcca acaggagact tcagcaacta atggatgaaa gtattatgtg 48600
catgcatgtt gtcatcaaat atcacatgat acaagacaag gagaaaacat gactttcacc 48660
ataacctcag tttgtgtacc ctagttgcaa gatatttttt tcttctagtc acttaagaat 48720
atccttattg tctaggagaa ataatcctct ttctgggctc cccagtgtat aagcccaaat 48780
ctgaggaaaa tttacctgaa atgttctttc cccagatacc cacatggttt actctctcat 48840
ttaaatgtca gctctgtaaa agagatctct gactgctcta tctgaaatag tagaatcttt 48900
cacagtcttt ccttcttctt gacatcatct atttgtgtct tatctgctca cctgctacaa 48960

20262013390 25 Feb 2026

tgtaagctcc atgagagcag tgatactgtc tgccttgctt actcctgtat gccagcgtct 49020
agaatagtgt ctagcacata gtaagacctc tacaaataca tgttgaatac ctaaataaac 49080
aaaatttaac atataaacca aaaagatata taggaatgga ttatatttct aatctttctc 49140
gagtgaggaa aatgtcagca gatagtgaat atcactgaga gagagatgat agcccaggtt 49200
atcttcccca gatagaaata agccttaaga ctgacaggtg tatatgaata cagagagtat 49260
acataaagaa gatgtatttt caattgacag tctctaaatt tgctttaaga cttcgaaatg 49320
gattgctttt cataatttct tagaataact ctggtctgtt taccattgaa aaattagagt 49380
agccaatgtt tgtaaatgaa gggttagagg gtttttttcct ttggtggttt gttaaaagct 49440
tgctcaaggc agtaacatag taaattgtca atataggaac ttttgtagca gaagctttat 49500
gcttttcact tttataagaa ttgagattat ttaagcagat gagtctaatg tatatgtttg 49560
tactgactta cctagaaggt caggcaagaa atcggtttcc tcatttttca gataagtgtg 49620
tgtgtaatca ctgagtacct taagagagga ggggtgtttt atttttgcct gaattttcaa 49680
aatatctttc ttcagcttat ttatatttta gatttgactt attctgtcta tagtatataa 49740
cagtcaggag gttggtagga taagttcatc tcttctacta agagttatag gagagttcaa 49800
cctaatatgg caatgacagt cgcagaaaag agaaaatgca agttaagtag gtgttagcca 49860
tagcaagaaa atcagatgag gtcatttaag aatgaactgc tctaatgttc aggaaaaaag 49920
aggggaggga caaggacagg gctctagaag gcaaccaaag agagcagcca caaaataaat 49980
gaatagctga agaattagga gacaacaatc ttaaaatgtg gcagggagag ggtagttgtc 50040
acattaacta gcatagaaga gacagaatag aataacataa atatatgagt gattattgtt 50100
cttgaaacca gtctttaaaa catgggaaca ttcccaaaaa tcaaagccag ataaattagg 50160
gaaatcttaa atggcacaat ataactagtg atttcgttta taatttttt aaaaaggaga 50220
cttaaatttg aaatttagat gtaattaaag cagataataa gaaacatact tctgagacca 50280
caaagaccct gagattcagt taagagtaag gtagaaaggc tggaagccag aagggaatta 50340
agtttctgtt ccctgagaag ccaacacaac aggaaaaaac tggccacacc ctagttcaaa 50400
ctcttattac tcttatcaat agtctcctaa ttgtttctct agttttctcc tctcccttct 50460
taattcattc tgcagtctac tgccagatta atcttcctag aacaccactt tcagtattat 50520
tcccctgatc aaaaaatgtc tgtggttttg ttgctcatag catagtggtt ctccttcttt 50580
gtaccacagc ccatatgcac gatgatagat ggtgggtagc cacatgaact ctccataacc 50640
tttggaggat ttgggttata cacagtctgt tatccaagaa agcatatctg agtgtaagtg 50700
agcattatag ggatagtctt ataattgact ccttttaaaa tttgttcttc tttttgcaaa 50760
tgcccccttca gaatttacag aaatagtgtg ttcattccat cagtaaaatt atacccccaaa 50820
atgttaataa gcttatttcc atcacgtctc ctttcctatt tctttctttc ctctttcttc 50880
ctgcacatct ccccttatcc tccacatttc tctgtaatta cataagcata aacagacaca 50940
tatgagattt tctgggttgc ttgcctttaa ataaaagaat gggattatct tatacccctt 51000
tgtctgcagc ttgcttttct cacctaacaa gtacaccctg aacatccttc caggttaaca 51060
gatgcggatc ccattctttt aaatagacaa tattctattc atgtggtttc gtgatttttg 51120
ccactacaag caagtttcta ataaacaccc ttttctatgt acccttttaca aatagcaact 51180
ttttttctaa atataaatgc tatggtttgg ctctgtatcc ccacccaaat ctcatcttga 51240
attataatcc tcacatatca ggggaggggc ctggtgaaag gtgattgaat cctggaggca 51300
gacttctcct ctgctgttct catgatagtg agttctcatg agatctggtt gcttgaaaat 51360
gtatggcact tccctcttca ctcactgtct ctcctgctct gccatgtgaa aacatggttt 51420
ctttgccttc cactgtgagt gtaagtttcc tgaggcctcc cagtaatgct tcctgttaag 51480
cctgtggaac tatgagtcag ttgaacctct tttctttgta agttacccag tctcagttag 51540
ttctttatag cactgtgaaa atggactagt acagaaactt ggtaccagga cagtggggca 51600
ttgctataaa gatacatgaa aatgcggaag caactttgta actggataat gggcagaggt 51660
tgcaacagtt tggaggactc agaagaagac aggaagatga gggaatgttt ggaacttcct 51720
agagacatgt tgaatggttt tgaccaaaat gctgatagtt atatggacaa taaagtccag 51780
gctgaggtgg tctcaggtgg agatgaggca cttattggga actggagcaa agttcacttt 51840
tgctttgctt tagcaaatag actgacagca ttttgcccct gccctagaga tctgtggatc 51900
tttgaacttg agagagatga tttagagttc gtggcagaag aaatttctaa gtagcaaagc 51960
attcaatatg tggcctggct gctcctaaca acatacagtc atatgtgttc acaaagagat 52020
ggtctgaagt tggaacttag gtttaaaaga gaagcagagc ataaaagttt ggaaaatttg 52080
cagcctgacc ttgtggtaga aaagaaaaac ctattttctg gggagcaatt caagtgagct 52140
gcagaaatat gcatagatga agagtagcct aatgttaata gccagtagaa tagggaaaat 52200
gtttccaggg catgtcagag accttcatgg cagcccttcc tatcacaggc ctggaggtct 52260
aggaggaaaa aatggtttcg tgggccaggc ccagggttgc gctgctctct gcagcctcag 52320
gacatggtgc cctgcatccc agctgctcta gctccagctg tggctaaaag gggccaggag 52380
ataatcttgg gctgttgctt cagagggggt aagcctcaaa ccttggcagc cttcatgtgg 52440
tgttgggcct atgggtgtgc agaaggcaag agttgaggct tgaaagcctc tgccttgatt 52500
tcaggatgta tggaaatgcc tggatgtcca tgcattctgc aggggcagag ccctcatgga 52560
gatcctctgc tagggcagtg cagaggagat acatggggtt agagccccca cacagagacc 52620
ccactggggc actgcctagt ggagccgtga gaagagggat accatcctcc agactccaga 52680
gtggtagatc cactgacagc tttcaccatg tgcctggaaa agctgtaggc actcaatgct 52740
agcctgtgaa agcagctgca gggtctgtac ccagcagagc caccagggca gagctgtcca 52800
aggccttggg agctcacccc ttgtgtcagc gtggcttgga catgagacgt ggagtcaaag 52860
gagatcattt tggattttta agatttaatg actgtcctgc aggtttttgg acatgcatgg 52920
ggcctgtagc ctctttgtct taaccaattt ctctagtttg gaatggggga atttacccaa 52980
tgcctgtatc ccaatttttt cttggaagta actagttttt gattttacag tctcataagc 53040
agagtggact tgccttgacc caagaagact ttgtacttgg acttttgagt taatgctgga 53100
aggagttaag acttccgggg actattgaga atgcaagatt gtgttttgaa atgtaagaac 53160
atgagattta ggaggggccg ggggcagaat aatatggctt ggctgtgtgt ccccacccaa 53220
atctcaatca cttgtaatcc ccacatgtca ggggaggggc ctagtgggag gtgactgaat 53280
cacaagggtg gacttccctc ttgttgttct catgatcgtg agttctcatg agacctggtt 53340
gtttgaaagt gtgtggcact tccccccttct ctctctgtct cctcctctgc catgtgaaca 53400
tgtgcttgct tctccttcaa cttccaccag gattctaagt ttcctgaggc ctctcagtca 53460
tgcttccttt gaagcctgtg gaactgtaag tcaattaagt ctctgttctt cataaattat 53520

20262013390 25 Feb 2026

ccagacacag gtagttcttt attgcagtgt gaaaacggaa taatacaata gatttcccca 53580
aagttgggtt cctgagtcag gggtatgtgt atttaaaatt ttaacagata tttccaaatt 53640
actttttttcg aggattatgg caagtcacag ttccccctgg cagtgtttat acttttcttt 53700
ataataaaaa tacataaatc attattacta acaaattcct tgccatgagt cctaaattga 53760
taacaacata ccagtgtgcc atataacata gctgaggact gttgcagtct agaattcagg 53820
ctccttctct ctgcttttaa caatatgtgt aatgttcaag accaatttag tgccacttat 53880
tttgtatgct ttcctttatg tagtccaggc catagccccc cacctcatct gatggtatcc 53940
tctggcagcc acagaccaca cagttctttc tacctaaatt agtcattagc acatagtagg 54000
tacccagtaa atgtttgttg aattaatact gtttatatat ttctaattta tctccaagta 54060
aatccagtct ccttaaggac aaggaacgtt ttcactataa cacctagcac ttaaggtact 54120
caatttaggt agggctgttt gaacaaagaa ccacagagga agcaaatagc atggccttgc 54180
ctttaataca tatattttac tttctcttag ggaaaactgg aactgtaaga atctagtaac 54240
aataataaga acagcacttt tattgagcag ttactatatg tgaggcacag ttcaaactgc 54300
agaggataca acagtggaca aagctttagt tgtttctgcc tttctgaagc ttatggttta 54360
tgggtgttac attcaagaca tttgtaggac acattctaaa atgccatcca atttcaggct 54420
ctttccagca gaaactgtgg aatatttttc cgttcattca gcatttactt agtgcctgct 54480
ctgccaggaa ttgaagagaa agcccaaaga caggcagacc ttacctgaga ggtagtgaac 54540
tgaccaggat gactgtgggc agtagacttg tttcccaaac tagcctcacc atttctgtat 54600
ttgcatatac gaggaaagga ttagatatag ggattcatgt cagcatacac cccagggaca 54660
tttgttttta gtgaaaggtg ccagtcttca tccctgtacc cagtacacaa accacgaaga 54720
agtatgctcc cgtcattgtc aaagaatcat agaattccaa atggagctag ttttgatatc 54780
cagatctcac ttcatatgag gaaactaggt ccagtattgt gagtaagaat taggactctt 54840
cagattccct gggtatgaat ctgactaaca actgtgtgaa cttgaccaaa ttcataaccc 54900
tgtaaactct gtttcctcac ttttaaaatg ggcacaacaa agtgatgcat gtaaactgca 54960
tagcacagtg tctggcactt aaaaagcact cctgaagtta tttttagtga tgtgttttaa 55020
gattagacaa ctccttaatg ccaaaggttt ttacttgaga actctgtctg ttgtgccata 55080
ctacacgctg ttcataagat aagccttttt cattaattga tctcaaactg gcttcattat 55140
gatcttaact ttatttcagt tttatttttа aaatttattt ttaattttta tgggtatata 55200
gtaggcatat atatttatgg ggtacaggtc atgttttaat gcaagcatgc aattgtgggg 55260
gtgatatata attgactggg gtgagatatc tcattgtagt tttgatttgc atttctctga 55320
tgattaagga tgttgaacat ttcttcatac acctgttggc catttgtatg tcttttgaga 55380
aatgtctatt cagatctttt gtccattttt taagttggat tgtttgattt tttcctgttg 55440
tctgaactct ttatatattc tagttattaa tcccttctca gatgggtagc ttgcaaatat 55500
tttcttccat tttgtgggtt gcttctttgt tgtttccgtt gctgtgcaga agtttttag 55560
cttgatgtga tcccatttgt ccatttttgc attggttgcc tgtgcatttg aggtattact 55620
aaagaaatct ttgcccatac cagtgtcctg gagagcttcc caaatgtttt cttttagtat 55680
cctagtttca ggtcttagat ttagggcttt agtccatttt tatttgattt ttatatgtgg 55740
tgagagatag gggtctagtt tcattctgcc tatggatatc cagttttccc agcaccattt 55800
attgaagaga ctgtcctttc cctagtgtat gttcttggca cctttgctga aaatgagttc 55860
actgtaggtg tatgaatttg tttctgggtt ctctaggtct gtgtatctgt ttttatgcta 55920
gaactatgtt gtttgggtta ttatagtttt gtagcataat ttgaagtcag ataatgtaat 55980
tcctccagtt ttatttttтt tgttcaggat ggctttggct attccggggc ttttgtggtt 56040
ccatataaat cctatgattt ttttttcta tttctgtgaa gaatgtcatt gatatttatt 56100
aataaagatt gcattgaatc tgtagattgc tttgggtagt atggacattt taacaatatt 56160
gattcttcca atccatgagc atggactatc tttctttttt tgtgtgtcct cttcaatatt 56220
tttcctcagt gttttattgt tttcattgta gagctctttc acttctttcg ttgagtttat 56280
tcctaggtgt tttattttat ctgtagctat tgtaaatgag attactttct gatttctttt 56340
ttagattgtc ctctgttggc atctagaaat gccacagatt tttgtatgtt gattttgtat 56400
cctgtaactg tactgaattt atctgttcta atatttttтt ggtggagtct ttaggctttt 56460
ccaataagat catacagtct gcaaacaaga ataatttgac ttcttccatt ccattttgga 56520
ttccctttat atctttctct tgtctgatta ctctaggtag gtcttccagt acttccagtt 56580
gaataacagt gggcactctt gtcttgttgt agatcttaga agaaaggctt tcagtttttc 56640
cccattcagt atgatactag ctgtcagttt gttgcagatg gcataacttt caaactaatt 56700
gattatagtt aggaagtgga tactttaact tgtggtacca ttatcagatt tatatttcgg 56760
ccataagctt gaagaggagc tgaaaaatgc atatgtgatg catatgcttc ctatttggct 56820
ctcttctccc acccccctgc cctataatcc acacaagttc ctctctcagt cactcatcaa 56880
ctacttgaac ctctgaggaa cttggggtta aggtaaatta gaataaaact gtctgaagaa 56940
gagcaagcct ttcatgtctt gagaaattct tggggtttta gaaataactt cattgctttt 57000
tttctccagt tactttggct tcttcttaaa gagaatacta acactttgaa cgtcataata 57060
ctaaggttct gcctcttcaa ataaagactt taaaaaaaaa tggtttttgt atgattcagt 57120
gtgaattaaa tcccacagtg taaaggactt tactttctta atgtagattt tcaaatacac 57180
aattactgat gtttataagt agatttatta caccaaagca cctagcaaat tcttgaatgg 57240
atcaggtctt atttttcagt cttactttgc aaatttaagt caaataatta aggatttgtt 57300
aaatatttgt cttaatatca agcttttgca tatcggggcc ctcttttata agctttataa 57360
gcaatctttt gttttctctg cttgctcaaa gtagctatgt ttgttgtatc tgttagtatt 57420
tgctctataa caaacatact gggtgccttc ccacttagat ttggcaatta tcactcctgt 57480
aaatgagata ttacataaga taggaaaaag aacagtatct ttccaagaag aatagtatcc 57540
ttccatatta acagtttaga gctgactgct tttaaaattt agtggcttta aaataacaac 57600
catttattat tcttcatgag tctacaaatg aggtgggcag ttctgctgat ctggccaagc 57660
tgaacttatc tcagctgggc acattcagcg tatctgctgt cagttggctg gttggctgta 57720
gcaatgaatg gtgaaagtag gctgccctta acttttcac acagtagcat tagagttaca 57780
aaagaaccag cagaaccatg caaaactctt taagacctag gcttggaaca actatatttc 57840
taccacattc tattggtcaa agcaaatcac ggggctagtc tagattcaag tgggtggagg 57900
agctgcaatt acactgcaaa ggagtgtgac tgtagggaga ggtgtttttt tatttttatt 57960
tttttgcgat ttgtcacagt agttgtagga atcaggtgta tttaaaattc tgatccttct 58020
gtgatatccg aattgttcat gaaccttgcc tctggtggaa aggcagaatc attgtgacag 58080

20262013390 25 Feb 2026

aaggataaaa tcttggaatt tagagactaa caaaggttca gattccagct ccatcactta 58140
tttctgcaat cctgcagaag ttaatcttcc tgataggcat tcagtaatga ttgattcacc 58200
tgaacctcag attctttatg tattttaaag aaagggctag gtaaatgcaa agcacttatg 58260
taactgcttt tattattgca aacctggctc ccacactcca ttcaaggtgt aagactcagt 58320
gtcttccttg aattaaaaag gaagagaaag tgtgttaggg aaaggaagag aaatatttga 58380
ctaattgtgg ccccaataaa gtgaccactc actgggggta ttttcctgta agaaaagaat 58440
ggttgaggct cagagttaag agatacaaat ccaaaagtct ccttggggta ggattccctg 58500
tgattcatgg gttgagaggt gtaacattag acacagtccc agtctagatt ttttttttaa 58560
agaattgtag tccatcctat acacactggg tgccttaata ctatatgtgg caattatcac 58620
tcctataaat caggttttac ataagatagg aaaaagaaca gtatcattcc acattaacaa 58680
ttgaaagatg actgctttta aaaaattaaa agggccatat agaaataaaa tcacataaat 58740
ttcttgtgtt aaacatagtt gtcatattgg atgaggacta aacacctaaa ttcatccaac 58800
tagtagtaat agaaaagatg aaacacacac acagtaaaac tagattaatt taatttatac 58860
aaagggccag atatctcaga attcagacag tcagagatgt tgactagagt taatgcctct 58920
tttaggagag gtaccaggta agtgttctca aagaactgga aactgagacc accacctctg 58980
gcattatcta tttgtgaaca caagcaagtc tgaatttttc cgcaccatag ctacctttca 59040
tgtaagcttc ttttcttaga agaaaagaag gtaacatttg ggtgtaattt tttattaagg 59100
gtgaaattta gtgtagagag taaaggcatt tggcatagaa gcccttagtt ttttttgttt 59160
ttaagttgaa ctgccagcct ttatggattg cagtcttcgc tgttttgatt gacatttccc 59220
aattcatttt gtattattta ttttttttaag agacagggtc tcactctgtt acccaggctg 59280
gagtgcaatg gggcaaactt ggatcactgc agccttgaac tcctgggctc aagcaatcct 59340
cccacctcag cctcccaagt agcttggact ataggtgtgc accaccatcc ttggctaatt 59400
ttttaaatct tttgtagaga cagggtagtg ctctgttgcc caggctggtc tcacattcct 59460
ggcctcagtt gatgctctgg tctcagcctt ccaaaatgct gggattacaa gtgtgagcca 59520
ctgcacctgg cccccaattt catcctttac aaagactact ttcaaccata aatcaacgga 59580
aacttcagct ccctcagaca tatttgggat ccaaggatat tttcccaaat gattaatgct 59640
aatttcatat caatacattt ttgcaaaacc tacaaaaatg gactagtaaa gaaagactct 59700
taatttggga aagacagtta cttggagaga agagaaactt aagaggcagg tcgagttcag 59760
tgttcagaaa tgagaggatc ataaagagat agccataaaa atgtttctcc ctatattgcc 59820
tgctgatagg gtgtatcagt gaaggtctta ctaaggacct tgtacctttt cagcgctgca 59880
ctgcgtgctc atagggagga aagataaatc atgtgttttt tctgacctca aaggagcctg 59940
tatctggcta gagagacatg atgcagacac atgaaataat taagaaacaa ttaactgtag 60000
caggtgctga agaatatacc aggaggtcag agaatggtag agctagtgtg ggcgaaggta 60060
tagcccagag catcatcaga tgattcttcc ttatgcaaat tcacatctcc tctgggtcaa 60120
gtatcatcct ggcatgcagc agctccatag gtaatgccct aaggctagcc tgaggcaagt 60180
tgcaaaagcc atcatattga gtcatggcct ttttttgtgt ggggggaggg gaatggcatc 60240
cccttcctgt ctgccaaatc aaggaataca gtgccctcct aaacctgctt tgttttagtg 60300
gattgttaaa aagaagtgaa tgaatttatg cttcattagg gaaaggttac agtggaatac 60360
tgaggagtaa ggggtatttc tatttaacaa atgacataac ttgaaggaat gaaatcataa 60420
ggatggaatt tcaggcatta ataaaaagct gatgagagat actttgagac aaaagagcct 60480
tcccagtgta accgagatca cagcacctac ttcacataca caggaaacca gtcctatctg 60540
tctctcccat agagcagtag ctgccttgtt tttcctccct cctccatcat tcattctaaa 60600
tctccagtcc tccaccgcac cttatccaaa ccctgatacc cttaagtcac agatggtgaa 60660
tcagtcaaaa gtagtattaa aaactagtgg tacacagcta cacctggaat gcagtaagaa 60720
aaatacggat ttctgtacat catcttccct ccctgctctt acccccattt aagagttaca 60780
gggtcagaac ccaagagtct gagtttttga aagtccctaa aaattttgga tgatcaccta 60840
catttagaac cactgcacta agaaggacaa caaatatgcc aataaattct gttgccaagg 60900
aggtgattat gcaagctgga accctgataa catgaggaga atcccacaat agccaaatag 60960
tccatgtact agttacatta taataaagcc aaaagcagca ggcctacctg actttctcct 61020
gaggtctatc atgagcttag agagaaggaa cgtggacata tagaggtagc tctagatgga 61080
gaagggcact aggtgtcatg gaaagaatca tgtgcaagaa gtaaagaggt gctctgaatg 61140
tcctagccct gcttaggtgt ctgtgtcctc acatgagaat ttatccacag ttctttcccg 61200
ctgtaacaat ctttggttcc aactgcattt gtgagacagc aaaaagctat ggtccagtct 61260
ccttccattg tatcatctca tcaatgtatt tctcccacta cccttgtgtg aaatacaaac 61320
ttttttggct tattgtgatt atgcaaggtg tatgccaact ttttttttt ctccacatct 61380
ttcagctttc tgatgggtaa aaattttcct tattttgctt tagaaaaatt ctcattggca 61440
tagatctaat ttcagggagc ctcccttgaa agctaaataa cattgagaat tcatgaaaat 61500
ataatgtaga gcattatgcc tgttagcata ttagtttaaa tagaagtggt tcatgaaaat 61560
ttttgaaatg ccagaccctg tcctgtgttt tgtattctcc caaatactca tccagatact 61620
gttcagaatg taacatgatt attttgaaat aaagattttc ccctagtttt taaaaaagtt 61680
actttataca ttaaccctta tgttcctctt tgatcaattt ttccagtagt gtaaacagtc 61740
ttcagggaag tagatttctt acagaaattg tcaagtggct ctctgctgtt agcatggtta 61800
ctaatctttt ggttacttt catatttttt atactttctg gaagtggaca acttacttgt 61860
aaataaaagt gcataatttg tattaaaaat ttttagtaac aatctaattt gtaaaataga 61920
tgtgagcagc atgaatgtgt gtgatatgcg tacatacgaa ttatgtctct taaaaatgta 61980
tcacagacat ctttccgtgt ccaaacaaat ctacctcatt ctttctaata gccatatggg 62040
tataccataa tatatttaac taggccccta ttaaaagaat tttgactctt ttgtagctac 62100
tatagtgttg cagtgtgtat ctgtgtatgt atctttgtgt gtgtatcttt gtacgagtgt 62160
acatatattt tccccttggc tatttcagat tttttttag gtttaaatct taggaaaggt 62220
tttgaaattg tcttaagtat tttcagaagc attaaatcat ggtttttta catttttctt 62280
ttagaagttt tatgtcatct ctatgagtag ctttcagtaa tttgttctgc ataaaattcc 62340
cgaaaacttc catttaaaaa taggtggcat gactagactt tctcagccga aagagtgagg 62400
tcccaggaag gattttggag aagctgtgtt caaatatagc tgctgacctg atgtctgcct 62460
agagtctggc aaggtgatgt gttgaatcta gtgtctgcct gcatgccagc atccctttac 62520
tgatgagatt tgtggttttc atcacttcat ggtaatcatc ccaagttata agatggagtc 62580
tctagaaaat cagtagagta tgaaggccca agtaaaatac atgtgagtgc atgtatgtgt 62640

20262013390 25 Feb 2026

gcatacaaat tacttctctt aaaaacgtat cctgggcatt taaagaatga ggacctccga 62700
aggattttgt ggaagctgtg ttcaagtaca gctgctgagc gtatgtcagc ctggagcctg 62760
gcaaggtgaa gtgttgaatc tagtgtcttt ttgactcact gttttttttg actcactgtg 62820
ctttgaagcc cttgtcattt gggctcataa aatagatttc tgtatactgt ctctcctccc 62880
tgccctcgcc cccatttaaa agtatagtgg cagaacccaa gaatcagagt tactaaaaac 62940
tctctagaaa atttggatga tcacccacct gatcatgtct tttttactca ctatgttttt 63000
ttttttttg agacagagtc tcgctctgtc gcccaggctg gagtgcagtg gcatgatctt 63060
ggctcactgc aagctccgcc tccctggttc acgccattct cctgcctcag cctcccatgt 63120
agctgggact acagggcctg ccaccgcgcc cggctaattt tttgtatttt tagtagagtc 63180
ggggtttcac tgtgttagcc aggatggtcc cgatctcctg acctcgtgat ccacccgcct 63240
cggcctccca aagtgctggg attacaggcg tgagccacca cacccggccc tttactcact 63300
atgtttttaa gcccttgttt tcatttgctc cactgtaaaa cattccccaa gccaatctgg 63360
agctgaggca aatttttaac aatttaaaat ctggggaata taaatattgg ataatgatca 63420
tcctgaaaaa acaatgaagg tagtagcata atactttata tatcaataaa atggcaaaat 63480
aagacagttg ttgaaggaca gaaagagtaa ctgaagttag gagcttatct taacacattt 63540
tttgtgtcat accataggca tcatattttt taaatttttt ttatttcata cacataggaa 63600
aatatatgtg tgtaagaaat aataaacacc tctttgtacc taccacccaa cttaaggaac 63660
agctcattgc tattcccttt ggtgctcgct ggatgccctt tcccagtcac atccccctcc 63720
cttcccatct gcaggactat actagtaaat tttgtatttt ttgcattatt ttgctttgtt 63780
ttatgatttt actacctatc tacatatccc taaataatac attatttagt ttcatatgtt 63840
ttaactttat gttgtggaat cacattaaat gtagtctttt ttttttatat tatactttaa 63900
gttctagggt acatgtgcac aacgtgcagg tttgttacgt aggtatacat gcgccatgtt 63960
ggtttgctgc acccatcaac tcgtcattta cactgggtat ttctcctaat gctatccctc 64020
ccctagcccc ccacccccccg ataaatgtag tctttataac ttgtttttttt aactcaacat 64080
tgtttgtaag attcatccat gtaagctgaa gctttttttat agagatcttt gttaagcctt 64140
ttaatgaata cagtacatac atttctctgt tcccctgtta gtggacactt ggattgtttc 64200
cagagttttg ctgttttgaa caacgctgct gtgaaaatgt ctcctgaaac acatttataa 64260
gagtttttttt ttccccaagg gaattatacc tagaaattga ataactagat cacaaggcat 64320
acacatctac aacttctgct aggtaatgcc aaattgtttc caaggagcgt tagaagtgtt 64380
ctcatcaact tttactagtg ctagtctttt acatttgtgg cagtatggtg ggtgtgaaat 64440
atttatgttt agtttttctt ggtgccattt aataatttttt ataaaaaata tttagaagtc 64500
aaggcagttt tttgtttttg tttttatttt ttgcttgttt tgttttaatg cagacattga 64560
gattacgact tggaataaac attggttgca aagttcctaa aaggaaaact ttttttggta 64620
ttctggagct tttctggtac tgaataaaat aagtatgtta aattatgcat gtgtagttta 64680
gaagtcagag caataattgt gattgttgaa cagaatggca gtaaaaagtt tctaaacgat 64740
tgtactgtac aagggacact tgttgtgggt cagttttagc ctccccaact tttatgttaa 64800
aagttgcaac aaggtttaag ggcttatgtt tgataggcca gatggtgacc agctgtgata 64860
aaacacaggg aacccttgca aaggatttca aaatttatgc agtagtccgc cttatctgca 64920
gttttgcttt ccaaggtttc agttacccgc agtcaactgt gttctgaaaa tattaagtga 64980
aaaattacag aaataaagaa tcgaagagtt ttaaatttta tgcttcccac ccatcccacc 65040
tgggatgtga atcattcctt tgttcagcat ctccatgctg taggtgctgc ctgcccctta 65100
gtcacttggt agccatccag gttatcagat tgactcttct agtattacaa cacttggctt 65160
caagtaatcc ttatttttact tcatagtggc cccaaagtgc aggagtggtg atcctggcaa 65220
ttcagatatg tcaaagagaa gctgtaaatt gcttccctta agtgaaagat gaaaattcta 65280
gacttatata taaagaaaag aaatcatatg ctgagactgc taagatctat gataagaatg 65340
aatcttttat acatgaaatt gtgaagaatg aaaaagaaat gcgtgctggt tttgctgtca 65400
tatctcagac tgcaaaagtt tgcagccaat gtgtatgata agtgcttagt taaaaggaaa 65460
aaggcattta aggtaagtat atatagtgtt tggtactacc tgtgatttca ggcatccatt 65520
gggggtctcc tgagtataag gggagactac tcttttagtg ttaaatgaac actaaggaac 65580
agagatgggg aagaggttgg agaagattag ttcagcagtt tgagtatagg taaacagttg 65640
tttgagaaag aagaaaaatg tgattagtat tttaccttag caatagtggc atagataatg 65700
ataaattata gtcacacaga actcttagta tttacagaac gttcacattt gtgatcccat 65760
ttaacaataa ctctgaaaga aaggtatcat ctaccactgc tttattgata aagatataaa 65820
aggtaagaga gatgaaacat attggccaat gatacccatc tggtaagaga cagggatggg 65880
gtgggacccc aaggctcttc tcgccaagcc cacggttttt ttgctttata ctttttgcc 65940
tcctgatcac catggctgca gtttctactg tggacaatgt ctgtcagcaa gcattgatcc 66000
cctgccttca gcactcttac gtcttagcaa ggactggaaa gaaaaagcca ggagtttaca 66060
gtctgctgga gcaacagaaa agaatgatat gaaatatgaa gagaccaaaa tgatttataa 66120
taaggtgcta gactatgtag taaaaatctg ctttagctgt aagtcaaaag caagagcagt 66180
cttttcagaa tggaatagaa atgttggaat taaaggaatt ttcaaagttg tgaatttttt 66240
tcaagataaa catgttttat tttggtaatt atggtattac taatttgata accttcaggg 66300
agccacctaa tattatagaa gatgtacata taatgacaaa agcaaacatt ttatttttaa 66360
ggaccacaat ctaatctaaa acaaaatttc ccccttttct ggtctttggt taattaagga 66420
cttatttaaa tatcaaagaa agacacatag aaaacattta gtatatttct atacttttat 66480
taatgtcctc cataccttac acagatactt gacttggcta tggtctagat aatccatgaa 66540
aatttaaagg acagatttta acaactttat gctaaattga tagatctcta ggatcagatt 66600
gccatcactc tcagatgcga agcttccaac cacttatagg ttcctgatat cttgctttta 66660
tacagaccta atttctcttc ctttaaactt tcttttcctc agttgctatt tgattgaaat 66720
attgagtcat taaaaatttc caagtgggaa tttttgtgtt tcttcatcta tcatgaagct 66780
gctcaaataa gtaggtgttt gaataggagt agaaacagta ataggctgaa gccagaccaa 66840
tacagcttca gctaaatgcc gaccttgcta aagtctggga ggaccggtgt ggtattctac 66900
aatgtacaag tctgtagccg gtgcccttaa tatgttggct tcatgtctca tgactctctt 66960
ctgtaaatat gcagtttaaa aaatacaagt tattctgctg tagaagatac atttgcaaaa 67020
ttgatgtatc ccctctaagt aaagttggct aaacaataag gacatattta taattaatga 67080
atttgagaag aatgctgacg atatgcatta ttctttgaag ttaacatttt tcaggtccta 67140
aataaacaaa aagtaggtta cttctgtctg gagtgtatgc aaggggtacc atcttgtcct 67200

20262013390 25 Feb 2026

tggttcctgg ctgctattcc aaggtgctat aaagtcagct aaagagagca atcataatac 67260
attgatagca tccctcaatg tgtttctgag ctacttgaga atcttatttt tgaataggta 67320
gcaggaaacc atctttgcag ggcagcatgg gcaaagggat tggagggact attattataa 67380
agatccactg aactgcttca gtatcataat atcttaaact aaaggactgg aaagagccag 67440
attccaattt aatctgctct tctatgaatt cttagctggg ttcatttaaa aagaaaaaac 67500
ttgaagattg caagattttg aagacatctt aaaataggtg aactccaagg tgcactttaa 67560
acttgagact gataactgaa tactccttca ccttttgatc tgatattgtc aaaatgaatg 67620
aggacttagt gctctagtaa gtttggaaca gaatgatatt aatttatttt ctcatgattg 67680
attctttttt gctttttaat agattaaact tcaccgtaga acagtttctc aacctctgga 67740
ctattgacat ttttgattgg ataattcttt gctgtcaggg ctgttctgtg tgttgcagga 67800
tagttagcaa catccctgac aatcacaaat gttactttct gtctctatgg atttgcctat 67860
tctggacatt tcgtataaat agaatcatat atatgtggct tcttgtacct ggcttatttc 67920
acttaacatg ttttcaaggt tcatccatat tgtagcatgt aacagcactt cattttcttt 67980
ttatggctga gtaatattct gttatgtgga tatactacca tattttgtct atccactcct 68040
tagctgatgg tcttttaggt tgtgtccatt ctttggctat tataaataat gctgttaaga 68100
acattcatat acaagtttct gtgtagacat atatctttat ttctcttgtg tggataccta 68160
ggagtagaat tactggatca tatgataact ctatgtgtta ccttttgagg aactgccaaa 68220
cattttcta cagtggctgt atcattttac actcccatca gcaatgtata agaattccaa 68280
tttctctgtc cttgcctata tttattaact gtcttttctt attagccaac tgctgtggtt 68340
cgaatgtttg tcccctccaa aactcatgtt ggaacataat ccccaatgtg gcagtattga 68400
gatgtgaggc ctttaagaag tgcttgggtc atcagaggtc tgccctcatg aataggctaa 68460
tccattcatg agttaatgta ctaatgggtt atcactggat tgggactagt ggctttataa 68520
gaagaggaag agaactaatc tagtaagctc agccttctca ctatgtgatt gctgccctgt 68580
gtcaccttgg gactctgcag agagtcctcc agcagcaaga agttcttcat cagctgtggc 68640
cccttgacct tggacttccc agcctccaga aatgtaagaa atccatttct ttttttaat 68700
aaattacaca gtctcacgta ttcagttata ccaacagaac acagactaag acaccatcct 68760
attgggtatg ggtatctcat tgtgtttttt atttgtgtct cccaaatgac taacgatgtt 68820
gaacatcttt tcatctgctt tttggacatt tgtgtatttt ctttgaagaa atgtctttaa 68880
cattctttgc ccatttttaaa attaggttgt ctttttattg ttgagttgtc ggtgtgtgtg 68940
tgtgtgtgtg tgtgtgtgtg tgtgtatcta gaatatatgt gtatgtatat atgcagatat 69000
attctaaaca ctagaccctt atgaaatata taatttgagg acaatttctc ccatttaaaa 69060
ggccatcttt tcacttcttg atagtgtcat ttgactcaca agtttttaat ttttatgaag 69120
tccaatttat tttttaattc tttgtttttg gcactgtatc tttaaaaagt tgcctgatct 69180
aaggtcaaac tgattttcac ctatgttttc atctaagaat tatagtttta gctcttacat 69240
ttaggccttt gatccatttt gaattaattt gtgtatatgg tgtgaagtag ggctctaact 69300
tattcttttg tgtaatgata cctagttgtc ccagcaccat ttgttgaaaa gattattctt 69360
tccccattga atggtcttga taccttgttg aaatcaactg accataaata tataggctta 69420
ttcctggact cacaattcta tgagtctgta tgtctaatct tatgccagta ccacactgtt 69480
ttgattatta catctttgta caaagttttg aaattgggaa atgtgagtct tccaactttg 69540
ttctttttta agattacttt gcctatattc cgtgttcgtt gcaaactcat atgaatttta 69600
aatcaactct ccatttctgg aagaaaaaaa gaggcaattg aagttcagat agggattgca 69660
ttgaacctgt agatcagttt ggggaatatt gccatcataa caattagtag gtcttccaac 69720
ccatgaatac aagacttctt tccatttctg tagatattta gtttctttca ttaatatttt 69780
gtagttttca atataaaagt cttgtacttc gattaaattt attcttgaat attttgggtt 69840
ttgatgcttt tatgaatttg ttttcttaat ttcactttaa gattgttcat tgctactgat 69900
tagtaatgca actgattttt gtgtgttgat ttttgtatcc tgcaacctag ctgaaatcat 69960
tgattagcat aatagagtat ttaatagatt taggatttct atatataaga tcatgtcatc 70020
tgcaattaga gataatttta cttcttccct ttcaatctgg acatttttta cttctttttc 70080
ttgcctagtt gccctagcta gaacctccag tgcagtgttg aatagcagtg gtgagaatga 70140
gcatctttgt gttggtcttc atcttgtggg gaaacctttc agtttaagtg tgttgttgtg 70200
gggttttcat agttgtcctt tatcagattg agaatgttcc tttctgttcc tagtttgttg 70260
agtgttttct ttttgattgt tttaatcagg aaagggcatt agattttgtc aaatgctttt 70320
tctgcagcta ttgagatttt tgtgtgtttt tctggtcttt tatggtttat cacattaatt 70380
gattttcata tgtcaaacaa accctgtgtt cttgggtttc atctcacttg gttatggttt 70440
ataatccttt ttatatactt gtagattcag tttgccagta ttttgttgag gatgcttgca 70500
tttatattta taagggatat tggtctgttg tagctgacca gtaagtatag taagctgtat 70560
agtttactaa gtgttccctc tgttttgggg gagactttga gaagaaggat tgttggtaat 70620
tgttctttaa acatttggta aaattcacta gtgaagccat ctggggtctt ctttggaagt 70680
tttttgatta ctaacttaat gtctttactt gtttgttata agtccattca gatttttttc 70740
tccttgagtc atttttgaca gttggttgag gaatttgttc atttcatgta gttatctaat 70800
tggttagtgt ataattattc atagtattcc tttataatct tatttttttg ctgtaaggtc 70860
agtcataatg ttcactcttt catttcggat tctggtaatt taagagtctt ctctcctttt 70920
ttttcttggt cagtctagct aaagtaaagt tttgtccgtt ttcaggggaa cagcttttt 70980
tttttttttg aggcagaatt tccatcttgt cacccagtct agagtgcagt ggtgcaatct 71040
cggctcattg cagcctccgc ttcccgggtt caagagattc tcctgcctca gcttgccaag 71100
tagctgggat tacaagcgcc caccaccacg cctggctaat tttttatatt tttagtagag 71160
acggggtttc accatgttgg gcaggctggt ctcgaactcc tgacctcagg tgatctgcct 71220
gccttggcct cccaaagtgc tgggattaca ggtgtgagct accgtgccca acccagcttt 71280
ggttatttttt gttgacctac tctattgttt ttctcttctc tatttcactt atttctacac 71340
tggtctttat tattttcttc cttatgcttg ctttggactt agttcttctt tttctagtct 71400
cttaaggtgg ataattaagt tcctgatttg aattcttact tctttgtaag gtggtcatgt 71460
actgctatga atttccttct cagaaatgta tatgctttca ctgcatccct taagatttgg 71520
tatgttgtat ttttgttttc atttgtctca aggtatagtc ttctgatttc cattgtgatt 71580
tcttccccct ctaacccgtt tattatttag gaacttgttg atttccacat acctgtgaac 71640
tttccagatt tccttctttg ttaattctca gtgtcattcc attctggtcc gagaacatac 71700
tttgtatgat ttctatcttt taaaatttat ttggcttgtc ttatgaccta atacattgtc 71760

20262013390 25 Feb 2026

tatcctggag gatgtttcat gtacacttga gaagaatgtg tattctgctt ttgttgggta 71820
gagtgtttga caggtgtgtt ggtacatagt tctgttcaaa tctgtttcct tgcagatttc 71880
tatctagttg ttctgtctat tggaagtagg atattgaaat ctccaactaa tattgctgaa 71940
ttgtttattg ttttcttcag ttctgtcact ttttgcttta tatattttga aattctattg 72000
ttaggtacaa gtaagtttat gattattata tcttcttgat agattgattc ttttatcatt 72060
atacagtgcc ctataagaac aatttttatc ttaagtctat ttgtctatat tagtatagcc 72120
acttcagctt tcttttgttt actgtttgca tggaatattt tcttctttta ctttctattt 72180
gtgttcttga gtctaaggtg aatctctgta gatagcaatt ggatctgcca atctttgctt 72240
tttatttggg gagtttaaac cattgacatt taatgtaatt attgatgagg aagattactt 72300
ctgatatttt gccatttgtt tcctttattt tgtgtctctt gttcttaaat tcttccatta 72360
ctaccttctt tcttttgtat tacatatttt ctagtgtaac gattttaatt tctttgtcat 72420
ttcttttgtt gtatgttttt agttattttc ttagtggttg ccacggagat tttattgtca 72480
ttttaacagc ctaggttggg cacagtggct catgcctgta atcccagcac tttgggagac 72540
tgaggcagga ggatagcttg agtccaggag ttcaagacca gcctgggcaa cttactgaga 72600
tactgtctct acaaaaaaat acaaaaatta gccaggcatg gtggtgtgtg cctgtagtcc 72660
cagatgcttg agaggctgag ttgggaggat agcttgagcc caggaggttg aggctgcagt 72720
gaactttgat cacaccactg cactccagcc tgggtaccag ggcaaaacta gcccaaagaa 72780
atgaaggaaa aaaaaaatct aatttagatt aatatcaact caacttcaac agtgtataaa 72840
aactttgcct ctgtatacct cttctgcttc cactctgtgc tgttattgtc atagattttc 72900
atctttctac actgtgtgtt tatcaatgta gatttaaaaa tattgcttag tagttgtctt 72960
tagaatccga tacggagaaa aggagatata aacaaaagat gcatttttac tgtcttgtat 73020
gtttacttat gtaattccct ttcctgatgt tgtatttcta aaggcaaagt agggttattg 73080
tgagtgtcct tttgtttcaa cctgaaagac tccttttagc atgtgttgga gatatgctaa 73140
tgatggactc tcacagtttt tgttatctgg gaatgtgtta atttatcctt cattttgaa 73200
ggatagtgtt ggcaggatac agaattcttg gttgacatgt aattctttca gcattatgaa 73260
tatgtcatcg tactgtcttc tgacctccat ggtttctgat aaggaatcaa ctgttaatct 73320
tattgaggat cacttgtttg taatgacttg cttgtcgtgc tgctttcaag attcattctt 73380
tgcctttagc ttttggtagt ttgattgtga tgcatttagg tgtgtacttt attagtctgt 73440
tctacttgga gtttgttgag ctttgtagat gtatttcatc agatgtgtca agttcttttg 73500
ccactatttt ttttttaaat aatctttttg ccccttttccg ctccttctgt cactctgatt 73560
atttgtgtgt tgctttgttt ggtggtgtcc cagaagtctc tgagactctg tccagttttt 73620
tcctccccat tctttttttct ttcacttcct cagactggat gatctcaatt tgacctatct 73680
tcgagttcat ggattttctc ttctccaagt gacatctgtg agatgaattt ttttctagag 73740
aatttttcat ttcagttatt ctacttcaaa atttctcttt ggttcagttt tatcattgct 73800
atctttatat tattctcagt ttaatgagat actgttttat actttccttt agttctttag 73860
acatagttta tgtcactgaa tatatttaaa atagctgatt ttaagtcttt tttttttat 73920
ttttttggag atggagtctc gctctgtcac ccaggctgga gtgcagtggc acgatctcag 73980
ctcactgcaa gctccacctc ctgggttcac gcaatgattt taagtctttg tctatgaagt 74040
ctagtatctg ggcttcctca ggcatagttt ctgttttctt tctttctttt cctgtgtact 74100
tcgtttcttt gtataccttg taattgttgt tgttaactgg acattttgaa tattatagtg 74160
taacaactct ggcagtcaga ctgtctcccc tccccagtat ttgttgttgg tgagtattgt 74220
agatgtttgt ttagtgactt ttcatggcta attctgtaaa ttttatattc tttgaagatt 74280
gtgggcaccc tgaagtctct gtttgttagt ttagtggtca cctaataatt aacagagatt 74340
tcattaaatg cctagaagca aaatatcttc cagtctttgc ccatggcctc tgtgtatgca 74400
ttagggcagg ccttgaactc ttacccaggg agtttacaac cctgccttag cctttactac 74460
cagcttctgc agagcattaa ggtcaacagg tggtgagagt ttggagccta ctccatcttt 74520
cctgagcata tacacagccc tactcatgca tgtggccctc tagatttcca ggagtatgtt 74580
ggacccttтc aaagccctta cagactcccc agcttttcct ctcaatcttt agactagtgt 74640
gttgttttct tcaacagtta tctgtcaggc agcagcaaat taagagatta gcataaatgt 74700
tttcaactcc tccacccgtc atgtgcccca gggaagcact aagccagttc taagttaggc 74760
aaaataaaga caatccтttt gaggtggtct tccatggagt caccagacag gtaaaccaaa 74820
taattaatta caagtctttg gctggataca gtggctcaca cctgtaatcc cggcactttg 74880
ggaggctgag gcaggtggat cacaaggtca ggagattgag accatcctgg ctaacacggt 74940
gaaaccctgt ctctactaaa aaatacgaaa aaataggtgg ctgtggtggc gggcgcctgt 75000
agtcccagct actcgggagg ctgaggcagg agaatggaat gaacccagga ggtggagctt 75060
gccgtgagcc gagatcacac tactgcactc agcctgggt gacagagcaa gactccgtct 75120
caacaaaaaa aaaaaaaaac aagtcttcat gaaagaggtc cattctgctg tctttcatac 75180
caggaatgtg gaatgtggac tgttattttc atggctactg ctaagctagg aatcaaggga 75240
tagatgggga ctgggtaaaa caccacagag tttgctgttc ttaccaagaa taagctgggg 75300
aagagggttg tttttgtttt tcagtaaaaa ttccctgggc tgcttcaagc cgttgattaa 75360
ttttcaggtt ccgaaaaagt tcagtttgac agtttttgcc ctttttattt gcttttatgg 75420
atatgtagaa cttgagttct tttttccacc agttttgctg acattgtttt aaaagcactt 75480
tttgtaaaac ccaaatgttg tctctctcaa ggctagccaa taattaaaaa tactgttact 75540
ccccтttgat tttggaaatg aattcgtatt gaccaaaatt caatactaga ggtctttcaa 75600
gctgttttac catttatcta aactttagaa tctaatgatt cctgtacatt gtctagcata 75660
ctggtggtcc tcaattgtca taagttcaac tttggaacaa atgaactttt tgtgtgcaag 75720
tttccaattg tttggaaatt acattgatgc cccctccatc aaactgttat tcgtgggaca 75780
tctaggaatt tcttacagca gctgacaaat atttcaagtc agtgcctggt agtactgtcc 75840
accaggcaac agcttcagta gtagagcgat ctttatctat aaggcagtgt ttgagcaatt 75900
gtttattagt gttttcctaa ctactcagaa gaactatcag gggttataga ggtagctcag 75960
agagttgggt gcaagtagag aaatccaccc ggcttgcatt acacatctta tttctagaga 76020
agctttcctt tgaagaagga gttctaaggt ttaaaaaatt accttgaatg ccacttatat 76080
tgcattttaa ttttatttta gagaaatcaa tggaaagtag aaaaattaag gcactgatac 76140
tagtgttaag aatgttggtt aaagcttctg gcaattaatt ttttatttcc ttttttaatt 76200
ttattaaaat ttaacaattt tcagtttatg ctgtaatcca gaccaaggtt tcaatctaat 76260
gaagttaatg ccagtgttgc tgctacctat tttgtcttta gtcattcagc catgcttcct 76320

20262013390 25 Feb 2026

acttatactg aataagctag cttaatctaa caatcaaaaa agaaagctgt tgcctaagtt 76380
aagaaaaaca gtttgaactg ttttcaaact aaatacccag tagactctct agttgttgac 76440
aggagaatgc ttaattcaga attgtcctgc agtagatcat tttatctcat tcctgttctt 76500
ctataggata gcttatttgt ttgaaattgt atttaatatg ttgtgatttt tgtgtgcttg 76560
tttctatttt tcactggata gactcaagat aaaacctggt accctgcagt gtagctatca 76620
gtttatagca gaggaaattt acattagaac ttggctgtgt atttacatgt atctaacttg 76680
gaggtcactc tgcttactgt tgatatatca gtcatattag atgagtccct aatgagatac 76740
cagaaacccc ggaaacatca ttaggtggaa cagtgtcctt aatgctttat taagtgttat 76800
aggtaagaca aagcctagta ctatttgtgg catcaaggtt aggtgtttaa agacctgtat 76860
tcttctattg tcatgttgaa attgttccct tgatgtagca atagaaaatt ttagattagg 76920
cttaagttaa tcagcaaaca aagataaaag tctgatacta tcctaaatat tttgtgtttc 76980
taaataattt aacagtgatc caattagcta ctcctgtaga aatgtaattg ataaactttt 77040
cactctcttt taaattgcca tcttgaattt tacctgtttt ttaaagctgt ctcaagtcct 77100
ctctaaaaaa aggcagtcat ttataaattt agaaaagctt gatagcacag aaagtcacag 77160
aaaaatgtaa acatagttta aaactgaatt gtatacaagc cactagaagt acttttatta 77220
agtttacaaa tattagtaga gtggaactca tgcatttaat atgtttgaaa cttttgatca 77280
aatactgtgc tatgaaaaac attttagata attattcttt aatcatgtgt gtgtaaaatg 77340
tggctttttt tgacaaccaa gtagcttttc tgtgtgccaa actgtgactt taaaatttta 77400
aagtactcaa cagagtaaac aaaccacaaa taccacttaa actgtacaca tttgcacatg 77460
catttcctat aaatagtaca tgggtttcaa gtcttcactt ttgaaattca gaaatgggtt 77520
ttttctcctt ccagtagaaa taaaaacttg atttatttta tttatttatt tattttattt 77580
ttgagacgga gtctcgttct gtggcccagg ctatggtgca ggagggtgat ctcagctcac 77640
tgcaacctct gcctcctggg ttcaagtgat tctcctgcct cagcctgccg agtagctggg 77700
attacaggtg cctgccacca tgcccagcta atttttgtat ttttagtaga gatggggttt 77760
ctccatgttg ggcaggctgg tctcgaactc ctggcctcag gtgatctgtc tgtctcagcc 77820
ttccaaagtg ctggggatta caggtgtgag ccaccgcatc cagctaaaaa cttgattttt 77880
aaaaatccaa atcgaagaca gaattgtgta ttttagtaca tttattagca gccttgacgc 77940
tataccatat ggctgtttat catttaaaca gcttgtaaaa gcaaacactt caggattcat 78000
gagtggcaga aggactgagt actttgggaa ataagagaga acttttgttg aggatggttg 78060
aggaagagtc caagacaata ataggcagaa taagcaaaaa tctagagact cattgtaggc 78120
actcaagtat gtatttgtta gaatgaatgg ctgaacttgg tatattgagg aacactgaga 78180
aagccatact gactggaaga tagttcctac aagaaactgg tgagacatat gttacagtct 78240
agattttggt gagccttgtt aaagtttggg ctttattttt atacggggag aaagtttcac 78300
aggggtttgg aaatgaggct tggagctgtt aatggggaca cagtgaggtt ttagggtagt 78360
ggctttcaaa ctgtttaaat ccaaactttg atgataaccc tgacataact attgtttata 78420
acttccattt cagttgtatt ggttttatca aaacatcttc attgatctta ctgattgctt 78480
cctatgcaga ttaatattat aaatttgaat gtacaaagga agctttagca gtaaaatagc 78540
aacttttatc tgtcttacgt attggaggtt ctgcataaga tttaattttt ttttttttg 78600
aaatggagtt ttgctcttgt tcacggggct ggagtgcaat ggtgtgatct cggctcacca 78660
caacctctgc ctcccgggtt taagtgattc tcctggctca gcctcccaag tagctgggat 78720
tacaggcatg tgccaccatg cccggctaat tttgaatttt agtagagacg gggtttctcc 78780
atgttggtca ggctggtctc gaactcctga cctcaggtga tccgcctgcc tcagcctccc 78840
aaagtgctgg gattacaggc gtgagccacc gcgcccggcc aagatttaat tttttaaaag 78900
aaaatatttt gctaagggtt tggaaactct tgttttagca agaatggatt aagactgatt 78960
aaaactaaag gcaaagagga ggctcttatg tttggaattc tttgctaata tttacacaat 79020
ataattctct ccacaaatat ttaatggtac cagatattag atggttataa tggcaaaagt 79080
gttcaaagga tgctatcata ttcatgattc atgatcaaaa tgaacattat aaggctatcc 79140
ctcttcagaa ttaaatacgt tactcctgtg gaaaacttgc ttttaatgta gaagttgtcc 79200
cagagccttt cttcctttct catgtcctct tatgtccact gctgagctaa catgggtctc 79260
actgaatgat taagaaaaaa catcttaggt ggggagttct gtatatagta aatgtttaat 79320
ttattggggt ggtgaacggg aagtgctgct ggcaagagag gatgggaaga gaaatctacc 79380
caaatcctta cccgctttac agaacataaa cttcctattc agtagtacac aataacttaa 79440
cgatcaaggc atcttaactt ttctgttttc agatgaaaga actatcgttt ggcttgatca 79500
agtatttagt atttattcgt tcactcaagt gcttacgttt ttttgttatc tcagggtttt 79560
acgttagtta ttaaccaaaa gaactagttt tagttctgga agtctaaaat atataagaga 79620
aggtgaggag taataagaga agatgaaggg agactttcgg aatggcctat gaacttctag 79680
taactatacc accttaaaat agacaaatta caatgcagtt atgaagatat gtatttttca 79740
gtgaagacaa ctaaaatgtt tgcacagaat tttctttttt attgagtgtt agaaattcta 79800
ttttggagat actaccttgc acaacataaa aagaaaaagt gagtgtggaa tctaggaatc 79860
tacgtggctc taggaaattt tttaagtgtg gaaactgaag gagagcaaga gaaagggagc 79920
atggcattcc cctgtttgta gttcatgagg tgggtttaaa ttgccttttg ccaatgcagc 79980
tgcacactga ggattacaga attcttttta aatgtttgta gaattatttt tcacttatta 80040
ggtaaaacgt gtatttttg attttctcca atttcagctt tctcatgttg ctatgctcaa 80100
ttttgtatac catatatagt tttgttaaat tgacaaagtg gtgtttttg ttcttctttt 80160
tcccattggt taaaatttaa agagaaagtg gaagctagaa atttatctaa aaaatgtaac 80220
tttccctgta attattaaag tatcaatcta aatttgaatt ttctttgtgc ataatctttt 80280
ttcaagctat ttaccatgtt gacaaacttg ctttcctgtg gcaaatacac tagcaatacg 80340
ttataaatat gtaactttca acctatttac agttgatgct tttttagccc tttggattta 80400
aaatacaagc actgaagagg tgaggaagta ccactgctgc ctcagcatta tttcgaaatt 80460
ctgtttataa actatacaat ttccaaggtc atgaatccag cacctttcca ggtactaact 80520
attgggacaa agatagaatt tgattttatt tatttaccta ttgactgaag tctaacttaa 80580
atcttgcacc tagtaagatc ttagaaataa cgtgtgtact ctgacctgta aactaatcct 80640
agtattctgt gtgtatattc tttctcattt gggctcttaa aaggaaaagt aacgtacatc 80700
tgatgatcat tagcactgag ctttttcagc aaaaagtata tgtttataaa gaagtatagg 80760
ataatttagt aatttaataa tgtgacaaca tttgcgtgtg ttttttttt tgagaaatac 80820
aaattgtgag aaacagaaaa gtaaaagaag cagcagcaga aatatcacta taggatcaaa 80880

20262013390 25 Feb 2026

agattgcagg aaccaaaact ccaaaattat tgggcataat gtactaaaaa cagggcagtg 80940
gaggaaaggg acagtccaga ctagctctga gggtccaaag aaagtattaa atattgttac 81000
tggagtgatt tgctctgcta tttgggcttg ggaattaagt gaaattgttg atatactaga 81060
cagatacttc ccacccattt ttctcttgat aatcagggtt cattttttct attttctatt 81120
tctctggatg ctccatttct taatattaat attaatatta agctctcagt ctttatgcta 81180
aaaattggtt atttaaaaca atttaaatca acttcagtct aattggctta agttcaaatc 81240
cattttaaga tcgatattgt gtcctttaaa aattttattt aaaagatatt taaactgatg 81300
agaggatact acccattcca ctgataaact attactgtaa gtttgtctat tgagggctag 81360
ttatttggtt taaaaatgct gagattatgg aaagtggatt ggaatatttt ggagcaatat 81420
taaaaacagt atctgtaaca atttaataaa cttataaatt cctctttctc tgttgatcta 81480
tcttgaaaag acactctatg tctctaggca ttccttctct gtggtgtgat tggtagacag 81540
ggagtaaaca acttactgta aatgggcacc atgccagttg gcttcaggca gcatcaagct 81600
tgtgactcac agtcagggtt aggaaaatgc cttttaactt gtttgtctct gcctctttta 81660
aacattaaag gcacaactgt actaattatt aagtatttca taaggtcttt tagggcttat 81720
aagatctttt aggaatggcc tggaagttat tagtactgtt tcattgaatc tgaatacctt 81780
taacatgata atgagaagtt tttaaagggt ggttttatag ttaaacggaa tttctcaaat 81840
tggcttgctc cttatgttga tttatttagg atcacatttg ggagtttctc tgccctactt 81900
tcaatgtatt taatttactg accatcacta tttgggggga aaatgttata tgatatttag 81960
aaaccaagag ttttggagtt tttcccccat tagatgtatt tatttattta tttattattt 82020
tttaaagaca gggtcttgct ctgtcaccca ggctggagca cagtggcatg atcctagctc 82080
actgtattct tgaactcctg ggctcagact gtcctcccac ctcagcccaa gtggctaagt 82140
atcaagtaag aatcacctgg caaattccaa ggctgtatac cagatttcct aaattagaat 82200
tttggggttg ggtatctgaa ttttagtaaa gccctccaaa tgtttctggt attgcttcta 82260
agaacaattg ataacataat agctgtggcc attatagggg tattctgtca tatttagata 82320
taagcatacc ttgttttatt gtacttccca aatattgcgt gtttattttg ttttgtttca 82380
cttacaaatt gaaggtttgt ggcaacccta tattaagcga gtctgtcagt gccatttttc 82440
caacagcttg tgctcatttt gtgtctctgt gtcacatttt ggtaattctc tcaatatatc 82500
aaacttttttc atcatttttg tatctgttac gaccagtgat cagtgatctt tgatttttttc 82560
ttttttttttt ttttttgag acggactttt gctctgtcac ccaggctgga gtgcagtggt 82620
tcaatcttgg ctcacagcaa cctctgcctc ccaggttcaa gcaatcctcc tgcctcagcc 82680
tccccagtag ccgggcctac aggcgtgtgc caccacgcct ggctaatttt tgtatttttа 82740
gtagagatgg ggattcccca tgttggccag gctggtctcg aactcctgac ctcaggtgat 82800
ccgctcacct tggcctccca aagtgctggg attaccgtgc cagcctgatg ttactatttt 82860
aattgttttc aggcaccata aacctcacct gtataaggca ccgtacttaa ttgataaata 82920
ttgcgcatga tctgactgct cttccaactg gccattccct gtctgtctcc ctcttcctgg 82980
gactctcaaa tccctgagag acaataatat taaaattaag ctaattaata accctacagt 83040
ggcctctaag tgttgaagtg aaagagttgc atgtctctca ctttaaataa aaagctagaa 83100
gtggctaaac ttagtgagga aggcacatca aaagccaaga caggccaaaa gcaaggactc 83160
ttgtactaaa cagctaaatt gtgaatgcaa aggaaaagct cttgaaggaa ataactagtg 83220
ctactccagc aaacatgtga atgatcagaa agtgaaacag ccttcttgct gatacgaaga 83280
aagttttagt ggtctggaca gaagatcaaa ccattcacaa cattccttta agccaaagct 83340
taactctctt caattctatg aaggctgtga gaggtgagaa agctgcagaa gaaaaattgg 83400
aagctagcag aggtcggttg atgaggttta gggaaagaag ccagcgctgt aacataaaag 83460
tgtaaggtga agcagcaagt gctgatacag aaactgcagc aagttatgta gaagatctag 83520
ctaagattac taaataatag attttccatg tagatgaaaa agccttttgt tggaagaaga 83580
tgccatctag gactttcata gctagaaagg agtcaatgtc tggcttcaga ggacaggctg 83640
acattcttgt taggggctaa tgtagttggt gactttaagt tgaagccagg tctcatttac 83700
cactccaaaa atccgaagac ccttaagact tatgcttaat ctactctgct tgtactctag 83760
aaatgaaaca acaaagcctg gatgacagca catctgttta tagtatgctt cactgaatat 83820
tttaaggcca ctgtaaagac ctgttcaact gctcagaaaa aaatgattac tttcaaaata 83880
ttgctgttca ttgacagtgc acctgggctc acccaagagc tctaatggaa ttgtacaaca 83940
agatggatgt tgttctcatg cctgccaaca catcatccat ttgtagccca tgaatcaggg 84000
agtgatttca agtttcaaat cagtacattt tgtaaggcta tagctgctat agacagtgat 84060
tgctctggtg gacctgggca aagtaaatca aaaaccttct gaaaaggatt ggccattcta 84120
gatgctatta agaatttgtg attcgcagga ggaggtcaaa ggatcaacat tagtagcagt 84180
ttgaaagaag ttgattccaa cagttataga tgaatttgag gggttcaaca cttcagttta 84240
ggaagtcact gcagatgtgg tagaaacagc aagagaacta gaattagaag tggagcccga 84300
aaatgtgacg gaattgctgc aatctcatga gaaaacgtga atggatgagg agttgcttct 84360
tatggacaaa tgagcaaata aatttttttc ttgagatgga atctactcct ggtgaagatt 84420
ctgtgaacct tgttgaaata acaacaaagg atttagagta ttacataaac ttaattggta 84480
aagcagcagc atggtttgag tggattcatt ccagttttga aagagtttct actgtgggta 84540
aaatgctatc aaacagcatc tcgtgctaca aagaaatctt ttatgaaaag aaaagtgaaa 84600
cttcattgtt gtctacttta agaaattgcc acagccaccc caccttcagc aaccacctct 84660
ctgatcagtc agcaggcatc aacactgaag caagaccctc cacaaggaaa aagattacaa 84720
ctcactgaaa gttcaaatga ttgttagcat ttttaagcaa tattttaaga ttaaggtaaa 84780
tacattttta aagacacaat gctattgcac acttaataga ctacagtata gtataaatat 84840
aacttttata tgtagtggga aaccaaaaaa ttcgtctgac ttgctttgtt gcaatattca 84900
ctttattgtg gtctagaacc gaacctgaaa tatctcagag gtatgcctgt attaatatta 84960
ttttgcaagt aaaaaaccca gcatataaaa aaaacgtaga atatgttgag agttcagtaa 85020
tatggatgaa aatgtttttc tctaactgaa gaacatgata aattataatt agggaaggat 85080
ataaaccaag aaaatatgtc tgagatagcc aattcttgca gttcataata tgaaaactca 85140
ttataccaat ctcagtaaga atacttttaa tagctgttat ttctttggga tatagaattt 85200
ataaagtaca cagtaatctt cttatgatca atcctaggat cactttacaa ccacttaccc 85260
catattacaa tgtagtacca agacaagcag accaaattat agaaggacaa agtttttgct 85320
aagcatattt tgtcatcagc ataccgcatt gtgtgtgcat gcatgtgtgt gtttgtgcat 85380
gtgtgtgatt gtataaaata ttagaaagcc accccagaaa agttaaatga ctaggaatgt 85440

20262013390 25 Feb 2026

tgtgaaggga ttaagctacc cctaaaatta tataacaaaa ctctcttcat ctattattag 85500
gtcatcttta gaacatcttc tcttaaattt gttataggtc tctctcatct gtttggatta 85560
aaattggtct gaaagcctaa aatggctttt tacctatata attatttccc aactagcttg 85620
tagtataggt gcaaagctat cacacttgct aggttagtga agtatgtaaa aactaccatc 85680
tttcaattag gaaccatcgg atagcttcta caggattgct ggggagaacc tttataaaga 85740
aagttatatc tttataaatt ttttgtcatt ttacttagct gagaatataa aataagttag 85800
ctaataatag agtagaaatg ttttctgtaa cagattaata ttgatcaaat gtgttattaa 85860
atgctaaaac accatttttt ttctctgtaa gccatgtgtt tcatgccaca acacaaaagg 85920
gacaattgtc tgtgttttat gacagttctg ttctgtcaga tgctgtttgt tcattttggt 85980
gaataaatga agagagccct ggacacatct ttttttcctc aacaaaagag gaaaattatt 86040
cttgtctgta tgtctataat cctgactctt tgaatggctt taatttttt aaagtcagca 86100
tttttttata aagataggtg tttggaatgt gggcgatatg gctggacagt tagattggga 86160
ccaaataatg gaaggctttg aacatcatgc taagaggttt gggttttact ctgaaggcag 86220
tagagaacca ttatgttttt aagccaggat tgacttgttc taagctgtac cttagaaata 86280
ttactctggc agttgtacat aggatgagct gtatgttgct ttgttttgtt tggggagaca 86340
gttctcgaag agagactaca tacgaaggca gttatatgag tcattactaa aggtctggca 86400
agaagtagta aaagcattaa ctggagtggt agcagtaggg aaggaaataa aaggatagat 86460
gtgggagtca tttggaaagt atgaggcaat tcattgacct tacagaatca ctggttttct 86520
gcttccactc cattcacatt gacctttcca aggttatcag tgacctgctt gtccttaaat 86580
tcagtgggca ctttccagta acctactgtt ggcaccagcc ctgtgctaga caccaggatc 86640
ctgtttgtaa aggcatctgc cagtggtttc tgtgacacaa ttctgtttct agttttcctc 86700
cttctacttc tctagcctct tggcaagttc ttctttcaga gtttctcaga gctttgtgct 86760
aggccctctt ctcattttct ccttctctaa gtgatcccat ccttttctgt tgcttcagtt 86820
accatttgtc cttatgcaaa ggacagccat atctactgta tctccagctc agatgtatct 86880
ctttgcctcc tgacccatat ttccaactat ctaactgggt atcttttctt ggatgagtta 86940
taggtctctc aaacacaaca tgtccagaat aattcattga cttattctaa ggcctgcttc 87000
ctctttctcc tgtagtccct atctcaggaa atatatggtg ctatcaaccc caaagcagaa 87060
atctggacat aatccctaac taccctttc ccctctctgt gcacataatt tcagtcatta 87120
ggcctcatag attggactaa ataaatacct cgcaaaccct tctacttata ttcttaactg 87180
ctcctacctt aagccaggct accataattt tgtagctgga tgactgcatc atcatcttga 87240
ctggctccct tgtcatcttc aatctatatt ctatactgca gctagagctt tcaaacataa 87300
acatgtgatc agattagtcc cctctttaga acaccctagg gttctcactg tcctgagtac 87360
agtctaaggg tttaccatgg cttacagggt cttttatgat ttggtgagct ttttattgta 87420
taacctttct aaactgcctt tacttccctc tttcttggct ctgtgtcttt gcataatgct 87480
gttccctata cttcacctca cgtctaacct tcatctcctt ttcacttctc ctcttcctcc 87540
aaaatccagc tgaatatcac attgtcatgc aggcccattc ttgatctccc acgtttgggt 87600
tagatatccc tcttcagtac catcaccgca ccaggtgtgt cccctatcct agcatttgcc 87660
tcattgtatt acaactactg tgtactcgtc tctacagctc ctgctagtct aaaagttttg 87720
ggagagcaaa ggttcatgtt tgtgtttttc actgtggtat accccagtgc ctagtatatg 87780
ataagctctc aaaatatttg ttagatgtat gaagaaatga gaaagagaac aggaagaggg 87840
taagtttcaa gactaggaaa caaggctatg aaagctgcag gaaagcagca ggttaaaacc 87900
tagaagaaga gtttgtttta ggaaatactg tgttttaaac cactataact gaagcaaaaa 87960
cccaaggcct gggtgtggat agagtccact atctgataac agtggatact gatgcatggc 88020
agagttggag aggaagagag ccagattcca aaacagaagg ggtaaagtct tctaagaaga 88080
tagattatag taagaaggat taggggatag aaatatgagc ctgttccact catagatctc 88140
aaacatgaaa tgatgagtca tcatgaagag agtaggcaat tgtccagtga agaaggggat 88200
gctaaccctt cttaaccttg aatctctcag gtagaagcag ttagagaagg aacagccatc 88260
atcagatagt gttgtaagga aaatgatatc cttggggaaa cctgcatttt ggtaaagcaa 88320
agcaactaag aaagaatata ctaccactgt ttaacaatcg ccacaaaaag acagtaggat 88380
catctttgac ccccctcatc ctttctcagg aacttggagg actaagaaga gagaaatctg 88440
tagaagaggc ttctctctct gatcctccct ccacttcagt tttaccacat gtaatgcaac 88500
aataattaag aatttgtgta aaatttcacc aggttggcat gcatggagag aaaaattatt 88560
cagatgtttt cctttgtcaa taatacaagg agcatttgta gggaaaaata tttacaaata 88620
cagtaagacc tattctcttt ctatatttat gggaaaattt taagttgtgc ccttgtttca 88680
tgtgtgtttc tatttaaaga taccatactt aatatatatt gttgattcat taacattgaa 88740
ctcatggcta acagcactat aaatcatgtc tgatcaaaac ttatgataca tgtactttct 88800
tcgtaaggta catcatagtc ttctcgtaca tgggaactct aggtagtact tcaggactat 88860
gcatagaggc cattttaaac agcaaaattc ccaacaaaaa gcacaaaact caaaaaatgt 88920
gccactaaat ttaccatgaa aaggacactt gtttacagtt tgagagctaa aacaagaagg 88980
tggcgtgtca cttcgtttga cttcagctgg gaacatgcat atcagtcgac tcaaattttt 89040
tgctattctg tgcttatcca cgaatcgata ggaaagcaag tgtggatttg ggggttacaa 89100
ataaaatgta gcaaatgtgt aaacttgcag atgtggaatc tacaagtagt tagaatcaac 89160
tatgttagtc tgatcattaa atcagttttt taaagtacta ttgtaacacc ttataacctg 89220
ccccattcac tgagtgttgt agtttatagt ttcattgggc attttcagta gttttatctg 89280
aagtcacatt tcaaattttg taattgaagc tccaaagtat gctaccggaa acacgagctg 89340
atgctgtgag acaaaatcaa caggtaatcc accatcacaa ctgtgggcta gaatgctcaa 89400
gaaaccttgg aggcccagag agctgagatg aatactgaag aatcataggc aggtttactc 89460
tgtcaagctg cctgtatttt gagggtgtag tcctcaaacc aaaaagacac caaatgaaca 89520
aactcagatg gcctcactgg ggaacagaga ttgaaagctg acactggaat gtgtacttaa 89580
aaaaatgaga gcccgttttg gaaaggcaga ctgggcacag aatgtggaga gctatatttg 89640
ctaactgaag aaatttagac tttatcctct acaaaacaaa gctattggtt tttgaaggtt 89700
gcataaaagc tgcattttag cagcatatat tttggtagag ctgttacctg cctgaaaaca 89760
tcaatgtcat ttcacacaaa tgatacttat cccttggtgt ttgatctaaa tttctacaat 89820
gagaatgtga ttttatagtc tttactgggg aaggaagtag gtttttcagg ccgaaattct 89880
tgtgtagcaa aaattaacac ttaagttagc ccttggcaat ctccagttct ataatggtaa 89940
aatggatttc ccagaaagtc actctctatc cctttgaata gacattagaa ataacatgta 90000

20262013390 25 Feb 2026

ctttaagtgg gatttacaga ggaaggggcc ctttaattct ttactagtgt gatgccctgt 90060
aaaaaaataa ctaacattag agttgaggcc tagaaatagc agcactgggt taaagtctgt 90120
tttcaagtgc aagtttttct ttttattcgt gtgtgtgtgt gtctgtgtgt gtttcacata 90180
gaaggaggaa atgccaattt cagttcttac aaatattaat gactgcaact tataaaaatg 90240
ttacagacta tattcttccc ttttgtaaca gatgagaaga ttttgaaatt tagtctctac 90300
tttttagttt ggtaagacaa tttgaataaa ctgcaataat tgcaaaagaa ttctgaatat 90360
ttgaacattt gacattttct atgtcaaata tacatttctt gtactatata aacattctag 90420
aaaagagaga caggcaggga ggaaagtgct cattaaaaag agcttcaccc tctctgaaaa 90480
gggatttcct ttacagtgct gtgtactaaa gcctgtgttg taaatcagaa agcactgagc 90540
acacatgttg ctgctttggt agcatcagaa gtcgattttc attagcctta taccattcac 90600
tatttctgcc aagcaatctt aaattataaa agaatcttat ttgattttgt gattctcttg 90660
ttttctgctc ataaagaaaa tatcctaaat tgaacaatgg catgctacgt ttttagtttt 90720
taagacagct aatgtgtaaa aagacattta aagtatagtt gtgttaagtt tttgaagttt 90780
acagttgttt caattttgct gctatacttt gttaacatat tttaggaata tttcatttta 90840
gtcacaacta ggatataaac attattttgg tggcgatctc cttgtaatca cgacgtcaac 90900
caaatttggg aaattttgat ttgttagatt tataaatttt acagtaacac aaaagtctaa 90960
tttcctatat attttcaagg cccctatacc tttgtcaaaa taaagtatca atgaaaaatg 91020
aaaaaatcat aaactatgtt caggccaaac tgatactgac tttgttaaaa ggctagatag 91080
aaatctgttt tcctcttctg ttacatctcc tcttctggag accactctgt gtggactgaa 91140
ggtttgagat cctaggacct aggctagaac agattaggag attgtgctgt atgttaagtg 91200
gcagatacca tggaattcta agcctgttac gaaggaggag aagaagaggc acaatgaccc 91260
tgacacagcc cctgggttga ccacagcaga tatctcactt gagcaagtag atatcatctc 91320
aattgcttgc tgattatctc taacttgtca gtaacttact ttgataacct agatttagga 91380
gtctgacagc atgcagtgta tgcctcataa taatctgctg tttatgaaag tcataacatt 91440
gtatgtttag cataatggtg aagagcctgc catctggaat ggtctactta tttgggatcc 91500
acatacagta agctctcact taacatcatc agtaggttct tggaaactgt gaccttaagc 91560
aaaacaacct ctaatgaaac caattttacc acaggctaat tgatataaac aagagttaag 91620
ttcctgtggc atatttctgg tcacaaaaac atcactaaac ttctaaataa agacccaaaa 91680
cacttataat attaaccact gaaataaatg tgagctatat atatacattt aagaataata 91740
aaaacaaaaa ataattattt acccaatttt tggtgaacca gtgagtgata gtgatcatag 91800
tgatggtgga tgaaatcaag gaataaatat ttgcaaagtg aaaattgtaa gaagcacccc 91860
ctgtcaccac atagctcaga aataataatt agggcaggct tgctgagcat ttttaaactg 91920
cactgtttat tgtcatgcat ttgaatgatt atcgcagact ttatgaattt tcatttata 91980
ttaatttgta ggccaggcac agtggctcac gtctgtaatc ccggcacttt gggaggccaa 92040
ggcaggcggg tcactggagg tcaggagttc aacaccagcc tgaccaacat ggggaatccc 92100
catctctact aaaaatacaa aaattagcca ggtgtggtgg tacacacctg taatcccagc 92160
tatttgggag gctgaggcag gagaattgct tgaacctggg aggtggaggt tgcagtaagc 92220
cgagattgtg cccctgcact ccggcctggt gacagagcta gactctgtct caaaaaacaa 92280
taataataat ttgtattcat tcattttcca atgtgttcat tccagttcag ggtccagggg 92340
gcctgcagct tatactcata gctcagagca actgacccta tagacaggac gccaccccat 92400
tgtagggtgc actcaaatgc acactcacac tcaaactggg acccttcaga catgccagtt 92460
accgtatcac acacagcttc gggatgtggg aggaaagcga agtatctgga gaaaaactac 92520
acagacatgg gaagaacgag ccaactctac acagacagtg gccctggaca gagctgggca 92580
ggcatcagtt ttttttcttt tttttgtggg gggtgagggt ggggcatgga gtctcactct 92640
gtcacccagg ctggattgca gtgcagtggt gtgatctcag ctcactacaa cctccacctc 92700
ccgggttcaa gagtttctcc tgcctcagcc tcccaagtag ctgggattac aggcgcccgc 92760
caccacacct ggctaatttt tgtatttttа gtagagacaa ggtttcacca tgttggccaa 92820
gctggtctgg aactcctgac ctcaggtgat ccacccgcct tggcctccca aagtgatggg 92880
attacaggcg tgagctaccg cgcccagtca gcatcatttt ttttttctca tcaacgttaa 92940
aacaatgttg aacaaaacat tattcaaaga cctgccgtat ggctattttc tagttgtgtg 93000
actttctttg ggaaagttag caacccтttc tgagcttaaa tgtcctcatt cataaaatgg 93060
ggctagtaat aatgcataag gtttttgtaa gaattagaat taataaagta cttagaccat 93120
aataactaat tagtattagt tgttgtcttt gctattattt tgatgtggtg gttgtttggt 93180
ttcacctgtg tactatcagg acatgctgaa ataaaattta agaattggct ttataatatt 93240
agaaaagcaa acttttgtac gatatgggta tgaaaaattg ttgggagtct acttttтctc 93300
tcttacctaa tttgtcttag tctttttaaa gcttagattt tccaaatgag ccatagcaaa 93360
atataatgtt taaaaatgtt taaattctaa gcactatgtc atagttaaat aacttaaagg 93420
tgctacatct tatacagtcc aaaaggaaca taattagtaa aattctacaa tttagaaaaa 93480
aaaatagctg acagtgactg atttataaaa gtaaaatatc ttttgttaat actaatattc 93540
tttttataaa ttaattgatg acaaaaaatt gagtgaatga gatttgcagt tcatttatct 93600
atgatgctgg tttatttaat ctctataatt tgctgtattt gaaagagcat agtgatagag 93660
gtcatgataa aatctaggcc cagtgccaca actaaatccc tgtaggaact ctcaaggttt 93720
tgatttcatc tctgaatggg aataacacct tccaagaata ttatgaagat taaaaagtta 93780
cgtatcataa atacacacag agtaacaata ctgggaatat tgcaacttgt aagaaagagg 93840
aagcatatgg catattctga tggttaggga tatggactct gtagctggga tgcctgaaag 93900
agaactctga ctccactaat ggctagttat atgaaattgt gcagataatt taacttctct 93960
gagtttgcat ttttctttgt ctatataatg gggataataa tagtacctac ctcacacata 94020
gtgttaattt ctattagtgg ttctcattaa gatagtattg ttgttcatcc ctggttgtta 94080
gccatcatgt atctgagtta gagagtcatt gattttagaa agtcccgagg agactatcag 94140
gtcaagcaac ctgcctcctg ctagacaatt agctttatcc atgagttacc aaagagggag 94200
ccgaaaccca gggaagctga aagagctgtt gattgtcacc ctgtgagttg gtgatagaaa 94260
gatatctgga atcccagtag ttgcccattt cctagttctg ggctctgcat tgcactagaa 94320
tactgtgcca ttctaaatat gaaaaggcag tatgaccatt gtgcttgtca ctttccattc 94380
cctagatgct atcttatatt tgtccttatg aaatttaacc tgtgactttc agatcactta 94440
gaaccttggt tggacagtgt tttctagtgt tatttagtat atttttttgt catcttctgt 94500
tgtctttggg ttcccctaaa agagctatac tctgggtgcc aggaaacttc acacatgact 94560

20262013390 25 Feb 2026

gtcttctctt cctcgacttc cctctctact tacctttcca gctcgtagca aatcagaaga 94620
cttctctgac acctctctat gtctaaaggt cctttgatat tctcacatgg cggcatgaat 94680
cacagtgtat tttaactggc cttttccttg tatgtctcct acaatgagct gttgaagctt 94740
catgaaaaca caatctgttt tactcagggc agttataatt ccaattacaa agcacatttc 94800
ctggctcctg gctaggaact cgatcatttt tcgatgcttc cttgctcagg actttctgat 94860
tccttcttaa aacattttgg ggcatctcct tctcctggtt tttggaaaca tattctcata 94920
ctgctatgaa ggtttttact gacatttcca acttctctta aattgattca gcaaatgttt 94980
ttccataata aatgtcattg atatgtcatc aatatggaga gcaacaacag aatgcattga 95040
gtaaactcct cccctggagg tctgagaatc tagattccag ttctcacaga gccaccacct 95100
tggtgacctt ggacagtaga ccttctaagc ctcagtttcc ttatccctta agtggggata 95160
ttaatagaac ccattctcag agatgttgcc aagattaaaa taaccaagat aattcctgta 95220
gatgatttgg catagtgcct gccacgtact aagcaagagt tagcctccgt cattatagta 95280
tgatcataaa aaatgaacag actaaacgaa gtaaccagaa ggaaagaaat tttaattctt 95340
aaaatgtaat agtttcttgg ttttttttct tctgtgaaac acctgcatgg caccttttg 95400
ttattcatac tgttttgact gtggctgtcg tagattcttg ttgaaagtct gagagactga 95460
gacttgtcat tttgaacatg gcatcagtgg aacagcttat gattcaataa ttgcatcatc 95520
ctggacaagc accagtagaa gtgagtcagg acatgtgata aaaagacatt cattttgccc 95580
ctcctccctc tctgtatttt ctttgctata aaattattga tgttaagccc atagtactaa 95640
tatttcagtt caattcataa taaaatttga gggcatttga atatattatc tgttgtaaat 95700
tataatttta tatttgacca cagagtattt gaagtgggtc ttttctttcc ccaaaattct 95760
attttaataa ctaaaaaata ttcttaggag aagtattatt taagaacagg tttatattaa 95820
ataacatcat ttcactttca actttctggt ggtcaaaaaa tatgctaata ctaattagga 95880
tatgatacac atgttctgtt agaacagttt tggcagttag aagacttctc ttcttgtgtt 95940
tgaaagggat gttacttggg gtagttatga gccatgtatc cagatgtcct gaaaggacca 96000
gtggtagatg tatttctatt tttgtctttt ctttttttctt tctggcattc tagttgctga 96060
gtgactgact tttgttttca gctcttctca caatcaccat tgttctaata actttgctta 96120
aatagaatgt ctccttttgc tataagccat ggggccattt accgttaatt ttttaaagta 96180
ctgaaatgag aacctcataa attaaagaac actcctgatt ctgagttagc agatcctact 96240
aagccttttg cagatggaaa tttcctttaa attggtttgt tttcctttaa cattccatta 96300
tcctattgtt cattctttgg agctgtgatt tgtttaatat atttcaggct tcttaataaa 96360
tcaagtcatg taagttatta tttggatcat ttcgaaacta caacagctta tcaaacctct 96420
gaaagaagaa ttttgtgttt gcccacagac tgaagaactg attcagtttt attggctgag 96480
ctaccttcat tattcatatt taattcctgg tactgagggt gggaggaggg agaggagcag 96540
aaaagataca actattgggt actgggccta atatctgggt gatgaaataa tatgtacaac 96600
aagcccccgt gacatgtgtt tacctattta acgaaccctc acatgtatcc ccaagcctaa 96660
aagtttaaaa atatatattt ggtaaatcaa ttgatgtgtt ttaaaaaata tcgccttttg 96720
gccgggtgtg gtggcccatg tctgtaaccc cagcactttg ggaggccaag ccgggcggat 96780
cacgaggtca ggagttcaag accagcctgg ccaacatggt gaaaccctgt ctctactaaa 96840
aatacaaaaa atagctgggc gtggtggcgc gcacctgtaa tcccagctac tcgggaggct 96900
gaggcagggg aatctcttca acccaggagg cggaggttgc agtgagccaa gattgtgcca 96960
ttggactcca gcctgggcga cagagcgaga ctctgtctca aaaaaaaaaa aaaaaaaaaa 97020
aaatcatctt taaagagata actaaccctt ccccagaagg cagggccaaa gtctaaggtt 97080
cttccaggtc ctttgtattc cctataaatt ttagagtcag cctgtcaatt tctatacaca 97140
cacaaaaaaa gcctgctggg attatgattg gtattgcatt gaaattaaat caatttgggt 97200
ataagagact tcaatttggg gattgagtct atattgagtc ttccaatcca ggaacactgt 97260
atatctctcc atttagtcag atatttagtt tatttcaaca atattttcag atctttagtt 97320
cctttcagca atattttctc atttttcctg taaagctctt gcacatcttt tgtcccatat 97380
ctattgtgta tatgtgtttt gctagttatt aaattatatt aatataaatt ttattttcca 97440
attgtttgtc gcatatatag aatgttttaa aaatattgtg tcctgtgacc atgctaaatt 97500
aactaattct agtcattatg tcttcattat ctttctcttg aattttcatt gtcttcccct 97560
tctgggactc cattcatatg taaggccatt tgatactgtc tctcaggtcc atgaagttct 97620
gttaattttt cttcattctt ctttttctct gtgttcttca actgaatgaa tgccattaat 97680
aatttggtat gtaatggctc acttaaactt ccttttgttt ttaagatatt tctactctca 97740
gctgtgtctg gaatccttta gtccggagcc ccaccaaccc tcagcctaga aggaaggagg 97800
agaaggatag ggtgaaagga aggggagagc ttctagcttc aggacagaga tcagaacaaa 97860
caacagagca gtcatcttgg ataaggaaac ttccctcaaa cctattactt atatcctcag 97920
aaataagaaa aataatgcat ttatcaaatt aaaggatttt gaaaaaggga acattcagag 97980
aataaaacta aactcttgaa agttaaaagg atgataacat aaatgaaaag ctcagttgaa 98040
ggattgaaag ataaaagtaa gaaaatatcc cagaaataag agcaaaaaga cagcaatgta 98100
aaatagggga gaagataaga gaattagaga accagcttag gagttctaga aagagaaaat 98160
gtagacaaca aaaggtaaga aatcatcaaa gactggagta ggggaggtca tgctatctgt 98220
ttctttttct atttttatt ttgagttaca ttttttttta ctgtgaaaca agcatatgta 98280
catgagaatg aacaaaacaa atatgcagtc atgtattgct taacaacaga gataggttct 98340
gagaaatgca tcattaggcg atgtcatcat tgtgcagaca tcatagagtg aacttacaca 98400
aatctgaatg gtatgtccta cagtacacct ggaccatatg gtatagctgt tgcttccagg 98460
ccacaaactt acagcatgtt actgtactga acactgcagg cacctctaat acatcggtaa 98520
gtatttatgt atctaaacat agaaaaggta caataaaaat acaatataaa agaggaaaaa 98580
aatagtacac ctgtataggt gcttactgtg aatagggctt ccaggattgg aagttgctgt 98640
gagtcattga gtagtgagtg aatgtgaagg cctaggacat ttattatatg aagtctactg 98700
tagtgtaaac tctgtagact taggctacac taaatttata gaaaaatttt cttcaataat 98760
aaattaacct tagcctactg taacttttt actttgtaaa cttttaattt ttttaacatt 98820
ttgactcctt tttagtaaca cttagcttaa aacacacaca ttgtacagct gtaaagaaaa 98880
ttttatgtcc ttcttctgta agctttttc catttttaag atgtttttat ttttaaaact 98940
gttactaaaa actaatacac aaacacacac attaacctag gcctatacaa agtcagtgtc 99000
atcagtgttc aaccttcaca tgttatccca ctggaaggcc ttcaggggca ataacaaaca 99060
cagagctgtc gttttctgtg ataacagtgc ctttttctga tatacctact gaaagacctg 99120

20262013390 25 Feb 2026

gctgagagtg tttgacagtt aacaaaaaaa aaaaaggaca agaagtacac tctaaaataa 99180
tgaaaaaagt ataatacagt aaatacataa accaccaaca tagtcattta ttatcattat 99240
cgagtattat gtactgtaca cagttgtatt tgctgtactt ttctataact ggtagcacgg 99300
taggtttgtt tataccagca tcaccacaaa cataagcatg gtgttgtatt acaatgcaca 99360
gctgcagcta agtgatagga ctttttcagc tccattataa ttttatggga ccatcactat 99420
aaatgctgtc catcattgac tgaaatttat gtcgtgcatg accatacata caatttaatg 99480
aaaaataata ataataaagc tagcagtgtg taattaccaa ccagggcaag aaatagaata 99540
ttgccaatac cttggaggcc tccagtatga ccatataagt ttacaaatcc tattttgttc 99600
ctcctcccca gaggtaacca ctgccctgac aaatgtgatc gttgttttct tgtttttctt 99660
actacctata taaacatcct taaacaatat aactcagttt gtatattttg aattccatgt 99720
taatagaata tcatatgtat atgaatttta tgtgaataga atattatata tgtcattttg 99780
catcttgctt ttttcattca acattgtagg attcattcat gttgtagtgt acagctgtcg 99840
tttattcatt gctgtataga attatatcct cagagataag atatatggat gtttataaat 99900
cattccacta ttatgaacat ttgactagtt tgtagttttt atttaaccaa aaaaatgctg 99960
ctgccaacat tcttacacat tttactgtat atgcacatta atttatttac aagtataaat 100020
ttctttttga atacatatct attgatggag ttgctacatc ataggacatt cttgtctttg 100080
actttactgg ataataccaa actgtcttcc aaaatgatta catccttaaa ctcaggacac 100140
atcttattgt caaatgttta atttttgtca gtctgatggg tatgtaagtt attttattgt 100200
cgttttaatt tgcatttccc tgattactaa ttaagctgag taacttttca tatgtttatt 100260
ggccatttgg agttcctgta ttgtaaagta taagtttttt tgtccatttt tctagttttc 100320
tgtccttta gttgaaatcc aaatttgcct aaatctgtta ttctctgagc acaagtaact 100380
tgggatgctt tcctttagat ttagcctaat tctttatcat tttgtcagct tgatggtgct 100440
tttaaggaga tatatatgtg tgtgtgcgca cacatgtgcg tgtgtgtata tatatatatg 100500
tatatgtatg tatgtatttt ttgagacagg gtctcactct gtcacccagg ctggagtgca 100560
gcggcacagt cttggctcac tgcagcctcc acctcctggg ttcaagcttt tccctgtctc 100620
agcaacccga gtagctagga ttacaggtat gccaccatac ccgctaattt ttgtatttaa 100680
tagaaacagg gtttcgccat gttgacaggc tggacttgaa ctcctcactt gaactcctca 100740
cgtcaagtga tctgcctgct ttagcctccc aaagtgctgg gattacaggc atgagctacc 100800
gcgcctggcc tggatatttt ttaaaaatat tttttatcta gcactttggt ttttggcagg 100860
caggttggca ctcatagtct gacctaccat ttctataaaa agaaacctgt aaatgttctt 100920
aaacagactt tgaaccagtc ttcctgattt tgaaccccta cctttacccc cagtttttga 100980
gcctttcaga attttttttc ataataatta ggttgcttct tagctttccc cactggtgac 101040
ttaacagatc ttaggaagcc aacaatcctt gtccatctgc tttctgtctt gtgaactgtt 101100
gctggtattg tctcttctct ttattcttag aggtgtatgc ttttaaaaac atatactggg 101160
tttgagaggg agctgaaata aaagcatgtg ttaaatatac catctttaac cagaactaca 101220
tttgactggt cattttattt tcaagctcac atacacttca aacagagata tggctaaagg 101280
aattatcatg tgaacaacag ccagggctct gaacatcaca gattatatca tcatacttga 101340
aatatttgaa attttgattc aaaatgagag ctttatagct atgtcctcaa tggactaagt 101400
gtttaagtac ttaacatcca aaacattctt actaatcaag agaagacaaa caccccaaca 101460
gagaaatagg caaattttat caatagccag ttcaccagat ttgttttctg ttagaagcga 101520
atatggggaa atacatgtgt ccatgttttg cctacttttc ctggagcagg taaggagagg 101580
cagtttaagg atccatgtga taaaccctaa agttgtccat cggctttcca gtcccttcta 101640
ggaatttaac ttagggaaat aatcagacat ttgcaaaggt gtgtacagtg gtatttataa 101700
tagtgaaaaa ccaaagaatg accaataacg ggagaatgga agttacagcc aaatacttta 101760
caactactaa agaatcatgt aaaatatcta ttgacatagg agttttatca aaatgtgaag 101820
tatacagatg aatagtacca cacataaaaa gcaaggtgca aattagccat ttatattgtt 101880
atcccaaaaa taaatagatg cagttttttt aaaagatgca ggctatatat ggaagtgttt 101940
gctggttttc tgtcaaaaga atggcgactt tattttctaa tttaaacttt ttgctgtttt 102000
ctaaattgtc taaatagtta tagtttttat aatgtaaaag tatcttccaa tttagcttca 102060
tttgacaaat tacctttttca ttctatctag ctatgtaatt ctaaatgaat ttacagcagt 102120
aatcttagag cagatgaatt tacaacaata atcttagagt agactacgga ttagatgtaa 102180
aaacatgagt tgggctttat ggttacagag agttttcctc agtgtgggga tcatagctgt 102240
attgagttta ttcagttttc ctttcccaca tgaatgaaaa atggggccag cctacaactg 102300
gaagggcctc ggcatgtacc actgtactgt gtatgatgtg atttcttgat gctagtaggg 102360
agagaatcaa attgcctcct attcaaacca agacccacaa atagcgtcaa ccagtcattt 102420
cagctactcc ctgcagtgtc aagaaggtgt gaacccctca tgttctctat tgcataccct 102480
tgtctaattc agtgtttctt cttcttttca ggttttggct ttatgctaca tttcagaaat 102540
cataataacc ttttctggta ttattttatt ctttttcgca ctgtgagaaa aattaaactt 102600
tcaagtggat gcttcttata aactatttat acccttttgc tccctttgg gaggcaggga 102660
cagggacaga gttcctcctc aggctaacta agaaaactta ctgcttccaa tgtaatttaa 102720
aagatctccc tctttctatt gctctctgta ctcttaattc ttttttttt ttttcacagc 102780
agagacaagt gaacatttat ttttatgcct ttcttcctat gtgtatttca agtctttatc 102840
aaaacaaggc cccaggactc tccagattca attatgtcct tgggcttggt cgactgctgt 102900
aggagtctca gggagccttc tacaaatgct agagtgactc atttaccaac attaaaccct 102960
aggatacatg caacaaagca ggactccttc ctccatggaa tgtgccgatt tcagatgaca 103020
cagcacccaa tgtagaaaac gctggaattt ttccttggaa ctagactgtg atgagaggtg 103080
cttgacatga acataagcta ctgtcttttc ttttttttg agacagagtt tcgcttgttg 103140
cccaggctgg agtgcaatgg cgtgatctca gctcactgca acttccacct cccaggttca 103200
agcgattctc ctgcctcagc ctcctgagta gctgggatta caggcacgtg ccaccatgcc 103260
cggctaattt ttgtattttt agtagagatg gcatttctcc atgttggtca ggctggtctc 103320
gaactcccaa cctcaggtga tctgcctgcc tcagcctccc aaagtgttgg gattacaggc 103380
atgagccacc acgaccggcc agctactgtc ttttctttga cccttccttt ccagtttttg 103440
aagataaagc aggaaataat cttctctgaa gatacttgat aaaaattccc aaaacaacaa 103500
aacgcatgct tccacttcac tgataaaaaa tttaccgcag tttgtcacct aagagtatga 103560
caacagcaat aaaaagtaat ttcaaaaagt taagatttct tcagcaaaat agatgattca 103620
catcttcaag tccttttga aatcagttat taatattatt ctttccccat ttccatctga 103680

20262013390 25 Feb 2026

atgactgcag caatagtttt ttgtttgttt gtttgtttgt ttgtttgttt tttgagatgg 103740
agtctcgctc tgtcgcccag ctggagtgca ctggcgcaat cttggctcac tgcagtctct 103800
gcctcctggg ttcaagcgat tttcctgcct tagcctctcg agtagctggg actacaggca 103860
cgtgccacca cacccagctc atttttgtat ttttagtaga gacagggttt caccatgttg 103920
gccaggatgg tctcaatctc ctgacctcat ggtctgcccg ccttggcctc ccaaagtgct 103980
gggattacag gcgtgagcca ccgcgcccgg ccagcaatac agtttttagt tactcgacat 104040
ctttaagcct ataactctta ggctatgcat agccccatgt cctaatcagg cattcactga 104100
tcccagcagg tctccatcta tttgtaccag cctcctcttt cctcccaatc tcaaggttac 104160
tcttaaatac tagtaaatgc aaaaagaact tgtaaagtgg caaggcatgg cctatcaaaa 104220
gtcagcccaa gggcagtttt cagccctgcc tcacctgggt ctagttcagc tgacggatga 104280
gctgattgat gcgttcaccc cgatagccag gtgtgcccat ctccttgagg aagcccactc 104340
tatttttggt agcatgatgg gccactgaga ggtggaaagg gcgcaagaac catgagatct 104400
cctggaaatg cttccctggg aaggcaattt catgaatgag gtcttccaag caaatgaagc 104460
caaacttccc caggtgctcc tcaatcactg tgttgtctgt cagagggatg gtcttattct 104520
tgaccttggc ttgtccacgt ttcaaaatga gttctcggac agacttcaga tttggaaatc 104580
cccaggtcac ataaggttcc actatatgca gcatttttag attctagggg gtaactttta 104640
caaagatacc actaaaaatt ttctttaggc gaagtcttgc agtggttctc tgcacccgta 104700
aactcacgcc atcaatcctt tcgatgcgta caacaaaggc caaggaatgt ttatctggca 104760
attccaaggc atgaggtttc acttctagtc gtctgagacg caccttgtca cgtttctgcc 104820
gccaggaatc atgtaggaat gattccagtc gcttaaacct gagccctttt cctttcttct 104880
gtcttgctac tgccatcttt ctagtggtgc agctactcaa ttctttttt aattataatt 104940
tttattttaa gttccagggt acatgtgcag gatgtgcagg ttacataggt aaacatgtgg 105000
ccatggtggt ttgctgtacc tatcaactca tcaggtatta agcccggcat gcgttagcta 105060
tttttcctaa tgctgtcccg ccccccccacc caacgggccc cagttacact cttaatcctt 105120
atagctcaga tgttatgatc cacagtgtgg ttcttacaga aagttatgga ttaaaaaaaa 105180
aaaaaaacac tcaaagtgcc cgaactttct taaaataatc ctggtacagc taaactcatg 105240
cactgactgt ccacctaata tttaacagtc tgtgttgtga tatattgttt taatgttctg 105300
aatgcttgtc agctttcagt attgaagatg tgaatcattt atcagcaatg acacatttag 105360
tctaaggttg tcagctattt atgctacaaa ttaatgactt gtccttaaaa tatcaatttt 105420
gtgattcatg ttttggcagg tggttagatg ttttgtgttc taattttaaa ctatggataa 105480
aggttttgtc ataatcattg ttttattggt tccttttctc ccctgcccac tccccaaaaa 105540
accctgcaat tctttttttgt taaactttta ttttaggttc agaggtacat gtgcaggttt 105600
gttatatagg caaattttgt gccacagggg tttgctgtac agattatttc atcacccagg 105660
aaataaacac agtacttgat ggataggttt ttagtcttca ttctcttccc accctcaagt 105720
aggccccagt gtctgtcctt cccttctttg tgtccctgtg tactcaatgt ttagttccta 105780
gttataactg agaagaacat gtggtatttg gttttctatt cctgtgttag tttgcttagg 105840
ataatggctg ccagctccat ccatgttgcc gcaaaggaca tgatttcatt ctttttatcg 105900
ctgtgtagaa ttccatggtg tatatgtacc acattttctt tatgcagtct tctgttgatg 105960
ggcttttagg ttgattctat gtctttgcta ttgtgagtag tactgcagtg aacatacaca 106020
tgcatgcgtc tttatggtag aatcatttat attcctctgg gtatataccc agtgatggga 106080
ttgctgggtc gaatggtagt tctgttttaa gttctttgag aaatcatcaa actgctttcc 106140
acaatggctg gattaattta cacttccacc aggagtgtat aagcatttcc ctttctctgc 106200
aacctcacca ggatctatta ttttctgact ttttaataat agctgttctg actggtgtga 106260
gatggtatcc cagcaccatt tattgaatag ggagtccttt ccccattact tgtttttgtt 106320
gactttgttg aagattggat ggttttaagt gtgtggtctt atttctgggc tctattctgt 106380
tgcattggtc tatgtgtctg ttttgtacca ataccatgct gttttggtta ctttagcctt 106440
gtagtagttt gaagtcgggt aatacggtgc ctccagcttt gttcttttgg cttaggattg 106500
ctttggctat ttgtgccctt ttttgattct atatgaattt taaaatagtt tttttctaat 106560
tctgtgatga atgtcattgg tattttgaga gcaatagcac tgaacccgct aattgctttg 106620
ggcagtatgg cgattttaac aatatcgatt ctttctatcc cctgcaattc tttgttgttg 106680
tatttaacta tttttacttg tgaagttttt tcagggatga ttttgttgaa agtgacaact 106740
ctaaaaatta tgttggtaat taaaatttta agtaatgact tttattttca gagattccac 106800
ttctcttaga ctttggagct gttaacagca gtgtccaatc tgcagtggta ctcagcagtt 106860
tctgtttcct gcatgcagaa ctgcttatat gaaaacacag ttttaaaaat gctttcttat 106920
ggctgacatt cacattctta ttccttttga ttcttttcaa gagggatttg gtttgttaaa 106980
attaattttt gcaatacttt tatgaagata caaactctga caaagctttt aaaacaagtt 107040
tgagagaata cagtattgat ttcacttgta aatctgacga ttattttaga aaaaaggaaa 107100
atattattta ctattatttt gcttataaat gtttatcaat tttaaagctt ccacattgca 107160
catctcccac tacaacagta gctaccattt attctttctc aaaaaaagtg ctaagtgtgc 107220
ccttgaaatt tttacattgt gcagaatatc cctaaaattt taaaacaaaa attacatcat 107280
cacttgcttt aaatgtttct tctttattta acatacagtt tctaaaatgt tagcaaatag 107340
cattttagaa gagacacgtt acttttctaa tgaatgttct aaaatgaacc acagtaacct 107400
atacttactt agactgtgaa aaacaaaact tatattctat tgttaaattt tcaaaagtga 107460
aactacacga tagtttactt ggcacatcac tctgttattg tgaattgaca aatgtatatg 107520
tagacaaata tgtgaaaatc agagtacata tacattatat gcagcaccac aatacatttt 107580
ttagtatgtt ttgactgata tttaattata taatttacca agaggatctc accagaatgt 107640
agaaaagtat tgaattttag aacaattcac atatttaaaa aaaatgtagt cagccctttt 107700
atctgtatct ggagaatgca gggtaaagga ataatacatg agtattggta tttaaaaaaa 107760
ggtgttaatt tcttacctat gatacctgtt actttgggta tcatttaacc tttatttctg 107820
tgaaatagag gagttctaac atcctctaat tattataata ttgttctaat ttaatctatc 107880
ttaatctgtg atacagtttg aaaaccaagc ttttactatt ggcatgtgca aaaaaataaa 107940
gcagcagtag acttggaatc ttgaatgcaa atttagattt tgcctcttaa taaatgtata 108000
atatagtgtt ctgggaccaa ttctctaaca tttctgagtc ctagtttctg catctgtcaa 108060
atgggattag agatacctac tttcaggatg tgatatggtt tggctctgtg tccccaccca 108120
aatcttatct tgaattgtaa tccccatata ttgagggagg gacctggtgt gaggtgtttg 108180
gatcatggaa gtgatttcct ccatgctgtt ctcgtgatag tgtgggagat cgcaaaacat 108240

20262013390 25 Feb 2026

ctgatggttt aaatatggca gtttcccctg tgctttctct ctctcctgcc accatgtaag 108300
actttccttg cttcctcttt gccttctgcc atgattgtat gtttcttgag gcctccccag 108360
ctatgcagaa ctatgagtaa attaaacctc ccttataaat tacccagtct cagatattct 108420
ttatagtagt gtaaaaactg actaatacag agaattggta ctggcagggt tgggtactgc 108480
tataaagata atctgaaaat gcggaagtga ctttggaact gggtaacagg cagtggttag 108540
aacagtttgg agggctcaga agaaaactgg aagatatagg aaagtttgga acgtcctaga 108600
gacttgtttt gaatactttt gaccaaaatg ctgatagtga cgtggacaat gaagtccagg 108660
ctgaaatggt cccagagatg aggaacttat tgggaactgg agcaaaggtt atttttgcta 108720
tgctttagca aaaagactgg cagcatttta cccctgccct agagaactga tgaactttga 108780
gatgatttag ggtatttggc agaagaaaat ttctaagcag caaagcatcc tagtggtgac 108840
ttggctgatt ctgaaagcgt tcagtcatgt gcattcacga agatatggtc tgaaattgga 108900
acttaggttt agaagtgaag cagaacataa aggtttggaa aatttgcagc ctgaccatgt 108960
agtagaaaag aaaaccccat tttctgggga ggaattcaag ccagctgcag aaatctgaat 109020
aagtaacaag gagtaataag taataataag taaaaagtaa taagtaataa gtaacaagga 109080
gccaaatgtt aataaccaag acaatggaga aaatgtctcc agggcatggc agagatcttc 109140
ggggcagccc ctcccatcac aggcctgaga actaggaggg aaaaatggtt tcctgctcag 109200
ggccttgctg ctctgtacag cctcacgaca tggtgccctg catccctgat gctccagctc 109260
cagctgtggc tgtaaggggc caagttacag ctcgcaccat tgcttcagag ggtgcaagcc 109320
ccaagctttg gcagctttca cgtggtgttg ggcctgcagg tgcgcagaag acaagagttg 109380
aggtttggga acctgtgcct atatttaaga ggatgtatag aaacgcctgg atgtccaggc 109440
agaagtctgc catggaggca gagccttcat ggagaacctc tgctagggca atgcggaagg 109500
gaaatatggg gttggatccc tcatacagag tccccactgg ggcactacct agtggagctg 109560
tgagaagagg gcctctgtcc tccaggcccc agaaaggtag attcaccgac agtttgcagt 109620
atacgtctgg aaaagccaca gaatgccagc ctgtgaaagc cacaggggta ccctgctgag 109680
ccacaggggc ggagctgccc aagggtatga aagcccaccc cttacttcag tgtgccctga 109740
atgtgagaca tggagtcaaa ggagattttg gagcttttag atttaagggc tgcccagctg 109800
ggtttcagat ttcatggggc ctgtggccct tggtttgacc agtttctccc atttggaaca 109860
ggaacattta cccaatgcct gttccctcat tgtatcttgg aagtaactaa cttgcttttg 109920
attttatagg ctcatacgtg gaagggactt gccatgtctc agatgagact ttggtcttgg 109980
acttttgagt taatgctgta ataagacttt gggggactgt tgtgaaggca taattggttt 110040
taaaatgtaa aaagacatgg gatttgagag ggagcaagtg caaaataata tggtttggct 110100
ctgtgtcccc acccaaatct aatcttgaat tgtaacccgc atgttttggg ggagggacct 110160
ggtgggaggc agttggatca tgggggggtt ttttccatgc tgttcttgtg atagggagtt 110220
ctcaggagag ttgatggttt aaatgtggca gtttcccttg tgctctttct ctctcctgct 110280
gccaggtgag acgtgtcttg cttcccctgc cccttccacc atgatcataa gtttcctgag 110340
gcctccccag ccatgcagaa ctgtgagtca attaaacctc ctttccgtat aaattaccca 110400
gtctcagata gtatctttat agcagtgtca gaatggacta atacaggata gtaatgaaga 110460
ttacagaata tgtagatgaa gaagtgctaa gtaaatagca gctattatta tgtagtcaaa 110520
ttgaatgtat acattgtggt acttcagtgt cctttaaatt gaataactag aaatttgttg 110580
gctttctcaa tctgctcaca tcagatgaca tgttaattta tgcctatact tttttctagt 110640
taatagatat aaatctattc actcaacttc tattgacaga actggtagtg tggcaagaca 110700
tctcatttct agttaaggct gtataatatt aagttcattt tacttaaatt aactatggtt 110760
tgggaaatgc ttttcatgtc atcatgtatg cccaatttga tactttagtg ggacagtata 110820
tttcagaaaa aaacaaatgc ttccccaaaa attccagggt tgaatacatt agtcagacat 110880
ataacaatgt acttcagagt tcctctaagg gcaaaaatcg tggtatgaat atacaaaaca 110940
ctcctattta tacttttgta tttttgaaat gtagtcttca tgttaattta gcatttcaat 111000
gaccagcatg acattatctt aataatttgg aatgccaata tgttcattta agacttaata 111060
tagtaagtat ctaaagaaaa aaatggaagt gactgaatgc ttttgtatct cttaattata 111120
atttgtgctc cattgtgata tgaaggatag aaggggcagg atagatagaa aacagaaatt 111180
aactttgatg tttaacctta ccttaagact gtctgttaag tgacccacat aatcttaaaa 111240
aactctgtca agcttaatgg atgctactct gcaggcccct gccaggcaac agtcacaagg 111300
ttatgaggtg catagatttt ggaattaggc agagctgaat tcagatccag gtgttgcctt 111360
ataatgcgac tttgggcaaa taaaaggccc aatttttgta ttcttatctg taaaatggac 111420
tcagtaaaaa ttatttgaga taatttattt gtgtactgta cctaggcatg cagcttgaca 111480
cacagaatta caagtcagta gtttccagta tgattattat tgtgaaagag atattttgtt 111540
tcacctactg aaaacttttt tcagtcttaa atttttatc taactggctg tattgcagat 111600
gtctgctata taacttttat ataattttaa aaactatttc tttcctcctt gatcttctag 111660
gggtaaggtt accaatgttt tcattattta ctaaatatag cagcccccac cccttattca 111720
tggaggatag gttccaaaac ccctagtgta tgcttgaaac cacagaccac agataatccc 111780
aaatcctata tgtatattgt ttttcctata catacatacc tatggttaat gtttaaccta 111840
ctaattagga agagtaaaag agtaatagta actaataata aaataaaaca attgtaacaa 111900
tattccagca tcactattct tgtgctttag ggccaccatt aagtaaaata agggttactt 111960
gaacacaagc actgtgatac tgtggcagtc caactggtaa cagagatagt gatgcggttt 112020
ggctgtgtcc tcaccagaat ctcaacgtga attgtatctc ccagaattcc tatgtgttgt 112080
gggagggacc cagggggagc taattgaatc acagggtctg gtctttccct tgctattctc 112140
gtgatagtta ataagtctca catgatctga tgggtttatc aggggtttcc ccttttgcct 112200
cttcctcatt tttcttttgc caccaccatg taagaagtac cttttgcctc ccgccatgat 112260
tctgaggcct ccccagccct gtggaactct aagtccaatt aaacctcttt ttgttcccag 112320
ttttgggtgt gtctttatca caagcatgaa aatggactaa tacagtaaat tggtaccagt 112380
agagtgggtg ttgctgaaaa gatacccaaa aatgtggaag cgactttgga actttggagg 112440
actcagaaga agacgggaaa atgtgggaaa gttaggaacc tcctagagac atgttgaatg 112500
gctttgacca acatgctgat agtgatatga acaataagat ccaggctgag gtggtctcag 112560
atggatatta ggaacttttt gggaactgga gcaaaggtta ctatgttatg ttttagcaaa 112620
aagactggca gcattttgcc tctgccctag agatttgtgg aactttgaac ttgagagaga 112680
tgatttaggg tatctggtgg aagaaatttc taagcagcaa agcactcaaa aggtgacttc 112740
ggtgctgtta aaagcattct gttttaaaag ggaaacagca taaaacttca gaaaatttgc 112800

20262013390 25 Feb 2026

agcctgacaa tgcagttgaa aagagaaacc cattttttga gaagaaatta aagctggctg 112860
cagatatttg cataagtagc aaggagccta atgttaatcc ccaagaccat ggggaaaatg 112920
tctccatggc catgtcagag accttcacag cagcccttcc catcacaggc ccagagaccc 112980
aggaggaaaa agtggtttcg tgggccaggc ccacggtcct catgctatgt gtaggctagg 113040
gactttgtgc cctgtgtccc agctgctcca gctgtggctg aaaggagcca atatagagct 113100
caggctgtga cttcagaggg tggaggcccc aagccttggc agcttccaca tggtgctgag 113160
cctgtgggta cacagaagtc aagaattgag gtttgggaac ctctgcctag attttagaag 113220
acgtatggaa acacctagat gcccaggcag aagtattact gcagggcagg gctgtcatgg 113280
agaacctttg ctagggcagt gcagaaggga aatgtgggat tggagccctc acacagaatc 113340
cctactgggg cactgcccag tggagctgtg ggaagagagc cgtcatcctc cagaccccag 113400
aatggtagat ccaccaacaa cttgcaccat gtacctggaa aagccacaga cactcaatgc 113460
cagcctgtga aagcagccgg gaggtaggct gcaaagtcac aggggcggag ctgcccaaga 113520
ccatgggaat ccatcttttg catcagcatg acctggatat gagacctgga gtcaaaggag 113580
atcattttgg ggctttaaaa tttgactaac tcactggatt tcagacttgc atgggccccg 113640
taaccccttt gttttggcca atttctccca tttggaacag ctgtatttaa cctgtgacac 113700
ccccctaccc cctgcccccc atccctccgg cccttgtatc tggaagtaac tagcttgctt 113760
ttgattttat aggctcatag gcagaagaga cttactagcc ttgtctcaga tgagactttg 113820
gactgtggac ttctgggtta atactgaaat aagctaagac tttgggggac tattgggaag 113880
gcatgattgg ttttgaaatg tgaggacatg agatttggag gggccagggg tggaatgata 113940
tggtttggct gtgtccccac cctaatctca acttgaattg tatgtcccag aattcccatg 114000
tgttgtggga gggacccggg ggtgggggtg cagtaattga atcatggggg ctggtctttc 114060
ctgtgctatt ctcatgatag tgaataagac tgacgagatc tcatgggttt atcaggggtt 114120
tccaaaactt ttgcctcttc ctcatttttc tcttgccacc accatgtaag aagtaccttt 114180
cacctcctgc catgattctg aggcttcccc agccatgtgg aactgtaagt ccaattaaac 114240
ctctttttct tcccagtttt aggtatatct ttatcagcag tgtgaaaaca actaatacag 114300
atggctagta agggactaac cggcagggag cgtctccagt gtggatatgc tggacaaagg 114360
gatgattcac gttccagggc ataagatttc attactcaga attgcacaga atttaaaact 114420
tattaattat ttctggaatt ttccacttaa tgttttcaaa ctgtggttga ctgcaggtac 114480
ctgaaactgt caaaagtgaa accacagata agtggggagt cctgtaccta agattattcc 114540
tttaaattgt ttcagtggat atgtagggac ctgagtgtga agtgagagca gcagcatcaa 114600
aacctgaggg aaatccagat agcaaaagaa acttgtctag tatactggca tgacagagaa 114660
accaaaaagt tctcaagtta atgtgagaat ctaagaatta aagaattaag cctttgcctt 114720
tgagggaagg aaaggggtaa tgtggcttta aatcaggttg agattggttc tgagggttcc 114780
ttttccttcc tttatattga tatgaatata gacacaactg ttctgcattt ccatttgttt 114840
ttataaatgt ctttttagga tttaggaact gctaattatg caatatgaga tatctgttag 114900
tttgaggaac atttgaaaat ttggtcaaat gacacagatc gtcacacagt tttaagacaa 114960
atgtttttac ctatttgacc tagtctggca atccctattt gggcaaaaat cttcatttgc 115020
aggtcatgat tggaggcagg cacagaaaaa aaattgccac ctttttttgca ttatgtcatc 115080
aagacatcaa acttcagcct acaaagtaga aagtgttatt tctcaagttg aaggcctgga 115140
tatacctcag cttctcagtt ctgacacttt atcatagtgg aaaatgaaga agattgctta 115200
agaacactga tgttggtgtc agaaagacct gggtttgaac cctgacttta ctagttactt 115260
agatcacttt aggcaactca acttttctaa atcttgtttc ttcatctgta aatgctgaaa 115320
atagtaccca cctcttaggt ctgtggagag gattaaatga gataatctat acaaagaaag 115380
agcttgcata atagtgccaa gtaatggtga ggttatacct gtattctgat tataatctca 115440
taaatattta ccatgttagc tgtctcagag ttcttttgca aaacagataa agatagaaag 115500
tataaataag aaaaataagt gaacatatac tgaactttgt acaagatgct ggcgatatgg 115560
agagacccaa gacatgggcc ctacctaaaa gagattattg atagaaacag gatacatata 115620
catcaaaagg taacatagga tcatctgtgc aaagtgctat atggcagtgt tttaggaagt 115680
ctagaagctg tcatggatca ggaataccat ggtggacact tcaggcaggg aaaacagatc 115740
ttagcaaaag ctactcctat cataggtact tgataaatat ttgtagaatc caggatccct 115800
gtagtgataa agaaactaca tggattatgt aggggagtga taagacatat gactggaaaa 115860
ataaaaagac caaattatgg accatactga gcttgtacta taaacagtgg aggagccctt 115920
cagattttta atcatgttga gaaaagagtt ttagcagtgt gtgggggata gaatggaaag 115980
agaagccagt gccagaagga ctacttagta tcaaccattg cagtggttaa agcaagaggt 116040
gagagaaggc atgcattaga atggcagcgg tcagagtgga tgggaaggaa taggtcctga 116100
catagtgtta cagggagtaa taaataggat gtggaagatg ggttagaatt ggcaaaatct 116160
ctgcatgtaa gtctgggtta ctaaatatag tgagagaaat tcaaatctct ctttaagaat 116220
cgaataaaat atttagaaat aagttactgt tgtatttgag gtgaacacaa atggcatttc 116280
aaagatgctc gagatacctt gttggaaaaa gtcaataact gcactattgt ctccaacatg 116340
ttcttgcctt ctctgaagac atcatgttcc taattctgaa ttatgaacca tctattatcc 116400
ttgtatgctc ttatgtgtga ggaaccataa ggtgggaaca aaatccggtc ttcattctag 116460
aaataactat gcgatcaaaa agtttttagt ctttcttctt accatactgg ttcttggtat 116520
tctgtttacc attcaatgta ctattattgc ttctgcttaa aactcgcatc ccctaatgca 116580
agcctgagca aacagaactg ataacacaca gcctgagaag ggagtgcttg gggtctcaag 116640
acttattctg tttttctcca tctttgacac ttggtttgaa gagcaaagaa ggatacagct 116700
gttaggaagt aagttaccca aacacagtga ccaaactgga ttaattcttc caatgagaaa 116760
gaaatacatt atttctgtga gacagattag actttaagta gcatagataa catgattata 116820
ttctctctac aaataaatac acaggaccta agaaaccctt tacagatcca agtgttttcc 116880
tctccacttt tccatcccca aacccatctt gcaagatatg gccagcttat ttggagttaa 116940
ttaaatcaag accttcgttt tacagacagg gaaaccaagc ccagagacac tgagtagtag 117000
gccactggtg tcttagaggt ctgaaaaatc ctttactgaa cattctcttg atctattaat 117060
gtataggttt tgttgctgta accctctccc caagaggagt gaatataaat gatgcagagt 117120
ttggatgaac tatcttaata agaacctaaa gttgaaacca atgcaaacct ctctcaataa 117180
atgcaaagca aagagaataa tcagtctttc tttggcttgt taaataagat aaaatgtgtt 117240
ctgctaaaac catttaacag aaatattgtg aaaggtttcc cctaaagcat ttttctattt 117300
gatttgaaaa ctattccata gcttattatc aaacaaatca gtaattcttt agctaatgca 117360

20262013390 25 Feb 2026

gagataaatg ggcagtcaga aaatataatc acctggtgtg tgcagctgag tatttacatt 117420
tttcctaatg aacaaagata agaaaagtgc aggtgacttt aatgtgtaaa aactaccttt 117480
tagtgctagc gctagaggga aaaagaaatt actggctcaa gccaatcctg tacttgataa 117540
ctaagccgta tagtccatgg cttggcttca gttctgtttt gaatctcttt ttggacttgt 117600
cttgaatgga ctgtttaggg ctgcttcagt agtgcagttg ttgcattttt aagcatagtt 117660
taggttttaa aatgtttctg gtccctttt ttttttcttt tccactttat gttgcttaaa 117720
gctttatggc caggttttct catcctcagc attattgaca tttgaagctg gatacttctt 117780
tgtggtgggg gctgtcctgt gccttgtagg ctggttagca gcatccctcg cctcttctca 117840
cttagatgcc aatagcattt ccccaaccgt gataaccaaa agtgttttca gacactgcca 117900
aatgtctcct agagagcaaa attgctctct gttgagaact actgtgttac ggtgtttgga 117960
caaaaactga caagccaatg ggaatattct attggtagtt gtaaaaaatt aatccagtta 118020
tagcagctgt atttctggaa ttttttttcca tattaacact tgctttctga ggtgataata 118080
tctttgtttt ttttctccca aatagatttc ttgcattaca ctgaaaaatt gctgattaat 118140
tcacttaaat tgaagactaa gccaatcatg tcatttgggt aatagtttac caactctgcc 118200
cctttctctg tcagggaagc ctctaattta gtaagcgata ctgtatcctt ttgtcaggta 118260
cattaccatt cctattagca atagggcaat tgagattgag aaagattaaa aggtcaccaa 118320
gctattacat tgtagaatta ggttatgaat tgtagcctat ctggtttaga atctttacct 118380
tactagtctc cataacaaca attcttccag tgtggtccat ggggccctgg gagtctcccc 118440
ttaaagggca gactattttc acagtaacac gtactttatt tgccatttca ttatgtcagc 118500
atttgcaata atggtacaaa agcaaagatg agtaaaactg ttggcatctt agtatacagt 118560
agttactgta ttcactgtca tgcacttaaa atctttgaag aagcaaaaaa attattaatt 118620
acattaaatt tcaaccctta aatacatgtg gtctttctca tgtcagtgtg acaaaatgag 118680
aaggtgcata atccacttat atcgcatata gcatttgata gttgtctcaa agaaaagtgt 118740
ataagattaa actgtgagtt aacctacttt ttttcatgga gtaccatgag agataaactc 118800
tggttttcag ccttgggtat ttggcgatgt tttcccaaaa atgactgaag taaacttagc 118860
actttaagga aaacaactta aagtatttgt tgccaattga taaaatatag gtttcaagca 118920
aaaatcagaa tttttgaaga cttgtatctg ccactgtgag cttgacaaat gtgactcttt 118980
tatattacat aatgaactat gtcaacattt gaaagatctg cataactcag tgaaccagta 119040
ttttccagat gactaatgca tgataataca aaatcatgca tgggtaaaag atacattcaa 119100
agtgcaagat agactgacat atttcaatgt aacaatcaaa agttcattga taacagtttt 119160
ggattccaca ttgcaatact aaaaccttta aaaaacgaaa ttgtccaatt ttggtgtagt 119220
aatcagaaaa ggcaatctat aattacctga acttaagttt ctggaggacc attaaccttc 119280
tacaggctca tggggaagac tgtagcactt ctctttccct aagatcctcc agaaaggaag 119340
aaggtaatcc ttgggggtag ggtagagacc tattgtgtga tgatcaccaa gtatgtaaca 119400
atgctttata taactctaat atatataatc cacacaaacc ccctaaaatg gcactaataa 119460
gggaatggac tcaaagaagt taagtcagct agccactgtc acagctatta gagcactgga 119520
actaggattt gaacccagat ttgtctgtat gtaaagctga ttctcttcgt aatagtactg 119580
agacacaaga ggcggctaca aaatattctg gtactccatc ctagaccaga gtttcaaggt 119640
tcgttatcat ttgtagcatg atactggatc ctcacagtgc ttgcctttca ttcaggtgcc 119700
aggaaacgtc tgcctgaatg aatgggtgta atttacctgc acattttaca tgcttctcta 119760
ggtgtgtgat taactcataa tccatccatg actttcaccc ataatcctcc ttgtagcaat 119820
tgctttgctt gcaacaaaac taagtagaca tatctagctt tatgcatggt tttctctctc 119880
tgaactctaa cataaactca gcctcaggaa ttattcggtt tctactacat ttgccattct 119940
gattgggaac caccagcatt caggtattca cctggaacaa ggcattttgt tccaagggtt 120000
cctcacttaa aagcaagcac cctagcaata gttcataatg gaacttctta acattctcag 120060
aatgtttggc acagctgtga gtgaacacac attgagcaat caataactat tacagataat 120120
gatgccctta agaccaggat attttagctt tcccattcaa agggggtgaa atatgcactc 120180
ttactatggt atacttttgg ttccttctgc catgtatcct taataaaaga tgtcaattcc 120240
atatggtttt ctcttgagtt ctaaccattt tgttgtaccc tagccctttt aacaatatca 120300
aacttgcaac tgaataccat ttagcattca tccatttttt ccaatggtgt tcattatagg 120360
ctatcttact cctcctattt gtatgacaaa aattggcttt tttcaccgat gtctatggta 120420
catctggcag ctttccatgt actcagttct tatctgatgt agcccagaac gactgcctga 120480
agggatgcca aaagcctgat tgaggttcca aattttcagc tactgtacta tcaatccatt 120540
tgttcatttt tactttccct tgtcatctgt agcttacagt tgagtggcct gaacatgttt 120600
tgcatacatt gtaatatcta agaatttggg aatacggtcc taggatttag acttaatact 120660
accttccatt tatataatac ttactcataa aatcttcagt gttcctgaaa aagaaaaagg 120720
aacatgtatt gagtgcctgc tagaagcagg aacttgtagt agattttcta tgtgttacct 120780
tattttcaca acacacacac aggtgatatc cttcccagtt tactgatgag gaaactcagg 120840
ggtcaaagta gtagatacct acccaaggta acagaagctg tgaagtggta cagctgggat 120900
ctaaaatatg tcagcttcac cgtagatagg ctccctgatg aaccacctgc cacggcccgt 120960
atgaccgcat ccaggggtga tgatgtcatt ttcacagggt tattgagagc taaaactacg 121020
aagtactaca aactattatt taaaatataa atacatacta tatatgcata tgtgtgtata 121080
tataattaat ggggtaaaca ttacagaata ctgtcctaac ctttaaacaa tgcactcgtt 121140
ttctgtaaac taatatacaa acaactgttt ggtccctaaa aatagatgtc aggtgacaga 121200
gactggctga gcaagaatag gagtatcttc agaatagaag ccagaggagt ttttgcttcc 121260
ccaacacatt gtcgcaccat tcactgttcc aggaccttcc tacttctctg gaaaactctg 121320
gcccaaagca gctcctctac attagtcaca agtttccatt aatcaggggt ggcctgtgcc 121380
ggacctacag cagagtcatt tcaggttatt ctgttacagg ctttcgacgt gtagtcagtc 121440
cactcgccca aatctagcag ggaatgaatg ccttgtaata cggaagcatc tacaaattct 121500
tcttaacagt gttcagagaa caatgtgaaa ccctggggcc ttttcccaga attagggtgg 121560
tgggaatgct gtcctattga ctaagcctgt taggtaagca ggcagttggc aagattcagg 121620
aagcttcatt tgaagataga atttagggcg atcgtttgga tttactggct taattactta 121680
aggtaacatt tataaaagaa attgtcattc cattattatt acctttttaac ttttattcct 121740
aaacggaaca ttagcaacaa actacattac ttgataaatg taatttctaa ccagattgat 121800
aactagaaaa aaattttaag ttactttgct ctgtgaatta gtttaaacat atttgtaatt 121860
gagacttact actgttattg gctgaaataa ataaaagcaa gagataataa agaataacag 121920

20262013390 25 Feb 2026

agacaacgaa cacccaattt aagtttattt ctaagttcca tctttttag agaaaaggca 121980
aattaagaaa agtttagaga gaggtactag tatatttatg aacttgtata gatgataagc 122040
aaaacggact ttaatatgta gaattccaga atcaacaggt tgccagcatc catgtttttg 122100
aagatttgct taagaacaca accaaaaatg gaatgggcag tctctaatta caagcagaag 122160
gctacaaaat cattttagct gcataataca gttttggttc taaagtcagc acgtaagagg 122220
aaaattcctt aggaaaatac aacattgaaa accattgtgt catgtaatat gaaatgcaat 122280
aattaatttt tcctccagta atagaaagat cactgtttca ttggtttata aaaatatatc 122340
tttatcatta aatgtggcaa aatgttaaga cttggtgaat attggtgaaa agtatatatc 122400
cattgtacaa ttctttccaa tttttttga gattgaaaat ttttaaaaca acaaattatc 122460
ttttaaacag ctaataatca ctagacctgc actctttgtg gtgagactat gaaaaatgtt 122520
agagacctag taagagaagc agattcacat ttctgtcttc ttcttcaagc caaacagtca 122580
tagagtggag tgggcagaat ggaactcact tttgaaagcc tagtgctttg tccaatctta 122640
ctgcaagcca gacaggaagg ttatagaaaa tgtttctgga tcagtcttct ctgagtcata 122700
tgaaattgtg gtttcagcca agatgacatt aggaattaga gacatgggac aaaaacttta 122760
agattgtaaa aaaattttga ctctagtagg aaacatgggt agaattgtaa tgacacttga 122820
ttgaatttta aaagatgcct gtataagatc ttaaaattag gaaaaaaatt atggcctaag 122880
caattaaagg cataggaggc atctttttgg gatgatggaa atatcctctc tcctgattgt 122940
gatagtagtt acatgaatat tcatttaaca aaaaccataa attatagact tagaaaacag 123000
taaatgttac tgtatgtgac accttaataa acgtgattat aaaaataaat cctaagcatc 123060
taaaaaaaaa aaaaaaaaga agaagaagtg aaccagaacc acaccattct attttggaga 123120
cacttcaaaa gaaatgacct cattcttaat tttgtttaaa gaagaatata acatgatttg 123180
aatatattta gctaggatat tttagtgcct gctagcactt gaagccagag ttcactgtga 123240
gcattctgac tatgaagtga gaagctaaga gaactgtatt ttgatattcc tttgacagtt 123300
aaatcataac actgttcttc cccttcttta gccccagcat gagaccagat gtaagctctc 123360
ctccatccag ctcctcaaca gcaacaacag gaccacctcc caaactctgc ctggtgtgct 123420
ctgatgaagc ttcaggatgt cattatggag tcttaacttg tggaagctgt aaagttttct 123480
tcaaaagagc agtggaaggt agtgtgtgtt ttgaagagtt tatttttcct ctacttggtt 123540
ttcatttctc agggtggatt ttgaaatttc cattatatgc aaagcccatg aaaggctaaa 123600
tatcagttaa gaggggagag gagggtggct cctaggtcct ctaatgggca ggaaagtatt 123660
taaaacaaca atacaaaaag atctagaata aaatagaaaa gtacaagttg atgtctggga 123720
gtttggtcag ggagcataag gtaacactat aagaaagtgc tatcatatga aatgatggtg 123780
ttaagtttgg gcataacata atgttcattg tattagaaac atgggcttta acttccataa 123840
gctaataggt ttcaaagtca ccaactttac tggcctggca aaaatgagtc acagtgagaa 123900
ctgtgacagg aaaaaaaaaa gatattcatt tcatttctta ttcatttttt ttttctatta 123960
agccagggca ctgtgctaag tggtataaat accaataaga cctgatcctt accctctggg 124020
aagtcacact ccactgaagt gaaagatgag ttaacaatga caaggtacag agattataat 124080
atagatgagg gagagagaaa ctcggcctga ggaggtcagg aaaggtattt tagagaaact 124140
gatttcacta tataaatgtt gtattaacac aaatcttact ttgttatgga ttcagactgc 124200
tgacagggca acagcattat ctccctaaag aatgagaaat tcattccata gcaaatttat 124260
tagaagagag tctaaaatgt cctaatacta ccagtgactc ctctaggaaa aaaattgtca 124320
tataatttag ttatttctaa agcagtttga aagtagcttg gcctaaagct ctgattatat 124380
taatttttta aagaaacaat tattcattca ctgtatgagg attattatta tttgtctcat 124440
gttgtgtttg catatccatg agagttagat gagtcatttt cttttgtttt acttttaat 124500
acattagcaa attataaaat tactcatatt acaccacaaa gattacaagg atggcagctt 124560
tggccagtgt agtagtccca cctattgatt agagtcaaaa gtaaagccca gccctgcttt 124620
gtgcattgct cctaataaag tggatgttac ttaacacata cgcagaagac agaagcgtct 124680
tcgtgtcctc actttactcc tcactttctt aactgcttaa gtatttccac gatataaatg 124740
cagtgataat aataatacgg acagtccctg acttaacgat ttttcaactt ttatgatggt 124800
gggaaagtga tacgcattca gtatggctcc tcgacttaca atggggttgc ctccagataa 124860
acccattgtg aattgaaaat atcttacact tagcactcca ttcttaatac ctgctagaat 124920
tatagattat ccctcaaaat tggcatagta taatatgggt atcagcaagt tgttgcactt 124980
tattcagagc tttacactag gcaggggtgg gctttacttt tgactctaat caataggtgg 125040
gactactaca ctagccaaag ctggcatcct tgtggtctct gtggagtaac gtgagtagca 125100
ttataattta catcccccat aacaaatgat ccaagagagt atgtgatcaa tgcagcagaa 125160
ctattgtctt ttattatctg atttcacatg taacatgcca tcacttctgc catattttat 125220
tggccacaca gaccaatctt ggtaaaggac ggaaagggac tgcacaagac catgcattca 125280
aggaggcaga gatcactggg ggccatcttg ggaggctggc taccacaccc accataaata 125340
gaaaaccaga attatttgcc aaaaatagac tttaaccaca aaaatgaata ccatataaac 125400
aaaacaaagt cacaaaattt cagctgactt gaagactcat ctttctatta gttagaaagg 125460
gaatttacca agtagtagaa gacacaggaa ctccaaaata agatatctca ttgtcttatc 125520
agaagggttg acaggaaaat gggctgggca ctgtggctca aggaaaatgg gctgtgcact 125580
gtggctcaca cctattatcc cagcaatttg ggaggccaag atgggaggat tgcttgaggc 125640
ctggagtttg agaccagcct gagcaacata acgagacccc gtctctacag gaaaaaaaaa 125700
aaaaaaaaaa acgttatcca ggcatcgcac ctgtagtctc agctactcag gaagctaaag 125760
caggagattc aggctgcaaa gagctatgac acaccactgt actccagcct aggcaacgta 125820
gcaagaactt gtctaaaaat aaataaataa atgagtcaag gaatgaatga atggattgac 125880
aggaaatgac tattagttgt acgtggccat gtgttatgaa atagtgaata ctagttaaaa 125940
ctcctcattt tatagataag gaacagatag atagacttgt ccaacttcat gctaataacc 126000
acaaagggct atttttaact tatgaaggta cattgcctct gatcctatag ctcagagtct 126060
tagctgtgca caagacatac ctgggataaa gaaatcaaga ttggcgtaat gtgcacatcc 126120
tgacatttca gttggatata aacaaaactt tggaattttt cattttagc agtgggtgat 126180
ttttttttctt tttttcttcc agtaactgta ggacagtgat ttagagattc cttatagggt 126240
ataacttttt tgtattataa ccacttcatc aatagatgta tctgttgatc gtacttttga 126300
tttatagggg atagaattgg gttagtgctt ccattttctg tccaagtaaa gaagctagga 126360
tatttataga gtacaaaaag aaattgaaac agctggtaca gatatttggc attggagagc 126420
agctctgaac aaaggtgaat tatagtctag tggtcaattt tgtggcctat tctttacaaa 126480

20262013390 25 Feb 2026

gaattgaacc tgatacagtt aaccatctac cccaaactat tatttgttta aaacacaatc 126540
tattggctgg gcgtggtggc tcatgcctgt aatcccagca catcgggagg ccgaggcggg 126600
tggatcacga ggtcctgaga tcgagacaat cctagccaac atggtgaaac cctgtctcta 126660
ctaaaaatat aaaaattagc caggcgtggt ggcgtgcacc tgtaatccca gctactcggg 126720
agtctgagcc aggagaattg cttgaacctg ggaggcagag gttgcagtga ggtcatgcca 126780
ctacactact acactcccag cctgggcgac agagcgagac tccatctcaa aaaaataaaa 126840
ataaaaaaac ataatctatc aaactgtgta aaacacagtt tatcaaaaaa gtagttaccc 126900
ttggtgggta ctggctggaa ttgggcagaa agggggcctg ttggggtact gttctgtttc 126960
ttgatctgag agctgattac ataaaggttc ttggtttgta aaaatttatt aaatggttca 127020
ctgatttgtg tacttttttt atatgtgaat actgcaataa ggtttttat tgcactgttt 127080
tcagtttgtt gaacagaaaa agggagactc tttttgttgt ttttgacctc tcgacctcat 127140
aatggcaatg taggcaagaa cattccctca aggcaatacc tgtgggtgtc ttggttatat 127200
tccaccggaa acaaagacag aggctgtcct tataaaatat gtttgaagac ctgtgaaact 127260
ttaatagtgc cttttattcc atataggaca gcacaattac ctatgtgctg gaaggaatga 127320
ttgcatcatc gataaaattc gaagaaaaaa ctgcccagca tgccgctatc gaaaatgtct 127380
tcaggctgga atgaacctgg aaggtaatat aaatatctga aagcaattgt ttgtctctgt 127440
agcttataaa aatttatcat tttacttttg aagatacacg taagcagatg taattaatgt 127500
agtcagttca gtatatatat gcttgactag cataatgtta ctgcccaata aaaatgggaa 127560
atttttttca tgaatatgtc atattgtttg tttatccacc agttcttctt acacacactg 127620
aattcagtac agccagacta tatacaaaga aaggaaatta tgtaataatg aaacttacac 127680
aacatgcagc aactttatta ttcttactcc ttttttcagc ctcaaaacta ttccctaggg 127740
ttggaaatgt ttctgtatca gacatattta catgtccatt tttctgtttg ccttttaaaa 127800
gcataccttt tacttggaga tctgtgtttt attacagatc ttcaagcggg gggtggtggg 127860
aaaaaaaaaa cctcaaggaa gaactggatg ggttttgttt tggttttcaa gtaaagaaga 127920
aacctgggcc gggtgcagtg gctcacgcct gtaatccccg aagtttgtga gaatccttct 127980
gtctagtttt tatgtgaaga tattaccttt tccaccgtag gcctcaaagc gctccaaata 128040
tccacttgca gattctataa aatgagtgtt tgaaaaactg ctcaatcaaa agaaacgttc 128100
aactccatga cctgaatgca cacaacagtg agaagtttct gagaaagttt cttggtctcc 128160
ccgcactttg ggagaccaag gcaggcggat cacgaggtca agagatcaag atcatcctgg 128220
ctaacatggt gaaaccctgt ctctgctaaa aacacaaaaa ttagcggagc gtggtggtgt 128280
cacctgtagt cccagctact caggaggctg aggcaggaga atcacttgaa cccgggaggc 128340
agaggttgca gtgagccgag atcacaccac tgtactccag cttggcgaca gagcaagact 128400
ccgtcttgga aaaaaaaaaa aaaaaagaaa cctgaaacta gttataagtt agagtttcat 128460
atccctgttt atataacaag ttgtataatt aacactgatc tcagcattaa aaaattttcc 128520
tctgaaaaaa gtttggaatt ctgctgtggt tgaaattgca agttctgtga aggtagtggt 128580
gatctcataa cacatatgct tagtatttat tgtgaaatta gcacttttat tcaacaaata 128640
tgcaccaaca aggcagtcac taggtataaa atgaataaaa tagtgcctgt attcaagtag 128700
tttatctgct agttaggttg cagagtcagt cacaaaatag catggcacac catagagggc 128760
atagggccac aggaacaaga ggaaggtcac ctaattctgt cttggaagtc aaggaagaag 128820
taacattgaa ttttaaatct ataagctgag taggaattag atagatgaaa aataagggca 128880
gagacatgat cagatttgta ttttacaaag actaatctta catggagaga ccaattaagt 128940
gaatatggca gtcctccaga taagagatgg cagtactgag agagaatgga aaccatgtgg 129000
ttccttttat gattatgatg attattatta ttttagagac agagtctaac tcttgtcacc 129060
caggctggag tgcagtgaca tgaacatggc tcactgcagc cttgaactcc tagactcaag 129120
ccatcttccc acccagtagg gctacggatg tacactacca tgcccagctg attttttttt 129180
aatttttgtt ttaatttttt gtagagacaa aggggtcttg ctatgttccc aggctggtgt 129240
ctaactcctg gccttaagtg atcctcccaa cgtggcctcc caaagtgctg gtattacagg 129300
tgtgagccac tgcaactgac ctatgtggtt cttttgatag gagagactaa ttgttggtgc 129360
tatctagcac acactgtgtg tagacatctt gttaaataga aaatagattt atgggtatga 129420
ctatgaagag tctaattccc caaaccacac acacaactct atctacgttt gaccaggcta 129480
tttaaactta actgcagagt gtcagcatgt taaacattga tttacataaa atgatagctg 129540
cccactttct tgtaaatgtt ataaaaactg tagagattaa ctaaaaaatg cacacagaag 129600
tttgctttca gttccacaag ggtagtttat ttttgttata aaaacagtat tccccacttt 129660
cttagatacc agatctctgc ccagatttta cccagtttca tcttgctgct ctctaatctc 129720
ctatgtatgt aatatacttt gaccatttaa atatgtatta agacacttga gtttttagtg 129780
ccctttggtt tattttctcc ggtcccaatt atctctaatc ttcatttttt cattttacct 129840
attttatatt tcgaaatagg ttttgaatga agctcaaagg acaaacccaa ataaaattct 129900
gtcgtatctc taatatattg tggttgctta cccagtaaca tttttaggtg cttttctgaa 129960
tacatataaa gtttaagatc tttggagttt taagtatata atgtttttct gggcaatttc 130020
tccctatcca aactatgagg gccttctttc atcaaaagaa aaaagatata tcaactacaa 130080
agtaatgatt ttgatggact aggctacgaa atctgtccat tttttcctcc ttcttacagt 130140
ttaatagcaa ttgcagtgcc ctttgccctt actgtactag aagacgaccc caggcagtga 130200
ctgacatctg atttttctat taattatacc atcactgcca tttccagttg aatcttttgt 130260
tggacatcag aaatttttct tacatgaata aaatttaagc atacggttgg gcgcggtggc 130320
tcatgcctgt aatcccagca ctttgggagg cctaggcagg tggatcacga ggtcaggaga 130380
tcgagactat cctggctaac acggtgaaac cccgtctcta ctaaaaatac aaaaaattag 130440
ccaggcgtgg tggcgggcgc ctgtagtccc agctactcgg gaggctgagg caggagaatg 130500
gcatcagccc aggagttgga gcttgcagtg agccaagatc gcgccactgc actccagcct 130560
gggcgacaga gcgagactcc gtctcaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 130620
aaaaatttaa gcatacaatt taggctgcag tttctcaaaa tattgtatta aaaataacca 130680
attatatgct tttatagtca gtataacgta tccagttagt gtagaaattg gcatttgttg 130740
aaaactacta catgttagtc tttgatatac attcttctac tttttggacc ctgattatta 130800
aaaacacctt tgaatagggc catgatttac tttatatcca tttttatact acatagtgga 130860
agaaaattct gatttgttat ttcctactat gatatgtacc gtgtggcaca tatcatataa 130920
atgatccaat tctacttgta gatgaattga aagaaaggct taaaaaagtt cttagggttt 130980
gtgtgtgtgg tttcactgta aaactatcat ttttgtattg aactaacctc agtatacata 131040

20262013390 25 Feb 2026

aaatctttat ttggcctggt atgtacgtat gccaggaatc tttggcagac cctaacactt 131100
acaatacaga tgagccatgt gtttcacact ttttttttaa caaccttcag aaatattctc 131160
ttgttcatca gagtgcttcc cctaagccaa gcagtttcga tgatagcccc agaataactt 131220
tgcccaagtc tctccataaa tgtaacttag gactccaagt ggtgtatttt tatactcttg 131280
ccccatacca agtaaatctc aagatttatt ttaagggagt ggccttcact gcttaaaggg 131340
cctagcattt aagaacagat aagattttta atggtgatcc taaatgtttt tttttaaaaa 131400
acttgcttgt ttttctcttg aaactaaatg tttttattca cttcatttta agatatattg 131460
taatcaatcc aaagtatggc tttatttttа gtataaacag tcaaatgaag cttagtcttg 131520
tggcattgtc agatttataa ccaaatatta ctgaaactaa ttttttaag ttcaaaaacc 131580
caatctagta gtttctctct tattttcaac ttttatttta gattctaggg gtacatgtac 131640
aggtttgtta ctaagataca ttgtgtgatg ccggtgtttg gagtatgatt gaacctttca 131700
tctaggaagt aagcacagta cctaacaggt gctttttaac ctgtgcctcc cttcctctat 131760
ccccccctct gtatttccca gtgtctgttc ccatctttat gtctatgtgt actcaatgtt 131820
tagctcccat ttataaatga gaacatggta tttgtttttc tgcattagtt catgtaggat 131880
actggccgcc tgctacatcc atgttgctgc aaaggacgtg atttcattct ttttgtggcc 131940
acatagtatt ccatggcata taaataccac attttcttta tccagtccac tgttgatggg 132000
cacctgggtt ggttccatgt ctttgctatt gcaaaccatg ctgcagtgaa catatgggta 132060
catgtgtctt tttgatagaa tgatttattt ttctttgggt atattcccag caataggatt 132120
gctaggttga atggtagtta aactcttaat tctttgaaga atctccaaac ttctttccac 132180
agtggtgtca ttgtggtttt gacttgcatt tctctgatga ttaacaatca gcatttttcc 132240
atatgtttgt tggccacacg tatgtctttt tttgagaagt gtctgttcat gtcctttgcc 132300
cattttaat ggggttgttt ttgcttgtta atttaagttc catataaact ctggatatta 132360
gggctttgtc agatgcatag tttgcaaata ttttctccca ttctgtagat tgtgatagtt 132420
tctcttgatt tgcagaaact ctttagttag gtcccattgt caatttttgt ttttgttgca 132480
gtttcttttg gggattagtc ataaattctt tcccaaggcc aatgtcgaga aggttatttc 132540
ctaggttttc ttctaggatt ttcatagttt gaggtcttac atttacatct ttaatccacc 132600
ttactaattt ttatatggca gtaggtaggg gtccagtttc attcttctgc acatggatag 132660
ccagttatcc cagcaccatt aatggaatag ggagtctttt ccctatggct tatttttatc 132720
aactttgtgt agattacatg gctgtaggtg tgtgtcttta tttctggact ctattctgta 132780
ccattgtgtg tggtttttтt ttaccagtac catgctgttt cggttactat agcctgtagt 132840
atagtttgat ttggggtaat gtgatgttgc caactttgtt ctttttgctt aggattgctt 132900
tggctatttg gggcattttt tggttccata ggaattttag aatgcttttt gctaattctg 132960
tgaaaaatga cattgtagtt tgataggaat agtgttgaat ctataaattg ctttgggtag 133020
tatgaccatt ttaactatac tgattctacc agtccatgag catggaatgt tattccattt 133080
gtttgtgtca tctttgattt ctttcagcag tgttttgtag ttctccttgt aaaaatttta 133140
aactaactta gatgcattcc taggtatttt actcttttтg tgactgttac aaatgggatt 133200
gcattcttga tttggctctc agcttgaaca ttactggtgt atagaaatgc tactgatttt 133260
tgtacattga ttttaaatcc tgaaccttta ccaaagttgt ttatcagctc caggagcctt 133320
ttgacagagt cttcagggtt ttctaggtat agaatcataa gtgaaaagag atcgtttgat 133380
tatttatttt cctatttgga agccttttat ctctttctct tacctgattg ttctgactag 133440
gatttccagt actatgttaa attggaatgg tgacattggg catccttgtc ttattgcatt 133500
aaggggaatg cttccagctt ttgcccattt ggtatgatgt tggctgttgg tttgtcatac 133560
agggctcttt attactttga ggtatgttcc ttcaatacct agtttggtga aggtttttat 133620
catgaagaga tgctggattt tatcgcaact ttttctgcat ctattgagat gatcattatt 133680
ttttttgtta tgtggtgaat cacatttatt gatttgcata tgttgaacga gccttgcatc 133740
ccagaaataa agcctacttg attgtggtga attaactttt tgatgtgcag ctggattcag 133800
tttgctagtg ttttgttgaa gatttttgta tctgtgttca tcagggatat tggcctgtag 133860
ttttgttgtt gttgttgttt ctctaccagg ttttggtatt agaatgatgt ttcccttgta 133920
gaataagtta gggatgaggc cctctttcta gattgctttt ttagaatagt tttagtagga 133980
ttagtaccag ctcttctttg tacatctggt agaatttggc tgtgaatcca tctggtcaag 134040
ggctttttтt aattggtagg ttttttatta ttgattcaat ttcagaactc gttattggtc 134100
tgttcagaat ttcagtttct tcctggttca atctaggcag gttgtgtgtt tccatttcca 134160
catacatact tactccaaat aatggcttta tatatacggg ggtcagctga aaacaaaaat 134220
gatactttca tagtaaactc cacccgcccc cccacccaca tacacacaca cataaaccct 134280
agatttttta aagcctttgt tccaatttat ccatttcctc tagattgtct actttgtgtg 134340
catagaggtg cttgtaatag tgtgaagatc tttttcactt ctgtggaatc tcttgtaatg 134400
tcatctttta catttttтat tgtgcttatt tgggtcttca ctcttttttt ctttgttaat 134460
cttgctagtg gtctatcaat cttgtttatc ctttcaagta accaactttt ataaactagg 134520
ttttaagcta attaagattt ctctactttc attaagaagg aagtagtgtt accacagact 134580
catgaacact tctgtggagc tcctgtattg actgctaatc aactatatgc tccaatgggt 134640
caggaattta tataaagttg tattaactaa gttgctttaa aatagtgatt gcttaactaa 134700
atgattcagt tcagttaact ccttcctgaa gatattttga aaaattaatt agtattattt 134760
cttgctctag tcagtacagc acagttgggt tcaattgtac tttctgagct gtattgaaaa 134820
acatcagttt tctcatttag aactatatat aagtagtgag aaattaatta caaactgagt 134880
catagaaaat gttttttttt aatcctccag cttgttactc tttcttcctt gttctaatgt 134940
ggagtaaaga aatatgcatt ccaaaccatt taaagttatg actaattgag gctgtcaaag 135000
tactgtttca gtgtattgat ttggcacatg tgtgttctct tttacattgt caacaaaagt 135060
acatttttatg attttggatc aagatttcac tgagatactt ctggttgttt aaagagtttc 135120
tttatgtatt ggtgtctttc ctttttaaaa ttttatcact cctctattaa gttgtgatat 135180
ccaaatttaa aatattctaa aaacatgttc tcctgcaagt tgaggtaatg atagttgtta 135240
tgtggtactt actataatat atgccaggaa ctgttctaag cattttacat atttaattct 135300
cacaacaacc ctatgaggta gggactaata ttgtcctcat tttacagaag gggaaatgaa 135360
gagtcaggga gtaacttgca cagatatcca gctacaacat ggcagaacca ggacttaaat 135420
ccaaatatgc tgatttcagg tttctgccct ttagtcctat atcatactgt gcctccaaga 135480
gagcatggta aactaattag catggttcta tcatgattct gtttctattt tgaactatta 135540
ataaaaattt ttgcaattct cagttacccc atttagtata gaacacaata agaatggaac 135600

20262013390 25 Feb 2026

cattctattc taacattgta cattgagata tcgttcccac caccatatct gtcctccata 135660
gactatatgg tgtgtcattt taaggacaga ggatctaaaa atgattttta aaggtgattt 135720
acatttactc ttccctttgc aaaatggttt gcatccctaa taatttagac aagtacattt 135780
cttcgtgata taaattacat ttcttgcctt tccctggaat tctgagtact ttccctctga 135840
gagaacaatg taattcttat ttatttagtc actaaaataa cttcaggagt atgaataagt 135900
ctactaaaaa gtctacagga tccatgttgt agtttgagta gatggttcca taccaagtca 135960
aggtaaaaga taatttatat ataatatgaa aatggctgct ttaggtttat agagtaatca 136020
atataaatct tccttataaa agggaaattt cccacttata atttatgtaa tgtaaagttt 136080
ttcatttcat cttcccaaat gtttttagtc ccacgcagta tttatgttag tacctatgta 136140
aaggtgaaaa gtgaattttt tctactggta gaactaatac tatttttagc atgtaatctg 136200
ctgtcatctt cctatcttta taagtggctt tgaacaagtg taaatagtgt aattctcttc 136260
attatatata ctaccatgat ttagattaat cttaaaccac agtttgtaat ccgttactcc 136320
aagcttagat tttttttca gtttatagta agagtaattt gccttatata accaatgaaa 136380
ttgttgcatt tagagtgaaa gtgagataaa aaaataattt atagaagaat ttacaaaagt 136440
tatttactca gattgtttta acataccgtt ataatacttt gtataaggaa taactctaat 136500
gaagtttctg gcctatttgt aggcaaaatt aattgggaat aggttcctct ggatcttttg 136560
ctttcagaaa aaaaaaagtt ttttctcctt ttccatgtca ctttatcata attgctaaat 136620
aaaatatttc tcccatctta atagttttag aaagtaaaaa tacttcttga ataaactgtg 136680
tagcgcagac cttcccatta cagttcattt ctatgtattt gtttaaatac ccacagctcg 136740
aaaaacaaag aaaaaaataa aaggaattca gcaggccact acaggagtct cacaagaaac 136800
ctctgaaaat cctggtaaca aaacaatagt tcctgcaacg ttaccacaac tcacccctac 136860
cctggtgtca ctgttggagg ttattgaacc tgaagtgtta tatgcaggat atgatagctc 136920
tgttccagac tcaacttgga ggatcatgac tacgctcaac atgttaggag ggcggcaagt 136980
gattgcagca gtgaaatggg caaaggcaat accaggtaag atgcaaaaca taaaagagca 137040
actatataaa cctttgtgtt ttcttcagca aaaacacttt ggcttttata tcatcgtgag 137100
cccatggctt atcttgtttc tcttagttct ggggactatg aaggggagag tcaggtgaat 137160
acaggtgata gggagtttat aataaaacat ttacattact ccctgctttt caaatcatta 137220
tgcacaggat ggtaatttca cataggatga tgtaatatca gaattcaagt tacaagactc 137280
actcaaaact ccttttacac tgaagtttgg ggaaagaaaa tgtttttagt taattccatt 137340
tgttttcctt cattgtgcca cttttaaaaa tcaggttgtt tgtaagattg gtaaacatca 137400
agtatgttga ttgtcaaaat ttgtactaaa gtagaatgat tttaaccctt cactaaatga 137460
aatgctacac attgaatgta attttaaaga taattttaaa taaaagttac cctattggaa 137520
tttggtgtgg aatggcagag gtcaatgtta gtgtcagctc tgactttaaa gacagggaat 137580
tgacaagcct gtgttcacgc aaatagttag ggagagagca agaaagtaac ctgacctcct 137640
gtcatccttg ttttattaag ggggaaagag gtgtgaatag cagggcaaat gttttgctta 137700
actcattgat taatacctca agccaagatt cttttctgtt ttttaaaatc aatacataat 137760
agttgtacat atttactgta catatttata tttagggggt acatgtaata atttaataaa 137820
agcatacaac gtgtaaggat caaatcagag taactgggat atccatcacc tcaaacattt 137880
gtttggggaa cattccaaat cttctctttt agctattttg aaatataaag taaattattg 137940
ttaactatag tcatcctgtt gtgctactga acactaaaac ttatttcttc taactgtatt 138000
tttgcacccg tcaaccattc ccgcttcatc cccatcacca ctatctttcc cggtcactgg 138060
taaccgccaa gccaagaatt ttggctattt tactatttag ttcatgttta cttaagcaga 138120
cagaggtgac aaaactggct ttttttttct ttttttacat taaaagctat taaaaagcac 138180
ctaggggggct gggtgcgatg gctcacgcct gtaatcccag cactttggga agcccaggtg 138240
ggtggatcag ttgaggtcag gagttcgaga ccagcctggc cagcatagca aaaccccatc 138300
tctactaaaa ttacaaaaat tagccgggca tggtggtatg aatctgtatt cctagctact 138360
tgggaggctg gcactgagaa tcacttgaac ccgggaggcg gaggttgcag tgagccgaga 138420
tggcaccatt gcactccagc ctgggtgaca gagcaagact ttgtctcaat taaaaaaaaa 138480
aaaaaaaaaa aaaacacaag agggtttgtg agtcttaaag tgtcagatga cagaagaaaa 138540
ctgtgtctac ctagtattta atttccattt tctgttaggg gtgcccttgt tttgacaggg 138600
ctaattgatc tcattgctcc ttggcaattc ccacagagat gatcttctga agagtgttgc 138660
ctcatacctt tatttctctt aattcaggtt tcaggaactt acacctggat gaccaaatga 138720
ccctactgca gtactcctgg atgtttctta tggcatttgc tctggggtgg agatcatata 138780
gacaatcaag tgcaaacctg ctgtgttttg ctcctgatct gattattaat gagtaagttg 138840
tatgtgtgtc attttccctg tattcatagg gtatctttaa ccagctgatg ttttcctgat 138900
tgactgctat tgtgataatt caggactgaa acaatcctac taggtatcta ggatctaggc 138960
aaactggaaa tagagttatg agtgcttggg gcaggacaag tgtaatgtaa agcaaatgta 139020
catgtggcat tattactgtc ccaggacatg tttgaggata tttaacagca tatctgaggt 139080
tagtaaagtc tgtcgcaagc aacaaggaat cttactgtga tatcatttac ataaccctat 139140
tccagaaaga aaaaggagca tggtaaaact catgtggatt cagtggggac aattgtagat 139200
gaggatatct aggctgatgg ggtgggacat atggacccag acacaagagg tatctctttg 139260
catggcaagg ctcacccagt gtctgtggtt taagaatatg ggaacaaatt tgttttgttt 139320
aactgagaga agaccaagcc tttaagattt tataaatcag ctattctctt atcctctaag 139380
cttattcctg tgtctgcgaa atacttcagg tgtccatttc cccttacctc attgcagttg 139440
tttcctcact cgttttctcc ctccagtgta acgttcatca tgttggctaa tgtttgcttc 139500
ctcaagcaca gtctgactgc atcacatatc tccccagtac acagattgtc ttcagtatct 139560
tcccactgac cctccagtac atattctgca tgatttcaga ctttccagaa tctgacctca 139620
cttcctctcc cattgttttc cttcacacac tcttcattcc catccatcct ttccagcata 139680
ctcttagact cttggtgttc acatcaccag atacacagca gagaagtcac atcctagtta 139740
ctctcacttt ctaccttgta ttactacttt tcgtacccct agcttattgc tattagtaca 139800
atgtaaacag ggagttcaca cacacatacc cctggtctaa gaagaataaa aaatgaagga 139860
gatttctgtt tgtatagaaa acagaagtca ccttgacttt tattgccaaa aagaggactg 139920
ttcaaactac tgcatcacaa tgtaacaaga ttaggtagtt ggatccaatt ttaaattaac 139980
tggtaaatat atttagtttc tggggaaact gaagacatta ttactcatca taatcctacc 140040
atgctgttta aaaaatacca tgttggcagt atttgttttt tagtcacttt ctaatatgta 140100
atttgaaggc atttaagtgg aattaaaagc ataaacagat ttgtatgaaa caccaactta 140160

20262013390 25 Feb 2026

```
tcctggttta taaaactaac ctaatttagg gtttttatta ttagggcatt cagatttagc 140220
tttaagcagt cacagcaaaa tctaatcatg ccacatacat tccttacata aagtgggatt 140280
tataattttt tttcctcaac agatttacat tagtttcatt ttcattaagg gatatgtact 140340
tcctattctt gtgttctcat gctgctgcct aaaagatggg cagtcctcca ccttttttct 140400
ttctttttttt ttttttttttt ttttgagacg agtcttactc tgtcacccag gctcaagtgc 140460
agtggtgtga tcttggctca tggcaacctc tgcctccagg gttcaagtga ttctctgcct 140520
cagcctcccg aatagctggg attacaggcg cactccacca cacttggcta atttttgta 140580
tttttagtag agacggggtt ttgccatatt ggccaggctg gtcttgaact cctgacctca 140640
agtgatccac ccactttggc ctcccaaagt gctgggatta caggtgtgag ccaccgcacc 140700
cagccctcca ccctttttttc ttagcccact atgtttccat actgctctgg tgtctgtgac 140760
aggcagatat tgcatatcag aaagtatgca ttcaagttct gaccctctat agagctgtca 140820
aacagtctct catggttgcc cttaggtcag aacgttgtgg gggaaaaaaa aattgttgtt 140880
gtttttacag ccaacaagaa tgagttttta cttattctac tacactataa ctttgttgaa 140940
attttcagtt atatgagtat aaccatgtac aagaaactaa aggaaaaaaa ggtgcctccc 141000
agaaaaggag tgctttacct actattaagg actagggagg tgcctcttcg gtaagagcag 141060
attttaaatt tgaagagcct ctgatcactt tggcagcata taagtcatgt ctaatttatt 141120
ttatataaag gaataaacca catattcagt agagaaaaat aataaccttt ctgttgttaa 141180
gtccaagacg actttctgtc agaaacttaa aaaaaaaaaa aaatcttgaa gcattttaaa 141240
agctgtgaac tgggcccagt ttcaggctct tagtgtcatt tcacaagtca ggaaacttta 141300
gagacctatt tgaaaatcat aggtatgtaa tgacttcaga atcataagca agaattggtt 141360
tagtaccttt agtttaaaga atattaaggc atatgcctgt cagaggcaga ttttgagcat 141420
cagaagtcta gaatcaagtt ctaggtctcg ccctctgcat aactgtgaac agtgtcacac 141480
atttttgtct ttaggatgga ctgctgtgaa aaaatttacc tttaaaaatc aagtgtgtag 141540
gacctaaaac tgtcgtctaa ttgaccgtat tcaaatgata aaccttgatt taaatgagca 141600
actagtaata agttctataa gaattctaac actttaatta aataataaaa taatacatgg 141660
catgcatgat agaaaataat atctccactg ttacattaga ttattcatta gtctatttaa 141720
acagccaaga tgcaggaagt ttaaggaaag ttctccaaaa ttctgatttt atagggaatt 141780
agcaataata ttattgcagt agttgttttt ctttatgagt tcatagtttt gcaaaacaaa 141840
acaaaaatgt gctttttggg gggaagtagc agtatttcta actaataccc tgctatttat 141900
ctttcacagg cagagaatga ctctaccctg catgtacgac caatgtaaac acatgctgta 141960
tgtttcctct gagttacaca ggcttcaggt atcttatgaa gagtatctct gtatgaaaac 142020
cttactgctt ctctcttcag gttggtagaa cacctttca ccttatgtca aaagcatgaa 142080
atatgaaggc ctagaaacaa aggttaattt atatacatag tactaataat tataccaagt 142140
ctactattat ttcctactag tcagatgatt tttatgaatg taaaatatta gaaaggcaca 142200
gtaagtgaca ccaagattaa taagacaaat aggtatggca gaaacagaga ggtatatgag 142260
ctgcataggg atctctgttg ataagaatct gtgtagactt ttttctcctt ccttcctttg 142320
atctttgatc atgggaagac atggaaaaag aaagctaact acagtgattt tgtccactac 142380
actgttattt ggttaaaaat tttagtttcc taatgagtat tagcatgtat gagaaattat 142440
gggagaaaaa ggcgcatcct agaaaaggtg tgcttaatta ctattgggga ttggttaaca 142500
tagcatggga gctggattgt cagagattca ttatctagaa aatggcaaca agagtttata 142560
aaacgaactt ctgtgagatt actttttagc tagcaaagac aaagatgtcc ttcagtaggt 142620
gaagtgataa actatgatac atccagatga tggaatacta ttgaggacta aaaagaaata 142680
agctgtcaag ccatgaaaac acatggaggg acgttaaatg catattacta agtgaaaaaa 142740
gctaatctga aagggctaca tactgtgtga ttctaactat ataacattcc ataaaaggca 142800
aaactgtgaa gacagcaaaa aaaaatcagc ggttgccagg gtttagaagg aagggaggga 142860
taaatgtgca gagcacagag gatttttagg gcagtgaaaa tacttcgtat gatactacaa 142920
tggtggaaac atgtcattat acatttatcc aaacccaaag aatgtccacc accaagagtg 142980
aaccctcaac tatggacttt gggtgatgat gtgtgggaca ggaggtatat gaaaaatctc 143040
tgtaccttcc tcccaatttt gctgtgaact taaaactgct ctaaaaaaag tctttttttaa 143100
aaaaagctct atgaactagt tggtattata aaccttaggc catttcaagt aaaaattaca 143160
tatcaatgtt tattaaatac tgagttaata gctgaatacc tctttcatat acaaataagt 143220
acatttgcaa ttttttaaaa agtcttaatt ccattagtaa ctgtggtttc atagttgcca 143280
aataactgta agctatggat gttgcacaag actgtgattt tatttaatca tttcatatct 143340
atttaaacat ttccaaagcg cacattcatc ttaatgtttt cacactattt ttgctcaaca 143400
aaaagttatt ttatgttaat ggatataaga agtattaata atatttcagt caaggcaaga 143460
gaacccgata aagatcattg ctagagacgt ttaatgttac ctgtagcggt acacttgtta 143520
aagaagtgat taagcagtta cataaaattc tgatcatagc tttgattgat accatgaagg 143580
tataattcag tgcctggata ctaacaactt tacttgttta aaaaaaaaaa aaaaagaatg 143640
gtttcaattg tatacatccc agactaattg agctatatga ttttttcat tgtaaataat 143700
atcacgagtt cttcttgtta aaaaataata gaatcataag gatggaaata tataccttaa 143760
gatatagact tctactatga tagactactg gaataggtat ataacctccc accaaaaatg 143820
ctagactaaa aaaattaaga actaagtgaa ggcaggaacc tacagagata agtggaactc 143880
aagccaactt gctctttgac ggcatttgta gaacctggta aattagtaag tttagtaagt 143940
tggggttttt ttaagtttat aatctttttt aaaatgattt caataggttt ttggggaaca 144000
ggtagtggta ggttacatga ataagttctt tagtggtgat ttctgggatt ttggtgcacc 144060
catcacccga gcagtgtaca ctgtacccaa tgtgtagtct ttcatccctc atcccctccc 144120
caaccctagt ccacaaagtc cataatatca ttctcatgcc tttgcatctt catagtttag 144180
ctcccactta gaagtgagaa catgcaatat ttggtttccc attcctgggt tacttcactt 144240
acaataatgg tttccagttc catccaggtt gctgcaaatg ccattatttt gttccttttt 144300
gtggctgagt agtattccat ggtatatata taccacattt tctttatcca ctcgttgatt 144360
gatgggcatt tggactggtt ctgtatattt agtaagttta aaaacaaggg atggaaatat 144420
aaatgcagtt gaaaaggcag tggatggatc taaaagcaga agaatacaat tgtttttaat 144480
gattgtgtat atgtttgtgt atataaacca caagggaaat ctgtaggtac tgaaaatcac 144540
aacaggaaaa tggcaacaaa gctatagaaa ctggaaaagc aatgactttt cttagatccc 144600
tcagagaatg gaggtcatag gacaaaccac cacttcaaaa tctagaagaa tagacaaata 144660
cagagaaaca gccaagatca gcttactggg aaaagatgcc actgaagcca ggaagactat 144720
```

20262013390 25 Feb 2026

ggcaatttgg gaaaagatgc cactgaagcc aggaagacta tggcaatttt gatgaattgc 144780
tggaggctga gtgaggacta gcttcagagt taaaaactcc cagggaccca gtcttagtgg 144840
gggtttcctg caatttcttg ggtttacccc acaaaatttc taacttccag aaactccaca 144900
aggttcttat ggtgaagatg caagaaaaat tccctccttt ttctggtagg agtagaggga 144960
aggtaaaatt tggaaatacg tagcagagtg ttcacaacaa aaggcctgcc ctgtaaggaa 145020
aactaattca acaggccctt atgtgacctg ggggaaaggc aaatagagga ttctagccct 145080
tccttagcct tcttgtctca tttctgaaag tcacagccca gggattcaga cccactaaaa 145140
aaaactgaga tttaatcata aagattaaaa aacaattccc ctccccctcc ccaacacctt 145200
accaccatat aaacagggct ccaggataaa ataacagtgg attacaactg agagagctgc 145260
aagacacaag ctgtttaagg agctcttagg aaacccaaaa acaacagaag aaaaagtaaa 145320
taaaaacaag gaaactagag gaaactgaag cctccagtac ctacaattat ggcaaacatt 145380
aaatacagcc cagctcctag ccagattagc atgaaacctc acactaaaag tctaattact 145440
tcagttttga tatatcaatc atgtccagct ttcagcaaaa aaactacaag gcatgctaaa 145500
aggcaagaaa aacccacggt ctgaagagac aaaacaagca tcagaagcag tcctcagata 145560
tgacacaaat atttcaatta tcagataggg aatttacaat acctatgatt agtaggttaa 145620
aggctccaat ggaaaaaagt agacaacatg caagaagtga tgtacgcaga gagatggaaa 145680
ctctaaaaat aaatgctaag gaatgctgta aggaaatgca gaatgatgtt gatgggctca 145740
tcagtagact gagcacagcc aagcaaagag tcagtgagct tgaagataga taggtcaaag 145800
gaaattcccc caaactcaaa tgcaatataa acatagtaga cattaatcca gctgtatcag 145860
taattacttt aaatttgaat gctctaagta caccaatcag ctatttttt aactaggagg 145920
tgaaaataaa gtttgccacc agatgctcac taaaaaatta ttagaggata tatcccagcc 145980
aggcgtggtg gctcacaccg gtaatcccaa cactttggga ggctgaggca ggcagatcac 146040
agagtcaaga gatcaagacc atcctggctt acgtggtaaa accccatctc tactagaaat 146100
acaaaactta gctgggggtg gtggtgcgcg cctgtagtcc cagctactca ggaggctgag 146160
gcaggagaat cacttgaacc tgggacgtag aggttgcaga gagccaagat agcaccactg 146220
cactccagcc tagtgacaga gggagactcc atcttagaaa aaaaataata aaagtaatcc 146280
catctttaag aaggactgaa gaataacaaa agtggtaaat aatatagata catttaaact 146340
gacatttact atgtatataa aataacaaca gtaacaattt ccttgagggc taaaaagtag 146400
aactaaagta agtttcaagg atgacaacta gaaatagggt atgcagggta tgcaaagtac 146460
caaaccattg ggggaagaga atacctaaga aaaacaatcc aaaagaatga aagacatgag 146520
aggagggaga aaaaaatgca taaacaaggg catgataaca ggaagtaaca gataaggtac 146580
attagtacag ctaaattcaa acacatcagt agtttagttt cattaaatat agagatgggg 146640
ccaggtgtag tggctcacac ctataatccc agcactttgg gaggctgtgg gcagatcact 146700
tgaggtcagg agttcgagac cagcctgacc aacatggcga aaccccgact ctactaaaac 146760
tataaaaagc cgggtgtggt ggtgcatgcc tgttatccta gctactcggg aggctgaggc 146820
acaagaatca tttgaacctg ggagatggag gttgcagtga gccaagatcg tgccactctt 146880
ctccaaactg ggtgacagag ggacactgtc tcaaaaataa aataaatgta gagatggact 146940
gaatgctcca agctaatctg acaggatttt agaaataatc caaatttatg ctatttaaaa 147000
aaagctatat ctgaataaag atattgaaag gctgaagtaa aaggatctac tttgcatagt 147060
ataacccaag acatggccaa ctttttctgt aaagggccag atggtaaatg ttgttagctt 147120
tgcacagtct ctgtcacagc tactaaactc tgcccttgtg gcaggaacat agtcattgac 147180
ggtactcaaa tagaacaggc atggctgtgt tccaataaaa ctttatttac aaatacaggc 147240
tgcaagtagg atttggccca taggccaaag tttgctggcc cctatattga ccaaaacaaa 147300
accgaaggag ctacattatt accaagcaaa atagatgtta aggcaaaata ctccttaaag 147360
catttgttca ggaaaaataa ttgtaaatat atagtttcaa attacataat acaaaaattc 147420
atagaacaag aatacttaga taaatctagt aaaaataatg agattttact atacctttct 147480
tacaaattaa gcagacaaaa aaataaggat atggatgtac atttcatctc tcttgggtca 147540
atactgaggt gtgagatcac tgggacatag gttgagtgtg tgtttaaatt tatttttaaa 147600
attgccaaac ttttccgcaa ttgttaacat ttaccagaaa tgtatgagac ttcttaagat 147660
ccattctata tcctcctcag tacttggtac tgtcagcctc tttcatcgta ggtatactga 147720
tgattaaaaa tattaagcat cttttcatgg gcttattggc cacctatatt tcttatttgg 147780
tattgtgcct cttttaatct tttgcccatt ttttaactgg gttttaagaa ttgttcaaat 147840
attctcaatg tggccctttg ttaaatatat gttttgcatg ttttctttaa gtggattaca 147900
tttacagttt tcttaaaaaa atgtagagat gagcaaaagt gtataatttt gaagaaagct 147960
tcgtgtcttt gtttactaag aaagttttgc ttaatccagg gttaaaaaga ttttctacta 148020
tttgttttct tatagaaatt ctgtagtttc agctcacatg cttaagtata tgatgcaagg 148080
taagggacaa ggttcatttt cttccccaaa atccatatct ggttgctcca gaacttgact 148140
ctcttttccc tattgagtta cttggcaatt ttgtagaaaa tcagttgttt gtatatgtgt 148200
gggtctactt tcagactctt tttcttaccc aacgatctgt atttcttacc caatgatctg 148260
tatgcctata ttcatattga taacaccctg tcttgattac tgttgcatta cagtaaatct 148320
tgaaatttgg taatatgaat tctccaaatc tgttgttctt ttccaaactg ttgttttgga 148380
tattctagtt tccttgcatt tccacttcct ttttttttt ttttttgag atggagtctc 148440
actattgttg cccaggctgg agtgcagtgg catgatcttg gctcatcgca gcctcagcct 148500
ccccagcagt gggattgcag gcacccacca tcatgcttgg ctaatttttg tatttttagt 148560
agagacgggg tttcgccatg ttggccaggc tggtctcaaa ccctgacctc aggtgatcca 148620
cccacctcgg cctcccaaag tgctgggatt acaggcatga gccactgtgc ctggtcttcc 148680
acgtattttt taattagctt gacaatctct accaaaaagt cttttggggc tgggtgtggt 148740
agttcatgcc tgtaattcca ccactttgag aggccaaggc aggcagatcg cttaagccca 148800
ggagtttgag accagcctgg gcaaaatgtc gaaaccctgt cactacacaa aatagaaaaa 148860
attagccagg catggtagct tgtgcctgta gtcccagcta cccaggaggc tgaggaggga 148920
ggtcaaggct gcagtgagcc atgatcatgc cagtgcactc tagcctgggc aacagagtga 148980
gactctgtct caaaaacaca gtctgataga atttttatta ggatagcctt gaatctatag 149040
atccatttga aaataattaa catcttaaat ttccaatttc tggccgggcg ctatggctca 149100
cgcctgtaat tccagcacgt tgggaggccg aggtgggcag atcatcaagt caggagttcg 149160
agaccagcct gaccaacatg gtgaaaccct gtctctacta aaaatacaaa aaaattagcc 149220
aggcgtggtg gcacatgcct gtagtcccag ctactcagga ggctgaggca ggagaatcgc 149280

20262013390 25 Feb 2026

ttgaatctgg gaggcagagg ttgcagtaag ccgagattgt gccactgtac tccagcctgg 149340
gcaacagagt gaggctccgt ctccaaaaaa aaaaaaaaaa attccagttg ttgagaaaga 149400
ataggaattc cagctttgga ggagtgggga gaccatcaaa tcctctttcc aaaaatacta 149460
ctaaaatact actgagcaga gtatagttcc acaaatagtc ttctgtaaag agactcacag 149520
tacatatttg tctttgtagg ccatatagtc cctgttgcaa tttctcaatt ctacagctat 149580
aacaggaaag cagctatata cagtatgtga atgcttgtgt tctaatacaa atttatttgc 149640
aaaatcagga aaatggcttg aaatggttta agatctagtt ttctgactag atcatggtat 149700
ataatctttt ccatatatat tttgaatttg gtttgctaat attttgctga tcatttttat 149760
atctctcttt atgaaggatg ctgatctaca actttctttt cttgtgatat ctttttctgg 149820
ctttgctacc agggtagtac tagcctctta aaatgagttg agaagtattt tctgttttct 149880
taaagagttt atagagtatt gatcttattt attctttaaa tatttgatac atgttaccag 149940
tgaagccatc tgggtctgtg ttttctttca gggaagattt ttaattattt gcttatttgt 150000
tatatagatc tattcagaat ttatattttt ccttgacata gttttgtaat ttgtgtgttt 150060
ctatgaaatg agccattttg tctgagttgt ctaacttggg cataaagttg tttgtaatcc 150120
tttaagtttt gtaggatcca tagaggtgtc ccctccatta tagattttca taatttgtgc 150180
ctgatcatct ttttttcatg gtcagtctag ttaaaaattt atcaattttg ttggtcttta 150240
caaagaacca atttttagtt tcattgaaat ttttagtttc attgattttc tctttttgtt 150300
tcctatgtca ttgattatta tttcttcttt tctgcttgct tttcatttaa tttgttcctc 150360
tttttctagt ttaaggtaga agcttccatt gttagttgaa gaccttattt tcttatatag 150420
atgtttaaag ctatacattt tttgtatatt ttcattcatt tcattttcta atgtccttca 150480
tgatttttttt cattgaccca tgtgtattgc ttaattttta tatatttggg gattttccat 150540
atctcttcct attcatttct aatttaattc cactgaggta ggaggtacat tgaaggactc 150600
taatattgaa tgactccaat aagtcttctg agacttttttt aggcacttgc atatggtcta 150660
tcctgagtgt tccatgagtg cttgaaaaaa aacttactgt gctcttgtta agtagagttt 150720
tatgaacgtc agttaggtca agttgattga tagactaatt caagttttct gtatctttgc 150780
tgattttctg tctagttgtt ctagatccta caactttgtc tacatccttg ccagagcttg 150840
gtatggtttt tttattatcg ctatcctaga gagtatgtag ttgacccttg tgacttgcca 150900
tgcatttaat gactgcccat gttcatagca gcattattca taatagcaaa aaaaactttt 150960
atcatatgct tttgtgcctc aagatcatat atttttcgtt tttagtcact aatatggtat 151020
aatggtataa tatactgttt aatttctgag taattgacta gcctttcatt ccggggataa 151080
atcctatttg gttatgatat agtatccttt ttacatatag ctgaattcat tgtactaaaa 151140
ttttggtatt tttgcatcta aatccatgag ggatatattc tatagctttg gtgttatgat 151200
aatatggtat tatttctttc ttaaacgttt ggtaaaactc agcagtgaag ctgtcttggt 151260
ttgtttggag cctttttttgt agaaaggttt tcaagtacaa gttcatcaaa tgtttactga 151320
taatatgttt attcttgagt gagctttgtt ggtttacatc tttgaaggaa tttaactgtt 151380
tccttcaaat gttgaattta ttggtataaa gttaagttat tcataatatt cccataatat 151440
ccttctaatg gctccagtat ctctagtgtt attccctttc attcccgaca ttggtattta 151500
atatattctt gctttttttt ttttttttta atcagtctgg ctaaaagttt ttcagtttta 151560
ccaatgtttt catagaacca gcttggtctt gattttgttg ttgtttatgc atgttcttag 151620
ttattcgttt ctactcttta tcctttccat ttttcttgtg tttagggtag aagcatatat 151680
aattaattga gacctttctt ttctaatcaa agcttttaat gctgtaaatt ttctaagcac 151740
tgtcttcatt gcatcccaca catttgata tgctgtgttt tcagtactag agatttttaa 151800
ttttatgata ccttatttaa tcatgatgcc ttatttaatc tatagcttat taaatgtcaa 151860
attctaaaca tttgggtttt tctccagata tgtttgttac tgacttctat tttaatctca 151920
tttttgtcag acagcattca ttgtatgact taatcctcct aaatgtattc agacttgttt 151980
tatgttctag attaatgttc tgtgtatact tgaaaagaat gcaagttctt gggtagactg 152040
tttcagaaat gtcagtcaaa tttaagtctt gtttattctt attgattctg agacaaaggt 152100
gtttataatg ttagatttgt ctgctatatc tctgacattg ccaaatatcc ccttggaggc 152160
aaaatctccc cctccctttt gagaaccact gatctatgta gccttttttc tgggactaat 152220
ttagccttgc ttctgagatg tggcccctag gtctctactg aatgcccggc atatttaatt 152280
agatctttct ttcctctatg gcctcaaggg atttcaccct aagtatgcac aaatttttat 152340
tcagccgaag actgtacaga tttctggagg cctttctttg tgtacctcct tcgtttccag 152400
tagtctgacc cataaattgt acagatttct ggaggccttt ctttgtgtac ctccttcgtt 152460
tccagtagtc tgacccataa attgtacaga tttctggagg cctttctttg tgtacctcct 152520
tcgtttccag tagtctgacc cataaattaa agctgcttta gcctccccaa acttcaatct 152580
ctttctcctc aacccagcaa gattgctaga ccctgggttc cctttccctt cactgcagta 152640
tgataattac tttcaagcac aaaggtttag aattaagatt tcttactcct gggctaggta 152700
tggcttaccg tatttgtttc tcttttccta gggatcataa tcatgtattg cttgttgtcc 152760
agttttccag taggagggga attccaggct gtacttactt cctgcagcca aaagaggaag 152820
taatgttagt gatttcaata ttaaaacatt aaaaaaaaat ttaagatgga tgaaattctt 152880
ttatatgcat attgaattgg gcttcaccat agttatttttt agaattagga ctaaccggca 152940
gggaaaaaaa ctatacggca gggaaaaaaa ctataagcca tcgctgtttt acaattttgc 153000
aataattaga ttttctgtag tatagtaatg tgtaaaatta acccattgtt aatatagaat 153060
gccgttatca ctcctgatta agcggtcttc attttcatgt taatactgat gtcttgtaat 153120
gctttatgga atcaaacatt ttcatacata ttcattagtc taattctaat cataatccaa 153180
tgaaaaagag caggaaagat gctcaaggag gttatattca agtccacatg gcaagtaaga 153240
aataagacta ctcggctggg catggtgact tactgcctga aatcccagca ctttgggagg 153300
ccaaggtgag cggaattgct tgaacctggg aggcggaagt ggcagtgagc tgagatcatg 153360
ccaatgcact ccagcctagg caacacagca agactctgtc tcgggaaaaa aataataata 153420
ataagacttc tagaagctcc taaatccata gcttttcctc tataccagca tcttctaaaa 153480
atgtcagcag cagtgaagtt tcagtttggg aaataatgca tttcccctct ctggagagtg 153540
cacagttata tctccaagaa gtactgaaat tcagaagtct gcctaatatg tattaaacat 153600
ttagcttttc tcaaactttg accaccaaat cctttgtctc gctctaacta tagttaacac 153660
agaatcagtg ttcccaggag cacactgtga aaaatgtagc actctacaaa agtcctaatc 153720
tccacaggat taagtgaaac catgattaac cctctgttcc ttgtccttat tagtaccatt 153780
ttctgaagag taatgtatcc ccccaaaact tttatactag tttcactaac cagaatccat 153840

20262013390 25 Feb 2026

gtacataagg aaggacagat atttgctccc tactaagaca tatctattag ctacattaaa 153900
aaaagtattg catgccgatt ttaaagttat aattaactgg tgatatcaca gatattccaa 153960
gatataattg ctggaataaa cactgttgtt gaagccttct atctatctca gtactagaat 154020
taaactcaag tgcagaatgg cagacaaagt taactaaaaa tcactgtatt atttcatttg 154080
gtcctccaaa tagctttgtg agctaaggag gagaaggtgt atcatcacca cttccatttt 154140
atagatgaga aatcaagtga tttactcaag gttaagtcct ccaattcttt gttatcctgc 154200
attttctctt ggctgtagtt taattaataa tcctaagaaa atgcttatat tttagagtgc 154260
agtaagagta cataaacaat gttaaatgcc catcttgcat gtataaaaag ttatagcaag 154320
aaatctggct gggaatggtg gctcacacct gtaatcctgg cactttggga ggccgaggca 154380
ggaggattgc ttgagcccag gagtttaaga ccagcctggg caacataggg agatcctgtc 154440
tctacaaaaa aatttagcca gacacagtgg cttgtgtcct agctactcag gaggctgagg 154500
tgggaggatc acttgagcca aggaggtcaa ggctccagtg agctatgatt atgccactca 154560
gacatggtgg cttgtgccta cagtcctagc tactcaggag gctgaggtgg gaggatcact 154620
tgagccaagg aggtcaaggc tccagtgagc tatgattatg ccactgcact ccagcctgga 154680
tgacacagtg agaccctatc tatctcaaaa aaaaaaaaaa aagaaaagaa aagaaaaaga 154740
aaatccttta actgacttca tcttaacctt ttagttccta aggacggtct gaagagccaa 154800
gagctatttg atgaaattag aatgacctac atcaaagagc taggaaaagc cattgtcaag 154860
agggaaggaa actccagcca gaactggcag cggttttatc aactgacaaa actcttggat 154920
tctatgcatg aagtaagtgt caaacataaa gccaaatata agagttttct gggacaaagt 154980
atgttttgat tagtgaatat aattatatac cagcagcgcc cccacccccg cccccagttt 155040
gtggatgttg gtgatagctt gagttcaact tatgaacttc agttttgtag acatttttcc 155100
taaggccaat tatgaaatat cctttcacct agtcatgtgt atataaaatc accatgttat 155160
tacagaattt agtaatactg tttttaaaaa gtatgattaa tccattaaat tagaataatg 155220
caccttcat atattatggt actacagtga ttcatgaaat aattctatat aattctacat 155280
acaatcaaag aaatataaaa tgtgttttgt acggaagtgc ttatttttca tctggggaat 155340
tccagtgaga ttggtatatt ctaggccaga taatttttc aaaatagagg acaacaaaca 155400
tgagatgttc ccactgacca atttggaagc ctgatcatta ccatatcttc tcttgcaggt 155460
ggttgaaaat ctccttaact attgcttcca aacatttttg gataagacca tgagtattga 155520
attccccgag atgttagctg aaatcatcac caatcagata ccaaaatatt caaatggaaa 155580
tatcaaaaaa cttctgtttc atcaaaagtg actgccttaa taagaatggt tgccttaaag 155640
aaagtcgaat taatagcttt tattgtataa actatcagtt tgtcctgtag aggttttgtt 155700
gttttatttt ttattgtttt catctgttgt tttgttttaa atacgcacta catgtggttt 155760
atagagggcc aagacttggc aacagaagca gttgagtcgt catcactttt cagtgatggg 155820
agagtagatg gtgaaattta ttagttaata tatcccagaa attagaaacc ttaatatgtg 155880
gacgtaatct ccacagtcaa agaaggatgg cacctaaacc accagtgccc aaagtctgtg 155940
tgatgaactt tctcttcata ctttttttca cagttggctg gatgaaattt tctagacttt 156000
ctgttggtgt atcccccccc tgtatagtta ggatagcatt tttgatttat gcatggaaac 156060
ctgaaaaaaa gtttacaagt gtatatcaga aaagggaagt tgtgcctttt atagctatta 156120
ctgtctggtt ttaacaattt cctttatatt tagtgaacta cgcttgctca ttttttctta 156180
cataattttt tattcaagtt attgtacagc tgtttaagat gggcagctag ttcgtagctt 156240
tcccaaataa actctaaaca ttaatcaatc atctgtgtga aaatgggttg gtgcttctaa 156300
cctgatggca cttagctatc agaagaccac aaaaattgac tcaaatctcc agtattcttg 156360
tcaaaaaaaa aaaaaaaaaa gctcatattt tgtatatatc tgcttcagtg gagaattata 156420
taggttgtgc aaattaacag tcctaactgg tatagagcac ctagtccagt gacctgctgg 156480
gtaaactgtg gatgatggtt gcaaaagact aatttaaaaa ataactacca agaggccctg 156540
tctgtaccta acgccctatt tttgcaatgg ctatatggca agaaagctgg taaactattt 156600
gtctttcagg acctttttgaa gtagtttgta taacttctta aaagttgtga ttccagataa 156660
ccagctgtaa cacagctgag agacttttaa tcagacaaag taattcctct cactaaactt 156720
tacccaaaaa ctaaatctct aatatggcaa aaatggctag acacccattt tcacattccc 156780
atctgtcacc aattggttaa tctttcctga tggtacagga aagctcagct actgattttt 156840
gtgatttaga actgtatgtc agacatccat gtttgtaaaa ctacacatcc ctaatgtgtg 156900
ccatagagtt taacacaagt cctgtgaatt tcttcactgt tgaaaattat tttaaacaaa 156960
atagaagctg tagtagccct ttctgtgtgc accttaccaa ctttctgtaa actcaaaact 157020
taacatattt actaagccac aagaaatttg atttctattc aaggtggcca aattatttgt 157080
gtaatagaaa actgaaaatc taatattaaa aatatggaac ttctaatata tttttatatt 157140
tagttatagt ttcagatata tatcatattg gtattcacta atctgggaag ggaagggcta 157200
ctgcagcttt acatgcaatt tattaaaatg attgtaaaat agcttgtata gtgtaaaata 157260
agaatgattt ttagatgaga ttgttttatc atgacatgtt atatattttt tgtaggggtc 157320
aaagaaatgc tgatggataa cctatatgat ttatagtttg tacatgcatt catacaggca 157380
gcgatggtct cagaaaccaa acagtttgct ctaggggaag agggagatgg agactggtcc 157440
tgtgtgcagt gaaggttgct gaggctctga cccagtgaga ttacagagga agttatcctc 157500
tgcctcccat tctgaccacc cttctcattc caacagtgag tctgtcagcg caggtttagt 157560
ttactcaatc tccccttgca ctaaagtatg taaagtatgt aaacaggaga caggaaggtg 157620
gtgcttacat ccttaaaggc accatctaat agcgggttac tttcacatac agccctcccc 157680
cagcagttga atgacaacag aagcttcaga agtttggcaa tagtttgcat agaggtacca 157740
gcaatatgta aatagtgcag aatctcatag gttgccaata atacactaat tcctttctat 157800
cctacaacaa gagtttattt ccaaataaaa tgaggacatg tttttgtttt ctttgaatgc 157860
tttttgaatg ttatttgtta ttttcagtat tttggagaaa ttatttaata aaaaaacaat 157920
catttgcttt ttgaatgctc tctaaaaggg aatgtaatat tttaagatgg tgtgtaaccc 157980
ggctggataa atttttggtg cctaagaaaa ctgcttgaat attcttatca atgacagtgt 158040
taagtttcaa aaagagcttc taaaacgtag attatcattc ctttatagaa tgttatgtgg 158100
ttaaaaccag aaagcacatc tcacacatta atctgatttt catcccaaca atcttggcgc 158160
tcaaaaaata gaactcaatg agaaaaagaa gattatgtgc acttcgttgt caataataag 158220
tcaactgatg ctcatcgaca actataggag gcttttcatt aaatgggaaa agaagctgtg 158280
ccctttttagg atacgtgggg gaaaagaaag tcatcttaat tatgtttaat tgtggattta 158340
agtgctatat ggtggtgctg tttgaaagca gatttatttc ctatgtatgt gttatctggc 158400

20262013390 25 Feb 2026

		catcccaacc caaactgttg aagtttgtag taacttcagt gagagttggt tactcacaac 158460 aaatcctgaa aagtattttt agtgtttgta ggtattctgt gggatactat acaagcagaa 158520 ctgaggcact taggacataa cacttttggg gtatatatat ccaaatgcct aaaactatgg 158580 gaggaaacct tggccacccc aaaaggaaaa ctaacatgat ttgtgtctat gaagtgctgg 158640 ataattagca tgggatgagc tctgggcatg ccatgaagga aagccacgct cccttcagaa 158700 ttcagaggca gggagcaatt ccagtttcac ctaagtctca taattttagt tccctttaa 158760 aaaccctgaa aactacatca ccatggaatg aaaaatattg ttatacaata cattgatctg 158820 tcaaacttcc agaaccatgg tagccttcag tgagatttcc atcttggctg gtcactccct 158880 gactgtagct gtaggtgaat gtgtttttgt gtgtgtgtgt ctggttttag tgtcagaagg 158940 gaaataaaag tgtaaggagg acactttaaa ccctttgggt ggagtttcgt aatttcccag 159000 actattttca agcaacctgg tccacccagg attagtgacc aggttttcag gaaaggattt 159060 gcttctctct agaaaatgtc tgaaaggatt ttattttctg atgaaaggct gtatgaaaat 159120 accctcctca aataacttgc ttaactacat atagattcaa gtgtgtcaat attctatttt 159180 gtatattaaa tgctatataa tggggacaaa tctatattat actgtgtatg gcattattaa 159240 gaagcttttt cattattttt tatcacagta attttaaaat gtgtaaaaat taaaaccagt 159300 gactcctgtt taaaaataaa agttgtagtt ttttattcat gctgaataat aatctgtagt 159360 taaaaaaaaa gtgtcttttt acctacgcag tgaaatgtca gactgtaaaa ccttgtgtgg 159420 aaatgtttaa cttttatttt ttcatttaaa tttgctgttc tggtattacc aaaccacaca 159480 tttgtaccga attggcagta aatgttagcc atttacagca atgccaaata tggagaaaca 159540 tcataataaa aaaatctgct ttttcattat gtgactccaa catgcttttg tagaacttgt 159600 acagttccga ttgtccaatc tgatttttgt ttactgaaag tagagttacc cctgcttcag 159660 gaaccttaag ataatatggt gggcatttaa atgtcagtgt ggcaatgttc gcctgctaat 159720 atggcataga ttcaaaataa gcttaaccct ggtgccaaag acctgaagat tatcccatcc 159780 atgcctcaaa tggttgtgtg ccaattactg caaagggtac taagggaagg agaaattcac 159840 tcctgaggct gcttcaaatg tatgtcttta tcacaaaaga tgacatttta tgtaagctaa 159900 tgttatctag tcaaaattct tagcttattt taaaatcaac tcttcaagaa aaggaataaa 159960 catttaatat aaatatcata gcagtattgc acatagaata gaaaggtcgg gcagggtagt 160020 ggaagtcagc tattctatac aatccattcg gtattttcca aaacatttga tgttcaggcc 160080 atatccagga actggatgac ctaacaaact tctctgagta ccttttttc cacaagagat 160140 ctccatcact aagaaaaaaa gcattgtgat ttaaaagcca aatttgcctt atccatcatc 160200 atgtgcacca agtatttgct acctgcctac tatataatat tgaagataca atgtgaataa 160260 gaaaaatact attgctaccc tcaatcagag tatgtgattg gaaaagtgta taacaaacct 160320 ttcccagtgt cttcaggtat aatgcagaga taccagatac ggcatcaatg tgtatacaca 160380 ttatggctgt accattcact ttaagtagta accttacatt tctgtagaac accttcacat 160440 acatttttaa caagcctcac tgaatgaatt aatgacatga aaataatgag gcagattatt 160500 ctcgtttcca ttttataagg aagtaaactc tgtaagaaag taaacaggct cagaatttaa 160560 gcactgattc atagccccta gctcccatgt tattgaaatt tgaatggaaa gcctctaatg 160620 aggccattca tctatcagat gtcaaagagc atgtctctgg cctatgagcc tctcagggaa 160680 ctggttatgt ttttctgttt taaattaaac taatgcttta ctgagcactt actatgtgcc 160740 acgcacaatg ataattcaat atattatttc atttaatcat agtacccctc taaagtacta 160800 ctgtaaagca gtgctattat cctcattgca tttatatcag gaaactgtgg cttaaagaat 160860 tgagtaactt gcctacagtc acaaagctag ctccagaatc catagtttta aaaaccacta 160920 ttgagaaatt actaatatga gctaactagg gcgaatgaac ccatattgat cattatgtgt 160980 ctggcctttt gacatgtcct catttaatct aatccctttt gctaccgtat caattttgac 161040 ttagaaattt aacaatgata cattagtccc cgcttatcta cggaggatat gttccaagac 161100 tcccaatgga tgcctgaaac atagatagta ctgaactgca tgtttttttcc tatattacat 161160 acctatgata aagttaattt acaaattaga tgcagcaaga gattaacaat aactcaatta 161220 caacaatata ctgtaataaa agttatgtga atgtgagctc tcaaaaaatc gtactatact 161280 gagggtaact gagaccacgg aaagtgaaac cgcagataag gcgggcacta ttgtatttcc 161340 ttctcttaaa aacgtgtcct gtaccctggg gtggttgatg gtggaaaata ctagttgccc 161400 acagattaca gaatgccctt tggtttgtct aatatacaac agggagcctg tctcactaat 161460 gcccacagaa aaatcaaaca tttcttcaag tgatatggag catatagggt acagtcaaac 161520 caaggaagaa agttgtttat aaatgagaac tatagtgcaa gttaaaattt gctcctagtt 161580 ttgcaggtaa agagccagac tttgggtgta gaaaaaaagt tgaaaatact gaggctttta 161640 cataaggtga ttttttttttt ttttttttttt ttttagaatt tcaactaatc tcttttaact 161700 taagtcgttc ttaacagtat tggtaacttc atagcacttt ctttctggtg aaataacccc 161760 atcctccctc ttatttaggc ttcctgtttc ctagttaaaa tggggcagta ctttgttagg 161820 gaagtatttt tacttcactt ggttacaaac atgtaagtct cagaacaaaa gagtttgtgc 161880 agaccatatc agacactcaa aagactttct tcactctacc cacttgagta agagacaatt 161940 tatattctgt tcaccttatg taccctcacc aaaaatattc aatagggtaa taatgtgtat 162000 a 162001
3-11	**Sequences**	
3-11-1	Sequence Number [ID]	11
3-11-2	Molecule Type	DNA
3-11-3	Length	20001
3-11-4	Features	**source 1..20001**
	Location/Qualifiers	mol_type=genomic DNA organism=Homo sapiens
	NonEnglishQualifier Value	
3-11-5	Residues	nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 60 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 120 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 180 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 240 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 300 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 360

20262013390 25 Feb 2026

nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 420
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 480
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 540
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 600
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 660
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 720
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 780
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 840
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 900
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 960
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnntacttgg ccctcctaat tgggtgttct 1020
cagtgaaaac gaggacactg ctaatatgct ttagaaaata gccctcacat tctccctgtt 1080
cccaatcccc cacttactct aagctcccca ggtagcaata attcagaagt caaattgctc 1140
agcactccta tggttcaagt gattcttgtg tctcagcctc ccaagtagct gggactacag 1200
gagcccacca ccacgcccag ttaatttttg tatttttag tagagatggg gtttcaccat 1260
gttgaccagg ctggtctcga actcctgacc tcaagtgatc cactggcctc ggcctccaaa 1320
agtgttggga ttacaggcgt gagccactgc gcccagcctc aaccttctag tgaaccctcc 1380
atgctctgtt atcttttatt cctcttggat ttttgttgtt tcttttcttt ttcttcttct 1440
ttttcttttc tttttttttt tttgagatgg agtttcattc ttgttgccca ggctggagtg 1500
caatggcaca accttggctc actgcaacct tcgcctcctg ggttcaagca atttgcctgc 1560
ctcagcctcc caagtagctg ggattacagg catgtgctac catgcctggc gaattttgta 1620
tttttagtag agacagggtt tctccgtgtt ggtcgggctg atctcaaact cccgacctca 1680
ggtgatcagc ccgccttggc ctcccaaagt gctgagatta caggcatgag ccaccacacc 1740
cagccttttt gttgtttctt ctgagagatt tcttcaactc aattttccaa cccttctatt 1800
aaatttttta aattccagat attctatttg cagccggcaa ggactcttcc tgcgctctgc 1860
ttgttttcca aagcattccg ttctagtttt tatgggagca tcatcctttc atgtctctaa 1920
ggataatcag agtggttaaa atgttcttga agttttcttc tgttccctgc agtagctctg 1980
tttcctccag tttcctcttt cccaagtgat tggtctgtct catataccta gaggtcttgc 2040
tttgcattca catctaaggg caaaaggcgc taggatgcag tgcggaggtc cattcgcttt 2100
gtcgtaaggt ttgtgccttt cttagtcctg cagtggttga gtaaaacctg accatcccac 2160
accctcaaat actaagtgcc cctgggtagt gatgtggagg ggccttctta ttaatgtgag 2220
gaaatgcttg tgttataggt tgtggtgaga aacgctggtt acaaaactat atcaaagtaa 2280
aaatgtatta atgcacagta aagacacctg gaaaaaaaat gccctttaat gctcacagaa 2340
ggtctctccg aggggcagcc ccaccaccct cctgtttccc ttcctgcatt tccacgtttt 2400
tctgggccca gatgcagcct cccctcccac ccctggtccc tccgccttgg cttccggctg 2460
tcgctttcat ccctcctcct catcagcccc ttgcagaact ccagggtggg gcttctgagt 2520
ctcgctggca gtatgggctc cataagtctt gctggacacc gaaattaagt tctgcaggtg 2580
ccgtctccag aatccccagc acagatagac aaacccacat ctcaggggtg gggggtgcag 2640
acctgccccc agnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 2700
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnntcccagc tgccctctgt 2760
ttatatgtct caccaatgtc aagggaaacc agaactggat agcagttgaa acacatattt 2820
tgttcgggac tattgtaata ggggaaaaaa gattttagta tagacctggg ctcaactctc 2880
aatgtggcac aggcaagtgg ggatttagat ctgaggagca gggcggggtc agtgggtgga 2940
aaattactgg cacgaaacac ctgtctggag gattctggct aaacccagga aacaggaagc 3000
ttgctgaggg caggcagggt tagcagacat cgcctggggg tggcggaggc tgagaaccct 3060
acccaggtaa aatgaagctt gctgacggca gacagggtta gcagacacgg cctggaggtg 3120
gcagaggcta aggaacctac ccaggtaaaa cgaagcttgc tgacggcaga cagggttagc 3180
agacacggcc tggaggtggc agaggctaag gaacctacca aggtaaaatg aagcttgctg 3240
aaggcagcca gggtgagcag atattgcctg ggggtggcgg aaactgagga ccctacccag 3300
gtaaaaggaa gcctgctgaa ggcaggcagg gtgagcagac attgcctgtg ggtagcagag 3360
gctgaggact ctacccaggt aacaggaatc ttgcttaagg caggcaaggt gagcagacat 3420
cgcctggggg tggcggaggc tgaggactct acccagataa caggaatctt gctgcgggca 3480
gccagggtga gcagacgtcg cctgggggtg gtggaagctg aggaccctac ccaggtaaaa 3540
ggaagcttgc tgaaggcagg caaggtaagc agacatcgcc tgggggtggc ggaggctgag 3600
gaccctgatc agatatgggg ggatggaggc ttcttgccaa actgacttag cagagttctt 3660
gctgaatctg gattttataa ggcagaatgc agatgagcct gtgagaaggt tctgaagccg 3720
gactacagtt tggtcaagca aacaatcttg tcatggattc agtcatataa ataagggtca 3780
cccagcccag gggaggtgcc ccaccccatc tgttccctct ccctccccac actgagtccg 3840
aacctttcag gctttgcccc cttcacacac tccaaattta ttcttctact tctcttcctg 3900
caggtaccag actccggcca cccagcgctt acctgggact gctgggcctc tgccccgtgg 3960
ggacctgtcc tccaggaaac aaggccagac acaggagggc agggaggact cttctccagg 4020
gccggtgcgc cgtctcttca gccccatggc acttgactta ggcagagcct acagcaccct 4080
caccccagtc cctgcagcca ccaggaggtg gtccccctca tcccattagc catcaccgcc 4140
attcacagag gtctcggact gaggctggca gggggagcac catgacccaa gatcagaacc 4200
ctgttgtctg tgcctctgga gaggtggggg caggagctga gggagggttt gggtggagag 4260
gggagaagat gcagtagcag gagcagatgc tggcaggtag agacaaactt ttatgacctt 4320
tgccttctga cctttgcctc tggccactgc tccaactaaa acagaatggc cccctctggg 4380
aacagggctt cctatgggct gggaagcatg gagcccccac agtgtggcta tgcaggggag 4440
tgaggaccag gtgggggcag gcctgtgggg gtcacagagc tgggctaagc ttcagaggga 4500
agtggcccct gggaggggga atggctgggg ttaagaccct gggttcccac gcccccaaaa 4560
cagaagtaga attagggaga aaggacccca aagaccaagg acggcaccta tcagaggagc 4620
tctccacggg caggaggtgt cccagggtga gggtggccag gacaggtcta gggaaatgca 4680
ggtggagcag gacccagaga tggattggag atgccggagg ggaggcttcc tagcgggagc 4740
ggagacaggc actgcagaca agtgtcagcg ggaggggctc tgggtgggga agaagactgg 4800
gacttggagg aagacctctc cagggagaag ggaggagggg gaaggagaag gggaggaagt 4860
gggaggagga gagtgctcat cctggaagcc acagcctcgg agagaacttt ctagaaggaa 4920

20262013390 25 Feb 2026

ggcatgacca tcagtgtccc aggatgctga gaggccagga aaggtgaggc ctcaaggcgc 4980
catggggttg tggtgacccc aagatcactg ggcacagagc agggatggct gggggtggaa 5040
ggggaggggc gcgggctgag gttctagggc cccaaagcca ggtgtgatgt ggctctaggg 5100
ggagtgagga aggggagaat gtccctctga gcgtgcctct tggggaaggc aggggttctg 5160
gctggggctt ctccactccc aggaaaggag gtggtgtgga aggagcgggt gggacggagg 5220
agagagcgcc ccgcggccgc aggaccagca ggtgggggac cagggtcagc gctgctggag 5280
gggccttagc gcgacaggac tggccagaga ccggggatgt ggcacagaaa gagttaaagg 5340
gcaccccagg gaccgccctg ccggtccacc catgtcaccc atgttggccc ctactccagc 5400
ccccgtctgc tctgcagggg aaggaaccgg gagccgcggt gggggcgact gggggtgtcg 5460
gtctttccag aaaatcaggc aggcatcagg aaagaagggg cgagaacccg gggacgcgag 5520
aggaaggggg cgagggggnn nnnnnnnnnn nnnnnnnnnn nnncgcgtcc cagggcgtcc 5580
cctcccggga ctgggaccca ccgcgaccac cacctgctgg gccagggtcc gcgggctcag 5640
gggtctgcag gattagggtc tgcggaacca ggacccgtgg gacaaaggtc tgtggggcgc 5700
gggtccgcgg ggtggaattc agcgcgccga gtctgcgtat ggccggggta cgaggcgctc 5760
cctgcgcagg gtgggcagga ccgaagctcg ccgggagctg cgcggagggc gggcggggac 5820
cctccggtgc cgctcccacc ccgcggggcc gcccccgagc ccgccctccg ccgccgccct 5880
cgccctcgtc gccgccggaa agtttgcacc gaccccgatc tggcagcgcc gcgaagacga 5940
gcggtcaccg gcgcccgacc cgagcgcgcc cagaggacgg cggggagcca agccgacccc 6000
cgagcagcgc cgcgcggtga gcacctgggc cgcggacccg aggggacgtt ggggagtcga 6060
cccggtgggg acagagaccg cggggcgggc gcggcggggc cgggggcgcg gggagcgggg 6120
agccggccgg gcggtctccg gggtccgggc tggtgcgctc ctcagtcccg tcagacaccc 6180
ccgttcccaa ccccggctcg gacaccaccc ggtcctgcac cgtcgggcag gtccaggggt 6240
ctcagcccct cccccgttct ctggtcctgg ggggcgcggc tgggggcggg ggtgtcgctg 6300
gccgcctggc gccctgcggc ggccacactg cagcggccac actccccact cagggccccg 6360
ggccccgccg ccctggggag cgcacaaagc gccgcggacg cgtccccgag gcgcggggtc 6420
tcaccagcgc tgtctccccct cggtgggctc ctgccccgag gactgcccgg tggcaccggc 6480
gcggcccagg atggggtgag gggtgtctgc gccccgcctg gccgctcctc ttccgcggcc 6540
cacactggcg actttgaccc cggcaagcgg gtcactgccc tgcccggctc cggccccccc 6600
ggcgccccac cacccggccg actcggccac cgggcttatg ctccgactct gaaccgactg 6660
accccggccc cctcggcgcc cgcatcctcc aaggaccggc cagggctgct ctctgccctt 6720
ggtattgggg acatcagggt tggggggtct gggtgcaccc acgcctgccc cgccccccacg 6780
gggtgagggc gcagggatag ggctttgtca acagcctgtg gcccctgatc ccgccccggt 6840
gccctgacct tccactacct tctctggttt cacaaaaaca tcccggctcc catcccggag 6900
ctcctcaaag cgtctgagag gccccttgcg gacgccctgg gagccccgct gccttcctgg 6960
accagtggcc gctccaccca tcctgggggc ccagctccag gtctgcgggt ccctcagccg 7020
cccccagtgg gaatcggtgg agcctgacgc agccaggagc gcccaagagt cacgtgttct 7080
gccagggagg acatgggaca ggacacgggg tgccagccct gcaaagcggc cggggcagtg 7140
gagctcaggt ggccctaagc cctggtggtg gctggtgtgg cccggcaggc agctgtggga 7200
gggaggaagg gggtggcatg cggtgggggt ctagagaagg cgggcagggc acctcgggag 7260
ccccccccatt gggcacctcg ggaacccccc acattgggca cctcgggaac cctcccattg 7320
ggcacctcgg gaacccccca cattgggcac ctcgggaacc cccgcattgg gcacctcggg 7380
aaccctccca ttgggcacct cgggaacccc cctattgggc acctcgggaa cccccacatt 7440
gggcacctcg ggaacccccc ctattgggca ccttgggaac ccctccccta attctcagct 7500
gactccaagg cctgagaagg agcttggtca cctggactgt gaaggtggag ggtggggtcc 7560
ctggtgggtc gtcccaccta ccagctgtgt cgccggaagg gtaatacgga gcactgtggc 7620
cccggggagc cccgagtggc agctccacag ctgggagttt ctgtccactc cttcagtcaa 7680
caaacattga tcctgggctg accggggccc gggggtgtca gtgtctcctc tcgggggaga 7740
gggctgggtg agatcaacag aggagcctcc cttcttccct tcaggctggt gtcaccttca 7800
gtgatggggc agggtcccca cttgggaagt taaatcgtcg tccccgtccc aggaccacag 7860
cagcctcagc cctgctctcc aggccaggct ctctcatggg tgctcagctg gaaattggtc 7920
ccccccccggc tccacccacc cctgttgggg tgaggagctg gagtctccct acccatatgg 7980
gacccaccac ccgcagggaa cggaggacgc tcacacttct gcacctcctg cctcactatc 8040
agagacccag tggagaattg cctcccacct cacctcttgt attcagaggc cctgacccct 8100
agggatccgg gactaggggt gccctatggg gagcccacct gtggcctgtg gatgctgagc 8160
tgtcgggggа atcctccagg atccccagcc ccaccttccc aaccttctgt tgaggctgag 8220
gggacacaga gccccactcc tgggtcctga ctgtttcaaa gaaaggcctg ggggactggg 8280
cagccaaccc ctccctcggc tcgctggggt ctccagactg gctgcccggc tggaaggtgg 8340
ggccctggca cgcgaggacc tcatgtgtgg aggcactggc ttgggggggtg ctcccagtgg 8400
ctctagagtc aacatgacag gcatcgaatg gctcctgttt ctctggcaga gttggggcag 8460
agccaggctt ggccacgctg ggctctaagg ggctgtcatt ttgcccaggg agctcctggc 8520
tgggtggtcc tccccccagg gtgagcacgc gtccccccca cccccacttc gaggcgccca 8580
ggcagggaac agctcattgg ccagtgtcct tcctccttgt cccccgcctg catctccacc 8640
atccaccctg ctccagctgc cccttgtccc tctccccgtc ccctgcccag agccccaggt 8700
ctcccctgca cccctgagcc tgcccaccta gcagtgcccc tcgtccaggg ccccctctggg 8760
ttgggggtgc acacagtggg gagaggcggc tcctgctgct cctcacccag cccggctcag 8820
tggccggagc cgcccaggac agtggcagta gatggggctg tttgatcagg atcagggaag 8880
ataaggcccc ttgcgtgacc ccagagctgg ggacgccaaa actgcccctc ctcccccacc 8940
cgcctgccgc tgtctccgcc agggagaggc ccctactctg tgggtccttc gccccagcac 9000
caagcctgca tggctgctca cctggctcag gaactgggga tcagcgacac acgggtcctg 9060
cctcccatcg gcccctacat gagcccaggg tccaagggct gcggttggga gctctttagc 9120
agtctgtgac gcaggtgcct gtccctgtca ttcagctgtc acactgcttg gggcatctca 9180
ggccccgtta gcggggcagc cctgggtgga gctggcccca cgcgggctca cccagccgct 9240
acctggagga ggctaaaatc caggctgtcc cgtggcagcc agcagtccag gcctgcccgg 9300
aaaccctctg ctccagctgc agccttcgcc catctccttg cccctctccc cggcttcccc 9360
ctggcactgc cttccagctg gctggccctc catctgccca gccatccatc cacacctctt 9420
attccatttg agggtgcccc aaagaagagc ccgtaacagc ccgggggctc atagccagcc 9480

20262013390 25 Feb 2026

actcgcggga ccccgcacat gcacgtggac ccacaggaag accctccctg cttctcccac 9540
agaattcagt tggtgcagaa actgggctct gtagcaacga aaggccgatt tgtgtagctg 9600
ttgccacccc gaactcccag ctcagatgct ggctgtggca tggggaccag gggctgtgac 9660
tcccacagcc ctggcaggca ccacggggga tgtcctcccc accctgtgcc cccaccctag 9720
gccagctcct cctccaagtc gacgcccgca gtgctaacct caaaggactg tgcagccagc 9780
ctgtggcgtc ccatgggatc caggaagccc aaccgagcct tgcacggcac ccacgaggca 9840
cctaggcacc ccggtgctgg gcaggggcca cacatgtgac acagacccct gagtgtgggc 9900
cccacacact tggcctggca cagctgcaag ccagcccagc cactttgctc gctgtggcac 9960
tggggccaag tgatggaagg tccaggcacc gccaccctca cgcttggcac attggctcag 10020
gtcagcctgg caagccagct ttcccagggg ctaagaatag gtgaggagga tggtgaggaa 10080
gcagccgggg gctgtcaact gagggaggag gtcaccatct ggggaggctg gtcccccacc 10140
caagagcatt gggtcaccct gcaggaaggt ggctgccacc agcaatgaga cgaggggctc 10200
tgcgaccctc agagctgcca gccagccagc cctgggtggc aagagtgact cctcctgggg 10260
tctcctccct cctatcgccc tctttttttt ttttttttt tttgagacgg agtctcgctc 10320
tgtcacccag gctggactgc aatggcgcaa tctccgctca ctgcaagctc tgcctcccgg 10380
gttcacatca ttctcctgcc tcaagctccc gagtagctgg gactacaggc gcctgccacc 10440
acgcctggct aatttttttgt atttttagta gacatggggt ttcactgtgt tagccaggat 10500
ggtctcaatc tccagacctc gtgatccacc cccctcggcc tcccaaagtg ctgggattac 10560
aggtgtgagc caccacgccc agcccccagc tccctcttta tccctaggac cctgaggctc 10620
agaggggcag cttcagggga ggacacccca ctggccagga cgccccaggc tctgctgctc 10680
tgccactcag ctgccctcgg aggagcgtac acacccacca ggactgcatt gccccagctg 10740
tgcagcccct gccagatgtg ggaggcagct agctgcccag aggcatgccc ccctgccagc 10800
cacagcgacc cctgctgctg ttgctgctgc tgctggcctg ccaggtgagg actcacagca 10860
ccctcagcac ccaggggccc tcctgtgagg actgcacact gatggctctc tgtctgcctg 10920
cctgcctgcc tgcctgtctg cctgcctgtc tgtctgtctg cccgtctgcc tgcccatctg 10980
cctgtctgtc tgcctgtccg tctgtctgtc catctgtcca tctgcctatc catctgcctg 11040
cctgtctgcc tgtccgtctg cctgtctgtc tgcctgtcca tctgtccatc tgcctatcca 11100
tctgcctgcc tgtctgtcgg cctgcctgcc tgcctgtctg tctgctgcct gtctgtccgt 11160
ctgcctgtct gcctgtccgt ctgcctgcct gtccgtctgc ctgtccgtct gcctgcctgc 11220
ctgtctgtct gcctgcctgt ctgcctgcct gtccgtctgc ctgtccgtct gcctgcctgt 11280
ctgcctgcct gtctgcctgt ctgcccgtct gcctgtctgt ctgcctgtcc gtctgcctgt 11340
ctgtccgtct gtccatctgc ctatccatct gcctgcctat ctgtctgtcc gtctgcctgc 11400
ctgtctgtct gcctgtctgc ctgtctgtct gcctgtctgt ccatctgcct atccatctac 11460
ctgcctgcct gtctgcctgt ctgtctgcct gtctgtctgc ctgcctgtct gtctgtctgt 11520
ctggttgctt gtgcatgtgt cccccagcca caggtcccct ccgctcaggt gatggacttc 11580
ctgtttgaga agtggaagct ctacggtgac cagtgtcacc acaacctgag cctgctgccc 11640
cctcccacgg gtgagccccc cacccagagc ctttcagcct gtgcctggcc tcagcacttc 11700
ctgagttctc ttcatgggaa ggttcctggg tgcttatgca gcctttgagg accccgccaa 11760
ggggccctgt cattcctcag gcccccacca ccgtgggcag gtgaggtaac gaggtaactg 11820
agccacagag ctggggactt gcctcaggcc gcagagccag gaaataacag aacggtggca 11880
ttgccccaga accggctgct gctgctgccc ccaggcccag atgggtaata ccacctacag 11940
ccccgtggag ttttcagtgg gcagacagtg ccagggcgtg gaagctggga cccaggggcc 12000
tgggagggct cgggtggaga gtgtatatca tggcctggac acttggggtg cagggagagg 12060
atagggctgg aggactcacc cgggaggcag tgcctgggtt cggatgaggg aggcagccac 12120
cactgggcag agggggggcag gtgtggcagc ctccattggg cagagggagc agatgtggca 12180
gccacaggtt tggcgatgca cctgggaagg atgaaaatgg cattggggtt cagcccccag 12240
agagggaggt gctgagagaa ggtcacggag aatgggggac cccagtgtgg gtttggggca 12300
catttgagat ggggggtctc caagggaagg tgtcctgcag agctgcaatt cagggctggg 12360
ctgggcgtgc tagcggaggc tggtccaggg gaggtggatg gtcaggtgag gaaggtggag 12420
gtcagatggg ggaggtggag gtcaagtggg ggagggagca gcccaggcca tgtcctgggc 12480
gaggtgacgg ccgagctcag gcttccagag agaggagaga ggcctgctga gggagcccct 12540
tctcccaccc tgccctgccc tgctctgccc tgccctaccc taccctgcag agctggtgtg 12600
caacagaacc ttcgacaagt attcctgctg gccggacacc cccgccaata ccacggccaa 12660
catctcctgc ccctggtacc tgccttggca ccacaaaggt acccatagag gggaggaact 12720
gtgggggggg cgggcccagg gtggggctga ccccagcctc cccccacacc cccagtgcaa 12780
caccgcttcg tgttcaagag atgcgggccc gacggtcagt gggtgcgtgg accccggggg 12840
cagccttggc gtgatgcctc ccagtgccag atggatggcg aggagattga ggtccaggtc 12900
agtgggcggc aggcaggcgc ggtggggctg gatgggaacg ggcatggggg cccctgcctg 12960
gccctcacag gccactgtaa ctcgcagaag gaggtggcca agatgtacag cagcttccag 13020
gtgatgtaca cagtgggcta cagcctgtcc ctgggggccc tgctcctcgc cttggccatc 13080
ctgggggggc tcaggtagga ttccgccagc gcccggggcg gccgcagagg acagggagga 13140
ggacgggcgc tgactggctg tgcccacagc aagctgcact gcacccgcaa tgccatccac 13200
gcgaatctgt ttgcgtcctt cgtgctgaaa gccagctccg tgctggtcat tgatgggctg 13260
ctcaggaccc gctacagcca gaaaattggc gacgacctca gtgtcagcac ctggctcagt 13320
gatggagtga gccccccctcg gcggccccag gcaggtgggt gggtgggcag ccaggcaggt 13380
ggccacgtag ccgcgctcac actgcacctg taccaggcgg tggctggctg ccgtgtggcc 13440
gcggtgttca tgcaatatgg catcgtggcc aactactgct ggctgctggt ggagggcctg 13500
tacctgcaca acctgctggg cctggccacc ctccccgaga ggagcttctt cagcctctac 13560
ctgggcatcg gctggggtga gtgggctggc atgagagggg gttaaggcag gctgaccaag 13620
cctttgggac cacagctgct gccccccaca ggtgccccca tgctgttcgt cgtcccctgg 13680
gcagtggtca agtgtctgtt cgagaacgtc cagtgagtat gagcggctgg acagcctggg 13740
gagggaccgg ggggctgggg tgcggcgctc tggcctgagg cagggagggg ccggggatga 13800
gcctggtgcc tggggagggg gtcatttgtg accttctccc ttccttttct gagacccgaa 13860
ttagatcctg gcaaaatcgg gacgggggtg ctgaggggcg gaggggctgg gggctgtgcc 13920
ccagtatgtg agtggcctgg cctcgcaggt gctggaccag caatgacaac atgggcttct 13980
ggtggatcct gcggttcccc gtcttcctgg ccatcctggt gaggaaatga agagccagga 14040

20262013390 25 Feb 2026

gcgcacccca ggcccctcct cccttggcgt cctgaggctg ccccaggaga cagcagcatc 14100
ctgtctgaga gcgctgggag ggagccggca cccagacagg acaccaggac actggccagc 14160
accctggaca ctgagccagg ctgttcctcc ctggctgtgt gcccaccagc cccagggcta 14220
tgtggcccag ggcctatctt gctgccaggc ccacctgcag gagggtcagg tggggccttc 14280
caagggcaca gagctgttcc ctggggctcg ggatgcccct gactcgcacc cttctcacac 14340
agatcaactt cttcatcttc gtccgcatcg ttcagctgct cgtggccaag ctgcgggcac 14400
ggcagatgca ccacacagac tacaagttcc ggtgggtgcc gcggcagctg gcgtctcgag 14460
acctggagac cctcagggcc agagggcagc tgggggtggg gactccaagc tccacgtgga 14520
tggtgcgggc cgagggtggg ggcggtgggt gactcaggcg ctgcctctgc aggctggcca 14580
agtccacgct gaccctcatc cctctgctgg gcgtccacga agtggtcttc gccttcgtga 14640
cggacgagca cgcccagggc accctgcgct ccgccaagct cttcttcgac ctcttcctca 14700
gctccttcca ggtgcccgcc cgcccgccgg ctcccccgcc cggggcgcag tgtgccaccc 14760
ctgaccaccc tgtctctcca gggcctgctg gtggctgtcc tctactgctt cctcaacaag 14820
gaggtaggtg ggagtggggg catctgagac catcagcact ggccgtcggg gtcaggggca 14880
gagagaggca cagggatgcc agccccaccc ctgcccgggg gttggaacac gtggggccca 14940
agcctttccc tccccctgct cttattgggt gcagttgcca tggcgctggg tgtcaggccc 15000
ccaggacagg ttggcctcag ccccatcgct acggtgtcca ccgtgggggt ccccaggtgt 15060
ctgcagactg ctttccgtgg cgatgctggg tggcatagct gtgcccagca gggagcttgt 15120
gtcgctctgc acccctcaga gcggagactg ggcatctccg atgaggccca cagcaggtcc 15180
cggtggggtg gagaggacag gcaggcccta ggactggcct gccccgtccc cctccccagg 15240
tgcagtcgga gctgcggcgg cgttggcacc gctggcgcct gggcaaagtg ctatgggagg 15300
agcggaacac cagcaaccac agggcctcat cttcgcccgg ccacggccct cccagcaagg 15360
agctgcagtt tgggaggggt ggtggcagcc aggattcatc tgcggagacc cccttggctg 15420
gtggcctccc tagattggct gagagcccct tctgaaccct gctgggaccc cagctagggc 15480
tggactctgg cacccagagg gcgtcgctgg acaacccaga actggacgcc cagctgaggc 15540
tgggggcggg ggagccaaca gcagccccca cctacccccc acccccagtg tggctgtctg 15600
cgagattggg cctcctctcc ctgcacctgc cttgtccctg gtgcagaggt gagcagagga 15660
gtccagggcg ggagtggggg ctgtgccgtg aactgcgtgc cagtgtcccc acgtatgtcg 15720
gcacgtccca tgtgcatgga aatgtcctcc aacaataaag agctcaagtg gtcaccgtgc 15780
atgtcctgga aagcagggct ggaaatgctg gggccgaagc agtgggggat ggaacagcgg 15840
tgggtggtca gcgccagtgc gggctgttga agggtccccc tgctgtccca gttcactcag 15900
agttggcact ggaaccccgg aggatcccga aggcagccag cctgtgccca tctgagcagg 15960
tcctggccac cttcccatcc tggttctggc gggcagtccc cctggacgct ttggccacca 16020
gagggtcacc attcaccagc agagacgtga ggggcacagt ggctaaggcg gcatgaggca 16080
tcacagtccc ctgaccgacc ccatcagcac tggattcacc cgagggcgtc ttctccctgg 16140
aggccgtgag gacactggca cctggctcat cggcccgccc ttcctctgag cctcctggcc 16200
tccgtttcat ctcagctcca gccccctcgg gcaatttaca ggccacgtag cagattgaag 16260
cgggaagaaa tgggcctgaa cattgccgcg ggtccaggcg acggaggagg gcaggttgcc 16320
caacttctgc acaggacccg gggtgcgcca cacacacgcc agtcctcgtg ccacacagag 16380
aggtccggcc tacgccagtc ctcgtgccac acagagaggt ccggcctacg ccagtcctcg 16440
tgccacacag agaggtccgg cctacgccag tcctcgtgcc acacagagag gtccggccta 16500
cgccagtcct cgtgccacac agagaggtcc ggcctacgcc agtcctcgtg ccacacagag 16560
aggtccggcc tacgccagtc ctcttgccac ctcgtggtgg gtgggcgccc tgcttgccag 16620
ccagggagca ccaggaaaga gctgcctcct gcgtgctgga cacaggaggt gcttcagggt 16680
ggggtctccc attgtgtggg gcccaacctg agtctaaggg cccagggacc acacagcggg 16740
ggtggagaca aattcagggt agaagctgtg aggggcctgt ggtcagcccc ccgggggggtc 16800
cctgcagcag gcactgtgag acctactgag gtgtgtgcat gggctgggga aggagccagt 16860
caggtgcccc tgctctgagg agctgctggg aagtgctgct gggccctggg ggaaggggtg 16920
ctcacagccc ctgcctgggc cacgtgggct ggagccgctc aggcagagcc ggactaattg 16980
gggcaaatga ggggacagga ggcctctgag gaaaggtaaa tagaattact cacccgccag 17040
gcactggggc cctcctgggg gggccctcac cctgccaccc accacagggc ctgcatgcag 17100
cagggaggga agtgagctga ttaggcaagg ctggaccctt ctggggccct ggggttgctg 17160
tgattgggac ggcaaggcca ggagacggtc ccctgagctg cacctgctgg aggcctgtga 17220
tctcagacct taaggcttca ggccagctct acgcccctcc ggcctcaggt cctggctctc 17280
ctctgagccc tggatgcccg ggtgcctgtg tgggcacgag gctgctccga gtcagcacac 17340
ggaggtggac attctccttc atgccagctg agctcagggc tggtgactgc cctggggaaa 17400
ctgcccctca cctgggacct cctgacagcc ctccccattc ccgagtccct ctgcccttgt 17460
cctctttcac ctctgtcccg ccctcatccc taagggaact ggagcaggct ggtggagttg 17520
ggtggagttg gggactggca gggggtggac tcacccaggc aataaacact ggccctaacc 17580
aggcagtcct gcaggcaggt aggtggaggg actgtttttt ttctttttttg gagatagagt 17640
ctcactctgt tgcccaagtt ggagtgcagt ggcatgatct tggctcactg caaactccac 17700
ctcccaggtt catgtgattc tctgcctcag cctcccgagt agctgggatt ataggcgtgt 17760
gccacgacac ctggctaatt ttttttttttt ttttttgag acggagtttc actctcgttg 17820
cccaggctgg agctcaatgg cgcgatctca gctcaccgca acctccgcct cccaggttca 17880
agcgattctc ctgccttagc ctccctagta gctgggatta caggcaggta tgtgatgccc 17940
ggcatcccaa aggggtatct gcaagagttg ggtgctgtgt gtgcatggct gggaggaaga 18000
tgactttgat accctggaat ctggtgtctg tggacacaaa aatactacta aaatgagagt 18060
ggagaccagg aaaaaggaag acatgaacta catgaaggac caaatctagg agagtcagaa 18120
gtgcgtcaca ggaatagggg accttgagcc agacagaagg ctcagcagag acaccctcaa 18180
ggggatgaaa gggattgagt gcactaatat ttagaggaga gagttcagga cttgattagt 18240
gactagtaca tagaaaacta aacaaatgag gctgggtgca gtggctcatg cctgtaatcc 18300
cagcactttg gggggccaag gcgggcgaat cacctgaggt caggagttcg agaccagcct 18360
ggccaacatg gtgaaacctc gtctctactg aaaatacaaa aattagccgg gcgtggtggc 18420
gggcgcctgt agtcccagct acttgggagc ctgaggcagg agaatcgctt gaacctggga 18480
ggcggaggct gctgtgagcc aagatggtgc cattgcactc caccctgggt gacagagcaa 18540
gactccgtct caaaaaaaaa aaaaaagaaa gaaaaaacca agcaaatgaa aaaagaaggc 18600

2026201390 25 Feb 2026

		aattaataat tccaaagaaa agaaaaattt gggcagaaaa gaacaaaaca agcagaattt 18660 accatgactc agttctgaat acaaacacag acatcataat gtaaacacca acactgatgc 18720 aaccagaatc atgggagaaa aaagatctag ggagggtggt ggacgggaat atcacgtatg 18780 tactgggggt aggggagaga acaaaatggg aaaaatcaag aataattcac gttagaaata 18840 aaaatacaga gcaaaattta aaaatgcaaa gaatgaggtg aagagttcaa agtggtcacc 18900 tcggggccgg gcgcggtggc tcacgcctgt gatcccagca ctctgggagg ctgaggcggg 18960 cggatcacaa ggccaggagt ttgagaccat cctggctaac aaggagaaac cccatctcta 19020 ctaaaaatta gccaggcgtg gtggtgggcg cctgtagtcc cagctactcg ggaggctgag 19080 gcaggagaat ggcgtgaacc caggaggcgc agcttgcagt gagccgagat cgcgccactg 19140 cactccagct tgggcaacag agtgagactc cgcctcaaac aaaacaaaac aaaacaaaaa 19200 aacaaagtgg tcatctctag gcaaggtggg tgggagatgg ctagggctgc aggtccacta 19260 cgtgagctgg ctcagcctat ccccagacac cctgcactca ctcagcccgg ggtcctcccc 19320 ctgcactcac tcagccccgg gtcctcccct gcactcactc agccccgggt cctccccctg 19380 cactcactca gccccgggtc ctcccctgcc tgctctttct ctgaccctgc cctccactgt 19440 tccttttttct tctttctctc cctgttgtgt ccaggaacca ggcaccaccc tcatttcttc 19500 ttgatcaatc tttaaaaacc agcagtgctc agctaactct tcatctatct cccccgacct 19560 ggggctctgc tgaatccacg ctttagaccc agctatcagc tcggcatgta cagctggatg 19620 tccacaccga gctgctcacc ctgtccccag cttcttcctc ccactgtcca ctgcagaagc 19680 ctcctaacag gacccctgct gctaccccgg accctgcaac ccattcccac acagcagcca 19740 gatgctttga cacccgaagt ctcctatgaa tccgatgagg cctctgcacc acacctcatt 19800 ttacagaagt acaggggaaa caggggtctg ttgacaccac agagatgcag ctggccaaag 19860 gcagaatgtg gggtacacga ctgtcaaacg ccaggggtcc ttacacgaat ggtggaaaaa 19920 gaggggcatg ttacggatgg aggctcggga cacatgggcg ccgccttccc atgctgccag 19980 caacccacca ggaacctatt a 20001
3-12	**Sequences**	
3-12-1	Sequence Number [ID]	12
3-12-2	Molecule Type	DNA
3-12-3	Length	3182
3-12-4	Features	**source 1..3182**
	Location/Qualifiers	mol_type=genomic DNA
		organism=Hepatitis B virus
	NonEnglishQualifier Value	
3-12-5	Residues	aattccacaa cctttcacca aactctgcaa gatcccagag tgagaggcct gtatttccct 60 gctggtggct ccagttcagg agcagtaaac cctgttccga ctactgcctc tcccttatcg 120 tcaatcttct cgaggattgg ggaccctgcg ctgaacatgg agaacatcac atcaggattc 180 ctaggacccc ttctcgtgtt acaggcgggg tttttcttgt tgacaagaat cctcacaata 240 ccgcagagtc tagactcgtg gtggacttct ctcaattttc tagggggaac taccgtgtgt 300 cttggccaaa attcgcagtc cccaacctcc aatcactcac caacctcctg tcctccaact 360 tgtcctggtt atcgctggat gtgtctgcgg cgttttatca tcttcctctt catcctgctg 420 ctatgcctca tcttcttgtt ggttcttctg gactatcaag gtatgttgcc cgtttgtcct 480 ctaattccag gatcctcaac caccagcacg ggaccatgcc gaacctgcat gactactgct 540 caaggaacct ctatgtatcc ctcctgttgc tgtaccaaac cttcggacgg aaattgcacc 600 tgtattccca tcccatcatc ctgggctttc ggaaaattcc tatgggagtg ggcctcagcc 660 cgtttctcct ggctcagttt actagtgcca tttgttcagt ggttcgtagg gctttccccc 720 actgtttggc tttcagttat atggatgatg tggtattggg ggccaagtct gtacagcatc 780 ttgagtccct ttttaccgct gttaccaatt ttcttttgtc tttgggtata catttaaacc 840 ctaacaaaac aaagagatgg ggttactctc tgaattttat gggttatgtc attggaagtt 900 atgggtcctt gccacaagaa cacatcatac aaaaaatcaa agaatgtttt agaaaacttc 960 ctattaacag gcctattgat tggaaagtat gtcaacgaat tgtgggtctt ttgggttttg 1020 ctgccccatt tacacaatgt ggttatcctg cgttaatgcc cttgtatgca tgtattcaat 1080 ctaagcaggc tttcactttc tcgccaactt acaaggcctt tctgtgtaaa caatacctga 1140 acctttaccc cgttgcccgg caacggccag gtctgtgcca agtgtttgct gacgcaaccc 1200 ccactggctg gggcttggtc atgggccatc agcgcgtgcg tggaaccttt tcggctcctc 1260 tgccgatcca tactgcggaa ctcctagccg cttgttttgc tcgcagcagg tctggagcaa 1320 acattatcgg gactgataac tctgttgtcc tctcccgcaa atatacatcg tatccatggc 1380 tgctaggctg tgctgccaac tggatcctgc gcgggacgtc ctttgtttac gtcccgtcgg 1440 cgctgaatcc tgcggacgac ccttctcggg gtcgcttggg actctctcgt ccccttctcc 1500 gtctgccgtt ccgaccgacc acggggcgca cctctcttta cgcggactcc ccgtctgtgc 1560 cttctcatct gccggaccgt gtgcacttcg cttcacctct gcacgtcgca tggagaccac 1620 cgtgaacgcc caccgaatgt tgcccaaggt cttacataag aggactcttg gactctctgc 1680 aatgtcaacg accgaccttg aggcatactt caaagactgt ttgtttaaag actgggagga 1740 gttgggggag gagattagat taaaggtctt tgtactagga ggctgtaggc ataaattggt 1800 ctgcgcacca gcaccatgca acttttcac ctctgcctaa tcatctcttg ttcatgtcct 1860 actgttcaag cctccaagct gtgccttggg tggctttggg gcatggacat cgacccttat 1920 aaagaatttg gagctactgt ggagttactc tcgtttttgc cttctgactt ctttccttca 1980 gtacgagatc ttctagatac cgcctcagct ctgtatcggg aagccttaga gtctcctgag 2040 cattgttcac ctcaccatac tgcactcagg caagcaattc tttgctgggg ggaactaatg 2100 actctagcta cctgggtggg tgttaatttg gaagatccag catctagaga cctagtagtc 2160 agttatgtca acactaatat gggcctaaag ttcaggcaac tcttgtggtt tcacatttct 2220 tgtctcactt ttggaagaga aaccgttata gagtatttgg tgtctttcgg agtgtggatt 2280 cgcactcctc cagcttatag accaccaaat gcccctatcc tatcaacact tccggaaact 2340 actgttgtta gacgacgagg caggtcccct agaagaagaa ctccctcgcc tcgcagacga 2400 aggtctcaat cgccgcgtcg cagaagatct caatctcggg aacctcaatg ttagtattcc 2460 ttggactcat aaggtgggga actttactgg tctttattct tctactgtac ctgtctttaa 2520 tcctcattgg aaaacaccat cttttcctaa tatacattta caccaagaca ttatcaaaaa 2580

20262013390 25 Feb 2026

		atgtgaacag tttgtaggcc cacttacagt taatgagaaa agaagattgc aattgattat 2640 gcctgctagg ttttatccaa aggttaccaa atatttacca ttggataagg gtattaaacc 2700 ttattatcca gaacatctag ttaatcatta cttccaaact agacactatt tacacactct 2760 atggaaggcg ggtatattat ataagagaga aacaacacat agcgcctcat tttgtgggtc 2820 accatattct tgggaacaag atctacagca tggggcagaa tctttccacc agcaatcctc 2880 tgggattctt tcccgaccac cagttggatc cagccttcag agcaaacaca gcaaatccag 2940 attgggactt caatcccaac aaggacacct ggccagacgc caacaaggta ggagctggag 3000 cattcgggct gggtttcacc ccaccgcacg gaggcctttt ggggtggagc cctcaggctc 3060 agggcatact acaaactttg ccagcaaatc cgcctcctgc ctccaccaat cgccagacag 3120 gaaggcagcc taccccgctg tctccacctt tgagaaacac tcatcctcag gccatgcagt 3180 gg 3182
3-13	**Sequences**	
3-13-1	Sequence Number [ID]	13
3-13-2	Molecule Type	RNA
3-13-3	Length	3318
3-13-4	Features	**source 1..3318**
	Location/Qualifiers	mol_type=mRNA
		organism=Homo sapiens
	NonEnglishQualifier Value	
3-13-5	Residues	gtgatgcgta gttccggctg ccggttgaca tgaagaagca gcagcggcta gggcggcggt 60 agctgcaggg gtcggggatt gcagcgggcc tcggggctaa gagcgcgacg cggcctagag 120 cggcagacgg cgcagtgggc cgagaaggag gcgcagcagc cgccctggcc cgtcatggag 180 atggaaaagg agttcgagca gatcgacaag tccgggagct gggcggccat ttaccaggat 240 atccgacatg aagccagtga cttcccatgt agagtggcca agcttcctaa gaacaaaaac 300 cgaaataggt acagagacgt cagtcccttt gaccatagtc ggattaaact acatcaagaa 360 gataatgact atatcaacgc tagtttgata aaaatggaag aagcccaaag gagttacatt 420 cttacccagg gcccttgcc taacacatgc ggtcactttt gggagatggt gtgggagcag 480 aaaagcaggg gtgtcgtcat gctcaacaga gtgatggaga aaggttcgtt aaaatgcgca 540 caatactggc cacaaaaaga agaaaaagag atgatctttg aagacacaaa tttgaaatta 600 acattgatct ctgaagatat caagtcatat tatacagtgc gacagctaga attggaaaac 660 cttacaaccc aagaaactcg agagatctta catttccact ataccacatg gcctgacttt 720 ggagtccctg aatcaccagc ctcattcttg aactttcttt tcaaagtccg agagtcaggg 780 tcactcagcc cggagcacgg gcccgttgtg gtgcactgca gtgcaggcat cggcaggtct 840 ggaaccttct gtctggctga tacctgcctc ttgctgatgg acaagaggaa agacccttct 900 tccgttgata tcaagaaagt gctgttagaa atgaggaagt ttcggatggg gctgatccag 960 acagccgacc agctgcgctt ctcctacctg gctgtgatcg aaggtgccaa attcatcatg 1020 ggggactctt ccgtgcagga tcagtggaag gagctttccc acgaggacct ggagccccca 1080 cccgagcata tccccccacc tccccggcca cccaaacgaa tcctggagcc acacaatggg 1140 aaatgcaggg agttcttccc aaatcaccag tgggtgaagg aagagaccca ggaggataaa 1200 gactgcccca tcaaggaaga aaaaggaagc cccttaaatg ccgcacccta cggcatcgaa 1260 agcatgagtc aagacactga agttagaagt cgggtcgtgg ggggaagtct tcgaggtgcc 1320 caggctgcct ccccagccaa aggggagccg tcactgcccg agaaggacga ggaccatgca 1380 ctgagttact ggaagccctt cctggtcaac atgtgcgtgg ctacggtcct cacggccggc 1440 gcttacctct gctacaggtt cctgttcaac agcaacacat agcctgaccc tcctccactc 1500 cacctccacc cactgtccgc ctctgcccgc agagcccacg cccgactagc aggcatgccg 1560 cggtaggtaa gggccgccgg accgcgtaga gagccgggcc ccggacggac gttggttctg 1620 cactaaaacc catcttcccc ggatgtgtgt ctcacccctc atccttttac tttttgcccc 1680 ttccactttg agtaccaaat ccacaagcca ttttttgagg agagtgaaag agagtaccat 1740 gctggcggcg cagagggaag gggcctacac ccgtcttggg gctcgcccca cccagggctc 1800 cctcctggag catcccaggc gggcggcacg ccaacagccc ccccccttgaa tctgcaggga 1860 gcaactctcc actccatatt tatttaaaca atttttccc caaaggcatc catagtgcac 1920 tagcattttc ttgaaccaat aatgtattaa aatttttga tgtcagcctt gcatcaaggg 1980 ctttatcaaa aagtacaata ataaatcctc aggtagtact gggaatggaa ggctttgcca 2040 tgggcctgct gcgtcagacc agtactggga aggaggacgg ttgtaagcag ttgttattta 2100 gtgatattgt gggtaacgtg agaagataga acaatgctat aatatataat gaacacgtgg 2160 gtatttaata agaaacatga tgtgagatta ctttgtcccg cttattctcc tccctgttat 2220 ctgctagatc tagttctcaa tcactgctcc cccgtgtgta ttagaatgca tgtaaggtct 2280 tcttgtgtcc tgatgaaaaa tatgtgcttg aaatgagaaa ctttgatctc tgcttactaa 2340 tgtgccccat gtccaagtcc aacctgcctg tgcatgacct gatcattaca tggctgtggt 2400 tcctaagcct gttgctgaag tcattgtcgc tcagcaatag ggtgcagttt tccaggaata 2460 ggcatttgcc taattcctgg catgacactc tagtgacttc ctggtgaggc ccagcctgtc 2520 ctggtacagc agggtcttgc tgtaactcag acattccaag ggtatgggaa gccatattca 2580 cacctcacgc tctggacatg atttagggaa gcagggacac cccccgcccc ccacctttgg 2640 gatcagcctc cgccattcca agtcaacact cttcttgagc agaccgtgat ttggaagaga 2700 ggcacctgct ggaaaccaca cttcttgaaa cagcctgggt gacggtcctt taggcagcct 2760 gccgccgtct ctgtcccggt tcaccttgcc gagagaggcg cgtctgcccc accctcaaac 2820 cctgtggggc ctgatggtgc tcacgactct tcctgcaaag ggaactgaag acctccacat 2880 taagtggctt tttaacatga aaaacacggc agctgtagct cccgagctac tctcttgcca 2940 gcattttcac attttgcctt tctcgtggta gaagccagta cagagaaatt ctgtggtggg 3000 aacattcgag gtgtcaccct gcagagctat ggtgaggtgt ggataaggct taggtgccag 3060 gctgtaagca ttctgagctg ggcttgttgt ttttaagtcc tgtatatgta tgtagtagtt 3120 tgggtgtgta tatatagtag catttcaaaa tggacgtact ggtttaacct cctatccttg 3180 gagagcagct ggctctccac cttgttacac attatgttag agaggtagcg agctgctctg 3240 ctatatgcct taagccaata tttactcatc aggtcattat tttttacaat ggccatggaa 3300 taaaccattt ttacaaaa 3318

2026201390 25 Feb 2026

3-14	**Sequences**	
3-14-1	Sequence Number [ID]	14
3-14-2	Molecule Type	DNA
3-14-3	Length	78001
3-14-4	Features	**source 1..78001**
	Location/Qualifiers	mol_type=genomic DNA
		organism=Homo sapiens
	NonEnglishQualifier Value	
3-14-5	Residues	cagattccgg gtctcatccc tagaccaaag atatctgaat catttggcga tgggtccagg 60 aacctgcatt attcaacaca cttcccaggt gaccgtaaat gtcaaaagac aaaattacaa 120 caaacttaaa catcttaatt ggcttcattc atgattctag aatcgggcaa gacttcattc 180 ctcaaaatag cacaagtgtc ccaatgagct gagcagagga ggttggtttt atagacagaa 240 aagggctgaa aaaagcagaa acaaagaaca aaaagcagat tggtcatttc aaagttactt 300 tccttgtaag gcaggaacag ggaaacagaa caagagagaa ataactgatt ggtcgcatcg 360 ggttacttca ggttacttttt tgttgtaagg attaaagcaa agggaacttc attatgttga 420 ttaaaacggt ctgcttggga aatcagggtg tgtatctctc ttctgatttt gtgaaaggtt 480 atcagtctga tgatgtagaa ctttagcatg agtgactcca ttttgatttt tagtctagtc 540 tgttgagacc ctaatgccag aacttttttt gtttgtttgt ttcgctcttg ttgcccaggc 600 tggagtgcag tggagctatc ttggctcact gcaacctctg cctccagggt tcaagcgatt 660 ctcctgcctc agcctcccaa gtagctggga ttacaggcat gcgccaccac gcccggctaa 720 ttttttttttt ttttttttttt tttagcagaa accgagtttc accatgttgg tcaggctggt 780 ctcggactct tgacctcagg tgatccacct gcgtcggtct cccaaagtgc tgggattaca 840 ggtgtgagcc accacaccca gccctttttt ttcaagacag ggtctctctc tgccacccaa 900 ggtggagtgc agtggcgcca aaacagctca ctgcagcttc cacctcctgg gctcaggtga 960 tcttcctgcc tcagcctccc cagcagctgg gccccaccac accggctaat tttttaactt 1020 ttagtagtga cgaggtctga ttctgttacc caggctggtc tggaactcct ggcctcaaga 1080 catccgcctg cctctgcctc ccaaagtgct gggattacag atgtaagcca ccgcgcctgg 1140 gctcctatga tttttattta acataatgca ccatggaatt tgtgctctgc ttagttcagt 1200 ctgagcagga gttccttgat acttcgggaa acactgaaaa tcattccatc cccatccatt 1260 cattcctgca gcacccaagt ggaaattctg cgtttcagac agggacacta cccttagaga 1320 gcagtgggct tccccagcag cgtagtgaaa catgatactc ctgagtttca tgaaaaaagg 1380 gcagacatct ggccagagct gggaggcagg aaatagagca cggtgccctc ctcccatact 1440 ccagcttgga ttactgaggc tggggcccag gccctgcagg aaaggaggtg catgactact 1500 ttaaggccac tcactctgtg actcaacggg ccgggtcggg gctggaactc aatgccctcc 1560 cgggcctgga gagcccacgc gccgtgggcg gggctcccgg ggtcgcctag gcaacaggcg 1620 cgcgccgcgc ccgagcccag agccccaaag cggaggaggg aacgcgcgct attagatatc 1680 tcgcggtgct ggggccactt cccctagcac cgccccggc tcctccccgc ggaagtgctt 1740 gtcgaaattc tcgatcgctg attggtcctt ctgcttcagg ggcggagccc ctggcaggcg 1800 tgatgcgtag ttccggctgc cggttgacat gaagaagcag cagcggctag ggcggcggta 1860 gctgcagggg tcggggattg cagcgggcct cggggctaag agcgcgacgc ggcctagagc 1920 ggcagacggc gcagtgggcc gagaaggagg cgcagcagcc gccctggccc gtcatggaga 1980 tggaaaagga gttcgagcag atcgacaagt ccgggagctg ggcggccatt taccaggtgc 2040 gggagcgccc cggagcgtgg cgggcccttc gcttaggccg cttgaacatc ccctcagacc 2100 tccaggcccc agactccctc tgggtcttgc cctctgcctc gctcctactg cttgaggatt 2160 cgatgggaca gcgacgcact gcgtcccccc acccctttgtc cccggggcgg gcgtgtttct 2220 cgccgcagcg tcggagcccc cttcgatccc ccacctccct tctgttctcc agctcgggtg 2280 atctctcaag ccgggggacc gccggtctgt gctctcaacg cgaatccctc gcaccccgac 2340 cccgcccccc gcctgtccac tctttgtccc ctggggtgat ttagcacccc cactatttcc 2400 ttttctggag tggaccacct cagactctct tcctttgtct ccctggggga aaaggttact 2460 ccccccgtcc ctccttcaca tttcctttcc cctagtctca gtgtgcgtcg agtcccagag 2520 atgacagtcc cctttcccct ttctgttcat tcatttattg gataggagtt ggcaagctta 2580 ttctgtgcta ggcaccgctt aggcattgga ggtggtgttt gctaatcagg acaggcaaga 2640 tcctagcctt agtggggcct agagtcgaat agggcaatca aacacaaaag caaataattt 2700 cagatagtga caggtgctgt gaagagaacg acttcctaac ggggtacagg gtgactgcat 2760 agaaggccgg ctgtcttaga gaaggggatc agggaaggcc tgtcaaagga ggagacattt 2820 gctttgtgag ctgaaccaag aggagcagaa agccgtgaga atatggggct aaagaacctt 2880 ctagccagga ggcctgcggt acccactcca ttggggccat gatattattc tttcaggcag 2940 ggactcagga aggttaacgt tttaaccctc tctaaaatag catctttcct caatgagcag 3000 cttagtcttt ggtcgtggca gagatgacct tgtcttagga gtcatctcct tgtgtgttaa 3060 aaagttagga aaggagggtt tctcatatat ctataaaaca agtagttaaa aacacaaaga 3120 gctcttcctt tcacaagcag ctgaataaga tacatactcc caattaaatg tcattgcggg 3180 ggttgttaag attaactaaa accacacttg cacagtatct taaataagcg atatacagaa 3240 tagagagatt ttgttacttg tgtaaaggga gacagcagat gattctgttt tcagcttata 3300 ggctcaaaag gcaaattgtg agatccatca gctgtagtat taaaatctat tttgagctcc 3360 gcttagaaag gaaaaaaggt ttaagcagtt ctttggtatg cttgactaac aaaagccttt 3420 ttttttggca gccttgattt tcatgtggat ttacatcaag cttatttgac aggattcttt 3480 ttatttggac tgtagtgtgt atattagttt ctgctagact aatatttcta accactgtaa 3540 tctatatact aataagtatg attgatcagt atataaaatt tgtatgccat atctggtctc 3600 tgaattagct gaatgaattc cataagggac tttgagactg tgtagacaaa ttttctgcat 3660 cagtttaatg cagtagagtc taaaatgtct ttaaatgaaa attgttggtc tgaagtgttg 3720 gagttgatta tgatacaccc catcacagtg gaagcattgt ggagagaagt cttttccact 3780 gaaattgact gagttgacaa caagaaatac gtattgtaac ttagttctta gttgaatttt 3840 atttcttaca attttaagcc agagtgggtt gacctgtcac ccaagcatgg ttaaaattgt 3900 attcagcatg caactagcat ggagtgtgtc agtcttcaat tcatttcctt cattgttctt 3960 aagtttttct gccacaatta aaccccacaa gttagtcaag gtgttgagat tttcactgct 4020

20262013390 25 Feb 2026

tcttaatgga ttgccacatt ccctgaggta gtttcttttg gtcttagaga attgtcaggg 4080
ccagcttttc tcacctccac tgtatggata tttttctttt ctaagatctt gaaatcagaa 4140
gcttttctcc taagtgtaaa agtagctctt tgtcatacaa ctgtagcgtt ttctgaaaca 4200
gagttcagat gaccttgagt ctaaagtggc taactttcca aggtgtgtat cgctttacca 4260
aaaccattat ttttcaagga ttcaaagaat gtgtttacaa ttgatagaaa atggaagttt 4320
aaaaaaatta atactttata gcatgttgaa atgagggcag ccttatacaa agtcatactt 4380
tgagcttgcc tagcctattg tgatcagaga ataatgtaat ttttgcttac aacttggtaa 4440
gcaggtcagt tattctaact tattttctga ttagaacaaa aagatgtaaa aacttgaaaa 4500
ctattgggaa aagaacaaag agtgaagagg acttttgagt gctgaggaat gtggcagctt 4560
ggaaaacaaa ctttttaggc agagattctt tgctaggtca gtttgataaa gtgagcataa 4620
ccgtattttt aatctttaat gctaatgaat agcatagatg ctaataagca tctaggtcta 4680
taaaaagtca gctttgatag tgtatataga tggctttaaa cattgttttc tagcatttaa 4740
acactttcaa atcatccggt tgcttgattg ggcctagctg tctaagagga gagaatgagc 4800
ccagatgagg aaaagagatt gattttactg agctagaatg agaggagaga gggttgagtg 4860
aatgaaaaga atagctcatg tgctcccctc catctgtagt ttaagagggg ttgggtccgg 4920
tgttttgctt gttttctcgt ctgtaaattc tttgattctc tgacaccact cactatattt 4980
cattgtgaat gatttgattg tttcagataa aggggactgc aataatacct tgtgacatga 5040
aggcaagatt tattcatgtt agaggcaggc tttgtaaaat gggccactct tccaattgac 5100
atttgttttt atagctgttt tcattatgaa atacaatcta atgcctgact aggttaaaac 5160
catgttgtaa caatagttca ctaaaattcc ttactgatat acagcttatg ttgttatatt 5220
ccaaaaagat gaatattaaa atttgccaat aatgtttatt taaatactat tttcttcaga 5280
ggaaaaaaaa ctattttatg caaaggagaa agatctatac actatgactc acttcactta 5340
aaaaaaaaaa gactaacgga aatgacatgg agagactggg aagttctagt catcttgagt 5400
gacccattag atctaaatgt tcttgtttag ccctggtttg agtgaactaa atttaggtgt 5460
ctgatcagta ctttggaaat ggtgtaaatg cctttgtaat tgtctggact gatattagat 5520
taactgggag cacaagtaga aatagtgaag gaaagaactt tttgctattg ttatttgaca 5580
tcactggcat atttatagga atactttggt gtttttggaa gtaagtaaac caaccagtgg 5640
ttctaaaaag tcagctgggg gataatggta atgccgctgt ttcttagctg caagttatct 5700
gccgttactt ctcctccatt ttgcatttta tcttgaatag ctcctcaaaa cctattaaaa 5760
tacctggtat tgaataatgt aattgaatgt gtactgaatt tcacagtgga aatgaataag 5820
aaatttcctg tggaggtttt ttgacttagc tactgaaata acggcctttt gttgtgtgat 5880
tctttccctt ttctctttgt taaagaaaac tgtcttgtga tcttgtagat tacagaatcc 5940
ttttggcaat ttctgttcct agcactgctt tttctttctt tctttctttt aaatagaaat 6000
ggggttttgc tgtgttgccc aggttggtct tgaactcctg gcttcaagcg atcctcccac 6060
cttggcctcc tgaagttggg attgcaggcg tgagcaggta ctttttctga ggcctgcctg 6120
agcctatata tattttgcac aatttggcat tcctccctac agtgtttatg ctgatttgtt 6180
tctggtaaca actaatactg gcaaatcggc tgggcatgtt actttatgct gcccatattc 6240
aggaaaattg gaattctagc tgggtcattg ttcccagatg atgtagtttg gcaccagcca 6300
ttccatgttc acattttgag tatccaggag ggctggggac tttggagtag ttggtgattc 6360
cctctgccac atttcactgg ttggtcacta tggcatcctt tccaccacac tagtagtcta 6420
ggttctcaga tgttgcttat gagcctgcaa tggtttctag tttcacactg cagaaatgag 6480
tgaagccggt tacccgttaa tatggtccca tcatcactag agtaattcat tgttctaaaa 6540
ccagatctga gtctctcact cctctgcaac tacttctgat tctttcataa cacttgtaaa 6600
gtccaaactc ctctttagca tggcagccag cttccagtcc ttccctccta tgtggcttcc 6660
attctagcca gacaagaaag ggcagcgttc tccaaactca tcctcgccct tcattcctct 6720
ataccattgc tgagcacttt gttgaggatg cctctcccgt tcaatctagc ttgcatcttc 6780
cagctcgaat gtgtgcttcc ttgcaccaga gttttgttcc gtcacctgtg tgttttcata 6840
caagctggca catatctctt ctaaagccct gctgtcattg tagctgcgtc tttacaaaca 6900
ttttttttt aaatttttat aaagtcaagg tctcactata ttgcccaggc tggtctcaaa 6960
ctcctgggct caagtgatcc tcctgccttg gcctcccaga gtgctgggat tataggtatg 7020
agacactgtg cccagctgta gctgctactt tatatcccag gtctatctcc aatggagccc 7080
aagcttcctg aggccacctg ttgtatcttt ctcattcatc ttgaagtcct ctgctcctgg 7140
cacagagtag gtacctaaca agagttggga ttgaattgat ggtcagtact ttgctagcct 7200
gatggtataa agatgtacaa aacatgttcc tggctcccac tctaggggggg caatgatgga 7260
aacaaataga ttagcccaca ttagtaccaa tagtagaggt cactctggga gaaggccccc 7320
accacatttt gagtcatggc ctaatgaggt aatttagtat tgcctgctgc agtggctttg 7380
gaagaaaggc tggcattctt agccagtaga agctgatacc actgatttgt ttcacagaag 7440
ctttaaatat aacaataaat ttgtgcttgg cctacggtga actttacagg caacttggag 7500
gtaatatgtt tgtctctcta agaattgttg aattcctctt ccctcatccc tcctgactgg 7560
ttctcacaag cctagcgggc ctttgcatgt ggttggttca taaaatactt tttgattttg 7620
ggatataaaa tatagttctc cataaaataa cgactgttac caagtctttg attttttttt 7680
tcaaactata aatggtaatg acattctttg gcctttgatc agaccaccct taggggcaag 7740
agagtagttt catgttttgc tttttctagt gtcccctgtg tctgggtata gttgcagtct 7800
cagctgtcat actaacagtg ctgagtgagt cccttacttt ctttgggttt tggtttctcc 7860
cttgtaaaaa tgatcctgga ctaactgatc attaagttca ggtcaagtaa taaaaatcct 7920
taatgtactc acaaatacaa tttaatgttc ctgaataatc cttgtaaaaa ctgcagcagt 7980
tactcagttt tgtaaggtgt ggttgggtac tattaggctc aaaagtttat aggagctttg 8040
tgagtatagt taacaactca aaagaatggg gtgtttttttc ccgaggggca tgaaatgttt 8100
ttgataaata gagttcattt gacttggtaa tgtggaaaat gagtagccct gacacgtacg 8160
ctatgctttt gcagtttttc tctcaagtag caattgggtg gcttttcctg taaaagatag 8220
aggaactgat tcttgagaat ttacgaaagc ttcaacccta actaggtatg caaagaatag 8280
ttgcccttta tgttgtaatt ttaggaagaa acctacatct ggtctaagtt tcatttgaat 8340
aatatgatag tttacacatc tgccatattt gagaagaaag tacctaagtc tccagcattt 8400
tagaaataat gctttacttt gtgtagaaat ggtctttaga gtttaatagc tgctgccctc 8460
tccttttca aagcagcttg acataatcat gagtatcttg ctgacagctt gtaaattttg 8520
attgtatgaa aactgaaaat aagaccattt cacatggaag attccctcct gccctgaaac 8580

20262013390 25 Feb 2026

agccaaagaa aactgtagcc atcaaatcta ttgatctctg ggctttggta caagtcacac 8640
tactacaaat aaaataatac caagtactta taaatgattt tcagtccttt taaagtttat 8700
ttttttaata tttttttga gatggggtct tgctgtgtcg tccaggctgg agtgcagtgg 8760
cacaatcttg gctcactgca acctccacct cctgggctca agtgatcctc ccacctcagg 8820
ctcccaagta gctgagacta caggcatgtg ccatcacgcc cagctaattt ttgtattttt 8880
ttggagtaga gatgggattt tgctgtgttg cccaggctgg tcttgaactc ctgggcttaa 8940
gccatctgtc tgcctcaggc tcccaaagtg ttgggattac aggtgtgagc cactgtgccc 9000
ggcccagccc ttttttaag agaaaaacgt atgacatcgt tcgatttact gagtgcttat 9060
ggttttacta aggcagtaag gttttatgga taccctatgg taattagata gaattagtgc 9120
tctgaagtca gctctgtaat atggactcag agtaaacatg gcaaagggac acttaaggtc 9180
tgcattttct ctgggaaata aacgtattct ttactactct gaatctagtg ctgggaaatt 9240
ctaaatcctt cttgaggatt aaccacttga agtaaagttt tgggtcccaa gtaggcttgt 9300
gtccctgtct ccttctcttt acttttcaga tgtttcttcc tagagactga ggtatatttt 9360
acttttacag atgaagaagg aagcctcggc tgtgtttgtg gcttttgtgg gtgagcaaca 9420
tcacttgcaa agataagatg agcatagcaa aactaggctt tcaaaataat ttttaaaaat 9480
ttcttagtga ttagaaaagg aaaactcttc ccttgtctct gttaagaaac gtttttcgac 9540
ttttttcctt tcttaatgga tcttttattg gcacttctct tccttttgca gaatcttact 9600
taaaagtcac tacgttacat tacagcaaac agcttagcta atttttatcc agatgggccc 9660
cggttacagg attgtacact attgcgaatt tcttacagga aagtgaacat caagtaatta 9720
ttccaaatag agttctctta agaacgtgag ttacttaaaa atgtctaagg atgaagtcac 9780
ttctgaatat aacttcactc aagagaacaa ataagcaaac tgcatttagc ataacatggt 9840
aaattagctt taactctcct tgatgtttga acatttgtcg ctgttaacta ctgtttcact 9900
tttcaaatag tcagggctta gtttgcttct gtaaggataa agggaaaata cgccttcact 9960
gagtcataaa tatttttgtg gctaactttt gcacagagaa aagaggcctc taagaaggta 10020
cccagtgaat tttttttcg gggcagggag agaatatgtc atttttggt ttgttgttgt 10080
tgttgtcatt gttttgcttt gttgtttta ctctgaactg aactgtatct tgacagcact 10140
tttgaattaa gagcattact cttattgttc tctactacct ggacgccacc tccctgttgc 10200
catagtgtta aggatcatgc tccgaggtgg ggtgaggcag aatggggcca agatcagaaa 10260
gttacattaa gctacatcag gtttatacaa gcataaaacc aaatttttgg agcagtcccc 10320
agaatacaac ctggtttagc cacacctaaa ggttgctctt gaatattcct tgagaatcca 10380
catccctaga atgctgggtt tcaatgggcc ctttatgtac ctatcatggt gtcatttctg 10440
agcatttcta aatattcctt catgtcttac tgacagtttt tcttgaataa atcttaggaa 10500
tattagtgcc attatcagta ttttgtttgg tctgttcaca ccacaaataa ctacccaggt 10560
ctgctacttg cccctatttc tctacctgct aatgaaaatg cttttgaaag tttgagtaac 10620
agtattggag tgtgcacagt ggtattggta ggttctgtac tcatccttaa ccacttgttt 10680
tcatcctttg tgagcttgaa gtttctccaa aaaatttatc acaaaactta tcagacatag 10740
ttaatacact cagagagaga atcactgaaa aagtagatgt agtttaacaa acccagtgcc 10800
ttttttttac ccatgaatac atatttgtca actaaacctc attttgcaac ttgttccact 10860
actcgaatgg taacaaactt ttggtttccc aatagatttg gaagatgttg cttttgaaag 10920
taggaaatag atggctttag aagatggaag aatattttgt ttgaagtggg agcgtggtat 10980
gtccttagct gtctgtgaaa tgcagctgaa gatgggtgtg ggccttcatc tgcatttccc 11040
atcttcagtt tgaggaggta gttacccttc taaccactta agaactgcat ggtacatgct 11100
gttttattta cagggcaaaa ctgtgctccc gtagtttccc tggtgcttgc cttcacgtta 11160
acacagtgtc atcgtttggc agtgtttatg tgccagggtc catgttagaa ggaggaaagg 11220
tatagcgaag ttaaagggtg cagttggcct cccaccttta gttttgtaag tgcctttaaa 11280
gtttgatttt tgtaggttga tcataaggaa gtgataagta tgttaggtta tttgtggttt 11340
gagctaattt tagtctcttt ttacagcttg ctttgtatcc tttgccatta aaacatgctt 11400
tctagaaaga caacttttga atgtaggaca cagtctatat tctatacttg gctacatttc 11460
aaaaaatatt ttctcagtac tttggaagtt ggacagttgg aagcatagtg acagtattta 11520
aaaatctttg attccggccg ggcatggtgg ctcacgcctg taatcccagc actttgggag 11580
gccgaggtgg gtggatcact tgaggtccgg agttcaggac cagcctgacc aacatggtga 11640
aaccctgtct ctactaaaaa tacaaaatta gccgagcgtg gtggtacatg cctgtaatcc 11700
cagctactca ggaggctgag gcaggagaat cgcttgaatc tgggaggcgg aggttgcatt 11760
gagccgagat cataccattg cactacagcc tgggggacaa gagtgaaact ctgtctcaaa 11820
aaaaaaaaaa aaattaagtg atttctttgc tttgtgacac ttctacttttt ccagcaagta 11880
aattatattc tttcatacag gtatgaaatt cttgttccaa gctagtggtt aaaaaggcac 11940
agttgatatt agaggatttg taaaagatta tgaccacgcc tgcaatgtac tgaagcaagg 12000
ctttgctggg ctgtgtatag gaaaccttcc ccagcctgtg cccttgcttg atagaacatt 12060
ttgctcctaa gggtaggtgc ctgtatctgt ctccagtact ggttagtttc acacagaaca 12120
gttgtgtttc agagctttag tctcaagctg ccctgctccc ctgaagcagc caccctgagc 12180
atgtgcactc acaggagggg acatgtgagg tcatggaaga agacgactca ggaagaagaa 12240
gacttgggtt tgggttctga ctctgccttt gactgttgtg ggattttgag gagttgcata 12300
caggatctgt aaaatgtagt cattagacta gactagacag ccatatagca ttacctagat 12360
gtaactttct acaaagacat ggtcacagga gaagaccaga gggtggggtg atctttctgg 12420
aaaaattggg gcttcatgcc ttactcatgc tagatatggt agcattatat ggctgtgcct 12480
gatcccccta atctaaaagt gggacagaac tttaaaattt catattaact caaattaaaa 12540
cttgaaaaaa acccattatt tccttaaaaa taataaaatg ccctgtgggg gcataagtca 12600
cattatattt taaaattcct gaatgccaca tggatgaatg tagttccttt tgaaattctt 12660
cttttgtcta aagaggaatg ttggattttg taattggact aaaaaatctt ccatttgaga 12720
gagaaacagt ctgctgcatg ttctaccctt gttcaggata aaacccacta atagctaaca 12780
tttattgaat tctgtgttgt gcctcaggca ctgtgcaaag tcctttacat gcaatgctgt 12840
ttattatata ctgtcaattg gtctataaca gcaggaaatg tttcaggagg acaatgaggt 12900
cccagaccct cagtcttctc ctgtgtcctg gattcagctt cacaatagca ctatggcagt 12960
gtggccactg cttcagcttc cacatacatg gctgtgaaga gagacagggg attgtgctaa 13020
gcctccccga tttattagga cataggagga gagagtttgt agtttttgac ctttgcctag 13080
ttttctaacc tctttcctag atgtcacaaa ttggccaccc acagtcatat tttgcttgct 13140

20262013390 25 Feb 2026

tcacgcaatg ctttttaaaa aagagaagag tttaatttgt gccattgttt ataaatgaat 13200
caggagaaat gacatgcaac tctggattct ggcctctctt gaaaaatctg aaaatcacac 13260
cgtctgagct tacactggca gtggtctgct ggactgaggg acacaactcc ttttggatgt 13320
acatgtgtgc gttgcagagt ttaccacagt cccacagtgg gtcacactgt ccttgtcggt 13380
gtacactacc tagcacttga gtttgcaacc cctaccccaa gctgagtttt ctcgtcaagc 13440
ttgatgttaa tgttatgtga tgcttggcct tgtaggtatt tggtatatta tcgttagata 13500
aaattgaagc aaagggctaa agggttggtg gcctgaggga gtgcccttga cagtaaagtc 13560
taggataaaa tcattggcca ggtactcctt cccttcccgc ccttcctctt ttctctttat 13620
cctcagcctc cttctgctat tttgaggaag ttagaagcca ccaccatttt ttcccacctc 13680
aggcaactga gtgtggctgt atttctgtcc catgttcagt tatttccagg aactattttt 13740
gatgaccaac ttgaagttac attgggtggg cctaatgggg gctgataaaa gaatgaggtg 13800
accaaatatg cttgcactga gacggctacg aagtaaggtt tttaatgact tgctttgtga 13860
cttggtcagg agtgatacca tttgtcatgt gtccaacttc atgactaaat ggttgctcta 13920
ccttatcctc atagctataa taaaataaaa taaatacata cattgcaggg aggaatgtat 13980
cttgttaaag gtctctccct tttagcaaca aaagtacata ttatgttgta gaacatgctt 14040
tttctttgat ccttcttgaa cacctattac tctatagagg tatgttgtgt atggcaaatt 14100
agaacaagca atagataagg atgattcttt accattataa cccagtcaag gtctttgtcc 14160
taagttttgt acctttctcc agagggaaag gtatttgtat ttatttattt atttttgagg 14220
cagagttttg ctcttgttgc ccaggctggg gtgcaatggc acgatctcag ctcactgtaa 14280
catccgcctc ccgagttcaa gtgattctcc tgcctcagcc tcccgagtag ctgggattac 14340
aggtgcctgc cacgatgccc ggctaatttt ttttttttt tttgtatttt tagtagagat 14400
ggggtttcat catgttggcc aggctggtct tgaactcctg acctcaggtg atccatccac 14460
ctcggcctcc caaagtgttg ggattacagg catcagccac tgcctccggc caggtatttg 14520
tatttttagt ctctatgcct taccgtctca gatcaggagg atttggtgat ttatcgaatg 14580
tgggggaagg ggaagaagag gaaacgggag gaatgttcca gattagggaa atagctagat 14640
ggaagatgca gcccctcatc aaggtgggga cacaggaaaa ggaacgtgtg caaagaagat 14700
ggtgatctgg ttgtgaccat gttgttagag gacgtccagg gaagcatctg gtaggtggtg 14760
gggtgtttaa atatagaaca ttcggagaat gctccgaagc ttcagagaac ccttcccaaa 14820
aggacaaaac cagctcagtg ttttagcact ccgggatcat atggcatgac agcatggctg 14880
ctttatactt ttttgtgtat gtgaaattaa aaccaaccac tcaggaccaa tttctctgaa 14940
gctttttgtc aatctttcat ttgcttttct cgtctagatt gtaagctcct tgcagccagt 15000
gtctgttgat tcagtcattc aaaaaataat acatgaacag ctactaggta ccaggctctg 15060
tgctgggcag ttgggatatg tggtgaggaa gacaaacttg gtccctgccc ttaggaagtt 15120
cagtagtcca gcagacaaag tggctgaata aagataatct cagttcacag tgataagagc 15180
tcttacaggc ctaggctcca ggtgctgtgg ggatgctcag gaaaaggtat ctaattggga 15240
ttgggagcag gcaaaacaaa taaaggatag tgtataaagg taatatctag ttgaagttct 15300
gaagggcaag gaggagtgag cctgtatatt ctctgagtct ctccctaatc tgggattgac 15360
ttcttgtccg tctctgttca tattaagtgt cacctaggct tgaaagggtg agatcatatt 15420
tcacttcctt cctctttggt cttaaccttt ctctgctacc ccctcacaca atgcatatgc 15480
attattctct tattgtatat atttttcctc tcttcctttt catgtttcct ctgccattac 15540
ttttaacctc gactgccata tggcctctaa acgcttccag aagggtagcc tagtggaggt 15600
tattccatca tggccttgag ctcatgcgac cagatagtga aggcatctgt gtaggtgtct 15660
tctccaggag ggtgatattt gtttcattgt aaattttgta gccctagaac accaacaaca 15720
gtgcacagta attagtaggc aggcagtaca ggattcattg aagtgaagtg ataacttta 15780
tccaagtatg tatgcagata atctttgatt tgtacaaaaa aaattatatt ttaatatgta 15840
aagatttttt aaaagaatct tcaagtttta gccttcccac taggaatata ttgaaaacat 15900
gtgcctagtt cactgacttg cagctgccac tatgagaata aaggtctcat ttagttgttg 15960
tgaattttaa gggatatttt caatgatgtt ggctggttta tcccattatg tggtcttttt 16020
ttttttttt ttttttttt gaggtggagt ctcgctctgt cacccaggct ggagtgcagt 16080
ggcgcaatct cgactcactg caacctccgc ctcccgggtt caagcgattc tgctgtctca 16140
gcctcctaag tagctgggat tacaggcgcc tgccactacg cccagctaat ttttggtatt 16200
tttggtagag aagggtttca ccatgttggt caggctggtc tcgaactcct gacctcatga 16260
tccactcact tcagcctccc aaagtgctgg gattacaggc gtgagccacc atgcccagcc 16320
tatgtgctct tattagcaat tctcagtaca cagatagctt tgagtgattc tttcaagtca 16380
agtaccttat taaaaaactc aagtgtactg ataattatct tacttttaaa tggctaagtg 16440
ataagactga atttttaggt actgtaacac ttcagattac agattctgat atttttatgg 16500
ttatttatat ttatttattt ttgagatgga gttttgctct tgctgcctag gctggagtgc 16560
aatggcacga tctcggctca ctgcaacctc cgcctcccag gttcaagcga ttctcctgcc 16620
tcagcctcct gagtagctgg gattacagtc acccgccact acagccggct aatttttgtt 16680
atttttaata gagacaatgt ttcaccatgt tggccagggt ggtctcgcac ttctgacctc 16740
tggcgatccg cccgcctcgg cctcccaaag tgctgggatt acaggcgtga gccaccgcac 16800
ctggcctggt tacttaaatt taaatacaaa aattatgttg attaattctg aatgatttcc 16860
tgattgctcc ccgtttacca ttcacacatt tattaaattc ttcgcttgcc atatagaagc 16920
agtctctctg ccatatatgc catatagata acagaactag ctgtctgcaa accactgaaa 16980
ttgtgaaaac atctcccctt ttttcctgtt tctaattcta gctatgagga ttatatacag 17040
aagtagtcct ggatttgatt ttttttttt tttgatgatt gtttttgat agttgttgac 17100
tacaaatcat ttaaacgtct gaaaggggaa aggttttcct taaaaatgga tgacaaagga 17160
gaataaaaag gtattttgac tatttttttg aatgatgagt ttttttttc tctttcttgt 17220
tttcttttgg agtcatttat gtgtcactga gtggatacca tggaacatgt ggcagaagta 17280
gatatatggg gtaaaagaac catagttcat aagctccttg acagaatcac tgaagtgtag 17340
ccgttatatg gccactgtcg caggggggagg cagcagtttt gaagaagggg atgagtaata 17400
atgagtgata aaaaggcatc ctggatagaa gaccaaactc tgcagaagac cccagtttga 17460
ttatgctttt gttttctgat ttgcggagga gagtgaaaat gcctgagggg tgcgggggag 17520
cacatagggt gtatgtgtgt gtgtgtgcgc gtgcagattc tctctttcac tgtatgtatt 17580
tgtatgcatg tatgtatctt aggacttaag ctttctagtc aataaattgc catagtgggg 17640
aattgcttaa ttgcttgcct tctgttgttg tatttaattt aattttattt ttaatgattt 17700

20262013390 25 Feb 2026

ttttggtggg gtacagggtc ttaactatgt tgtccaggct ggtcttgaac tcctaaactc 17760
aagtgatcct cccgcctcgg gctcccaaaa tgctgggatt acaggtgtga gccaccatgc 17820
ccagcttagt tgtattttaa atgggcctgt ttgcagcatt ccctactccc cttagtttac 17880
ctggctcaca acctgtcttt ccatatcaag gcttctgtca cccctggccc atgtcagtgc 17940
atttgggcag cccacccagc atcatcacct catgtcccag ggaacttcct gttcctctct 18000
tccagctatt tccttccctg gcagttgaga tagtctctac ctttgaccta ctgttaagct 18060
cagaccttct gctctctagt tacagcctct gtgctgccag attccctcgc tcagttgctt 18120
tctctagttt gggttttctc ctttattcag atttccagct gtttctctcc tccccccacc 18180
gcagcctcct cacttccctc cttatgcatc tgagactgtg gtcagtcact ttagatgctg 18240
cctctccact gtacttgtgt ccatcttctt acctaccacc tctagccctg gagcaggctc 18300
ttcccctgtc tttgtcttcc tgggcccagg ctcctaagcg ctgctggaaa aaaaatcccc 18360
cagtattgag cccctagaaa tccagtcttt aatcccaaat ctgtctcccc cagcatctgg 18420
ccatcagatc taaagcttac ctgccatcct ttccacctca tttctctcac aggggaaaag 18480
gagcctttgc tcctagagtc tgcgctcctg accccttccc atctcacctg ttcaaggcat 18540
cttgcaataa ggggttggtg actctcgagg aatggatccc aggccctccc tattatcatc 18600
ttatgtatgc cagttcaacg ttctcagctt cctccagccg agacggcccc tccagccact 18660
gctttatact ctccttctct ggttgaaatt tttgaagtaa ataggtcact ctgcccatcg 18720
ttcatcttcc agtcactctg tgtgtttatc ttccagggaa gtgaggctct atgctaccaa 18780
gccactgaaa taatttttt ttttttccag actgagtctt gctctgtcac ccaggctgga 18840
gtgcagtgcc gcagtcttgg ctcactgcaa cctctgcctc ccggcttcag gcgattctcc 18900
tgccccagcc tcctgagtag ctgggattac aggtgcctgt catcacgcct ggctaatttt 18960
ttgtattttt ggtagagatg gggcttcacc atgttggcca ggcttgttgg catgttgacc 19020
atgttggcca ggctagcctc aagtgatcca cccgtcagcc tcccaaagtg ctgagattac 19080
aggtgtgagc caccgcacct ggcctgaaat aattcttgac aagatctgct tccttgttac 19140
taatacagtg gatattttgc atcctaattt taatgcagtt cagtgtggta gacctgtatt 19200
tgcatattga atattccctt ccctgtttta ataactctat tttttccttt tcttttatat 19260
ctcctgcttc tctagctagt cctagacctt actcatcggt gtcttctctg tttgttcctc 19320
aacttgagga gttcctacag ggtttaccca atctgctgct ttcatttagc ccttttgttc 19380
tttttgagcc atctcattca ctcacccagg atgtagcatc ggcccttgaa ttcagtgtgc 19440
acacatacac tgtgcactat gggacagcct tcagaggcac tttgttcctg aaattgtggt 19500
ggtctttgcc tctcatggag ccttgcatat gctgtttcct ctgcctggaa tatcctacct 19560
tttacttaac tgattctcgt tcttctttcc agtcacattt tgtacatttc ttctgggaag 19620
ctttctctga tttccccttt ccacaggtcc aagttaactg ccttgtctag gtcctcccat 19680
ggccctctga aggcctcctt tcatagcacc atgtctgagt atactgtaat aacacgcatt 19740
gctctgtaat agcctgttta cttacctatt gccaagtaat ctatcaagtc ttataaaggg 19800
cggggctgct tttgttctag tcatttgtat ctcttagtac ccaatatagt gtttggcata 19860
tagaaaatac ccaacaaggc cagtcgcagt ggctcatacc tgtaatccga gcactttggt 19920
aggctgaggt gggcggatca cttgaggtca ggagtttgag accagcctgg ccaacatggt 19980
gaaaccctgt ctctactaaa aatacaaaaa ttagccaggc gtggtggcgg gtgcctgtag 20040
tcccagctac ttgggaggct gaggcaggag aatcacttga actggggagg tggaggttgc 20100
agtgagctga gatcactcca ctgcactcca gcctgggtga cagagtgaga ctccatctta 20160
aaaaaaaaaa agactccatc ttaaaaaaaa aaaaaaagaa aaaagaaaga aaatacccaa 20220
taagtagttc ctgaatgaat agatgagaat gctgtttaga aggttcatga attggaaacc 20280
gtgattgcta gggaggcttt gagttgatgg tattgtgttg aaccatgtgt tacccaggat 20340
caatttagat tttacacttt gttttctctg ttccttttta tagtaatttt ctgtatgtgg 20400
tgttttcccc ccatgagatt gtataccatt tctcagcgag aactgtgtgt aatgcttggt 20460
ggctccctca tggtgccttg catggaattg gacttcgttt cagtggatct gatcccagtt 20520
atgttaatgc tcgatggagc taagtcttat ctcgaagcag tccatgtctt catcagctgg 20580
ccctgcctcc atgccctgca cagaccatgc cactctggag aggtagtttc cctgtggctt 20640
attagtctta tgttccagtg tgctggccaa gtatgagaga catcagtggt atgagagagt 20700
ctctctcatt caaacttcgt aggttttgta gctgggactg accagtgctg acaggaaata 20760
gaggcattta ttaaaagcca gagatttttc aagttgcagg aagcaaagct cttgttagct 20820
atgattttgt ggtgggtttg gtagtccaat ataaaagtaa aaactggatg acaatgggag 20880
gagcatgctt gggtctccaa agttagatca tttttcctaa gtaatttgtc tttaaacttt 20940
tactggtttg gaatttcctg agattttgat cttgccagaa agtttatagc aaaagttctg 21000
agcagatgac acttttgcgt ctgaaaccaa atcattgttt ttgtttttaa ctttttтctt 21060
aatatattat ccttagttca gccctgaaga ttattctgtt atttgtggat ctcaactttc 21120
cccccatctc ctggatcttt gtgaaatgaa tggtattaat tgaatagaga aggaagatat 21180
aaacataaac ttagtcaaaa acttgttctt gactaggcaa gttgggcttt atagctttga 21240
gctgatgaca tgtctattct tgtgaaaaag ggatttttag tgttggtttg gcttcttgtt 21300
atatttgatt tattattatt atcattatca ttatttttga gacagagtct tgctctgtcg 21360
cccaggctgg agtgcagtgg ctcaatctcg gctcagtgca acctccgcct cccaggttca 21420
agcgattctc gtgcctcagc ctctggagta gctgggatta caggcgggtg ccactacacc 21480
tggctaatat ttgtattttt agtagagaca ggtttcacca tgttggctag gctggtcttg 21540
aactcctgac ctcaggtgat ccacctgcct tggcctccca aagtgctggg attacaggcc 21600
ttagccactg tgcctggctg attttttttt ttttttttt tttaggtttg ttttaactgg 21660
aactttacgt gaatgtaatt gaatttagaa taaaagcact taatttcaca gtgtgcagtg 21720
aactttctgt tacttatttt aacagtaaaa ccccttgcag taaatgactt ggagcaaaga 21780
ttgctttttt aaaaaatgtt ttaatttgtt tttcttttct tgagatggag tcttgctctg 21840
tcaccaggct ggagtatggt ggcgcgatct tggctcactg cagcctcccc gcctcctagg 21900
ttcaagcgaa tctcctgcct cagcctcctg agtagctggg actacaggca catgccacca 21960
tgcccagcta atttttgtat ttttagtaga gacagggttt caccatgttg gtcaggatgg 22020
tcttgatctc ttgaccccgt gatccaccct cctcggcctc ccaaagtgct gggattacaa 22080
ctgctgggat tacaagtgct gggattacaa gcgtgagcca ccacgcctgg ccaatttttt 22140
ttttttttt ctttttgaga cagagtttca ctctgtcacc caggctggag tgcagtgtca 22200
cagtcaaaac tcactggcag ccttaacctc ctgggctcga atgatcctcc tgcctcagcc 22260

20262013390 25 Feb 2026

tcccaagtaa ctgagactac aggcatgtac cactgtgccc agctaattgt ttttttattt 22320
tttatttttt gtagggacag ggtctcgcta ttttgcccag gctagtctac aactcttggg 22380
ctcaagcagt cctcctgcct tgacctccca aaatgttggg attacaggga caagccactg 22440
cacctggcca aggattgttt tttaagtgaa ctgagaccca gccttattag tggtcccaga 22500
gcagacctgg gacctgaagg gaacccttt cttctggtcc agcgtctttc ctctgatggg 22560
ctactttcct ggagcctttg attgcctgtc atcagagtaa ctgagtttga acagagtagg 22620
tagttcctct ccagaccacc acactcacca gctttcattc tgcttctctc gtttagactg 22680
tggttctgaa tcctcagttc tatttactga gtgtttttaa acataaaaat gccttttaat 22740
gagattgaag gccagaggtg ggacagttga ggacaaagta gaaataaaac cttcaaggcg 22800
gggttgttgg tgggagtctt tttttgtttg tttgtttttt gagactgagt ctcgctctgt 22860
cacccaggct ggagtgcagt ggcacaatct cagctcactg caacctccgc ctcccgagtt 22920
caagctattc tcctgcctca gcctccttag tagctgggat ttcaggctcc cgccaccatg 22980
cccagctaat ttttgtattt ttggtagaaa cggggtttca ccatgttggc caggctggtc 23040
tcaaactcct gacctcaggt gatctgtctg cctcagcctc ccaaagtgct gggattacag 23100
gcgtgagcca ctgtgcctgg cagggagtct tatagaagct gtcgtggaca atgtgggaag 23160
tagtgagcct ttgtattcca gtatgctggg ctccactgtg cttgctctgg cccccggtcg 23220
ctctctgtgt gttattgagt ccccatccac ggccatactc ttcgtcctgc ttctctcctt 23280
accatcctct ccccgctagt ggtaccacgg ctaccactag caattactga catgtgggat 23340
cttagggcta cttccctata aggctgcagg gcatgtggtg ttggctacgc gcatggtaac 23400
catggtagcc ctgtggttct ccacatgtgc gccttgtgac ctgggattgg ctgcagacta 23460
gtaataaact gcgtcttctg gtatggaatc tgtctgtagt tgtactttct acctctgtat 23520
ttaaggggag atctgtaacc taccaatgcc agttgaagag gatggatgat agagatgtta 23580
acaaacagct gaaaaactaa ctacaatggc ctgcaaaata gaacagcagg tttttgtggc 23640
aaaactttgt gtccatgagt ttgtttttta aatatcctca tataatctgt tttaaatcga 23700
gaggctttgg gtaaaagcca tggctagtct tacatgtcat ggagtaccta gcttgtgagg 23760
ttcacagttt attatttaca gagtgtcccc ttaaatcttc tttgggtcgg ttcagcgaat 23820
gttgctcaga tggacttttt tggctgacat agagtcaaaa tggtaatcaa gcatgaaagt 23880
acagacagtc cttaacgcac aaatgtgtca tgcttgaaaa gttggaaagt tggttctctg 23940
gagctctgat tgtattgtcc tgtagaatcc gtgttgtgaa tggtggttaa atcccaaatg 24000
agtccgtaga acctatataa tctgcaatat acctgcagta ttccaattaa tatgtaattc 24060
ccccatagaa ctatgttaat gatttgtatg tatggtattt aatattatac ataataatga 24120
ttgtatgaat aaaaaacatt ctgggctcca tgtggatgat ggggtgtgtg tgtgtgtctg 24180
tctatgtgtg ggtgggtgtg tgttcataga tccctttcc tgcaatcctg gcactggaat 24240
tggttttatc atttccaatt aagtttcatt cccatgaatt ttggagtaca gactgggtcc 24300
aggtatgcag ggcatagatt agagccctga gaaataggat taggctggaa ttgctgggtt 24360
ggagatcagt agcttccagg aacacttttt gggcctggct gtcttcatta tccccttttg 24420
ttttctcctg gggtctgcag gtattgccct gttttgttcc tctaatatca ctttttttt 24480
ttttctgctt ttgaccaggg tttttgcctc tggtctacaa ctgaatatcc tatcagactc 24540
tcctgatttt gaaataaata tatagttttt ttgaggtgtt ctagcgaatt tctaaatcta 24600
aatgttgtgg cagagttatt acatactaat tttgctatga gaggttgtag aatcccagat 24660
gactaatctt gtaaaccata cacgcatttc catctaattc tccattgtat atcatgttgc 24720
agaaaataac agcctctaga gtttacattg cctcctttga ctatatttct tatttaagat 24780
tagttttcag ataagacctt ttcatggcag tacataactg tacagagggc ttccaacttg 24840
tcttgggagc tctcatctct gggagacatc acattaccca ctgccccctg ccccccgccc 24900
ccagcctgga tgcactcagc ctgtacccca tttctgtcct cagccaaaca ctgctgaaat 24960
gcaagagctt tcaattgcta gccagtgaag atgcagacta agggatttcc atgtagaagc 25020
ccgctctttt cagctggctc gtcgagagct ggaggcccct tgcttgttca catgaggctt 25080
tttgtccctg acttggtggc tgctgtttca cttctcagca gaaagggaca cccttgcccc 25140
cccccagaaa ggaagatttg atgtaccact tccgaaaggt tcagtcgggc atcactgtaa 25200
ccaagaagat aggtcaggtg aggctggagg tggaacaggg ctgctcgcta gaactccaga 25260
ttgttccaca agtgccttct ggcagagaat gatggaagct tccgtgattt ttttttctcc 25320
ttaatagtta tgagcacaga agaggagcag attgtctggc tatagaagct gtcttatttt 25380
ttatttttgt ttttgagatg gagtctttct ctcttgccca ggctaaagtg caatggcgcg 25440
atctcggctc actgcaacct ccgcctcccg agttcaagcg attctcctgc ctcagcctcc 25500
tgagtagctg ggaattacag gcatgcgcca ccatgccaga ctgatttttg tattagagac 25560
agggtttcac catgttggtc agtctggttt cgaactcctg acctcaagat ctgcccacct 25620
cagcctccca aagtgttggg attacaggtg ttagccactg cacccggccg aagctgtcat 25680
attaaatagc actttctgct tttagcaaat ttaatccaaa tgagacttta gattttcttg 25740
ctctgactta ccagcagttc cttgaaacac atttaattat ttttgccaga aaatcactca 25800
agcacttacg ccatttttttt accgtgaaaa tatgctgcat tattttaaaa tatattagaa 25860
gtcagtaacc ataagatttt atatgttttc taatgtattc tgtaagcttt ctgctgcttt 25920
tgtttggaag gtgtattttg taacgtagag gactgcttta tctgcttgta agcttgattt 25980
ttgtttttac tgtaattttt ttttcttttg ctgtattgag aaatacattg agtaattata 26040
aagtcagtgg catgtttata agttaatatt tgtatctatt ccttagttac tctaactcaa 26100
aacctaaagt aatcttcaac tctaatttac tctgacatcc agttgactgc caagtcctcc 26160
aacttaatcc ttatcctttt ttttttaaag agatgcagtc ttgctttgtc acccaggctg 26220
gagtgcagtg gtgcaatcat agcttactgt aacctcaaat tcctgggctc aaatgatcct 26280
cccacgtcag cctctggagt agctggggct acaggctctt gctaccatgc ccagctaact 26340
ttttatttttt atttttttata gagacagagt ctcactgttg ctcaggctgg ccttgaactc 26400
ctgccttcag gcggaactcc tgccttcagg cggtcctcct gcattggcct cccaaagtgc 26460
tggaattaca ggcccaattt tattcttggg atgtatgtct gaaactcttt ccttcacttc 26520
cttcccaagc cttagttcag gcccttctca tctgtggtct tcaaagtcgc cttcagctgg 26580
ttcaggtcct tcctttctgc tgtatctttc atgggaggac atgttatgta tcactgtcct 26640
acttgaaaac ttccattccc cattgatgag ggtgttacct ccagattcct aacacaggtg 26700
ctgaaggcat gcctggataa aggcactccc ttgatctcct ggccaggtcc ccgtacacct 26760
gcagcgcatg ctccacattc tgtctttact gatgctgtgt cttctgcctg cggagccacc 26820

20262013390 25 Feb 2026

caccattcta ttcacagccc ctgcctcagc ggagcacgtg cctccctctt cctacactga 26880
gctgtccttt ctattgaatc ccctcttttt tgtagtatgg gaaatatttt attatgaata 26940
ctcttttctc tgttgcctcc gtgaccacgt taactttgcc ctaattcgcc ttaggactcc 27000
atctgcttag gggaaagtta ggatttggtt acagaaagca agctgctaga aagaacagtg 27060
tttagcttct gacaggcaaa ataggatttt gcaacatgct tttccttttt aatgcttaga 27120
cattttatat gaattaatat ttttatttgg ttgcttatac attactttct ttttagctag 27180
aatgtgaacc ctataggaac atggggattg cctttcacat ctttgtatcc tcagtaccta 27240
atgttcagtc accctgtggt cttgtgtcgt atatacattt agccttcctt aattaaacca 27300
tatgtactgg tccccgtccc ccacccccaa atagagagaa agaaattcct tgaatactac 27360
attgccagta tcaaaccaca ccttgatatc ctctggggaa agggaggtat cagttgaaaa 27420
gagaaaagag gttaaaatct aggcattaaa atgtgtaagg cttagatgct ggcaatttaa 27480
ggtatgtttt cctgaggtta attttgattg tgtgcaaatt ttacctcata tctaactgta 27540
ggatttagtc accacataag atgggatacc tccataaatc cttcagaaat gtttgtgaaa 27600
ttaaataaag ccttattgaa gactcagctc ttgagagtca tctacctacc taacagttat 27660
tcttgaacag aagagtctta cttttcccta taaggcagtg tgatagccat ctgtatattc 27720
atataattta tgttggcgct tacttcattt aaaaatgtat tccgtgaatg cagttgccag 27780
gcggtgtgct gatcagaaac gtgtaccaat ggcctctttt ataattataa gaggaagacc 27840
aacctgaaac agtcacacaa atgattaatt ttaattgtgg aggagtgctg ggaaagaaaa 27900
ataaaagatg caatgcaagt gtttacaaag gagctttgag cttgtttgaa gtggtccttg 27960
ggcacttaag caaggcttaa agaatgatgt gattagaagt ggcttagcaa ttctaaagaa 28020
cacagggaag gcgtgtggcc agaacattgg tccctagagc acatcgcctc ctgacatacc 28080
atttccttaa gttaatgttt taccactata cataggccct cccctttgtt tacccagatt 28140
tttttaattt taaggatgtt tttaataact tagaatcctg taatttgttg aacagtcctg 28200
tattcccttt acttatattc cttgagattt tataaaatat tttttacatg tcccaagtct 28260
tgattatatc tttttacctc ttgttaagaa atacttactt ttctattttt atgctatatt 28320
tcatgtttac tgtagaaaac aaaaaaagta aaatttttct ttattcctat cactgcagct 28380
tataagcact ctaaacattt tgatctatat tttgccaatc atatatttta gttaaaattg 28440
ttgttgacat aattgtagat tcctgtgcag ttgaaagaaa taatacagag ctgagcgcgg 28500
tggctcacgc ctgtaatccc agcactttgg gaggccgagg caggcagatc atgaggtcag 28560
gagtttgaga ccagactggc caacatggcg aaaccctgtc tctactaaaa atacaaaaat 28620
tagctgggtg tggtggcggg cacctgtaat cccagctagt tgggaggctg aggcaggaga 28680
atcgtttgaa ctccggaggc agaggttgca gtgagccgag atggtaccat tccactccag 28740
cctgggcaac aagagcaaga ctgcatctca aaaataataa taataataat aaataaactt 28800
taaaaataaa acagagagat cccatgtgcg ctttgcctag ttcccccatc cactgcccat 28860
aacattttgc agaactgcag tacagtatca caaccacaat actgacattg atacagtctg 28920
ctcatcttat tcatatttcc ccagtgttac tcgtatccac gtgtgtatgc attgtgtttt 28980
caatactctt ttattataaa gctgttttta atgtgattca attctaggtt gttttgttct 29040
gccctcaaaa agcattccct ctcctaatca tatctccgtc atacccttgt atgttttctt 29100
taaacctgtt ttaagaaagc agctacctgt aagagaaatg agattgaaaa cagaattgcc 29160
aatctgcttg tactttataa gcctgttgat tgtttagata cggtttagcc agtttatagt 29220
taccctgggt gctgaaaggt atgctggatg atacctaacc aacagagaac cattgaatgc 29280
cgttcaaaat ggactgaagc atcagcaatg tctgaaaaag gcctgacagt aatgtacatg 29340
tcaaatggcc cgtaatttaa gcagagtaga gtaagtagaa gaataaacat ggggaaagtt 29400
ccagcaacag aggaggcttt gagcttttgc tcttcatctt gagtggatgt tgttctcagg 29460
tggtaatagg ccatcgagct ttctccactg gctgcctctc tggggaacaa ataaccgaaa 29520
agatactcag caccctggtt ggtacatagg tggtcagttg atttatactt cctggttttc 29580
agtgttgctt gaattttcta aatggaaaca cagtaccttt ataatcagaa aacaatcccg 29640
agttttgatt tgagggtgtt gtaaaaagtt aaaaaaaaaa aaacagaaat gtgaaaagga 29700
agttgtgtta gagtatttgg agttgagaaa gcatgaaaag gacagaagag aagctggttg 29760
tcaggttgca tggggtagct acaagcacac tgaccagaaa gtcagctgga aaaaaaatgt 29820
agaaacagga gataaaacgg ccaaggggct atacaagcaa acagcaagga cctgagaaga 29880
aaaactagtt aggtgtgact gtcagagtga tgtgtacagt gtgatccttt ctgtgtaaaa 29940
acaagcagta agaattcgct gtttacgttt gcgtgtgttt ggagaagagt ggggaagagt 30000
aggcactgcc agactgtgaa cactggttag gttattgtta tatctttgta ttatatacac 30060
tggacatgtt atttgtataa tatgagaaga aattttataa atcattaaat cttttggcat 30120
ttaggaacat ttgtgttttc taatagttgc ttctatacta ttatctttat tatatgccct 30180
tcatcttctc agtgtttggc tgttgttgtg attccctttt gtgagcagtg ttgaagttag 30240
ctaatattca tttcttctcc cttctttcac cctcctccag agtctgattt gaagtattcc 30300
tagctgctac ctataaaagc aataagcaag attgttttac ttttcacaaa ctcgtcctgt 30360
tctgtgcctc tgcctcggac atagctgtag tatagagtgt tgtctccctt acatccttct 30420
atcttagacc tactagtaaa tattaatgct cactctaagt tcttctcaat tctttttttt 30480
ttttttttct ttttttttga gaaagagttt cgctcttgtt gcccaggctg gagtgcaacg 30540
gcacgatttc ggctcaccgc aacctccacc ttctgggttt aagcgactct cctgcctcag 30600
cctcctgagt agctgggatt acagtcacgt gccaccaccc ctggcaaatt ttgtattttt 30660
agtagagaca aggtttcttc catgttggcc aggctggtct caaactcccg acctcaggtg 30720
atccacctgc ctcagccttc caaagtgctg ggattccagg cgtgagccac cgcgcccagc 30780
ctcttctctc aattcttcct gaagctcttt ctgcactaga ttcctcagga agggcttgtg 30840
ggaacaatct tctgtgaatc aacagtacat attcataata gtttgtcagc agcctattat 30900
tttaaggcca tttggtctgt atataaaaat gtttggatca cattttcttt ctttaaggta 30960
aatatgttat tctgttgtct tctggtataa agcattgctg taaatgtttg acagtctaat 31020
tatcttttgc ttataagtga cttagggttt tttgtctatg tgcccaaagg atttttccc 31080
tctttctctc ttttttttt ttttttttt tttttaaaca gacaggatct caccctgttg 31140
cccaggcttt agtgcagtga ggcagtcaga gcttactgaa gttttgaact cctgggcttg 31200
aggaacaaag gatttttta accttttaat tcaaagtctc atcatttatg caaccatgtc 31260
ttggtgttgg ctgttttggg ttgttctccc tcaaaaatcc atgtgctctt tcaatatgta 31320
gttttaaatc ttttttttt aatttcagga aaatcttgaa ttagagtttt ccgtttttcg 31380

20262013390 25 Feb 2026

tctggtacat tgcttgggtt tccttcttca ggaactcagc ctgttatgtg tatgtttgat 31440
cttctttgcc tgtcgtctgt ttctttcact tcctctcact tttttaaact tcatttatta 31500
aaaaaaaatt ttttttcga gacagagttt cgctcttgtt gcccaggctg gagtgcaatg 31560
gcgtgatctc ggctcactgc aacctccgcc tcccaggttc aagtgattct cctgcctcag 31620
tctcccaagt agctgggatt acaggcatgc gccaccacgc ccagctaatt ttttgtattt 31680
ttagtagaga cagggtttct ccatgttggt caggctggtc ttgaactcct gacctcgtga 31740
tctgcccgcc tcagcctccc aaagtgctgg gattacaggc gtgagccact gtgcccagcc 31800
ttattaaaaa ttttaaaaac atacatttaa acttaacaga aaaattatga gagagaaggg 31860
ggtggtgcca ggctttttta aacaaccagc tcttacatga actcatagag tgataactca 31920
ttaccatgag gacggcatca agccgttcat gaaggatctg gccccgtgac ccagacacct 31980
cctactaggt ccatttttaa cattggggat cacatttcaa cgtgagattt ggaggggca 32040
aaactacaaa ccatgtcact cagggattgg aggagcaagt accacctata ctttggactc 32100
aggtagaaag gcaaaatatc caggaaataa gctgctaccg tccagggttc agcagaggtg 32160
cccatcagcc tgccaagtac tcaagagtcc agcctctagg gagctaatca tcatggtgag 32220
ctcttcgagg cacagggagc tgggaagaca gtgcttgcca cccctgcctg aatagtgttt 32280
gcacagagag ttctgttgtg tcttgattgg gtcctcctgc cactgggaat gctgtggatt 32340
atactaggtc tctatctggc ttgtttcagg gctccatgtg aaaaccttct tgatatccta 32400
gccatccacc tgctcagtcc ctagtttgca aggaggctgt ggggagccta gattctgtgt 32460
cagatagaat gtactacatt ccgtctcagg aatgtaccac atcagaaaac agtgcgacct 32520
gcaggagaag tagaggtgaa gaggcacatt cttccgagaa atgtttctct caacacccag 32580
cattccctgg atatcagcag gaaattactc actgctagaa aatgccccat gagccttctg 32640
ttaaggaggt caagggagag aacagagaaa gttctcaaag ttgacttggt cactggtact 32700
ttcttatgcg gttcttattt tgtttgccat cgtcatcatc atgctatgtc tattttctca 32760
atccaaatcc actgctttca ccttggttct ttctgaccgg tttggcacac tcattcagta 32820
aatccttatg gagagcccaa tgtctgcata attgtgctgt gctgatgacc aagctagacc 32880
tacgagtgtc ggctcctttg agatgtacgg gacagctctt ctgtcatctc ttctgggaag 32940
cctctccagg cttggtgaac agtggcaaga tgtttaacag ttgtacatgt gtcccatgtt 33000
cctttctaag agcctgggca aaccagaccc ggtcgcaggt catcgtagta tggcgtgagc 33060
ttcctctctc ctttctgacc ttttgtgtga tggcaagaac ctgcagagtg acacaagcag 33120
caggcttctg aggttgctct agcctcagaa tggccgtccc ttctccaccc tggccctcat 33180
tgctgaggtt tcctttgaag caacagtgcc ggaacagact aggggaagca gcttggacat 33240
agctgtatga tttattacca cccattgagg ccaaccaaag tcggcaagga gaggtagcag 33300
gtcagtggtg cctggaagct tcctctttcc tttgcaccag atgtgactgc tctgcaatta 33360
ctcctaaatt tgctactctc gtttttacta gccaaccttg atgtttttcc cttcttcctg 33420
tagaatagac ttcccctctg atcagtactt tctactcaac actatttgtg gccacagtgg 33480
gaactcattg aggacaggga ccatgacatt actacctgac ccatcaacac ttggcataac 33540
ttgaaatgca aggacaaaaa ttggctgcaa gtacaatgtg gtcttcactc tgaaggtgat 33600
ccttaaaact tggctttggc atcatattgc cttaatatac ctaggggatt gggtaaaacc 33660
agttacttta aaagagtttt acaattctgg ccttctagct atcttgtctt cttaaacaag 33720
agcacaagat gaatgtatct tagtgaaatt ttatatggtt tgctttgagt aatcttgcga 33780
agattgattt ttagcacagt aggaaagaca cattctaata gtgatttttt tccccgagtt 33840
tatgtactgc tgttgcatga aaatctgact agatttaatg ttcctaaagt tctttgttca 33900
tcctgatttt tgcaggtcct agggaaagct ttgttttcct cttaacctaa cttagatgtt 33960
gtcatttcat gagctttgga ggaagagtgt atagccaatt gtgtaatgtc tttaaaggat 34020
attatctctg caatagttgt ttataaggcc taagttattc atgtaataat agtggccccg 34080
gatctgtttc tagcaatagg tatatggatt ttggttccta tatagttgta gttgtggctt 34140
tgagatattg agcaagccct tttaagaaag gatttggcat ccctcagcct tcaaaagctt 34200
ctcaaaattg atcatatgtt attagcaaag gtttactgcc tgcttccatt gtatagacaa 34260
tttatttttt atgtattccg ttctaagaag gcagatgacc aaaagatctt gcatctgttg 34320
cccaaggctt gtgactagag aggaaagaga taagaatact tttttaaaat cccattttac 34380
taaatatgtt gaggaagtgg taagatatat taatttgttg agatttttct gttatgccta 34440
ttatatgaaa taggtactct gaacatggct tcttaattaa atatatttga taaaatacaa 34500
cttgcttccc ctggagttta gaagtcagat aactgccatg gagagctatg ctttctttgt 34560
tttaaagatc tgcttatgaa catgataaac aggaacaatt taatgttttc aatattttct 34620
tgtattttac tgcaagttta tacacaacat aaatatgggg gaaggggggaa atgtttatac 34680
cagagccatc ctgcccattc tttccttaca gaaggacaaa ggagcagtat ttatttttaac 34740
tacaaaaata ctattgtagg ttttaaaaat tccgtatatt ttgatatctt gtgttcctct 34800
tgacctttaa tttgctaaat agttgcaaag aatgaaggta acctgcatca tcttcttaaa 34860
aaccaactct atctaattat aatagtttgt ctatctctga aaaatagtga tgtgttcatt 34920
ctgaaatcag aactaccgga tgcagctgca ttttgttact atttgaattt cgggagaggg 34980
aggaggatgc agcctttcga gctgctgaaa tacacaaaca caaagaagac accaagcata 35040
gtagaactgt gttaagctga ccaagccaga agaagcacct attctcagca tagtatgaga 35100
cgtaaaggca atataatggg catagttgaa gatggtagaa ggaaaataga ctctgatggt 35160
ttaatgttaa atgctttttt taaaaaagtg gtattccaat atcgaagaag aagactttct 35220
acttttagaa gcaataaagg aaattgcaga ggaaagggtc aataggttgg aatacataaa 35280
aattaaaaac ttttaaactt tttttttttg agacagagtc tcactctgtc acccaggctg 35340
gagtgcaatg gtgcaatctc ggctcgctac aacctccgct tcctgagttc aagcaattct 35400
cctgcctcag cctcccgagt agctgggatt acaggcatgg gccaccactc ctggctaata 35460
tttgtatttt tagtagagac agggtttcac catgttgtcc aggctgatct caaactcctg 35520
acctcgtgat ccgcctgcct cggcctccca aagtgctggg attacaggca tgagccaccg 35580
cgcctggact aaattgtttc agtattaatt ttttttaaaa caagatctta ctgttgccca 35640
ggctgaagta cagtggccca atcatggcta actgcagcct tgacttctgg gcctcaaggg 35700
atcctcccac ctcagcgtcc cgagtagctg ggaccacaga catgtaccac cacacccagc 35760
tacttgtttt atttttattt ttgtagagat gaggtttcac catgttgccc aggctggtct 35820
cgaactcctg ggcccaagca atcctcctcc cttggcctcc caaagtgctg gtattacagg 35880
tgtaagccat tgcgccctgc ctgatttttt aaatgtgcaa acagataagt tggaaaagtg 35940

2026201390 25 Feb 2026

atttccaata aagataaaga gttgatggtt ttaaaatacg taaagagctt atatgaatga 36000
gaaaaacact aacattccaa aagattagaa ggcaaaggac agaaagaaac aaatcactat 36060
gtctgggaag ggacatgaag gagcaggttc ccactgggcc agcggggctc aaacccactg 36120
gggacgtccg agagactgca agggccatgc cttcacattg ccgtacctga gaagcaagga 36180
gctggggtat ttatctcttt cacactttgg gaggctgagg tgggcggatc acctgaggtc 36240
aggagttcga gactagcctg gccaacacag tgaaaccccg tctctactaa aactagaaat 36300
aattagctgg gtgtggtggc acacacctgt aatcccagct acttggaagg ctgaggcatg 36360
agaattgctt gagcccagga ggtagaggct gcagtgagca taaattgcac cactgcactc 36420
cagcctgggt gaaactctgt ctcaaaaagt aataataatc atgataaata aaataacatt 36480
agattgttag cagaagtagc cacaggtttc tcccacctct ctgcaagttg ctgagtgtga 36540
ttcccatcaa gaggtacaat gtctttttat ttttatttta tttattttat ttatattgcc 36600
tatgttgtct aggctggttc caaactcctg agctcaagtg atccttctac gtcagccccc 36660
caaagtgttg ggattacagg catcagccac tgcacctggc ccagatactt tttcttgagt 36720
aggaatttcg agtcaccctg aacattgcat gccttcgtag tggggaagac aataggaaac 36780
cacaggctgt aggctaaaat gggttgtgtt tcttgtaacg tcatgacaag gcataaccca 36840
tcttggcata gtaaatagta agcactcact gaactgatga ttttaaatct ttgctgttta 36900
ttcagcaata tcctaaatta gcgctatgtt agtggagttg catctccctc atggattagt 36960
ctgaaaaaga tgagaaatct gtatgtagac caagttatcc ttaaactgct cataatgtat 37020
gatgcacgtg gttttacgtg tacagcctgg taccattgtt cttaggcaca tttcagtgcc 37080
agaactctta atacccagga agaagcaaaa agaaagatgg aggtgcagct agaggttgtg 37140
gcctttgaac gattcattct gccttaataa gagtggtctg gctgagctcg gtggctcaca 37200
cctgtaatcc cagcactttg ggaggccaag gcaggcagat cgcttgagcc caggagttca 37260
agaccagccc aggcagcata gcgagacccc ccctcccccc gtctctacaa aaaaatagaa 37320
acaatgagcc aggcatggtg gaacgtagtg cgtggtgcct gtagtctcag ctacccagtt 37380
ggctgaggtg ggaggatcac ctgagcccta gaagtcgagg cttcagtgag cccttattgt 37440
gccactgcac tccactctag gtgacagagc gagacaggtc ctgtctcgaa aagaaagaag 37500
aagaattaaa aaaagtgatt agatcccttg tgtttgggac acttgttggc agcagggatg 37560
gtagcgttta tgagggttgc atgtaacatc gcctagctca gacatctgtt tgactgtctt 37620
ccccccctgaa gcgcaggctc tgtgagggca ggtcttttgt ctttcttgtt aatcttcata 37680
tgcttagtgc ttgccacata gttgatgctc agtcgatatt tggatgaatt gaagggatta 37740
atgcattgaa tctgaacctt gctttcttaa tgcatatggg gagttctttg gaaagccaca 37800
cagaggagct tggttgcctg cttcctctct tccccagatt gtctttttat tgttgtggct 37860
tcactgaagc actctcactt caaataattt tgggcattgg tcgtatttta ttctttgttc 37920
cttcttcatc cttacccctc agatggtatg tagaaaagta cactacatct agaaagtact 37980
ttataaactc atttggttga taataataca tatgcctttt ccttggtcct ggtagcagaa 38040
tcttgtgcca ctcttggaat acaaacgaaa ttcttaacca aagccagttt cattttgatg 38100
ttctattttc ctcccattca cactccaaat tgtgcaccaa agtatcatcc tagttttgtg 38160
aggatggttc tccatacttc agggtaggag tatcatgtgg attcctatga tacctttctc 38220
cctgggacca tggagggcag cagctggtga ttgatagtct gattcccggt gaggaaagct 38280
gtgagccttc cacttgcaga tgtctgccaa ctacatgtgt ccttagtcaa ctgtaccact 38340
gtcctccggc aaacagcaga agcccagggc ctgaagttct taagctgtca ttatggaaag 38400
cagaaggtaa acaaaacaga agtgaaagta gatttaattt tttagactgt tctcttacag 38460
gaatggtttt gtggttctca gcattttaaa aaaaatagtg gttccaatat gttttattga 38520
catcaattac tgtaagtctg attcattttc tgcctattga tttctaccca aggtgaaatt 38580
catgacattt aacagaaagc ataagtgatt ttttaaaagc agacactatt agggacggta 38640
aaaataagat ttaaagtcgg gacacttgaa aaagcaattt ttataccttt ggtaacgatt 38700
ctattctgat tctttgtata aataatataa acaaaggctc tagaagctta ctataatgaa 38760
gttggtgtgc tgtttctaaa ttctggttta aggcccaaat tcattttatc tgcattaact 38820
ttttttttt tgagagtctc gctctgtcac ccaggctaga gtgcaatggt atgatctcgg 38880
ctcactgcaa cctctgcctc ccgggttcaa gcgattctcc tgcctcagcc tcccgagtag 38940
ctgggattat aggtgtgcgc caccacgccc ggctaatttt tgtattttta gtagagacgg 39000
ggtttcacta tgctggtcag gctggtctca aactcctgac cttgtgatcc gcctgcctcg 39060
gcctcccaaa gtgctgggat tacaggcgtg agccactgca cccggccgtg ttaaaatttt 39120
tcagtggtag accactatgt caatatgttg ctttcactga caacagtatt ttcttaaaga 39180
taggataccc catttctaga tgaatctcat tctagctgga aaataatttt tcagttctga 39240
aactacatca ggcctcaggg aatcaaaact agctattagc cacacacata taaagtggct 39300
ttgctttata aacgatttag ggtcaccatc aatgacaatg gtccctttt attgtatttt 39360
taagagtttc ttatcttaaa tggctgcata actgtagagt tttaaaaaaa ttaagtaaat 39420
gaccatgtta atgctctatt aagcttccaa acaatattgt aatttacttt gaagattttt 39480
ttttattctc aacatcctgc agcttgaccg tttgcctccg tgtctcagtg ctgcttattt 39540
tgaggtgtgg actggagtcc atctgtcccc cttgcctctg aactgctccg ttttgtgttt 39600
cgtaattctt catgctgcat cctgggcgca tttctctgta gtagctttca atttgctcat 39660
gctttgactg ggcttagtct agcgtttatc ctatctctta aggtttttta aaaaattttc 39720
atgattattc atttatttcc aggatttctc atttcttcag tcacatctcc ttgttctggt 39780
tttacttctt cctgtttttа ttcataacat ctttttata cacgattcct tcatgtattt 39840
ctaatcttaa gtatatttaa ttgcttattt gattcttttt ttttttatt gagacagggt 39900
cttactctgc caccaggccg gagtgcagtg acatagtcat agctcactgc agcctcaact 39960
acttggactc aagcgacctt cccacctcag cctcccaggt agctaggaat acaggtgtga 40020
gagccgccac acccagctga tttgtcttac tatgttgccc aggctggtct tgaattcctg 40080
ggctcatgtg atctgccctt cttggcctcc tgaagtgctg agattatagg tgtgaaccac 40140
tgcacctggc caagtatgtt tatttattta ttctaatttg agagggagtc tcgctctgtc 40200
gtgcccaggc tgtagtgcag tggcacaatc ccagctcact gcaacctctg cctcctgggt 40260
tcatgcgatt ctcttgcctc agcctcctga gtacctgggg ttacagttgc gtgccaccac 40320
acctagctaa tttttgtgtt tttagtacag gcggggtttt accctgttgg ccaggctggt 40380
cttgaacttg tgacctgaag tgatccgccc gccttggcct cccaaagtgc tgggattaca 40440
ggcatgagcc accacgcttg gcccaagtat gtttatttttt aaagtcccca acaagctata 40500

20262013390 25 Feb 2026

caataaattg catatggaat ggatttttgt tctagttgat ttgttggtta tcatttgtag 40560
aactaactag ttgtcttctg tgtttgatac cttgcttcta ggtcattttg agttgggagc 40620
cttttgtttt gtttttattc tcatgctgtt tttgagccta gctgtgcctt tatggttttc 40680
tctaaattta attgaccatt gttttatatt tggagcagtg ggtgtacatc agagtgtgaa 40740
agcagcccca ccctctccac cagaaggtct ccatgccagt ttcacgaagc atttttcatg 40800
ccctcattcc tgcccttatc ccttgatttg tggggagttt gtaaagcagt tgattgtttt 40860
ttttccacgt agttttccaa gtgcacataa ttgttctgtt agtgacttgt agctccatta 40920
tctattaacc ttgccccaga ccactgtaca agcggaccca acgcttcctc cagctgtggc 40980
agggacagtt acttggtatc ctgctgcctt ttcaatgctg accagttttg ccccttcctc 41040
ccctcaaccc ctgtctttca ttcaactatc accaaaccaa aagattctgg tttgcttttt 41100
agtatgtgtt cttattcagt acatagtcat tttaaaattt aaaccaaaac agacttggta 41160
ctgattagct taattttaag ctttttcttt attattaaac agtgtagttt atcttagcat 41220
ttcatattaa gtatatgatt tatttcatat tgcttatatg aatgtacaca taaatataat 41280
aaaaatattt tcctaaggtt tttgtagtaa attatatcgt ttcattaact ttcatatata 41340
gcattgcttt tgacctggaa gacattgaac ctctgatgat ttgtatattc ctcggagtat 41400
actttgttac atagaaattt tctcatttat aatgagattt gtgattaaca aaatttgttc 41460
aacatgcatt actttgaaga tctggtttct aaaattttat gctagttacc ccacccccc 41520
ttctatatat atctccctat tcagcgacta ctgcaagagt tccaggaaat gtacactgtg 41580
tgttcactta ctgcatttta aatcattgcc tttactatat ttctgcattt cccttcaatc 41640
tagctctgtc tgtacatttc tgaaagccag tagcttccct gaagaaccag gtaacaaccc 41700
gaacaatcaa attagataac catttgtaga atggaggttc cgggagatct tagaagatgt 41760
gatgggtgct aagggacttt gtagttccct gaagttccag tgagtaaaag gtacccttgg 41820
aatttttat tccttcagac ttttaaaaca gagatcactt tcaaaaatta ctctttctgc 41880
tttgaatcca tgttttagta actattttga cactgtttgg tcagaaggct gtgtgggtca 41940
actgcaaata aataaaataa atgtgatttc agtaatttcc attttgtaac aagtaattga 42000
gaaaatagga ttggatcaga tatttgctta tacacattcc ctttcaggag cacttctgtt 42060
ctataaagaa tgttggtata ttgttaagga cacttcaagc tttgggaacc tttgaagtat 42120
ccattgattc agttaacaaa attatgttga gtgcctaccc tgggcctggg cctgtgttag 42180
gaggggacac taagatgaga gtccaaagca cttcttctca gactcctggc tgctaatggg 42240
ttgctgcctc tacttcttca cttagcagat agctttaaaa tgagtaatgc attttaccat 42300
ggagcccgta agagacattc acccagttgt ggaccgagga gaagggtgtt aaacccagat 42360
tgtgatgttt cacttgatga agtgcttaat ataaacatgg aaatatttcc gcaaggataa 42420
actggctttt atgcctgtgt gttttcagga gaaatagaaa tctctaatca aatattgcca 42480
gcttttcacc caagtttgac tttttgccta attgagtttg ggaggtgtct gaataatgga 42540
taatgagctt tcctgaataa atataaaaat taattaactc caggctctaa ttcattctgt 42600
taccagagtt ttgtaagcat gttacccctt tgtgttcatt gggagatcat ctgttacctt 42660
cttaaatgag tggggaagga tgggaaatga ggaagagcta taaaaactat tcaggtgaag 42720
aaggtttctg cccctccttg ccccttttaa aatctccagc tcagcagatg ctttgtttaa 42780
acttgatcaa gtgcttgtga atcttcctag cctagctaaa tcataacttt ggaaggactt 42840
gctttttttct ctcatgacaa tggtttacca cagaaatgat tcagatcact ttgtgtgcct 42900
gatgcctatg taaaatgata cagtgaaatg gaaaccattt acctgtaagc tttgggcaca 42960
cccaagcctg cttcaggagc acatgatcag gcgtgcactc tgggagagcc gtacacattt 43020
gacatctatg atgtgtggcg ttttattcta tcacatttct gaaatctaca ctaagagaaa 43080
ggaggctctt aaaaaaccac tgaggtgtgg actgggggaa ggagagatcc gtaaagaacc 43140
tgtttgttac ctgttgatac tatttcccat tggtaaaatt tctaatttag tgtgatccag 43200
ccctgaaatg ctgaggcaca cactgaatga ctcctgacat ctttagtgtt tttgttcagg 43260
ggactcttct gggaatctgt ttcatggcaa gtttattatt ccctttggt ttggctcatc 43320
agtttaccca gcagtcatct taatcggttt taaaggcttt tattttattt tgttttctct 43380
gtggaaattt tacacattca gtagattaga agtagttatt taatctttgg ttagcataat 43440
aaaagatctt ctagggacat tttttgcttg cagtggaagg ctagttaaat gtgttcatta 43500
gtcatgaatc tgctttttct atagctgttg gaaacgtagc tcccctgtga tacagttgta 43560
gaatacagaa atctcgtttt gctgttacgg tacggtagtc tacttacttt cttccaaacc 43620
attaatgtta tagttacctt taattgcgta ggtcctatca cccctcaatt ttaagactct 43680
aagcctggca ttttatctta caaaatgaaa tataaagact tgtactcaga gtatgtgtgt 43740
gttttccata taccattcta aagtagagaa agatgaggga ttcgccagaa actgatttct 43800
aataaattat ccagaaactg accccttctc acctcttctg ttactgtcac tgtggtttca 43860
gccacagcat cctttgctgc attgttacct tagtttcctg actgtatcct tccttacacc 43920
attgatccct gcaatcccat ctgcgcgtag cagccagaag ggatccactt actgctgtga 43980
tcagaaatcc tcagccaggt gcagtggctc atgcctgtaa tctcagcact atgggaggct 44040
gagactggag aattatttga gcccaggagt ttgagaccag cctcaaactg ggtaatataa 44100
tgagacctca tctctacaaa caggaaaaaa aaaatttttt ttttttttt aactagccag 44160
gtatagtgct aatatacctg ttctgggatc cagcatgctc tccctgacct gcagcttcat 44220
ctccaccact ttgcccctca ctcccaccac aatggctttc ttctcttcct cagacatgcc 44280
gtgcgtcctc ctacctggaa tattcccctc caaacattcc catggctcac tccctcacct 44340
tcatcagatc tctgttccag tgtcacttt actggaaggt cttttgtgac catcctactt 44400
attataaaaa aataatctgc ccaaccttct ccttttattt cctctacttg atttttcaat 44460
ttagtactta tcagctgaca tatattttgt ctctctgtct ctctctgtct ctcatagaag 44520
gtaaattcta taaaggaagg aatttttatg tttggttctt tgctgtagct ccaatattca 44580
aaacagtgcc tgacacacag taggcccttt atatttgttg aataaatgtt gacactctga 44640
tatctaattt ttgtctggtg actaatacga aaactataga gtgataataa aagcattacc 44700
ttagtagact ggaaagggat gagcgctagg atgaactttc tgcctggcga tcttgctgaa 44760
tttaggaggc agattggggt tcaaaggagg ctgaaatggc taggatttgc agagcagggt 44820
actaaggatg agcaggctat gacagaaaga actccagaaa tctgcaaagg gatcaccttg 44880
agtctggctg gatacagtgt acactttgta gggtgtctct tcatgagctt ggataaagaa 44940
caactgttgg ggagtggata attcccagca ctcattcaag cttgcatcgg ccagaacgga 45000
gagagacaga cctctgtaat acgtaggata tttggtagaa acattcaacc gaaaaccatc 45060

20262013390 25 Feb 2026

agatatgcaa aaagtaataa taataagtaa acaatgtgat gcatagctag aagaaaaatc 45120
agacattaga agcaagccca gaaatgacag atgataaatt agcagataag gacattaaaa 45180
cagctattat aaataactta gcagatttaa agaaaaacaa cataatgagg ataatggaag 45240
aaaaacaacc gaataccatt tctaaagaag aaaaatacaa tatctgaaat gagaatttag 45300
ctggatagga ttaatagttt aggcactgca gaagaaaaaa acagcatcta tatgagaata 45360
tacccaaggg aagtacagag aggaaaaaaa tgtggattgg ggggtgcctc agtgacatat 45420
ggaacaatat taaacaagtc tgcccccaaa atacttgaag gaataaggtt caagtttttt 45480
ccaggtttaa tgaaaactat aagcctacag attcaagcat ttcaacaaac cttcagcaaa 45540
ataaacaaaa ccacagtagg cctggcacac tgtctcatgc ctgcaatccc agcactttgg 45600
gagcctgagt caggaggatt gcttgagatc tgcttgggca acatagccag accctgtctc 45660
tacaaaaaat aaaatgaaat aaattagctg gatgtggagg tccacacctg taactctagc 45720
tagcctggag gctaagaagg gaggattgcc tgagcccagt agttcaaggc tggagtgagc 45780
taggactgca tcactgcact ccagcctagg caacagcaag accacatctc tctctctctc 45840
tctctctctc tctcaaaagg cagtgaaata acgacttatt tggggaaaaa ataaaggcag 45900
agaatttgtt gccagcagac tagcataaaa aaaaggaagt ccttgaaaca gaagagaaat 45960
gataaaagat ggaaatttgg atatatacta aagaatgagg attgctaaaa gtgacataca 46020
tagataaata tgaaatatat ttttatttta aaatttattt aaagcaaaaa taaaaataca 46080
tcatatttat aacatagaaa taaaaaatgt atgataatag cataaaggat aagtggacaa 46140
atgctgttgt cgtatttttg gtaaaatgca ctattatttg aaagtagacc atcgtgaatt 46200
cgatgcatat tgtaaaccaa atagaacact aaaaaatgaa aataaagaga tatggctaat 46260
gtgccaatgg tggagataag atagatgcaa aaaaagaaaa acattcaaaa gaaggcagag 46320
acagaggaaa aaaggaccaa agatcaaatg agtcaaatag aaagcagcta aactagcaat 46380
atggcagatt taaatctagc catgtcaata gttatattaa atgtaaatgt tctaaatacc 46440
tgaattaaag gatgaagatt gtcagattag attgaaaaag catgacccaa ctacatgctg 46500
tctgtaagaa attagaaaaa gaacaaatta aatccaaagt aagaagaaag gaaatagagt 46560
agaagttagt gaagtataaa acaaagagca aagaaaatca attaaatgaa aagctggttc 46620
tttgtaaaga tcagtaaaat tgataaattt ctagctaaac tggccaagaa aaaagaaaag 46680
acatacaaat taacagtatc aggaagaaaa acagagaatt caaaggagtg taatgcaaac 46740
tttatgctag taaatgcaat aagttagatg gtatggaaaa aaatgtgaac aatacaaagc 46800
agactgtggt tgcctttggt ggcagtagcg gggtgggagt ggaaggttga attgactgga 46860
accagaagca caagtgaact ttttggggtg atggaaatgt tttgtatctt ggttgcattg 46920
atagttaaat ggttgtagac attgcttaaa actcactgaa cacttaagtg ggtatgtttt 46980
attatttgta aaatatacct caaaagcagt tttaaaaatg tattcaagta catacttaag 47040
atctttgcat tttactctga gtatacctta attttaaaat ctgtttttta aaaagtatta 47100
tgtagatacc ttttattttc ccaatgtctt tattaaatga catctccacg ttttgcttct 47160
tacctctatt ttttttttct tatttctctg tctctcaggc atgcacacac acacaccaaa 47220
aaaagtacat atgcataatc cttttggctg aataaaatca gttgcaactg ttatttcggc 47280
ccttatttgc tccgggtaaa tattcgttag ctgagtggtt tatctgtatc agatatttct 47340
tacatcttca tccagtcaca ccagctggac tgaccagatt gtttttcact tcaagggcag 47400
aatttgtact cactgctgaa tgcttccaaa tgatacgtag aataacaaat ttaagactta 47460
gatttttact ttttcaggtc tttttttttt tttctgtgct gtatagcatt tccctgaaag 47520
cttaatctca tctgtaagtg atgcagtgga tgtgttacta ttggattaat ttatttactc 47580
ttaggtaggt ttgtaatctg tcatcatgct gttgtttttt tgtgtgggtt tgtttttggt 47640
tttgagacag ggtctcactc tgctgcccag gctggagagg ctagagtgca gtgatgtgtt 47700
tatgggtcac tgcagattca atctcctggg ctcaagtgat cttcctgcct caacccttg 47760
tgtagatgga agcacaggtg cacgccacca cacccggcta ttttttttaaa tgtattgtag 47820
agacgaggca tcatttttt gcccaaggct gatcttgaac tcctgggctc aaacaatcct 47880
cccacctcgg ctcccaaagt gctgggatta cagatgtgaa ccaccactcg agctccatca 47940
ttctgttatt agttgttctc tagtatgagt caaaaactct tacctgccct tttacagttt 48000
tataaataag taagcagaat agcagaatgt ggacattttt taaatccaaa ttgaatatgc 48060
acatgactca aggagtcaaa tagtaccgta atcggtttat gataaaatcc agtggtttgg 48120
ctgggtgtcg tggctcacac ttgtaatccc agcaccttgg gaggctgagg caggtggatc 48180
acctgaagtc aggagtttga gaccagtctg acctacatgg tgaaactact aaaatacaaa 48240
attagctggg catggtggtg catgcctgta atcccagcta cttgggaggc tgaggcagga 48300
gaattgcttc aacccgggag gcagaggttg tggtgagccg atatcgcatt atttcagaac 48360
aattttccac aagatcagtg agtgctgtcc aatagacata taatacaacc cacatacatg 48420
actttacatt ttcttgtagc catagtagaa aaggtcaaaa gaagcagatg aaattaatag 48480
cctgggcaac aagagcaaaa ccccatcttt taaaaaataa aataaaatat ggtggtttgc 48540
tgtccccacc tcagaccatt tctctggtct ttctcattga ccaccactcc caatctttgt 48600
tctgctgatt gattacagct tgtatatatc tccatatttc taagcaaaat gtttatcttt 48660
tttaaattta taaattcttt ttattatttt tcagagacag ggtcttaact ctgtcgccca 48720
ggctggagta cagtggcacc atcgtagctc actgtagcct cgaactcctg ggctcaagca 48780
gtcttcctgc ctccgcctct caggtagctg agactacgct acaggcacat accaccatgc 48840
ccagctcaaa atgtttatct tttgatacat tattcgagac cattattaag gtggatgatt 48900
tagttttctt aaacagccat ccccttttctt ttcctcccct ctgcttcacc gcccccattt 48960
tcccaatgtt ttacctttttg gttaaatcag tactcattgt ttacattatt tgcctctgca 49020
catagtcaca gatagtattg tactgtactg tactgtgttt ctttttttaaa cattatttct 49080
gttgttaata attgactttt taatttttttt cctattttgt tttttaaaga gatggggtct 49140
tactatattg cccaggctag agttcagtgg ctcttcgcgg gcatgatccc actgctgatc 49200
agtacaggaa tttccacctg ctccatttcc aacctggacc agttcacccc ttcttaggca 49260
acctggtggt cccccattcc cgggaggtca gcatattgat gccaaactta gtgcggacac 49320
ccgatcggca taacgcatgc agcccaggac tcctgggctc aagcagtcct cccgggctca 49380
agcagtcctc ccacctaagc ctcccgcgta gctgagacta cagacacttg ccaccacacc 49440
aggttaattt ttgtgttttt tgtagaggtg gggttttgcc atgttgtcca gactcatctc 49500
aaacttctca gctcaagtga gcctcctgcc tcagcttccc aagtagctgg gattatagac 49560
gcatgccacc acacccccatg ataattgcct tttttttaa tttgcataat tttctttgta 49620

20262013390 25 Feb 2026

gcttttgcta atgttcccat atcttcttat agccttacag aatgattttc cacaagatca 49680
gtgagtgctg tccagtagac atataatata acccacatac atgattttac ctttttttgt 49740
agccatagta aaaaaggtca aaagaagcag atgaaattaa tagtatcttt tacttaaccc 49800
agttcattca aaatgttatt tcaataaatg gtcaatattt aaaatacttg agatattttg 49860
cttttattta tttcttttgt tactaagtct tcaaaatcca atgtgtattt tacacttaca 49920
gaacatctct ttttagactg gccacatgta gctcagggtt actgtattgg acagagtggt 49980
ttcagtttca agtttttcct tggagacatc ctacttgaaa tttccattct ccatgtatct 50040
gggtggttgg tctatagact tgccactcac agctgtcatc ttgagacttt ctttgctttt 50100
cttctctatt ggatattcag tttcctggat ttcaggtctt ctcattttcc tctagtagtt 50160
ttgttaggtc atggttggta tggcatggtt gggatagcgt gttcacacag ctatctcgtg 50220
agtcatactc ctccaatcca gcctgctcgc ttcccgtgtc tgtcatgtag ttgtcaccct 50280
gctatctctc cctccagttt ttgcagaaat ttccttttgtc ttcactcttg gtcttcctct 50340
cccatccccc atgtatccta tatctttctc tttcttggtt tatttcatca ctcaggtgga 50400
aaagatgctc cagtggatta ctgggaaaag ggggagcatg gatgataaag gtattgagac 50460
cttacacgtc agggaatttt ttttttttt ttttttgag acggagtttt gctcttgtcc 50520
aggttggagt gcagtggcgc caactcggct cactgcaacc tccacctcct gggttcaagt 50580
gattctcctg cctcagcctc ctgagtagct gggattacag gtgcccgcca ccacgcccag 50640
ctaatttttt gtatttttaa tagagacgag gtttcactgt gttggccagg ctggtcttga 50700
actcctactt caggcaatcc acccacctcg gaatgttttt attgtccctt ctcatttcat 50760
gactgctggg ctaggtatag aattccagaa tcattgttct tagaatctcg aaggcattgc 50820
ttcattgctg gccagctttc agtgttcttg caaagtctga agctgtgcta atcacctcat 50880
cctttgaaag tgaactgttt tttcttccca gaaacttaca gaacattctc tttgtccgca 50940
gaattctggg attgcaatta ctgtgcctta gaatgggtct gtttttatca ttatgaagag 51000
tactggatgg gtcgggaggt tttcttgaat tacttcttga tgttttcttt ccttgtattt 51060
ttttgtttgc taatttttcta ttttttttttc ttggtttact ttcttgggca gggggatttc 51120
ttctacttat atttgattct tcagttgagc ttgtcatttt tgctatcttg tttttaagtt 51180
tcgagagaca tctttgtttt atataacatt ctgttcttaa tacatagatg caagatcttt 51240
tctttctgag tatattaata tgtatttgaa atctttctat tctctgcagt ttgtttcccc 51300
caagggtttt ttttttttttc tggtttttgt ttttgtttt tatgttagag actttcctgt 51360
tatatctggt catcagtggt acctgcatgt ggtggagagt aggggcttat tggagtatga 51420
gaaccttgag caggtgtaag gagcctgtca acactgcgct ggcctcaggg cctctaggga 51480
ggctgccagt tgtgcattct gaggatacct tttggttgtg ccttttgtct ggtcagatta 51540
tctagagatg ctctgcctcc tacctggagg agaagggtct agctgccagc ggtgtgagtg 51600
tctcttgggg aaaaggactc gagttcctgg tgtttggctt gtgtatggcc gcttacccca 51660
tttttggtgg agcgctcaca tcttccactg tgccaacagt cttgctgcag ttcatagacc 51720
ttctggttta catttttcca gaaagtatgt ctttagattt ctgcagaagt ctgaggagca 51780
tggaaggagc ttggggaatg agatggcaat ccaggtcttc ccagatggct ctacctttat 51840
cccctgcagg gaatcccact cctccttcct gactgggagc acagccagag ccttgggagg 51900
aatctggagt ggaaatctcg ggcggtctgg ctttcttact gttcacttgt aattttgctt 51960
tctcacaact gccaaccact aatcagcctg atttccagct tccagaattc tattgctgtt 52020
gtctgctctc ctattcccac cgtaggggat ggggctgtct ttttttttt ttttaatttt 52080
ggtaaaacat acaaaacata aagtgttcca ttttagccat ttttaggtac acagttcagt 52140
ggcagtaagt acattcacgt tgtgtgtatt tgtttttta gtaataaaca atataaaatt 52200
ttttaagtaa taaaacacaa ataaaagatt gtttaatgtg attatcgtgg aattttaggt 52260
gtgatcagga gccatggtgt agtcttctgt tgaaacaggg tgataggatt tgtttaccac 52320
ctcctaggaa agcagttgga tagtttgttg gcataaaagt acattttatc tatttttaat 52380
aatcgtagct ttatagaaat tgcagttgga actcccaggc ctggcattca aggctctctg 52440
agatctgggc tacccaccca tgtcctccag ccgtctgtcg cacctcctac tgcccactca 52500
ctgttcctgg catgagatgt gatctccagc ccccatgcct ttgctgtgca gggtgttcca 52560
gagtgaattg tccctcctgt ctgtctctct gccctcttcc tcgtctttcc atcttcctgc 52620
cccacatcac tgcctcctac ccaaggcctg tgctcattcc tcctcggttt tcccccatgg 52680
cctggtacat acctctgaat tatcaccttg catttcccat attgcccggc tctctttgat 52740
gtctgtttct ttgctgggtc ttcctcagtg tctgacggtc agttaaatgt ctttattctt 52800
ttttgtagga tatccgacat gaagccagtg acttcccatg tagagtggcc aagcttccta 52860
agaacaaaaa ccgaaatagg tacagagacg tcagtccctg taagtatcca cgtggccggt 52920
accagtcttg ctcttccttt gctgcaggcc tttttagtca agactccttt cgcctcaggg 52980
tttagtataa taataaatca atgtagcaga ggtttatgac gcgattgttt cctatagtaa 53040
aggcattaga gacttatagt aatagctcat ttttccacca ttatagaagg gctcaggttt 53100
cagtttctgg aaaattcagt gaagttcaaa gcacttttct taagctttga ctgtttttgt 53160
gatgaatcat tttcctacca gctgaagcag agtatagcag gcataataaa acctttttctg 53220
gatgactcag cagcagcgtc attagggcat gagcactgtg ttccgctgta atgaagcccc 53280
gcacaggcat tcggggtggg cactgtcgtc ccctgcgctg aatatgcaag gcagctctgt 53340
ctggagtccc caccgcctcc acccccgcca acctcatcat ttttctccct ctttcctgct 53400
gttagttctt cctaggattg tcagtgtgcc tgctggcctg tggcagccct gtccgccttc 53460
tgagtgattg gctgtcagtc tgccggtagc tgaaaagtaa ataacttaac atgttagaat 53520
ttgcataaag taaggaaaac tggagctgag tacaggactt gaactgcgcc atctcctcta 53580
ggccacagag gccttttga ccccttcca ggtctttaga cattgtcagg cagtgagggg 53640
tcgtagctgc cagtgtctcc atggtagcgt gctctgccag ggatgcagaa gattctccag 53700
tcattcctcc agtgggcact tcctgcaggt cctgtgccca tggctgggag tggtggctgt 53760
cattgttctc tgccagaagg gttagcagtg catcctgacc tgacttatgt ggcgcccaga 53820
ttcctggaag gggtctaaaa atggacctag acttggtgta gaacgtgtgc ctcttggcct 53880
gccaccatgg ttccctgcct ggttttgtgt gtcagctctg ccgcttaaga actgagtggc 53940
ttcgggcaag ttgttctctc tcataggagt gtgtgaagat gaagcaacat aagctgctta 54000
gcccagcgcc cagtacctca cgcagacata agtgctcagt aaatgttgtc tgtggtgggg 54060
atggttgtca ccaacatctg aagtgcactt ctaggtcatc aggtgacatg attggcgcca 54120
acacatggta ctcttgattt agcacatctc agctgaggca cctcattgat atttgtttaa 54180

20262013390 25 Feb 2026

aaacaaaaac aaaaaacctt ggtgattctg ctgtgaagtc ctggccagaa acctccagac 54240
cgctgatcaa cacgcaacag aaccatcacc gttcacctct ttgacatggt gccaggatac 54300
cctggatctc tagcttttgc tatagttgct ctaattaggg aataatcttg tctttaatat 54360
tcctttgcta catttttaa catttcttat ctaaatggtt ttatgaatca gttttacaga 54420
gaaaaaaaac cagtatttaa aatattcttc caggggctgg tccaagtaca gtagtgttta 54480
caactatgtg atcacaacca gttacagatt tctttgttcc ttctccatcc ccactgcttt 54540
acttgactag ccaaaaaaaa aaaaaaaaaa agttattcca gggaaacaat tctccaactt 54600
tttcactccc aatctcactc ctcttatctt cctcccgtac tcctatcctc ctcccgtact 54660
cctatcctcc tcccctactc ctatcctcca gtagaaacag tcatttgctg tgaaggttat 54720
gggggagaat gagtcaaggt agaaggtcac ctgctgccca gctcacagtg ctgctggtga 54780
tgacagcagt ccacagttac aggcacttgc tgaacgaggg gctctgtata cacctcagct 54840
cattgactct tcccacaacc ctcttgtcac ctaccattta gcaaatgaaa aaaccaaggc 54900
tctgaggtga gttgtttgcc cagagtcacc cagtgctgtt tgaacccact cacataacca 54960
accaatacca ttatgtaatt tttgaggtct tttatctctg tgatccactt aaaaattatc 55020
caagtatctt tatttgtact aagcctccat aatgagaaac agtgttccag atggtggcta 55080
gttttcaaag acatctctct ttggaattct tctttagaac aaaaagcccc agaccactta 55140
tccccattca tatccccttt ggacctaggg agaaggtact atttataggt gatcacctga 55200
gtttattgtc ccttgtgctg tgccagaaat aaaggtcccc acctgctctt attagctcta 55260
ctaacaggat aaggaaagtg gccctcagag agctactgct tttgtgacaa acaaatgata 55320
caagaaaaaa aaagtggctt tttaatttta gtgacctggg gcaggacttc caaatgaaag 55380
tttatttcta aaaactaaaa ggtaaattta atatactttc agtgtttggg cttaaattct 55440
ctttcaagtg tctttgtgat atgctctgaa ttttaaaaat ttagaatcat tgaagttcat 55500
tatacttgaa ctttaaaaaa aaaaaacaaa aacctcgtat aaaggtcaag gtatgacttc 55560
atgctgctgt gtacttaggt catttaatct tcaaaccact ggatagaggt taggttgaag 55620
ttcgatctta aatcctacct actgtagctc attgtaccag caacagctgt agggactagg 55680
tggaattcat ggtgggtttt gttccctttt aaagattgaa gccaccatat tttctgccct 55740
ctaaaagttt atgtcagcca ggcatgggtg gctcacactt gtaatcccag cactttgggg 55800
aggctgaggt gggtggatca cttgaggcca ggagttcgag accagcctgg ccaacatggt 55860
gaaaccccat ctctactaaa aatagaaaaa ttaggtgagc atggtggcct gcgcctgtaa 55920
tcccagctac tcgggaggct gaggcaggag aaacatttga atccgggaga tggaggctgc 55980
agtgagctga gaacatgcca ctgcactcca gcctgggtga cagagtgaga ctcttgactc 56040
aaaaaaaaaa gttatgcatc agagaacaga tcctttgatg ccctcctctg ccctgaaagg 56100
tttttggggg agagtaataa gtatcacaac aagatatgac ctgagaacag atttcccaga 56160
taggacatga tccatgtttt aatatggctt actgctgttg cttcatagtg tgaagcttca 56220
gacacttctg aaaacccttt cagaaaatcc cagtcgcccc atactgatga ctaatctcaa 56280
ctaaaacagg gcttcagcca gtgtgaatgc cactaatgcc accaactcac ctttgctttt 56340
ctgtagggtg tgcacctgta tgtacacatt cagcttttcc gggattaacc tctgagttct 56400
ggtttgtctt tcagttgacc atagtcggat taaactacat caagaagata atgactatat 56460
caacgctagt ttgataaaaa tggaagaagc ccaaaggagt tacattctta cccaggtaag 56520
cagattgtct gaattttcta tttaatgtca atttaagagt ttgagagtgc tgttatccac 56580
acctcaaata aaatctgcca catcctttag aaggtcagga tttcagcata ccaaaaagca 56640
gcaaggaagg gggaaaaatc atccttcaaa ggttcagttt ggttataagg aacgctaatc 56700
ttttctggga agcataagat gacattgctg gaaatgagag cttatagaaa acaacattaa 56760
aatgccagag ttgcctgtgt ggtctgttgg cagagacagc agagccatgg ctggaggagg 56820
gtctgtacct gtgttgcttc cagaagtatt tgtcgtagag cacttgtgat ggcaaatcta 56880
agaacgttag cagtagacca ggaatctctg tccagagcca ttcagagtag ctcagcatgg 56940
ttctcattct ttggccagaa gaaaggcatc attggatcat gtgaacaagc atgaaaaatg 57000
acttaaaatt tctgttggct tttggcatct ttatggaaac aaaatcctga aagtggttta 57060
ataattgagc ctcttgtaaa acactcagtg gcatgtgacc aaaagggtat ctgggaaaga 57120
ggataaaaag agtttctttt taattaatct tctcaagtct taacttgtta cctgtaagtt 57180
ggtctaaaaa gactgggttt cttattttgt ttttcatcat aatttttgtt tctcattcca 57240
tgtcagcttt cagtcttata tggctttagg ccacagggcg attttgaaca tttgtaattt 57300
tgcttaataa ttaggaaatt aaaattctgg ggaagacaga atgctctatg aagaaaggct 57360
gctttgagca aggagctagg tcagggcgcg ttcaactgag gcctttcttc actgccttt 57420
tgtcttgtcc cagttcctcc ccatttatga ctaaaatcag cccagatgct tctcgtcatc 57480
tgggatgcag agcatcagcc cagctgtgtt cagtcctatg gggccattga gtaagttctt 57540
ggtgcatgga tacagggcag gcctttacca ggccctgagc ccctggtcct cccagcacct 57600
ctggggtatt taggggaggc tgatggggga gggggttgat aaggcgggag atgtctgggg 57660
atgaggttga ggcaaaagtg acttcttgag gactttgctt tttggagaag tcaaatttcc 57720
tacttcttga tttcagccct tcaactctgg tatggagtca ggaagccctt taaatacctg 57780
ttgtcgggtg tatcatgtca agtgttgcat tagcaaatga ccatgtatcc ttgtgctact 57840
gtcctgccta ccccgcatcc tagcgcttcc ttgggacatg agaagctctg tctggtttgt 57900
gaggtggcac tggggatgtt gagaaactgt ttacacagtt tccctttgcc ctggggattt 57960
actaaaggag tcgaggcagc ctgaccccaa agcatcaccc ctggacacta tgaccgaaac 58020
atttccccag tgcccaaacc aagaacaccc ttcccatttt tttttcagtg gtgttcatta 58080
tgtaataata caagtctctc ttctcatttt ttaaaagtca gaagtacaga agagcagaga 58140
ataatgtcca aggggccctc cttcacctcc cccgtgcagt gtcagctaag tgtggtgcgt 58200
gtccttgcag atcttagggg attgtgatcc ttcagaccat tctaaactgg ggtggtgctg 58260
ggagttaggg aaggcatgaa gggagtagtg gagagctgca gtgactgggg tcttcatgcc 58320
agggtggaga atgcaaggcc caggtggcca gccatgtgcc acgggatttc tggctgccaa 58380
gagctgttta tctgttcact ggggagggaa gagttaaatg tggtctgctt ttctccgagt 58440
cccttcagca cagggagtgc tgacttgtct tgttcaggta gtaagttcaa gatgagctca 58500
ggaaagaaag tgagaggaca ctgagggcta gtggttgagc caagtgtgat gggacttaaa 58560
gggagaagat ttaaagaata aggagcttat gggccgggga cggtggctta cgcctgtaat 58620
cccagcactt tgggaggctg aagcaggtgg atcacttggg tcaggagttc gaggccagcc 58680
tggccaacat ggtgaaaccc cgtctctact aaaaatacag aaattagctg ggtgtggtag 58740

20262013390 25 Feb 2026

tgtgcacctg taatcccagc tacttgggag gctgagacag gagaatcgct tgagcccagg 58800
aggcagaggt tgcagtgagc caggattgcg cccctgtact ccagcctggg tgatggagcg 58860
agactctgcc tcaaaaaaaa ttaaaaaaaa ataaagaggt taggtgaaaa tagatgagaa 58920
tggaaaccat gagaagaagt gatgctggcc aaggacatga caggttctga tgtggaggtg 58980
ataggcaatg tctcttccag ccactgctaa taattgagac aaactcaagg cattcatacc 59040
ctgtgtccag taaacatctg tgcccattgc caggtgagct ggattgaaat gggccagctg 59100
ctcagcagac accctcatgc cccagtgact ctgttcccct tgggccacct cattgaccat 59160
ttatgtttct acatctccta agtttgttgg gccaaggatg gaggctgtct gccgtcaggg 59220
tcctcattgc tgatggtagg aatagttgct gatgtttcat tggatgttgc tgtattctag 59280
ggactgtgct aagtacttta tagaaatgaa catacttcat tttcacagtt ttatgaatag 59340
ggactattat tagtcaagta agcgatgggg aaactggggc agggagcgat gaagtgactt 59400
gcgcaaggtc acaagatgat gtgattggaa ccaagagaag tgttgtggtt ggccacgccc 59460
ccacactgcc tctcatctgc accaaggagt tttgtcccat agcccaaggg ccttggggac 59520
gaatctcagt ggaggcccct agcgggcctg cctgagccag aaagcagaat cggcattttt 59580
ctgtccttgg ttggcccagc cctgaactga gatgcggaaa tcgcctttcg ctgcctggta 59640
gaaaatggag ctgcagttac tgaccaccag gcagagagag gtgggtccct gtcccagcct 59700
cagccaccac tctgcctaag ctgtggggac tgagggcgct gtcgttagct gactgcagaa 59760
ggtgagcaca cgctgtagca tgttatgttt cagatgtcac atgttgtgtt attgtgtctt 59820
tgcagggccc tttgcctaac acatgcggtc acttttggga gatggtgtgg gagcagaaaa 59880
gcaggggtgt cgtcatgctc aacagagtga tggagaaagg ttcggtaagt ctcggcttca 59940
tttgctgtgt atgtgatcat gcataccact ccatatagtt accattttcg tccagatttt 60000
taaattattt ttcttgcctt tgtatttcct ttacgtagta tttttattta aaaaaattaa 60060
aacagcagca tataaatgca tgttggttgt caaccagtta atgaagtgaa taaaagggag 60120
gaggcggaag aactgcacgg acctcttcgc ccccgccttc tcctgtgtgg tgcgtgtggc 60180
gctccgccca cctgtgctgc ctgtgcggct ctcatcacag tgtggagttg tgtgtggagt 60240
tatggagacc tgcttttatc ttgaaaagca agttcttagt gcatcttcat ggtgtctgat 60300
tttttggctg gtgagagtgt ggctacctct gcggagctgt gggagcggct gactagatga 60360
gatttgcctc cattcagtac ctagactctt gccctgccac acctcttcgg agtgagcatt 60420
gacttcagga tgtgtgtcat tctaagttcc tgcaactttt caaacacccc tcgggctagc 60480
gtgtggctgc acggtgtcca tttgtgcagg ccaccactcc tcttgcatct gggtctagcc 60540
acctctcctt cttgacttac catagttcat tttgtaccat gctttcagaa tgagctttct 60600
caaatccaag tctcaccacg gttcttccca gctgaaaacc cttgtgcggt tccctttgcc 60660
tcacaggata atacatggtg tggcttacgg aaccctgcag gtctggccct aggcccctgg 60720
acacagacct ctcaccactc ttggaacttt agccaggaca aagttttctg tttttagttt 60780
cttaccatgt tctctgggcc gaggagtccc agtgcccacg ttcatcccac ttgcaggcac 60840
ccctggacgg ctgcccccag ctccccaact gcctgcattc tcccctgccc tcctcactct 60900
gttggaatag ctgagaatag ccgatttctg ggcagccggc ctcctgtgta gactgtcctg 60960
tgtagactgt cctgtgtaga ttgtctgtgt agactgtcct gtgtagattg tctgtgtaga 61020
ctgtcctgtg tagactgtcc atgtaaactg tcctgtgtag attgtctgtg tagactgtcc 61080
tgtgtagact gtcctgtgta gattgtctgt gtagactgtc tctgtagacc gtcgtgtata 61140
gactgtcctg tgtagactgt ctctgtagac cgtcgtgtat agactgtcct gtgtagactg 61200
tctctgtaga ccgtcctgtg tagattgtct gtgtagacca tcctgtgtag accatcccat 61260
ttagaccatc tgcctgtgca ggcgcaggcc agtgttcagc agggccacag gctcctcggc 61320
ctccctgccc tcgctgctcc ccaacactgc caaccctgct gcggggtcca ggaggagatg 61380
ggctgaggat cgtggagacc agcaggagcg tgtggcccag gagcagggaa ctgggtgtcc 61440
ttgggccttg ccaggtccag gctcagctag gacacggctc tcacagctgt cctggttgcc 61500
tccggccaca gaagaaggtg agggctccag agaggccacc tttccaaaaa aagcacagtc 61560
atggccctag aatgtaaaaa atccaagtgt taagaaggaa cacatcaaag gaaacttcag 61620
cagtgaaaac ttgaagcatt aaccacgaag cctctgcctc caccacacac aaagaaacgg 61680
ctttagttac tcgcagaaag tcttcctctt aggacagcgc gtgtttaaaa tcataggggt 61740
ttggtttgtt ttgttttggg gttggggttt tttgggggtt ttttaccctt gcctactttt 61800
taaaaaatga aagtgtttat ttgcccaaca ataacagaca gggagcttgc ctaagtgttc 61860
tgttgatgat ataatgtatc ttgtcttaga aaaaaacttt ttcagtgaaa ggtggttttt 61920
aaatttttttc ttccctcctt agtagcttga ttagtaaaat gtgaagttac aaatgtgaag 61980
caaaccccca cccttcacca ctagtcagca attttgagta aagaaacaaa gcatcaggtg 62040
ctcacagcac acactgtctt agagggaagg ggaagcctgg tggcctgtgg aagccttcag 62100
catagctcca tctgcaggct tctgaccctc agcactactg acacttgggc tggatcattg 62160
tctgctaggg atccgggcag ggagtggctg tgctgggcgc tgtaggaagt ttagcagcat 62220
ctctggcctc tatccaccag atgccagtag caccccctcc ccagatgtgg cagtcagatg 62280
tgtttctgtc tagactccag actttgtcca acgtcccctg gtaggccaaa ttgcccccgg 62340
ttgagaacca ccgctctaga tggtattgag ggttgggaat tttaaatcaa gacatttatt 62400
cagaaattac cagatatagt agcatttgct tcttatttat ttctttgttg ctaagtgttt 62460
ggcaaaacct ctttgctgtg agcacaaggt ttgctttagc aattgttgtc acattacagc 62520
aaggagtggt gtccagcgct gtagttatgt atttgagcag tgtccagtgc tgtagttatg 62580
tgttccagcc tcaccaggcc ctgtgcttca ttgtctccca ctcaagactg accacaaatg 62640
gcccacagat ccactgtgac aacctttccc tttgggttac tgtggtggca tcgagaacat 62700
ggctggttgg ctttgctgta gtttactgtg ataactgtgc cagcagtccc tgctttcctt 62760
tgttaagtat cccattccac tggaggatta cttgggcgtg cagattggca tgaaaagcaa 62820
tgtatggttt gagattgtta aagtttcttt gggatcaaca ttttcaattc tgtatcagca 62880
ttatccctcc cagagggctg gctgggagaa atcatgagaa gttacagtat cttatttgct 62940
cagctaatct aattataaat gatccacaca gcttgtggta aaaccagctt ttggggagtt 63000
ttcatttaat gcatacttgt cttctgattt ccttccttca ccaaatagtg taggatgctc 63060
cctcttattt ttggcaaaca tgcctgttat cttttgggac cctgggcttc ctggaaacca 63120
gttatgcaga agatgattgt gtgtgttaga ctggggtcat ccagatggct agagttctca 63180
ctggttctgt ttaaggattg actttagaca cctcagtgta ggctgcacca tggcgtaagg 63240
gttgggattg ttgtttagaa gggggaagta agcaaggtga gtttaattgg ccattgcaga 63300

20262013390 25 Feb 2026

atctcacccg tatctccctc ctgaaatcct cactaaagct gccgtttgct ttcaggtgct 63360
ttcatgcaca agacactgca ttttgtatca cagggtccat ataattcatt tttctctcgt 63420
acttagttct ctgtgttaag aattacttac ttagttctct gtgttaataa tttttggcga 63480
aaccaaatta cccgtcacag ggttactgta gatgtctttc ataggttttc caaacaccac 63540
ttgcccactt gtttgggaag gccccaagga ctgtttaaca tctgccttca tggtggaaac 63600
agcaactatg agagatgcta gcatgttggc actgccatgt tcctctggta ccagcccaag 63660
ataggactca atttgaggcc tggtgaagta ctgtgttcta ataaaaatcc atctacttttt 63720
catggccgta tatatcaatg taatagggta actggaaatg tgatcttgtg ccttttaaaa 63780
attttgtgtg tttaaaacaa aaatttctat tggaaatgac agagcatagc ttgttgctgt 63840
agacacctga gagtccttaa aaataaatat tgggttattg acacttagtt gcatgacaga 63900
attcctcact tgtacagttc caaagtctta gtctttaccc agattacaga gggttattaa 63960
gcattaggtt tggttttgaa agtgagtgct tgctgtctgg aggtgagctt taagactcgt 64020
ctgccctgct tatgagatga ggaagggtgg cctcttcctc ctgcatttct gttcttcgct 64080
tccttctctg tctgctcact ctgtggaatg cccaccccag cacgggtggg gtggaacctg 64140
tcagatcagt ctcttgtttc tggggtcttg aggcattata agatctagtt gttagaagtg 64200
tgggattaat tcatcttttc acattcttct aagttcctgc ttttagctgc cacacccact 64260
ttggctaagt gggggtcttg ccatgtaatt agcgcctcca tgccaagtgg cagaattgct 64320
tcaatggtga cagattgtcc ccattcaaga gttcactttt ggcaactcat cattgatcca 64380
ggaaggtgac atggatgaaa ctggctaaga cttcagacag gcttgtgtcc agactcttga 64440
gaaagctctg ttggcttctg gtctggcact gtgaagtttg ctgtgatgct ggcaccacaa 64500
cctggtgttt cctaatttgt ttctcccaca ttttgctttg gttttgtctt ttgggcagct 64560
tccagctcca gtagagcagg accaataggc atttgtggtt ctatattcac cctcctcacg 64620
tgcttcctgg ctcctcattg cccccagatg atgccacagg tccctgggcc tgctgccagt 64680
cgtctgtgat ctgggcctct gctggcccct tctccagctg ctcttttcag cctcttattt 64740
gcagtcactg cctaggaaat cctagtcatc cttcaaaacc tgcctcttgc acagagcttt 64800
ctctgatctc tcttttctgt aaccttggct gacctgaaac atttccctct tctgaattcc 64860
tgctgcatgt ccgtagcatt tccccctcag ccctccccca tagtccacct tgtcactgct 64920
gggcacagca gtgtcttctg acagacagct ggccctgaag tggttccctt cacccacacc 64980
atcctttgcc ccagaggagg tattgagtgg gtcagtgcac gtgaactgcc agtgtcattt 65040
gccaaagagc tgttgacaca cgctgacatt tcttttgctg aaaatcataa gggctttgag 65100
cttccctctg tccaggcaca tggtcaggct gacccggtag ctctgcccct gctgacctgc 65160
cattttgtc cacaacagtt atccatgagc agaaacattt gtgtaactga ggcagaaact 65220
tagttcaagt aaaatgtcac taaattcgag tcagtttttg tcttagaccc taaatgaaac 65280
caaattttca taaattttct tgttttaaag aaaaatttaa tgagctacat ttaaactgag 65340
aacatcagat agtgtctgag attatcaaaa tagaacatca aaagtatttt tctgaatgaa 65400
ctgaaccaaa ccagaatgaa agggcaagcc ctggggagcc tgtctccaag ccttctctga 65460
aagggagtct gtatttggtg ataactgctc agcctctcca aagggcctca cctgctgtct 65520
ctcccagttt tatttttaat tgcctgtgag ttttctgtgc agggtaaggc acctacattc 65580
tatgccagca gcctgatcag gtcctgggta atgtttgaaa tggctacaca gaggagtttc 65640
aaagcctttt gttcaatctg gcttcacctc gtagacggtg agaaagcgtc agagccctgc 65700
aggatcccgt tgccacgttt gaccggggag ccgatgggtt tggaagtctg agccctgtct 65760
gcacaacctg ccccggtcag cagcttcgtg cccccacccc catctcccca tgaggcaggc 65820
atctgtgctg accatggctt ccatgttcag aaacccccag gcctttgagt tatcatgaag 65880
cttgtgggat gtgctccaag cctcctgcca tagaaaaact gccatattgc tcacaataat 65940
tcactattat ttgtttcccc agttaaaatg cgcacaatac tggccacaaa aagaagaaaa 66000
agagatgatc tttgaagaca caaatttgaa attaacattg atctctgaag atatcaagtc 66060
atattataca gtgcgacagc tagaattgga aaaccttaca gtgagtatag cacacacttc 66120
agcacttcag gcggctactg gttcacatgc ctcttccttt atcccttggg tgatattacc 66180
taatgtcagt gttcctggct tttgtatacc ccgagcaaga tgtggtttgg gcactgtggt 66240
gagcggagct tacttgtgta cctaccaagt gcccagggag ggtggaggcc acagtgctct 66300
ctctgacctt taacaacagt taacaccagt tcttagggaa aggagagttt cttacccaaa 66360
agactggttc ctgcttgtgc agctgcagag ggactggagc ggcagcctgc aagtcccagt 66420
gaagcatgct gccttctttg tggtcctcag tcttcgagtc tgaagagagg gaagaagggg 66480
tataggggct cactccagtt tcatagctag tgaaagtttt ctgggccagg tcttgggttt 66540
ttttgttgtg ggaagagttt ataacaccag ctacttgctt ggtaaaagtt ggtcttggaa 66600
catggcaagg cattgtggca agcagcactg ccgctgaacg cgctgctcct ggggctttgg 66660
aataattccc ctggatccgt aacttggggg tgttcatgtc attctgggga acagtggagg 66720
gagtgcgcgg cagcacctgg gggcaccagt gaagagtggc cagccaccaa cctctagaac 66780
ctaactgggg tcgaatcctg gccccacctt actagctcat cacagtgtct ccgtttcctc 66840
ttctgtcaaa ctcaggtttt gcgagggttc tgggaggtcc tatacgggaa gggttagcag 66900
ttaccatggg tgtgtagcac gggctttatc tgaagggaag gtggagccgt agggagacca 66960
tgtggagtgg ggctccaggg ctgtgtgggt ggggagggat ctgcttctgg gttaccccat 67020
gcctcccctt ctcaagtact acttttaat catcatggct cctgccattc atttcatagt 67080
tgatgtaagc caggtgcggt ggctcacgtc tttaatccca gcacttgggg aggctgaggc 67140
caggaggatc actcgaggcc aggagttcaa gaccagcttg ggcaacatag tgagacccca 67200
gtctctacaa aaaaacaaaa acagttagtc agacatcgtg gtgctcccct atagtccagc 67260
tactcaggag gctgaggcag gaggattgct tgtgcccggg agttcaaggc tgcagtgagc 67320
tatgcttgca ccactgcact ctagcctggg tgacagagca agaccctgtc tcaaaaataa 67380
ataaataaaa aaaatagtag aagtaagatc tagaatgtag cacaggttac caggacgtag 67440
gcaaggggtt cgggctgcct ggctcttgag gatggtagca gtgcagctga tgtgagtgct 67500
ttctgccctc tggtggtgac cgcgccggag tcaccagccc tgccatagcc ctgatggggc 67560
agagggttct gagtacggtg gatggaggtg ctttctggaa gattctcagg agtaacatgg 67620
gcagtgtgtt ggaatgtgct agaggattta tgcagtagcc ttttaaaaga atgcttttta 67680
gcatttgcaa gcctgacatt aagagtgact tctgggaaac tatttgcttg ttgagggaaa 67740
ctgaatttca acagagcaga agagctgtgc gctttttgct tggcagagtg aatacagcca 67800
gctcagaggt tttgatgtta ggatctgttt gctccaacag actttgtttt taaaaggctt 67860

20262013390 25 Feb 2026

ttctcagcca tagctgtctg ttctagcaca aggctggaat gagttccttg tgaaagaggt 67920
gagcaggtgt gagggagggt gtcagtgggc ggtaacccac accttcaagg attaaaggaa 67980
aacttgcatt tggcatgctt gcttcttatt caattttaaa atacatttta acggccgggc 68040
acggtggcta acacctgtaa tcccagcact ttgaggggct gaggtgggtg gttcacgagg 68100
ccaggggttc aagaccagcc tggccaagat ggtgaaaccc catctctact aaaaatacaa 68160
aaaaaaaaaa aattagccgg gcgtggtggc gggcacctgt aatcccagct actcgggagg 68220
ctgaggcaga gaattgcttg aacccaggag gcggaggttg cattgagccg agatcatgcc 68280
actgcattcc agcctgggcg gcagagcaag actctgtctc aaaataataa taataatttt 68340
ttaaaaatac attttaagtc cttttcttcc ccacctgcct ccacccacca aatagaagag 68400
gtatttcttc ttctttaatg tcattaaggt tatatggata ccattttcta gagaggaaag 68460
aatgatggaa ttgcctagtg tgagtctagc aattatccta acatacacaa atttctcctt 68520
gttctgtgcc aagatactgt atttaatatt taatgaacat taaatattat ttactagtgt 68580
atttaatggc tgaggcaggg ttaaatatgt attattttca tcccagcaga gttgggggag 68640
gtcctagtaa ctatgccatg agctctgtga gggtgaggtg gtgtctttgc ccccgcctcc 68700
ctggcacagt gactggcaca tgattggcat agtgtggaca ttcgtcaagt gaaggaaggc 68760
atcatgagca gatctctggc ctgaatcctt ctgccatcag ctgctcgcca ggtggccctg 68820
gcactgggcc acagggaaac tctccaggct ggtatggttc ctgtctgtgg ctgtcttccc 68880
gggcccatgt taggagactt tcacttccag agcccttttcc ctctcagggc cttgcttacc 68940
aagtgactgg ttcccattta ctaggagctc ttaggtcatt gaagatgttg cgtactcccc 69000
ccagtgaggg ctgccttttg atcacagccg ccagaagcct caaggaagga gcagagctgg 69060
aaacagacgc caggccattg cttctgttcc tctggggcag acccagccac ggaagagaca 69120
ttctgggaca agggctgggg tccacctttc aaacgtgtct gcagcaggct ctcagcatgg 69180
actctctgcc tccaaacatc cacctcctca tcggaaaatg gatgggagtg cctgcctgga 69240
gcagctggtg ggagagcgca gcgccagcac gtaggacaca ctcggttcat gggctgatgc 69300
cgttcgcatt gactgcctct tcagctgggt gttgagccac accttggagt caccagtctt 69360
tggagaccaa gtctgctact tttttctcta aagtgacaat cctctgaaac ctccagatca 69420
tcttgaagcc cccgtctgaa agttgcccag agccagtgcc tcacctgctg ttccttgttc 69480
acttttcac gggaggcctt gcagggcttt atgacaagat tttatgggtg gctgcccagc 69540
atcattgtga ctcgtgagac agagagaaac cagttgtaac catgtagaca gtggaagtga 69600
tagggagaaa agaggtgagg ggactcttca atccgaaggg aaatgaagtc taagcaggcg 69660
caccctgcag gttcagtgtc aagcccaggg cctggcccca gggtgtggta tttgttgact 69720
gggtgtgtgg accctgggag aaagtctgag aatgaatgtt cctcttagag gtagagagtg 69780
gaaggtgact ctgtgtgtac ttggaattag tgatttctgt acagatgatt cttttagaat 69840
catcatgagt atttttctct ttcagaccca agaaactcga gagatcttac atttccacta 69900
taccacatgg cctgactttg gagtccctga atcaccagcc tcattcttga actttctttt 69960
caaagtccga gagtcagggt cactcagccc ggagcacggg cccgttgtgg tgcactgcag 70020
tgcaggcatc ggcaggtctg gaaccttctg tctggctgat acctgcctct tgctggtaag 70080
gaggccctcg cgggtgccct ggggagctcc tctacctgct ctgctgtgat gtttttcct 70140
aagtagaaac tgaagcgctc ctcttccaaa atacagagac tcactgtgtt agtctgtttt 70200
tgcgttacta ataaaggcgt acctgagact cggtaatttg taaagaaaag aggtttaact 70260
ggctcccggt tctgcaggct gtacaagcat ggcaccagca tctgctcggc tcctggggag 70320
gcctcaggga gcttccagtc atggtggaag gtgaagggga gcaggagcaa gagatggggg 70380
aggtcccaga ctcttaacca gctctcttgt gaatgcattg cctcagggag ggcaccaagc 70440
ctttcatgag ggacctgtcc ccctgaccca gacacctccc acccagcccc acctccaaca 70500
ctagggatca catttcagca tgagattggg aggggacaga catctaacgg tgttattaac 70560
gttgcccttg agaattggac ctggctgact tatatctcct ctctggcttt cagatggaca 70620
agaggaaaga cccttcttcc gttgatatca agaaagtgct gttagaaatg aggaagtttc 70680
ggatggggct gatccagaca gccgaccagc tgcgcttctc ctacctggct gtgatcgaag 70740
gtgccaaatt catcatgggg gactcttccg tgcaggtcag cattgccttt gtttgaatcc 70800
aggtgtgacc attttaactt ttttgtcttt gaaggaggct gtcagttgta aaagttcaaa 70860
caccgtctgg tgtcagggga aatagctacc cttcatgttt aaaatagcta gaaagttgtc 70920
aaaatgttca ccatgttgca ctttgtgcct ttgaagtgct cacatagaga gcattgatag 70980
gaagacgaga ctttattttc aaaagatttc atcttccaag tacatggctg cagccctgag 71040
aggccgagag cccctcgcca agccgtcacc tctgctcatg caaagggatt tcctgacaaa 71100
ccagccgaag tgaacactaa taggacttcc tcttgctgct ctttcaagga tcagtggaag 71160
gagctttccc acgaggacct ggagccccca cccgagcata tccccccacc tccccggcca 71220
cccaaacgaa tcctggagcc acacaatggg aaatgcaggg agttcttccc aaatcaccag 71280
tgggtgaagg aagagaccca ggaggataaa gactgcccca tcaaggaaga aaaaggaagc 71340
cccttaaatg ccgcacccta cggcatcgaa aggtaatatg attgggtccc agcttgttgg 71400
ggtgagggga aatgactttc tgttctagaa acacacgctg gtactgaaac cctgtggatg 71460
cagcctcctg ttggcaagca gcgcttccgc atccttgggg aacagggcgc gtggaccaca 71520
gccactccac tcctggctgc tggaggtccg gtattgggca cagggtggcc gcaggacatg 71580
agccacttct gtgggcttct agtgccacct tgtggtgctt gttggaatga ggggctcgga 71640
gccaccgagt agggtttttc tgccccccct gacgacagcg ccctccccca ggtttccgga 71700
cagtcctgaa atgtgatgtc caggcttgag tgccctcagt ccccacagtg gtcctttggg 71760
gaatgtaacc ttttttatgt ggtcttgatt aaatcccatt ttacttcctt gcaggttaac 71820
aaccattatt gagtacctat tgatatgtgt ggtgtactga gttaactaga acatgtcccc 71880
tggtctgtgt tctagaccat cttgctggga aaaaggcaga cccaaagcat attttggtgg 71940
gggcccatgg acagtgatgt gatagaggtg tccgctgagg tggtcaggga aggctgcttg 72000
cagtaggtgg ccgtgcacgg aaagtttgca gaatgagcag gtgttagttc cagctggaga 72060
tgactgccgg ctgtgcccttt ggtacctgct ttctggaggg aagttttaag acgtgtgcat 72120
acttgaccca gcagttgtat acatggagaa atttactttg cagcaactct caaaacaagc 72180
gtgtaaagat gtgtataggt agttgtgttt gttgtggcat tgtttgtagt agtgaaaaat 72240
tagagacagg ccaatgatat aaccagggac ctgatcaatt atgttctctc ccggtgttgg 72300
gatattctgt agctcttaaa gaatgagatc tgggtgtact gatgtggcca gacattgcaa 72360
ttgcagtaca tgagaaggca aatcatacag tagtgtgtac accagtgagt cctccagcca 72420

20262013390 25 Feb 2026

gataaatcct cacagtgacc agtcgcccag gcaccttgtg aaccctaccc tgggtgtggg 72480
tgctatctga agtacctggg ggaggggtg acaagtggac ttcaggctga tgtgggccct 72540
ggcctggccc tccctccaag cagaggggc tggctcgctg gaaggttaac atcatccaac 72600
tctgtctaca cgtggcttgt tttttcctag aattcctgcc acaatagcag catccttgcc 72660
attcattttc tccaaagtga gtaacccatc tctgccctct gattcctcag catgagtcaa 72720
gacactgaag ttagaagtcg ggtcgtgggg ggaagtcttc gaggtgccca ggctgcctcc 72780
ccagccaaag gggagccgtc actgcccgag aaggacgagg accatgcact gagttactgg 72840
aagcccttcc tggtcaacat gtgcgtggct acggtcctca cggccggcgc ttacctctgc 72900
tacagggtat gtttccactg acagacgcgc tggcgagatg ctcgtgtgca gagagcactg 72960
gccgctagcc cgatggtagg attcagttct gtggtgcatc tgagccagtc tcagaagaaa 73020
cagatcaaag gtttttaaag tctggaactg tggaagggct aacaagagaa ttaaggatcg 73080
atgcactggg gttttaagga gccctctggt cccaagaata taagagtcta atctcagggc 73140
cttaacctat tcaggagtaa gtagagaaaa tgccaaatac gtctgtttct ctctctcttt 73200
tttttttat tcctttgttt ttggaaaaaa atagagttac aacacattgt tgtttttaac 73260
ctttataaaa agcagctttt tgttatttct ggaacaaaaa aaaacaaagt aggcacttat 73320
gaaactttct cataccctta ggtgatgtaa tcagccatat aatttatatt tgatttccca 73380
gggaaggaat cccaaacttt tacgaatgta aactcccttg gagaagaggg ttaggacgct 73440
gttgcgctca agccccccctc agctgtgtgc acactgagcc aggacagggt ctttgagctt 73500
tcccactata agaagaacag caacaaaagg ccgtctagaa aaacagaacc tgcctctgct 73560
tctgctcagg gtgtccccgc tgggtttcca ttgtcctttc tccattgctc cctcctgtga 73620
cagccatctt gctcatgtac cagccctcat caccccatcc ccataaatgg gtgtcctcga 73680
ggcctctgcc tgggggtcag aggtcaccac agggtggcca ttggcatgtc aacccgctgt 73740
taattcagag aagtgggctc cacctcattg ggagaagtgc catttcagca gaaattcaca 73800
cgttagacgt gtgttgctgt taagtaaggg gaagagagag gactagcctc agagctctgg 73860
ccatggaaat gacctcctaa gacttttttcg tggttttaaa tattttacct ctttccaggt 73920
ggcatctgag tacatcagat ggttttgcaa aatgcaaaca atttttttcct tggggatgat 73980
ttttggggag agggggctac tgtaaaaaat aaaaccaaaa ccccctttgc tccctcggag 74040
gttgaagttg ccgggggggtg tggccggggt catgcatgag gcgacagctc tgcaggtgcg 74100
ggtctgggct catctgaact gtttggtttc attccagttc ctgttcaaca gcaacacata 74160
gcctgaccct cctccactcc acctccaccc actgtccgcc tctgcccgca gagcccacgc 74220
ccgactagca ggcatgccgc ggtaggtaag ggccgccgga ccgcgtagag agccgggccc 74280
cggacggacg ttggttctgc actaaaaccc atcttccccg gatgtgtgtc tcacccctca 74340
tccttttact ttttgccccct tccactttga gtaccaaatc cacaagccat tttttgagga 74400
gagtgaaaga gagtaccatg ctggcggcgc agagggaagg ggcctacacc cgtcttgggg 74460
ctcgccccac ccagggctcc ctcctggagc atcccaggcg ggcggcacgc caacagcccc 74520
ccccttgaat ctgcagggag caactctcca ctccatattt atttaaacaa ttttttcccc 74580
aaaggcatcc atagtgcact agcattttct tgaaccaata atgtattaaa atttttgat 74640
gtcagccttg catcaagggc tttatcaaaa agtacaataa taaatcctca ggtagtactg 74700
ggaatggaag gctttgccat gggcctgctg cgtcagacca gtactgggaa ggaggacggt 74760
tgtaagcagt tgttatttag tgatattgtg ggtaacgtga gaagatagaa caatgctata 74820
atatataatg aacacgtggg tatttaataa gaaacatgat gtgagattac tttgtcccgc 74880
ttattctcct ccctgttatc tgctagatct agttctcaat cactgctccc ccgtgtgtat 74940
tagaatgcat gtaaggtctt cttgtgtcct gatgaaaaat atgtgcttga aatgagaaac 75000
tttgatctct gcttactaat gtgccccatg tccaagtcca acctgcctgt gcatgacctg 75060
atcattacat ggctgtggtt cctaagcctg ttgctgaagt cattgtcgct cagcaatagg 75120
gtgcagtttt ccaggaatag gcatttgcct aattcctggc atgacactct agtgacttcc 75180
tggtgaggcc cagcctgtcc tggtacagca gggtcttgct gtaactcaga cattccaagg 75240
gtatgggaag ccatattcac acctcacgct ctggacatga tttagggaag cagggacacc 75300
ccccgccccc caccttggg atcagcctcc gccattccaa gtcaacactc ttcttgagca 75360
gaccgtgatt tggaagagag gcacctgctg gaaaccacac ttcttgaaac agcctgggtg 75420
acggtccttt aggcagcctg ccgccgtctc tgtcccggtt caccttgccg agagaggcgc 75480
gtctgcccca ccctcaaacc ctgtggggcc tgatggtgct cacgactctt cctgcaaagg 75540
gaactgaaga cctccacatt aagtggcttt ttaacatgaa aaacacggca gctgtagctc 75600
ccgagctact ctcttgccag cattttcaca ttttgccttt ctcgtggtag aagccagtac 75660
agagaaattc tgtggtggga acattcgagg tgtcaccctg cagagctatg gtgaggtgtg 75720
gataaggctt aggtgccagg ctgtaagcat tctgagctgg gcttgttgtt tttaagtcct 75780
gtatatgtat gtagtagttt gggtgtgtat atatagtagc atttcaaaat ggacgtactg 75840
gtttaacctc ctatccttgg agagcagctg gctctccacc ttgttacaca ttatgttaga 75900
gaggtagcga gctgctctgc tatatgcctt aagccaatat ttactcatca ggtcattatt 75960
ttttacaatg gccatggaat aaaccatttt tacaaaaata aaaacaaaaa aagcaaggtg 76020
ttttggtata atacctttc aggtgtgtgt ggatacgtgg ctgcatgacc gggtgggtgg 76080
gggggagtgt ctcagggtct tctgtgacct cacagaactg tcagactgta cagttttcca 76140
acttgccata ttcatgatgg gtttgcattt tagctgcaac aataaaattt ttttctaaag 76200
aacatgaatt tggggtgctt cccatttttt tctttgctta atagagctaa accaggatga 76260
gtaactcctg tttctttcta tccctgctga tgtgaaacag atgttgtcaa tcagctgggg 76320
ttagagtttt ccacttctaa gaattaacct cagcatccct gcattgccag caccctcagg 76380
ctggagcgct ttccttgact gtgagcttgt tgaacacctt aggcctcagc ccatttcctt 76440
cccaaattga cgctttgcct gtgtagggcc ctcagataac ttaacaaact taccagtgtt 76500
gtttgaagaa cagtgttttg agttgtaatc tcaaaaccat atcccttacc caattacctg 76560
taagacacaa tggttaccac atctcagtac gtaaagtcca cttgatatag aattgactta 76620
gaaataagac agattagtat agtttttcat ttgtgtacaa aattaaacaa tgtaaattcc 76680
ccccaaagtg atttttttga ctttttgaag taattttgga cttgcaaaat gttgccaaaa 76740
tagtacgaag agttccccag taccctcgaa gtttcctcga ctgtttcaaa gctggctgca 76800
ggcccaggct catgagactg ggaagaggac aggctgtggt catgtggacc cacaggggcc 76860
tggggctgca gaagtcagtg tggcttccac catttcaggt ataaaaaagg gcatctaagc 76920
tttcaagaag agggaggatg ctctagggca gcggtcccca acctttctg gcaccaggaa 76980

20262013390 25 Feb 2026

		ccggttccat ggaagacaat tttttcacag gcctgggggt ggtgagggat ggttttggga 77040 tagaaacttc cacctcagat catcaggcat cagattctca taaggagctt gcaacctgat 77100 ctcttgcaca cattcagttc acaatagggt tcacgctcct aagagaacct gatgctgcag 77160 ctgatctaac aggagatgga gctcaggtgg tcatgctcag tcgctcgcca ctcacctcct 77220 gccatgcagt ccagttccta acaggcctca gaccagtacc ggtctgtggc ctgggggttg 77280 aggacccctg ctctaggctg gtactgctga tgcttaaaaa gagagggttt gccagaaatc 77340 agatgggaca aaagggcaaa ggccgtgcca cagagtgccc atatagggga gagcacgcct 77400 ggagccttcg agagcatgca gagaagcctg gagactgcat ttaccggagc tgctgcctga 77460 ggccaccctc caagtgtccc cacagcgcac cacaagacca caggagtgac ctcctcactg 77520 gcaggtattt ggggaaacaa ctgctgtcta ctcttttggg taaaaagtga aacaccaata 77580 gtttaattga aatttcagaa aattgaacat atgaacaagg caaataaata ctaagtaagt 77640 taaaaacaca aaatatgtcc aggaagtatc gatgagaatg ttcaagttaa agttctccaa 77700 tgccattgct acagcaacct caaaccctag gttctctctg cactattaac acagacatct 77760 caggacatgg tttgcttttt tttaagactt aaataggaaa ctaatttttc tttctttaaa 77820 gcaattgcgt tcttcagtga actctttctt taggccagtt gatggcttct tagcagttta 77880 ttgacgagat cctagggtag cttccgaagc tgggttgatt gattgcattt gggtgcggat 77940 ggccaaagtg agtggcccta ctgcctgtgc tgctcagggc tcctgggctg atgtggtggc 78000 t 78001
3-15	**Sequences**	
3-15-1	Sequence Number [ID]	15
3-15-2	Molecule Type	RNA
3-15-3	Length	4978
3-15-4	Features	**source 1..4978**
	Location/Qualifiers	mol_type=mRNA
		organism=Homo sapiens
	NonEnglishQualifier Value	
3-15-5	Residues	ggtttccgga gctgcggcgg cgcagactgg gaggggagc cgggggttcc gacgtcgcag 60 ccgagggaac aagccccaac cggatcctgg acaggcaccc cggcttggcg ctgtctctcc 120 ccctcggctc ggagaggccc ttcggcctga gggagcctcg ccgcccgtcc ccggcacacg 180 cgcagccccg gcctctcggc ctctgccgga gaaacagttg ggacccctga ttttagcagg 240 atggcccaat ggaatcagct acagcagctt gacacacggt acctggagca gctccatcag 300 ctctacagtg acagcttccc aatggagctg cggcagtttc tggccccttg gattgagagt 360 caagattggg catatgcggc cagcaaagaa tcacatgcca ctttggtgtt tcataatctc 420 ctgggagaga ttgaccagca gtatagccgc ttcctgcaag agtcgaatgt tctctatcag 480 cacaatctac gaagaatcaa gcagtttctt cagagcaggt atcttgagaa gccaatggag 540 attgcccgga ttgtggcccg gtgcctgtgg gaagaatcac gccttctaca gactgcagcc 600 actgcggccc agcaaggggg ccaggccaac caccccacag cagccgtggt gacggagaag 660 cagcagatgc tggagcagca ccttcaggat gtccggaaga gagtgcagga tctagaacag 720 aaaatgaaag tggtagagaa tctccaggat gactttgatt tcaactataa aaccctcaag 780 agtcaaggag acatgcaaga tctgaatgga aacaaccagt cagtgaccag gcagaagatg 840 cagcagctgg aacagatgct cactgcgctg gaccagatgc ggagaagcat cgtgagtgag 900 ctggcggggc ttttgtcagc gatggagtac gtgcagaaaa ctctcacgga cgaggagctg 960 gctgactgga agaggcggca acagattgcc tgcattggag gcccgcccaa catctgccta 1020 gatcggctag aaaactggat aacgtcatta gcagaatctc aacttcagac ccgtcaacaa 1080 attaagaaac tggaggagtt gcagcaaaaa gtttcctaca aaggggaccc cattgtacag 1140 caccggccga tgctggagga gagaatcgtg gagctgttta gaaacttaat gaaaagtgcc 1200 tttgtggtgg agcggcagcc ctgcatgccc atgcatcctg accggcccct cgtcatcaag 1260 accggcgtcc agttcactac taaagtcagg ttgctggtca aattccctga gttgaattat 1320 cagcttaaaa ttaaagtgtg cattgacaaa gactctgggg acgttgcagc tctcagagga 1380 tcccggaaat ttaacattct gggcacaaac acaaaagtga tgaacatgga agaatccaac 1440 aacggcagcc tctctgcaga attcaaacac ttgaccctga gggagcagag atgtgggaat 1500 gggggccgag ccaattgtga tgcttccctg attgtgactg aggagctgca cctgatcacc 1560 tttgagaccg aggtgtatca ccaaggcctc aagattgacc tagagaccca ctccttgcca 1620 gttgtggtga tctccaacat ctgtcagatg ccaaatgcct gggcgtccat cctgtggtac 1680 aacatgctga ccaacaatcc caagaatgta aacttttta ccaagccccc aattggaacc 1740 tgggatcaag tggccgaggt cctgagctgg cagttctcct ccaccaccaa gcgaggactg 1800 agcatcgagc agctgactac actggcagag aaactcttgg gacctggtgt gaattattca 1860 gggtgtcaga tcacatgggc taaattttgc aaagaaaaca tggctggcaa gggcttctcc 1920 ttctgggtct ggctggacaa tatcattgac cttgtgaaaa agtacatcct ggccctttgg 1980 aacgaagggt acatcatggg ctttatcagt aaggagcggg agcgggccat cttgagcact 2040 aagcctccag gcaccttcct gctaagattc agtgaaagca gcaaagaagg aggcgtcact 2100 ttcacttggg tggagaagga catcagcggt aagacccaga tccagtccgt ggaaccatac 2160 acaaagcagc agctgaacaa catgtcattt gctgaaatca tcatgggcta taagatcatg 2220 gatgctacca atatcctggt gtctccactg gtctatctct atcctgacat tcccaaggag 2280 gaggcattcg gaaagtattg tcggccagag agccaggagc atcctgaagc tgacccaggt 2340 agcgctgccc catacctgaa gaccaagttt atctgtgtga caccaacgac ctgcagcaat 2400 accattgacc tgccgatgtc cccccgcact ttagattcat tgatgcagtt tggaaataat 2460 ggtgaaggtg ctgaaccctc agcaggaggg cagtttgagt ccctcacctt tgacatggag 2520 ttgacctcgg agtgcgctac ctcccccatg tgaggagctg agaacggaag ctgcagaaag 2580 atacgactga ggcgcctacc tgcattctgc cacccctcac acagccaaac cccagatcat 2640 ctgaaactac taactttgtg gttccagatt ttttttaatc tcctacttct gctatctttg 2700 agcaatctgg gcacttttaa aaatagagaa atgagtgaat gtgggtgatc tgcttttatc 2760 taaatgcaaa taaggatgtg ttctctgaga cccatgatca ggggatgtgg cgggggtgg 2820 ctagagggag aaaaaggaaa tgtcttgtgt tgttttgttc ccctgccctc ctttctcagc 2880 agctttttgt tattgttgtt gttgttctta gacaagtgcc tcctggtgcc tgcggcatcc 2940

20262013390 25 Feb 2026

		ttctgcctgt ttctgtaagc aaatgccaca ggccacctat agctacatac tcctggcatt 3000 gcacttttta accttgctga catccaaata gaagatagga ctatctaagc cctaggtttc 3060 tttttaaatt aagaaataat aacaattaaa gggcaaaaaa cactgtatca gcatagcctt 3120 tctgtattta agaaacttaa gcagccgggc atggtggctc acgcctgtaa tcccagcact 3180 ttgggaggcc gaggcggatc ataaggtcag gagatcaaga ccatcctggc taacacggtg 3240 aaaccccgtc tctactaaaa gtacaaaaaa ttagctgggt gtggtggtgg gcgcctgtag 3300 tcccagctac tcgggaggct gaggcaggag aatcgcttga acctgagagg cggaggttgc 3360 agtgagccaa aattgcacca ctgcacactg cactccatcc tgggcgacag tctgagactc 3420 tgtctcaaaa aaaaaaaaaa aaaaaagaaa cttcagttaa cagcctcctt ggtgctttaa 3480 gcattcagct tccttcaggc tggtaattta tataatccct gaaacgggct tcaggtcaaa 3540 cccttaagac atctgaagct gcaacctggc ctttggtgtt gaaataggaa ggtttaagga 3600 gaatctaagc attttagact tttttttata aatagactta ttttcctttg taatgtattg 3660 gccttttagt gagtaaggct gggcagaggg tgcttacaac cttgactccc tttctccctg 3720 gacttgatct gctgtttcag aggctaggtt gtttctgtgg gtgccttatc agggctggga 3780 tacttctgat tctggcttcc ttcctgcccc accctcccga ccccagtccc cctgatcctg 3840 ctagaggcat gtctccttgc gtgtctaaag gtccctcatc ctgtttgttt taggaatcct 3900 ggtctcagga cctcatggaa gaagaggggg agagagttac aggttggaca tgatgcacac 3960 tatggggccc cagcgacgtg tctggttgag ctcagggaat atggttctta gccagtttct 4020 tggtgatatc cagtggcact tgtaatggcg tcttcattca gttcatgcag ggcaaaggct 4080 tactgataaa cttgagtctg ccctcgtatg agggtgtata cctggcctcc ctctgaggct 4140 ggtgactcct ccctgctggg gccccacagg tgaggcagaa cagctagagg gcctccccgc 4200 ctgcccgcct tggctggcta gctcgcctct cctgtgcgta tgggaacacc tagcacgtgc 4260 tggatgggct gcctctgact cagaggcatg gccggatttg gcaactcaaa accaccttgc 4320 ctcagctgat cagagtttct gtggaattct gtttgttaaa tcaaattagc tggtctctga 4380 attaaggggg agacgacctt ctctaagatg aacagggttc gccccagtcc tcctgcctgg 4440 agacagttga tgtgtcatgc agagctctta cttctccagc aacactcttc agtacataat 4500 aagcttaact gataaacaga atatttagaa aggtgagact tgggcttacc attgggttta 4560 aatcataggg acctagggcg agggttcagg gcttctctgg agcagatatt gtcaagttca 4620 tggccttagg tagcatgtat ctggtcttaa ctctgattgt agcaaaagtt ctgagaggag 4680 ctgagccctg ttgtggccca ttaaagaaca gggtcctcag gccctgcccg cttcctgtcc 4740 actgcccccc ccccatcccc agcccagccg agggaatccc gtgggttgct tacctaccta 4800 taaggtggtt tataagctgc tgtcctggcc actgcattca aattccaatg tgtacttcat 4860 agtgtaaaaa tttatattat tgtgaggttt tttgtctttt ttttttttt ttttttttgg 4920 tatattgctg tatctacttt aacttccaga aataaacgtt atataggaac cgtaaaaa 4978
3-16	**Sequences**	
3-16-1	Sequence Number [ID]	16
3-16-2	Molecule Type	RNA
3-16-3	Length	938
3-16-4	Features	**source 1..938**
	Location/Qualifiers	mol_type=mRNA organism=Homo sapiens
	NonEnglishQualifier Value	
3-16-5	Residues	gttgactaag tcaataatca gaatcagcag gtttgcagtc agattggcag ggataagcag 60 cctagctcag gagaagtgag tataaaagcc ccaggctggg agcagccatc acagaagtcc 120 actcattctt ggcaggatgg cttctcatcg tctgctcctc ctctgccttg ctggactggt 180 atttgtgtct gaggctggcc ctacgggcac cggtgaatcc aagtgtcctc tgatggtcaa 240 agttctagat gctgtccgag gcagtcctgc catcaatgtg gccgtgcatg tgttcagaaa 300 ggctgctgat gacacctggg agccatttgc ctctgggaaa accagtgagt ctggagagct 360 gcatgggctc acaactgagg aggaatttgt agaagggata tacaaagtgg aaatagacac 420 caaatcttac tggaaggcac ttggcatctc cccattccat gagcatgcag aggtggtatt 480 cacagccaac gactccggcc cccgccgcta caccattgcc gccctgctga gcccctactc 540 ctattccacc acggctgtcg tcaccaatcc caaggaatga gggacttctc ctccagtgga 600 cctgaaggac gagggatggg atttcatgta accaagagta ttccattttt actaaagcag 660 tgttttcacc tcatatgcta tgttagaagt ccaggcagag acaataaaac attcctgtga 720 aaggcacttt tcattccact ttaacttgat tttttaaatt cccttattgt cccttccaaa 780 aaaaagagaa tcaaaatttt acaaagaatc aaaggaattc tagaaagtat ctgggcagaa 840 cgctaggaga gatccaaatt tccattgtct tgcaagcaaa gcacgtatta aatatgatct 900 gcagccatta aaaagacaca ttctgtaaaa aaaaaaaa 938
3-17	**Sequences**	
3-17-1	Sequence Number [ID]	17
3-17-2	Molecule Type	DNA
3-17-3	Length	16
3-17-4	Features	**source 1..16**
	Location/Qualifiers	mol_type=other DNA organism=Synthetic construct
	NonEnglishQualifier Value	
3-17-5	Residues	ttgatttaat ggttgc 16
3-18	**Sequences**	
3-18-1	Sequence Number [ID]	18
3-18-2	Molecule Type	DNA
3-18-3	Length	16
3-18-4	Features	**source 1..16**
	Location/Qualifiers	mol_type=other DNA

20262013390 25 Feb 2026

		organism=synthetic construct	
	NonEnglishQualifier Value		
3-18-5	Residues	tgatttaatg gttgca	16
3-19	**Sequences**		
3-19-1	Sequence Number [ID]	19	
3-19-2	Molecule Type	DNA	
3-19-3	Length	16	
3-19-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-19-5	Residues	gatttaatgg ttgcaa	16
3-20	**Sequences**		
3-20-1	Sequence Number [ID]	20	
3-20-2	Molecule Type	DNA	
3-20-3	Length	16	
3-20-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-20-5	Residues	agtcgcgact ctggta	16
3-21	**Sequences**		
3-21-1	Sequence Number [ID]	21	
3-21-2	Molecule Type	DNA	
3-21-3	Length	16	
3-21-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-21-5	Residues	gtcaatatca aagcac	16
3-22	**Sequences**		
3-22-1	Sequence Number [ID]	22	
3-22-2	Molecule Type	DNA	
3-22-3	Length	16	
3-22-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-22-5	Residues	gaacattatt aggcta	16
3-23	**Sequences**		
3-23-1	Sequence Number [ID]	23	
3-23-2	Molecule Type	DNA	
3-23-3	Length	16	
3-23-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-23-5	Residues	ccttatggat gctgct	16
3-24	**Sequences**		
3-24-1	Sequence Number [ID]	24	
3-24-2	Molecule Type	DNA	
3-24-3	Length	16	
3-24-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-24-5	Residues	cattgtacta tgccag	16
3-25	**Sequences**		
3-25-1	Sequence Number [ID]	25	
3-25-2	Molecule Type	DNA	
3-25-3	Length	20	
3-25-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-25-5	Residues	tgctccgttg gtgcttgttc	20
3-26	**Sequences**		
3-26-1	Sequence Number [ID]	26	

2026201390 25 Feb 2026

3-26-2	Molecule Type	DNA	
3-26-3	Length	20	
3-26-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-26-5	Residues	tcttcctgtg acagtggtgg	20
3-27	**Sequences**		
3-27-1	Sequence Number [ID]	27	
3-27-2	Molecule Type	DNA	
3-27-3	Length	20	
3-27-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-27-5	Residues	ttcttcctgt gacagtggtg	20
3-28	**Sequences**		
3-28-1	Sequence Number [ID]	28	
3-28-2	Molecule Type	DNA	
3-28-3	Length	20	
3-28-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-28-5	Residues	ggttcttcct gtgacagtgg	20
3-29	**Sequences**		
3-29-1	Sequence Number [ID]	29	
3-29-2	Molecule Type	DNA	
3-29-3	Length	20	
3-29-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-29-5	Residues	cgactatgcg agtgtggtgt	20
3-30	**Sequences**		
3-30-1	Sequence Number [ID]	30	
3-30-2	Molecule Type	DNA	
3-30-3	Length	20	
3-30-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-30-5	Residues	ccgactatgc gagtgtggtg	20
3-31	**Sequences**		
3-31-1	Sequence Number [ID]	31	
3-31-2	Molecule Type	DNA	
3-31-3	Length	20	
3-31-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-31-5	Residues	gcctcagtct gcttcgcacc	20
3-32	**Sequences**		
3-32-1	Sequence Number [ID]	32	
3-32-2	Molecule Type	DNA	
3-32-3	Length	20	
3-32-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-32-5	Residues	agcttcttgt ccagctttat	20
3-33	**Sequences**		
3-33-1	Sequence Number [ID]	33	
3-33-2	Molecule Type	DNA	
3-33-3	Length	20	
3-33-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	

2026201390 25 Feb 2026

	NonEnglishQualifier Value		
3-33-5	Residues	agcatagtta acgagctccc	20
3-34	**Sequences**		
3-34-1	Sequence Number [ID]	34	
3-34-2	Molecule Type	DNA	
3-34-3	Length	20	
3-34-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-34-5	Residues	tgtcatattc ctggatcctt	20
3-35	**Sequences**		
3-35-1	Sequence Number [ID]	35	
3-35-2	Molecule Type	DNA	
3-35-3	Length	16	
3-35-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-35-5	Residues	ggacacccac gccccc	16
3-36	**Sequences**		
3-36-1	Sequence Number [ID]	36	
3-36-2	Molecule Type	DNA	
3-36-3	Length	20	
3-36-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-36-5	Residues	ccctcctgtg cctggatgct	20
3-37	**Sequences**		
3-37-1	Sequence Number [ID]	37	
3-37-2	Molecule Type	DNA	
3-37-3	Length	16	
3-37-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-37-5	Residues	gctaaacaac cgcctt	16
3-38	**Sequences**		
3-38-1	Sequence Number [ID]	38	
3-38-2	Molecule Type	DNA	
3-38-3	Length	20	
3-38-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-38-5	Residues	atgcatggtg atgcttctga	20
3-39	**Sequences**		
3-39-1	Sequence Number [ID]	39	
3-39-2	Molecule Type	DNA	
3-39-3	Length	16	
3-39-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-39-5	Residues	catggtgatg cttctg	16
3-40	**Sequences**		
3-40-1	Sequence Number [ID]	40	
3-40-2	Molecule Type	DNA	
3-40-3	Length	16	
3-40-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-40-5	Residues	agagctaaac aaccgc	16
3-41	**Sequences**		
3-41-1	Sequence Number [ID]	41	
3-41-2	Molecule Type	DNA	

25 Feb 2026
20262013390

3-41-3	Length	16	
3-41-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-41-5	Residues	actcccggga caccca	16
3-42	**Sequences**		
3-42-1	Sequence Number [ID]	42	
3-42-2	Molecule Type	DNA	
3-42-3	Length	16	
3-42-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-42-5	Residues	acaccctcgc ctccgg	16
3-43	**Sequences**		
3-43-1	Sequence Number [ID]	43	
3-43-2	Molecule Type	DNA	
3-43-3	Length	16	
3-43-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-43-5	Residues	gcctccggaa caccca	16
3-44	**Sequences**		
3-44-1	Sequence Number [ID]	44	
3-44-2	Molecule Type	DNA	
3-44-3	Length	20	
3-44-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-44-5	Residues	acggcattgg tgcacagttt	20
3-45	**Sequences**		
3-45-1	Sequence Number [ID]	45	
3-45-2	Molecule Type	DNA	
3-45-3	Length	20	
3-45-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-45-5	Residues	gcaaccggga tgatgagtgc	20
3-46	**Sequences**		
3-46-1	Sequence Number [ID]	46	
3-46-2	Molecule Type	DNA	
3-46-3	Length	20	
3-46-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-46-5	Residues	tgcacagttt ctggcaggcc	20
3-47	**Sequences**		
3-47-1	Sequence Number [ID]	47	
3-47-2	Molecule Type	DNA	
3-47-3	Length	20	
3-47-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-47-5	Residues	ggcagcggac ggcattggtg	20
3-48	**Sequences**		
3-48-1	Sequence Number [ID]	48	
3-48-2	Molecule Type	DNA	
3-48-3	Length	20	
3-48-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		

20262013390 25 Feb 2026

3-48-5	Residues	ggtgcacagt ttctggcagg	20
3-49	**Sequences**		
3-49-1	Sequence Number [ID]	49	
3-49-2	Molecule Type	DNA	
3-49-3	Length	20	
3-49-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-49-5	Residues	gcagccatgg tgatcaggag	20
3-50	**Sequences**		
3-50-1	Sequence Number [ID]	50	
3-50-2	Molecule Type	DNA	
3-50-3	Length	20	
3-50-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-50-5	Residues	ggtagaaata tagttgttcc	20
3-51	**Sequences**		
3-51-1	Sequence Number [ID]	51	
3-51-2	Molecule Type	DNA	
3-51-3	Length	20	
3-51-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-51-5	Residues	ttcatgtgtc tgcatcatgt	20
3-52	**Sequences**		
3-52-1	Sequence Number [ID]	52	
3-52-2	Molecule Type	DNA	
3-52-3	Length	20	
3-52-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-52-5	Residues	gcatccagcg agcaccaaag	20
3-53	**Sequences**		
3-53-1	Sequence Number [ID]	53	
3-53-2	Molecule Type	DNA	
3-53-3	Length	20	
3-53-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-53-5	Residues	agccatggtg atcaggaggc	20
3-54	**Sequences**		
3-54-1	Sequence Number [ID]	54	
3-54-2	Molecule Type	DNA	
3-54-3	Length	20	
3-54-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-54-5	Residues	cagccatggt gatcaggagg	20
3-55	**Sequences**		
3-55-1	Sequence Number [ID]	55	
3-55-2	Molecule Type	DNA	
3-55-3	Length	20	
3-55-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-55-5	Residues	gtctggatta cagcataaac	20
3-56	**Sequences**		
3-56-1	Sequence Number [ID]	56	
3-56-2	Molecule Type	DNA	
3-56-3	Length	20	

2026201390 25 Feb 2026

3-56-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-56-5	Residues	ggtctggatt acagcataaa	20
3-57	**Sequences**		
3-57-1	Sequence Number [ID]	57	
3-57-2	Molecule Type	DNA	
3-57-3	Length	20	
3-57-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-57-5	Residues	ccttggtctg gattacagca	20
3-58	**Sequences**		
3-58-1	Sequence Number [ID]	58	
3-58-2	Molecule Type	DNA	
3-58-3	Length	20	
3-58-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-58-5	Residues	ccttggtctg gattacagca	20
3-59	**Sequences**		
3-59-1	Sequence Number [ID]	59	
3-59-2	Molecule Type	DNA	
3-59-3	Length	20	
3-59-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-59-5	Residues	gtgcttgtcc aggatgatgc	20
3-60	**Sequences**		
3-60-1	Sequence Number [ID]	60	
3-60-2	Molecule Type	DNA	
3-60-3	Length	17	
3-60-4	Features	**source 1..17**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-60-5	Residues	ggttcccgag gtgccca	17
3-61	**Sequences**		
3-61-1	Sequence Number [ID]	61	
3-61-2	Molecule Type	DNA	
3-61-3	Length	20	
3-61-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-61-5	Residues	tccacaggcc acaggtgggc	20
3-62	**Sequences**		
3-62-1	Sequence Number [ID]	62	
3-62-2	Molecule Type	DNA	
3-62-3	Length	20	
3-62-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-62-5	Residues	ctctttattg ttggaggaca	20
3-63	**Sequences**		
3-63-1	Sequence Number [ID]	63	
3-63-2	Molecule Type	DNA	
3-63-3	Length	20	
3-63-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-63-5	Residues	gcaaggctcg gttgggcttc	20

2026201390 25 Feb 2026

3-64	**Sequences**		
3-64-1	Sequence Number [ID]	64	
3-64-2	Molecule Type	DNA	
3-64-3	Length	17	
3-64-4	Features	**source 1..17**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-64-5	Residues	gggcaatgca gtcctgg	17
3-65	**Sequences**		
3-65-1	Sequence Number [ID]	65	
3-65-2	Molecule Type	DNA	
3-65-3	Length	17	
3-65-4	Features	**source 1..17**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-65-5	Residues	gaaggtgaca ccagcct	17
3-66	**Sequences**		
3-66-1	Sequence Number [ID]	66	
3-66-2	Molecule Type	DNA	
3-66-3	Length	17	
3-66-4	Features	**source 1..17**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-66-5	Residues	gctcagcatc cacaggc	17
3-67	**Sequences**		
3-67-1	Sequence Number [ID]	67	
3-67-2	Molecule Type	DNA	
3-67-3	Length	21	
3-67-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-67-5	Residues	gggttcccga ggtgcccaat g	21
3-68	**Sequences**		
3-68-1	Sequence Number [ID]	68	
3-68-2	Molecule Type	DNA	
3-68-3	Length	20	
3-68-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-68-5	Residues	gcagaggtga agcgaagtgc	20
3-69	**Sequences**		
3-69-1	Sequence Number [ID]	69	
3-69-2	Molecule Type	DNA	
3-69-3	Length	20	
3-69-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-69-5	Residues	aatggtttat tccatggcca	20
3-70	**Sequences**		
3-70-1	Sequence Number [ID]	70	
3-70-2	Molecule Type	DNA	
3-70-3	Length	20	
3-70-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-70-5	Residues	ggtttattcc atggccattg	20
3-71	**Sequences**		
3-71-1	Sequence Number [ID]	71	
3-71-2	Molecule Type	DNA	
3-71-3	Length	20	
3-71-4	Features	**source 1..20**	

2026201390 25 Feb 2026

	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-71-5	Residues	aaatggttta ttccatggcc	20
3-72	**Sequences**		
3-72-1	Sequence Number [ID]	72	
3-72-2	Molecule Type	DNA	
3-72-3	Length	18	
3-72-4	Features	**source 1..18**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-72-5	Residues	aatggtttat tccatggc	18
3-73	**Sequences**		
3-73-1	Sequence Number [ID]	73	
3-73-2	Molecule Type	DNA	
3-73-3	Length	16	
3-73-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-73-5	Residues	ctatttggat gtcagc	16
3-74	**Sequences**		
3-74-1	Sequence Number [ID]	74	
3-74-2	Molecule Type	DNA	
3-74-3	Length	20	
3-74-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-74-5	Residues	tcttggttac atgaaatccc	20
3-75	**Sequences**		
3-75-1	Sequence Number [ID]	75	
3-75-2	Molecule Type	DNA	
3-75-3	Length	20	
3-75-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-75-5	Residues	cttggttaca tgaaatccca	20
3-76	**Sequences**		
3-76-1	Sequence Number [ID]	76	
3-76-2	Molecule Type	DNA	
3-76-3	Length	20	
3-76-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-76-5	Residues	ggaatactct tggttacatg	20
3-77	**Sequences**		
3-77-1	Sequence Number [ID]	77	
3-77-2	Molecule Type	DNA	
3-77-3	Length	20	
3-77-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-77-5	Residues	tggaatactc ttggttacat	20
3-78	**Sequences**		
3-78-1	Sequence Number [ID]	78	
3-78-2	Molecule Type	DNA	
3-78-3	Length	20	
3-78-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-78-5	Residues	ttttattgtc tctgcctgga	20
3-79	**Sequences**		

20262013390 25 Feb 2026

3-79-1	Sequence Number [ID]	79	
3-79-2	Molecule Type	DNA	
3-79-3	Length	20	
3-79-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-79-5	Residues	gaatgtttta ttgtctctgc	20
3-80	**Sequences**		
3-80-1	Sequence Number [ID]	80	
3-80-2	Molecule Type	DNA	
3-80-3	Length	20	
3-80-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-80-5	Residues	aggaatgttt tattgtctct	20
3-81	**Sequences**		
3-81-1	Sequence Number [ID]	81	
3-81-2	Molecule Type	DNA	
3-81-3	Length	20	
3-81-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-81-5	Residues	acaggaatgt tttattgtct	20
3-82	**Sequences**		
3-82-1	Sequence Number [ID]	82	
3-82-2	Molecule Type	DNA	
3-82-3	Length	16	
3-82-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-82-5	Residues	tggcaagcat cctgta	16
3-83	**Sequences**		
3-83-1	Sequence Number [ID]	83	
3-83-2	Molecule Type	DNA	
3-83-3	Length	16	
3-83-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-83-5	Residues	ctcaatccat ggcagc	16
3-84	**Sequences**		
3-84-1	Sequence Number [ID]	84	
3-84-2	Molecule Type	DNA	
3-84-3	Length	16	
3-84-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-84-5	Residues	accaagtttc ttcagc	16
3-85	**Sequences**		
3-85-1	Sequence Number [ID]	85	
3-85-2	Molecule Type	DNA	
3-85-3	Length	13	
3-85-4	Features	**source 1..13**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-85-5	Residues	gcattggtat tca	13
3-86	**Sequences**		
3-86-1	Sequence Number [ID]	86	
3-86-2	Molecule Type	DNA	
3-86-3	Length	20	
3-86-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	

2026201390 25 Feb 2026

		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-86-5	Residues	ttcagcattg gtattcagtg	20
3-87	**Sequences**		
3-87-1	Sequence Number [ID]	87	
3-87-2	Molecule Type	DNA	
3-87-3	Length	16	
3-87-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-87-5	Residues	cagcattggt attcag	16
3-88	**Sequences**		
3-88-1	Sequence Number [ID]	88	
3-88-2	Molecule Type	DNA	
3-88-3	Length	15	
3-88-4	Features	**source 1..15**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-88-5	Residues	cagcattggt attca	15
3-89	**Sequences**		
3-89-1	Sequence Number [ID]	89	
3-89-2	Molecule Type	DNA	
3-89-3	Length	14	
3-89-4	Features	**source 1..14**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-89-5	Residues	agcattggta ttca	14
3-90	**Sequences**		
3-90-1	Sequence Number [ID]	90	
3-90-2	Molecule Type	DNA	
3-90-3	Length	12	
3-90-4	Features	**source 1..12**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-90-5	Residues	gcattggtat tc	12
3-91	**Sequences**		
3-91-1	Sequence Number [ID]	91	
3-91-2	Molecule Type	DNA	
3-91-3	Length	18	
3-91-4	Features	**source 1..18**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-91-5	Residues	cggcatgtct attttgta	18
3-92	**Sequences**		
3-92-1	Sequence Number [ID]	92	
3-92-2	Molecule Type	DNA	
3-92-3	Length	20	
3-92-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-92-5	Residues	ggctaaatcg ctccaccaag	20
3-93	**Sequences**		
3-93-1	Sequence Number [ID]	93	
3-93-2	Molecule Type	DNA	
3-93-3	Length	20	
3-93-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-93-5	Residues	ctctagcgtc ttaaagccga	20
3-94	**Sequences**		
3-94-1	Sequence Number [ID]	94	

2026201390 25 Feb 2026

3-94-2	Molecule Type	DNA	
3-94-3	Length	20	
3-94-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-94-5	Residues	gctgcatgat ctccttggcg	20
3-95	**Sequences**		
3-95-1	Sequence Number [ID]	95	
3-95-2	Molecule Type	DNA	
3-95-3	Length	20	
3-95-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-95-5	Residues	acgttgaggg gcatcgtcgc	20
3-96	**Sequences**		
3-96-1	Sequence Number [ID]	96	
3-96-2	Molecule Type	DNA	
3-96-3	Length	19	
3-96-4	Features	**source 1..19**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-96-5	Residues	gggtctgcag cgggatggt	19
3-97	**Sequences**		
3-97-1	Sequence Number [ID]	97	
3-97-2	Molecule Type	DNA	
3-97-3	Length	21	
3-97-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-97-5	Residues	gttactactt ccacctgcct g	21
3-98	**Sequences**		
3-98-1	Sequence Number [ID]	98	
3-98-2	Molecule Type	DNA	
3-98-3	Length	25	
3-98-4	Features	**source 1..25**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-98-5	Residues	tatccggagg gctcgccatg ctgct	25
3-99	**Sequences**		
3-99-1	Sequence Number [ID]	99	
3-99-2	Molecule Type	DNA	
3-99-3	Length	20	
3-99-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-99-5	Residues	tcccgcctgt gacatgcatt	20
3-100	**Sequences**		
3-100-1	Sequence Number [ID]	100	
3-100-2	Molecule Type	DNA	
3-100-3	Length	21	
3-100-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-100-5	Residues	cagcagcaga gtcttcatca t	21
3-101	**Sequences**		
3-101-1	Sequence Number [ID]	101	
3-101-2	Molecule Type	DNA	
3-101-3	Length	20	
3-101-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	

2026201390 25 Feb 2026

	NonEnglishQualifier Value		
3-101-5	Residues	gggacgcggc gctcggtcat	20
3-102	**Sequences**		
3-102-1	Sequence Number [ID]	102	
3-102-2	Molecule Type	DNA	
3-102-3	Length	20	
3-102-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-102-5	Residues	ccacaagctg tccagtctaa	20
3-103	**Sequences**		
3-103-1	Sequence Number [ID]	103	
3-103-2	Molecule Type	DNA	
3-103-3	Length	20	
3-103-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-103-5	Residues	ccgcagccat gcgctcttgg	20
3-104	**Sequences**		
3-104-1	Sequence Number [ID]	104	
3-104-2	Molecule Type	DNA	
3-104-3	Length	14	
3-104-4	Features	**source 1..14**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-104-5	Residues	tcagtcatga cttc	14
3-105	**Sequences**		
3-105-1	Sequence Number [ID]	105	
3-105-2	Molecule Type	DNA	
3-105-3	Length	20	
3-105-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-105-5	Residues	gctgattaga gagaggtccc	20
3-106	**Sequences**		
3-106-1	Sequence Number [ID]	106	
3-106-2	Molecule Type	DNA	
3-106-3	Length	20	
3-106-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-106-5	Residues	tcccatttca ggagacctgg	20
3-107	**Sequences**		
3-107-1	Sequence Number [ID]	107	
3-107-2	Molecule Type	DNA	
3-107-3	Length	20	
3-107-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-107-5	Residues	cggtgcaagg cttaggaatt	20
3-108	**Sequences**		
3-108-1	Sequence Number [ID]	108	
3-108-2	Molecule Type	DNA	
3-108-3	Length	20	
3-108-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-108-5	Residues	gcttcagtca tgacttcctt	20
3-109	**Sequences**		
3-109-1	Sequence Number [ID]	109	
3-109-2	Molecule Type	DNA	

25 Feb 2026
2026201390

3-109-3	Length	21	
3-109-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-109-5	Residues	agcttcagtc atgacttcct t	21
3-110	**Sequences**		
3-110-1	Sequence Number [ID]	110	
3-110-2	Molecule Type	DNA	
3-110-3	Length	21	
3-110-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-110-5	Residues	gcttcagtca tgacttcctt a	21
3-111	**Sequences**		
3-111-1	Sequence Number [ID]	111	
3-111-2	Molecule Type	DNA	
3-111-3	Length	21	
3-111-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-111-5	Residues	agcttcttgt ccagctttat a	21
3-112	**Sequences**		
3-112-1	Sequence Number [ID]	112	
3-112-2	Molecule Type	DNA	
3-112-3	Length	15	
3-112-4	Features	**source 1..15**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-112-5	Residues	tcagtcatga cttca	15
3-113	**Sequences**		
3-113-1	Sequence Number [ID]	113	
3-113-2	Molecule Type	DNA	
3-113-3	Length	21	
3-113-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-113-5	Residues	tggtaatcca ctttcagagg a	21
3-114	**Sequences**		
3-114-1	Sequence Number [ID]	114	
3-114-2	Molecule Type	DNA	
3-114-3	Length	15	
3-114-4	Features	**source 1..15**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-114-5	Residues	atcagtcatg acttc	15
3-115	**Sequences**		
3-115-1	Sequence Number [ID]	115	
3-115-2	Molecule Type	DNA	
3-115-3	Length	20	
3-115-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-115-5	Residues	tggtaatcca ctttcagagg	20
3-116	**Sequences**		
3-116-1	Sequence Number [ID]	116	
3-116-2	Molecule Type	DNA	
3-116-3	Length	21	
3-116-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		

20262013390 25 Feb 2026

3-116-5	Residues	tgcttcagtc atgacttcct t	21
3-117	**Sequences**		
3-117-1	Sequence Number [ID]	117	
3-117-2	Molecule Type	DNA	
3-117-3	Length	20	
3-117-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-117-5	Residues	cactgatttt tgcccaggat	20
3-118	**Sequences**		
3-118-1	Sequence Number [ID]	118	
3-118-2	Molecule Type	DNA	
3-118-3	Length	21	
3-118-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-118-5	Residues	cactgatttt tgcccaggat a	21
3-119	**Sequences**		
3-119-1	Sequence Number [ID]	119	
3-119-2	Molecule Type	DNA	
3-119-3	Length	21	
3-119-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-119-5	Residues	aagcttcttg tccagcttta t	21
3-120	**Sequences**		
3-120-1	Sequence Number [ID]	120	
3-120-2	Molecule Type	DNA	
3-120-3	Length	20	
3-120-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-120-5	Residues	acccaattca gaaggaagga	20
3-121	**Sequences**		
3-121-1	Sequence Number [ID]	121	
3-121-2	Molecule Type	DNA	
3-121-3	Length	21	
3-121-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-121-5	Residues	acccaattca gaaggaagga a	21
3-122	**Sequences**		
3-122-1	Sequence Number [ID]	122	
3-122-2	Molecule Type	DNA	
3-122-3	Length	21	
3-122-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-122-5	Residues	aacccaattc agaaggaagg a	21
3-123	**Sequences**		
3-123-1	Sequence Number [ID]	123	
3-123-2	Molecule Type	DNA	
3-123-3	Length	21	
3-123-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-123-5	Residues	tgcttcagtc atgacttcct t	21
3-124	**Sequences**		
3-124-1	Sequence Number [ID]	124	
3-124-2	Molecule Type	DNA	
3-124-3	Length	21	

2026201390 25 Feb 2026

3-124-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-124-5	Residues	atggtaatcc actttcagag g	21
3-125	**Sequences**		
3-125-1	Sequence Number [ID]	125	
3-125-2	Molecule Type	DNA	
3-125-3	Length	21	
3-125-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-125-5	Residues	tcttggttac atgaaatccc a	21
3-126	**Sequences**		
3-126-1	Sequence Number [ID]	126	
3-126-2	Molecule Type	DNA	
3-126-3	Length	20	
3-126-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-126-5	Residues	attcactttc ataatgctgg	20
3-127	**Sequences**		
3-127-1	Sequence Number [ID]	127	
3-127-2	Molecule Type	DNA	
3-127-3	Length	21	
3-127-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-127-5	Residues	attcactttc ataatgctgg a	21
3-128	**Sequences**		
3-128-1	Sequence Number [ID]	128	
3-128-2	Molecule Type	DNA	
3-128-3	Length	21	
3-128-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-128-5	Residues	atcttggtta catgaaatcc c	21
3-129	**Sequences**		
3-129-1	Sequence Number [ID]	129	
3-129-2	Molecule Type	DNA	
3-129-3	Length	20	
3-129-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-129-5	Residues	cagctttatt agggacagca	20
3-130	**Sequences**		
3-130-1	Sequence Number [ID]	130	
3-130-2	Molecule Type	DNA	
3-130-3	Length	21	
3-130-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-130-5	Residues	cagctttatt agggacagca a	21
3-131	**Sequences**		
3-131-1	Sequence Number [ID]	131	
3-131-2	Molecule Type	DNA	
3-131-3	Length	21	
3-131-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-131-5	Residues	acagctttat tagggacagc a	21

2026201390 25 Feb 2026

3-132	**Sequences**		
3-132-1	Sequence Number [ID]	132	
3-132-2	Molecule Type	DNA	
3-132-3	Length	16	
3-132-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-132-5	Residues	ttcagtcatg acttcc	16
3-133	**Sequences**		
3-133-1	Sequence Number [ID]	133	
3-133-2	Molecule Type	DNA	
3-133-3	Length	20	
3-133-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=synthetic construct	
		misc_feature 1..5	
		note=RNA	
		misc_feature 6..15	
		note=DNA	
		misc_feature 16..20	
		note=RNA	
	NonEnglishQualifier Value		
3-133-5	Residues	gcttcagtca tgacttcctt	20
3-134	**Sequences**		
3-134-1	Sequence Number [ID]	134	
3-134-2	Molecule Type	DNA	
3-134-3	Length	21	
3-134-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-134-5	Residues	tgctccgttg gtgcttgttc a	21
3-135	**Sequences**		
3-135-1	Sequence Number [ID]	135	
3-135-2	Molecule Type	DNA	
3-135-3	Length	14	
3-135-4	Features	**source 1..14**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-135-5	Residues	tgctacaaaa ccca	14
3-136	**Sequences**		
3-136-1	Sequence Number [ID]	136	
3-136-2	Molecule Type	DNA	
3-136-3	Length	15	
3-136-4	Features	**source 1..15**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-136-5	Residues	ccattgtcac actcc	15
3-137	**Sequences**		
3-137-1	Sequence Number [ID]	137	
3-137-2	Molecule Type	DNA	
3-137-3	Length	20	
3-137-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-137-5	Residues	cggttagaag actcatcttt	20
3-138	**Sequences**		
3-138-1	Sequence Number [ID]	138	
3-138-2	Molecule Type	DNA	
3-138-3	Length	30	
3-138-4	Features	**source 1..30**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		

20262013390 25 Feb 2026

3-138-5	Residues	ctccaacatc aaggaagatg gcatttctag	30
3-139	**Sequences**		
3-139-1	Sequence Number [ID]	139	
3-139-2	Molecule Type	DNA	
3-139-3	Length	23	
3-139-4	Features	**source 1..23**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-139-5	Residues	gaatattaac anactgacaa gtc	23
3-140	**Sequences**		
3-140-1	Sequence Number [ID]	140	
3-140-2	Molecule Type	DNA	
3-140-3	Length	21	
3-140-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-140-5	Residues	cgttgatant tctgccatnc t	21
3-141	**Sequences**		
3-141-1	Sequence Number [ID]	141	
3-141-2	Molecule Type	DNA	
3-141-3	Length	19	
3-141-4	Features	**source 1..19**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-141-5	Residues	gccatggttt tttctcagg	19
3-142	**Sequences**		
3-142-1	Sequence Number [ID]	142	
3-142-2	Molecule Type	DNA	
3-142-3	Length	20	
3-142-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-142-5	Residues	cctgcccttt gttctagttg	20
3-143	**Sequences**		
3-143-1	Sequence Number [ID]	143	
3-143-2	Molecule Type	DNA	
3-143-3	Length	21	
3-143-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-143-5	Residues	gtcgcccctt ctccccgcag c	21
3-144	**Sequences**		
3-144-1	Sequence Number [ID]	144	
3-144-2	Molecule Type	DNA	
3-144-3	Length	18	
3-144-4	Features	**source 1..18**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-144-5	Residues	ggaccctcct ccggagcc	18
3-145	**Sequences**		
3-145-1	Sequence Number [ID]	145	
3-145-2	Molecule Type	DNA	
3-145-3	Length	23	
3-145-4	Features	**source 1..23**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-145-5	Residues	accaggcgtc tcgtggggca cat	23
3-146	**Sequences**		
3-146-1	Sequence Number [ID]	146	
3-146-2	Molecule Type	DNA	
3-146-3	Length	18	

2026201390 25 Feb 2026

3-146-4	Features	**source 1..18**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-146-5	Residues	tctcccagcg tgcgccat	18
3-147	**Sequences**		
3-147-1	Sequence Number [ID]	147	
3-147-2	Molecule Type	DNA	
3-147-3	Length	15	
3-147-4	Features	**source 1..15**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-147-5	Residues	gtgctccatt gatgc	15
3-148	**Sequences**		
3-148-1	Sequence Number [ID]	148	
3-148-2	Molecule Type	DNA	
3-148-3	Length	20	
3-148-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-148-5	Residues	tcagggcatt ctttccattc	20
3-149	**Sequences**		
3-149-1	Sequence Number [ID]	149	
3-149-2	Molecule Type	DNA	
3-149-3	Length	20	
3-149-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-149-5	Residues	cgaaggaaac aatactccga	20
3-150	**Sequences**		
3-150-1	Sequence Number [ID]	150	
3-150-2	Molecule Type	DNA	
3-150-3	Length	20	
3-150-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-150-5	Residues	gacagcagcc gcagcagaaa	20
3-151	**Sequences**		
3-151-1	Sequence Number [ID]	151	
3-151-2	Molecule Type	DNA	
3-151-3	Length	20	
3-151-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-151-5	Residues	tggaaaggct tatacccctc	20
3-152	**Sequences**		
3-152-1	Sequence Number [ID]	152	
3-152-2	Molecule Type	DNA	
3-152-3	Length	20	
3-152-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-152-5	Residues	tcaaggaaga tggcatttct	20
3-153	**Sequences**		
3-153-1	Sequence Number [ID]	153	
3-153-2	Molecule Type	RNA	
3-153-3	Length	16	
3-153-4	Features	**source 1..16**	
	Location/Qualifiers	mol_type=other RNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-153-5	Residues	gtggctaaca gaagct	16

2026201390 25 Feb 2026

3-154	**Sequences**		
3-154-1	Sequence Number [ID]	154	
3-154-2	Molecule Type	RNA	
3-154-3	Length	25	
3-154-4	Features	**source 1..25**	
	Location/Qualifiers	mol_type=other RNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-154-5	Residues	tttgccgctg cccaatgcca tcctg	25
3-155	**Sequences**		
3-155-1	Sequence Number [ID]	155	
3-155-2	Molecule Type	DNA	
3-155-3	Length	18	
3-155-4	Features	**source 1..18**	
	Location/Qualifiers	mol_type=other DNA	
		organism=synthetic construct	
		misc_feature 1..4	
		note=RNA	
		misc_feature 5..14	
		note=DNA	
		misc_feature 15..18	
		note=RNA	
	NonEnglishQualifier Value		
3-155-5	Residues	gcgtgcctcc tcactggc	18
3-156	**Sequences**		
3-156-1	Sequence Number [ID]	156	
3-156-2	Molecule Type	DNA	
3-156-3	Length	20	
3-156-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-156-5	Residues	ccttggccac gccggcatcc	20
3-157	**Sequences**		
3-157-1	Sequence Number [ID]	157	
3-157-2	Molecule Type	DNA	
3-157-3	Length	20	
3-157-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-157-5	Residues	gtcacacttg ctggcctgtc	20
3-158	**Sequences**		
3-158-1	Sequence Number [ID]	158	
3-158-2	Molecule Type	DNA	
3-158-3	Length	20	
3-158-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-158-5	Residues	tggcagtgga cacgggtccc	20
3-159	**Sequences**		
3-159-1	Sequence Number [ID]	159	
3-159-2	Molecule Type	DNA	
3-159-3	Length	20	
3-159-4	Features	**source 1..20**	
	Location/Qualifiers	mol_type=other DNA	
		organism=Synthetic construct	
	NonEnglishQualifier Value		
3-159-5	Residues	actcaccgag cttcctggtc	20
3-160	**Sequences**		
3-160-1	Sequence Number [ID]	160	
3-160-2	Molecule Type	DNA	
3-160-3	Length	3731	
3-160-4	Features	**source 1..3731**	
	Location/Qualifiers	mol_type=genomic DNA	
		organism=Homo sapiens	
	NonEnglishQualifier Value		

2026201390 25 Feb 2026

3-160-5	Residues	gtccgatggg gctctggtgg cgtgatctgc gcgccccagg cgtcaagcac ccacacccta 60 gaaggtttcc gcagcgacgt cgaggcgctc atggttgcag gcgggcgccg ccgttcagtt 120 cagggtctga gcctggagga gtgagccagg cagtgagact ggctcgggcg ggccgggacg 180 cgtcgttgca gcagcggctc ccagctccca gccaggattc cgcgcgcccc ttcacgcgcc 240 ctgctcctga acttcagctc ctgcacagtc ctccccaccg caaggctcaa ggcgccgccg 300 gcgtggaccg cgcacggcct ctaggtctcc tcgccaggac agcaacctct cccctggccc 360 tcatgggcac cgtcagctcc aggcggtcct ggtggccgct gccactgctg ctgctgctgc 420 tgctgctcct gggtcccgcg ggcgcccgtg cgcaggagga cgaggacggc gactacgagg 480 agctggtgct agccttgcgt tccgaggagg acggcctggc cgaagcaccc gagcacggaa 540 ccacagccac cttccaccgc tgcgccaagg atccgtggag gttgcctggc acctacgtgg 600 tggtgctgaa ggaggagacc cacctctcgc agtcagagcg cactgcccgc cgcctgcagg 660 cccaggctgc ccgccgggga tacctcacca agatcctgca tgtcttccat ggccttcttc 720 ctggcttcct ggtgaagatg agtggcgacc tgctggagct ggccttgaag ttgccccatg 780 tcgactacat cgaggaggac tcctctgtct ttgcccagag catcccgtgg aacctggagc 840 ggattacccc tccacggtac cgggcggatg aataccagcc ccccgacgga ggcagcctgg 900 tggaggtgta tctcctagac accagcatac agagtgacca ccgggaaatc gagggcaggg 960 tcatggtcac cgacttcgag aatgtgcccg aggaggacgg gacccgcttc cacagacagg 1020 ccagcaagtg tgacagtcat ggcacccacc tggcaggggt ggtcagcggc cgggatgccg 1080 gcgtggccaa gggtgccagc atgcgcagcc tgcgcgtgct caactgccaa gggaagggca 1140 cggttagcgg caccctcata ggcctggagt ttattcggaa aagccagctg gtccagcctg 1200 tggggccact ggtggtgctg ctgcccctgg cgggtgggta cagccgcgtc ctcaacgccg 1260 cctgccagcg cctggcgagg gctggggtcg tgctggtcac cgctgccggc aacttccggg 1320 acgatgcctg cctctactcc ccagcctcag ctcccgaggt catcacagtt ggggccacca 1380 atgcccaaga ccagccggtg accctgggga ctttggggac caactttggc cgctgtgtgg 1440 acctctttgc cccaggggag gacatcattg gtgcctccag cgactgcagc acctgctttg 1500 tgtcacagag tgggacatca caggctgctg cccacgtggc tggcattgca gccatgatgc 1560 tgtctgccga gccggagctc accctggccg agttgaggca gagactgatc cacttctctg 1620 ccaaagatgt catcaatgag gcctggttcc ctgaggacca gcgggtactg acccccaacc 1680 tggtggccgc cctgcccccc agcacccatg gggcaggttg gcagctgttt tgcaggactg 1740 tatggtcagc acactcgggg cctacacgga tggccacagc cgtcgcccgc tgcgccccag 1800 atgaggagct gctgagctgc tccagtttct ccaggagtgg gaagcggcgg ggcgagcgca 1860 tggaggccca agggggcaag ctggtctgcc gggcccacaa cgcttttggg ggtgagggtg 1920 tctacgccat tgccaggtgc tgcctgctac cccaggccaa ctgcagcgtc cacacagctc 1980 caccagctga ggccagcatg gggacccgtg tccactgcca ccaacagggc cacgtcctca 2040 caggctgcag ctcccactgg gaggtggagg accttggcac ccacaagccg cctgtgctga 2100 ggccacgagg tcagcccaac cagtgcgtgg gccacaggga ggccagcatc cacgcttcct 2160 gctgccatgc cccaggtctg gaatgcaaag tcaaggagca tggaatcccg gcccctcagg 2220 agcaggtgac cgtggcctgc gaggagggct ggaccctgac tggctgcagt gccctccctg 2280 ggacctccca cgtcctgggg gcctacgccg tagacaacac gtgtgtagtc aggagccggg 2340 acgtcagcac tacaggcagc accagcgaag gggccgtgac agccgttgcc atctgctgcc 2400 ggagccggca cctggcgcag gcctcccagg agctccagtg acagccccat cccaggatgg 2460 gtgtctgggg agggtcaagg gctggggctg agctttaaaa tggttccgac ttgtccctct 2520 ctcagccctc catggcctgg cacgagggga tggggatgct tccgcctttc cggggctgct 2580 ggcctggccc ttgagtgggg cagcctcctt gcctggaact cactcactct gggtgcctcc 2640 tccccaggtg gaggtgccag gaagctccct ccctcactgt ggggcatttc accattcaaa 2700 caggtcgagc tgtgctcggg tgctgccagc tgctcccaat gtgccgatgt ccgtgggcag 2760 aatgactttt attgagctct tgttccgtgc caggcattca atcctcaggt ctccaccaag 2820 gaggcaggat tcttcccatg gataggggag ggggcggtag gggctgcagg gacaaacatc 2880 gttggggggt gagtgtgaaa ggtgctgatg gccctcatct ccagctaact gtggagaagc 2940 ccctgggggc tccctgatta atggaggctt agctttctgg atggcatcta gccagaggct 3000 ggagacaggt gcgcccctgg tggtcacagg ctgtgccttg gtttcctgag ccacctttac 3060 tctgctctat gccaggctgt gctagcaaca cccaaaggtg gcctgcgggg agccatcacc 3120 taggactgac tcggcagtgt gcagtggtgc atgcactgtc tcagccaacc cgctccacta 3180 cccggcaggg tacacattcg cacccctact tcacagagga agaaacctgg aaccagaggg 3240 ggcgtgcctg ccaagctcac acagcaggaa ctgagccaga aacgcagatt gggctggctc 3300 tgaagccaag cctcttctta cttcacccgg ctgggctcct cattttacg ggtaacagtg 3360 aggctgggaa ggggaacaca gaccaggaag ctcggtgagt gatggcagaa cgatgcctgc 3420 aggcatggaa ctttttccgt tatcacccag gcctgattca ctggcctggc ggagatgctt 3480 ctaaggcatg gtcgggggag agggccaaca actgtccctc cttgagcacc agccccaccc 3540 aagcaagcag acatttatct tttgggtctg tcctctctgt tgccttttta cagccaactt 3600 ttctagacct gttttgcttt tgtaacttga agatatttat tctgggtttt gtagcatttt 3660 tattaatatg gtgacttttt aaaataaaaa caaacaaacg ttgtcctaac aaaaaaaaaa 3720 aaaaaaaaaa a 3731
3-161	**Sequences**	
3-161-1	Sequence Number [ID]	161
3-161-2	Molecule Type	DNA
3-161-3	Length	20
3-161-4	Features	**source 1..20**
	Location/Qualifiers	mol_type=other DNA organism=synthetic construct
	NonEnglishQualifier Value	
3-161-5	Residues	cactgagaat actgtccctt 20
3-162	**Sequences**	
3-162-1	Sequence Number [ID]	162

20262013390 25 Feb 2026

3-162-2	Molecule Type	RNA	
3-162-3	Length	21	
3-162-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other RNA	
		organism=synthetic construct	
		modified_base 20	
		mod_base=i	
	NonEnglishQualifier Value		
3-162-5	Residues	acgggacagt attctcagtn a	21
3-163	**Sequences**		
3-163-1	Sequence Number [ID]	163	
3-163-2	Molecule Type	RNA	
3-163-3	Length	21	
3-163-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other RNA	
		organism=synthetic construct	
	NonEnglishQualifier Value		
3-163-5	Residues	cagcccctta ttgttatacg a	21
3-164	**Sequences**		
3-164-1	Sequence Number [ID]	164	
3-164-2	Molecule Type	RNA	
3-164-3	Length	21	
3-164-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other RNA	
		organism=synthetic construct	
	NonEnglishQualifier Value		
3-164-5	Residues	tcactgagaa tactgtcccg t	21
3-165	**Sequences**		
3-165-1	Sequence Number [ID]	165	
3-165-2	Molecule Type	RNA	
3-165-3	Length	21	
3-165-4	Features	**source 1..21**	
	Location/Qualifiers	mol_type=other RNA	
		organism=synthetic construct	
	NonEnglishQualifier Value		
3-165-5	Residues	tcgtataaca ataaggggct g	21